

Manabu Muto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3893200/publications.pdf>

Version: 2024-02-01

163
papers

9,308
citations

47006

47
h-index

42399

92
g-index

173
all docs

173
docs citations

173
times ranked

8350
citing authors

#	ARTICLE	IF	CITATIONS
1	Multicenter phase II study of trifluridine/tipiracil for esophageal squamous carcinoma refractory/intolerant to 5-fluorouracil, platinum compounds, and taxanes: the ECTAS study. <i>Esophagus</i> , 2022, 19, 444-451.	1.9	3
2	Field Effect of Alcohol, Cigarette Smoking, and Their Cessation on the Development of Multiple Dysplastic Lesions and Squamous Cell Carcinoma: A Long-term Multicenter Cohort Study. , 2022, 1, 265-276.		6
3	Development of a list of competencies and entrustable professional activities for resident physicians during death pronouncement: a modified Delphi study. <i>BMC Medical Education</i> , 2022, 22, 119.	2.4	4
4	Management of elderly patients with early gastric cancer in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 425-432.	1.3	5
5	Second gastric cancer after curative endoscopic resection of differentiated-type early gastric cancer: post-hoc analysis of a single-arm confirmatory trial. <i>Gastrointestinal Endoscopy</i> , 2022, 95, 650-659.	1.0	5
6	Effect of chemoradiation on the development of second primary cancers after endoscopic resection of T1 esophageal squamous cell carcinoma. <i>Esophagus</i> , 2022, , 1.	1.9	1
7	Inter-assay variability of next-generation sequencing-based gene panels. <i>BMC Medical Genomics</i> , 2022, 15, 86.	1.5	3
8	Current status and issues related to secondary findings in the first public insurance covered tumor genomic profiling in Japan: multi-site questionnaire survey. <i>Journal of Human Genetics</i> , 2022, 67, 557-563.	2.3	6
9	Current status of endoscopic detection, characterization and staging of superficial esophageal squamous cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2022, , .	1.3	1
10	Germline sequencing for presumed germline pathogenic variants via tumor-only comprehensive genomic profiling. <i>International Journal of Clinical Oncology</i> , 2022, , 1.	2.2	4
11	Early gastric cancer detection in high-risk patients: a multicentre randomised controlled trial on the effect of second-generation narrow band imaging. <i>Gut</i> , 2021, 70, 67-75.	12.1	83
12	Association of local complete response with prognosis after salvage photodynamic therapy for esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2021, 33, 355-363.	2.3	19
13	Comprehensive genomic profiling for patients with chemotherapy-advanced cancer. <i>Cancer Science</i> , 2021, 112, 296-304.	3.9	21
14	Confirmatory germline testing for presumed germline pathogenic variants using tumor-only testing.. <i>Journal of Clinical Oncology</i> , 2021, 39, e22524-e22524.	1.6	0
15	A phase II study of chemoselection with docetaxel, cisplatin, and 5-fluorouracil as a strategy for organ preservation in patients with resectable esophageal cancer (CROC trial).. <i>Journal of Clinical Oncology</i> , 2021, 39, 4027-4027.	1.6	12
16	Transoral surgery for superficial head and neck cancer: National Multi-Center Survey in Japan. <i>Cancer Medicine</i> , 2021, 10, 3848-3861.	2.8	8
17	Visceral fat obesity is the key risk factor for the development of reflux erosive esophagitis in 40-69-years subjects. <i>Esophagus</i> , 2021, 18, 889-899.	1.9	3
18	Repeated talaporfin sodium photodynamic therapy for esophageal cancer: safety and efficacy. <i>Esophagus</i> , 2021, 18, 817-824.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Multicenter prospective in vivo study of an endocytoscope system (ECS) for superficial esophageal cancer. <i>Journal of Gastroenterology</i> , 2021, 56, 808-813.	5.1	2
20	Assessment of the Diagnostic Performance of Endoscopic Ultrasonography After Conventional Endoscopy for the Evaluation of Esophageal Squamous Cell Carcinoma Invasion Depth. <i>JAMA Network Open</i> , 2021, 4, e2125317.	5.9	28
21	The CAM Model for CIC-DUX4 Sarcoma and Its Potential Use for Precision Medicine. <i>Cells</i> , 2021, 10, 2613.	4.1	8
22	The potential for reducing alcohol consumption to prevent esophageal cancer morbidity in Asian heavy drinkers: a systematic review and meta-analysis. <i>Esophagus</i> , 2021, 19, 39.	1.9	3
23	Protective effects of Alda-1, an ALDH2 activator, on alcohol-derived DNA damage in the esophagus of human ALDH2*2 (Glu504Lys) knock-in mice. <i>Carcinogenesis</i> , 2020, 41, 194-202.	2.8	12
24	Clinical significance of TP53 variants as possible secondary findings in tumor-only next-generation sequencing. <i>Journal of Human Genetics</i> , 2020, 65, 125-132.	2.3	6
25	Association between macrocytosis and metachronous squamous cell carcinoma of the esophagus after endoscopic resection in men with early esophageal squamous cell carcinoma. <i>Esophagus</i> , 2020, 17, 149-158.	1.9	7
26	Successful management of hyperammonemia with hemodialysis on day 2 during 5-fluorouracil treatment in a patient with gastric cancer: a case report with 5-fluorouracil metabolite analyses. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 86, 693-699.	2.3	6
27	Near-focus magnification and second-generation narrow-band imaging for early gastric cancer in a randomized trial. <i>Journal of Gastroenterology</i> , 2020, 55, 1127-1137.	5.1	15
28	Femoral placement of a totally implantable venous access port with spontaneous catheter fracture: case report. <i>CVIR Endovascular</i> , 2020, 3, 2.	1.1	2
29	A phase 2 basket trial of combination therapy with trastuzumab and pertuzumab in patients with solid cancers harboring human epidermal growth factor receptor 2 amplification (JUPITER trial). <i>Medicine (United States)</i> , 2020, 99, e21457.	1.0	9
30	E487K-Induced Disorder in Functionally Relevant Dynamics of Mitochondrial Aldehyde Dehydrogenase 2. <i>Biophysical Journal</i> , 2020, 119, 628-637.	0.5	4
31	Cancer of unknown primary with EGFR mutation successfully treated with targeted therapy directed by clinical next-generation sequencing: a case report. <i>BMC Cancer</i> , 2020, 20, 1177.	2.6	3
32	Synthetic Lethality with Trifluridine/Tipiracil and Checkpoint Kinase 1 Inhibitor for Esophageal Squamous Cell Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 1363-1372.	4.1	13
33	Premature mortality due to stomach cancer in Japan: a nationwide analysis from 1980 to 2015. <i>Annals of Epidemiology</i> , 2020, 47, 19-24.	1.9	12
34	Association between the findings of metachronous secondary primary malignancies and the number of Lugol-voiding lesions. <i>Ecological Management and Restoration</i> , 2020, 33, .	0.4	10
35	The Alcohol Use Disorders Identification Test and the risk of metachronous cancer after endoscopic resection of esophageal cancer. <i>Carcinogenesis</i> , 2020, 41, 1049-1056.	2.8	6
36	Effectiveness of planned surveillance for detecting second primary head and neck cancers after endoscopic resection of esophageal squamous cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 1162-1167.	1.3	8

#	ARTICLE	IF	CITATIONS
37	Long-term outcome of endoscopic resection for intramucosal esophageal squamous cell cancer: a secondary analysis of the Japan Esophageal Cohort study. <i>Endoscopy</i> , 2020, 52, 967-975.	1.8	29
38	Endoscopic submucosal dissection/endoscopic mucosal resection guidelines for esophageal cancer. <i>Digestive Endoscopy</i> , 2020, 32, 452-493.	2.3	207
39	Endoscopic laryngopharyngeal surgery for hypopharyngeal lesions. <i>Oral Oncology</i> , 2020, 106, 104655.	1.5	10
40	Unexpected metastasis of intraductal papillary neoplasm of the bile duct without an invasive component to the brain and lungs: A case report. <i>World Journal of Gastroenterology</i> , 2020, 26, 366-374.	3.3	2
41	Endoscopic laryngo-pharyngeal surgery for elderly patients. <i>Journal of Otolaryngology of Japan</i> , 2020, 123, 531-532.	0.1	0
42	Endoscopic Diagnosis of Squamous Cell Carcinoma of the Esophagus. , 2020, , 71-84.		0
43	Experimental model for the irradiation-mediated abscopal effect and factors influencing this effect. <i>American Journal of Cancer Research</i> , 2020, 10, 440-453.	1.4	6
44	Current indications of endoscopic submucosal dissection for early gastric cancer in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 797-802.	1.3	20
45	Analytical performance of a new automated chemiluminescent magnetic immunoassays for soluble PD-1, PD-L1, and CTLA-4 in human plasma. <i>Scientific Reports</i> , 2019, 9, 10144.	3.3	29
46	Alcohol-Induced DNA Injury in Esophageal Squamous Cell Carcinoma. , 2019, , 3-12.		0
47	Efficacy of Endoscopic Resection and Selective Chemoradiotherapy for Stage I Esophageal Squamous Cell Carcinoma. <i>Gastroenterology</i> , 2019, 157, 382-390.e3.	1.3	137
48	Patient-derived tumor models of esophageal cancer. <i>The Enzymes</i> , 2019, 46, 97-111.	1.7	1
49	<p>Nutritional and clinical outcomes of chemoradiotherapy for clinical T1N0M0 esophageal carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 3623-3630.	1.9	3
50	Patient Derived Chicken Egg Tumor Model (PDcE Model): Current Status and Critical Issues. <i>Cells</i> , 2019, 8, 440.	4.1	38
51	Association Between Preanalytical Factors and Tumor Mutational Burden Estimated by Next-Generation Sequencing-Based Multiplex Gene Panel Assay. <i>Oncologist</i> , 2019, 24, e1401-e1408.	3.7	9
52	Combination treatment with highly bioavailable curcumin and NQO1 inhibitor exhibits potent antitumor effects on esophageal squamous cell carcinoma. <i>Journal of Gastroenterology</i> , 2019, 54, 687-698.	5.1	27
53	Esophageal cancer practice guidelines 2017 edited by the Japan esophageal society: part 2. <i>Esophagus</i> , 2019, 16, 25-43.	1.9	321
54	Endoscopic laryngo-pharyngeal surgery for elderly patients. <i>Auris Nasus Larynx</i> , 2019, 46, 279-284.	1.2	7

#	ARTICLE	IF	CITATIONS
55	Age-related remodelling of oesophageal epithelia by mutated cancer drivers. <i>Nature</i> , 2019, 565, 312-317.	27.8	476
56	Utility of ultrasound-guided liver tumor biopsy for next-generation sequencing-based clinical sequencing. <i>Hepatology Research</i> , 2019, 49, 579-589.	3.4	6
57	Current status of esophageal endoscopy including the evaluation of smoking and alcohol consumption in Japan: an analysis based on the Japan endoscopy database. <i>Esophagus</i> , 2019, 16, 174-179.	1.9	5
58	Genetic analysis of a case of <i>Helicobacter pylori</i> -uninfected intramucosal gastric cancer in a family with hereditary diffuse gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 892-898.	5.3	22
59	Three-Dimensional Organoids Reveal Therapy Resistance of Esophageal and Oropharyngeal Squamous Cell Carcinoma Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 7, 73-91.	4.5	102
60	Association between sample characteristics and tumor mutational burden estimated by next-generation sequencing-based multiplex gene panel assay. <i>Journal of Clinical Oncology</i> , 2019, 37, 148-148.	1.6	0
61	5. OncoNephrology. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 1890-1895.	0.0	0
62	Optimal management of immune-related adverse events resulting from treatment with immune checkpoint inhibitors: a review and update. <i>International Journal of Clinical Oncology</i> , 2018, 23, 410-420.	2.2	50
63	Multiple convex demarcation line for prediction of benign depressed gastric lesions in magnifying narrow-band imaging. <i>Endoscopy International Open</i> , 2018, 06, E145-E155.	1.8	4
64	RUNX1 positively regulates the ErbB2/HER2 signaling pathway through modulating SOS1 expression in gastric cancer cells. <i>Scientific Reports</i> , 2018, 8, 6423.	3.3	33
65	Chemotherapy in cancer patients undergoing haemodialysis: a nationwide study in Japan. <i>ESMO Open</i> , 2018, 3, e000301.	4.5	24
66	A non-randomized confirmatory trial of an expanded indication for endoscopic submucosal dissection for intestinal-type gastric cancer (cT1a): the Japan Clinical Oncology Group study (JCOG0607). <i>Gastric Cancer</i> , 2018, 21, 114-123.	5.3	163
67	Complications After Endoscopic Laryngopharyngeal Surgery. <i>Laryngoscope</i> , 2018, 128, 1546-1550.	2.0	14
68	Therapeutic Potential of Afatinib for Cancers with <i>ERBB2</i> (<i>HER2</i>) Transmembrane Domain Mutations G660D and V659E. <i>Oncologist</i> , 2018, 23, 150-154.	3.7	25
69	A Platform for Comprehensive Genomic Profiling in Human Cancers and Pharmacogenomics Therapy Selection. <i>Methods in Molecular Biology</i> , 2018, 1825, 413-424.	0.9	0
70	Integration of oncology and palliative care: less-mentioned issues and a Japanese perspective. <i>Lancet Oncology</i> , 2018, 19, e570-e571.	10.7	2
71	Clinical practice guidance for next-generation sequencing in cancer diagnosis and treatment (Edition) <i>Tj ETQq1</i> 1.0, 784314, <i>rgBT / Oncology</i>	3.9	38
72	Dialysis physicians' referral behaviors for hemodialysis patients suspected of having cancer: A vignette-based questionnaire study. <i>PLoS ONE</i> , 2018, 13, e0202322.	2.5	2

#	ARTICLE	IF	CITATIONS
73	Readministration of Nivolumab after Persistent Immune-related Colitis in a Patient with Recurrent Melanoma. <i>Internal Medicine</i> , 2018, 57, 1173-1176.	0.7	10
74	Long-term outcome of definitive radiotherapy for cervical esophageal squamous cell carcinoma. <i>Radiation Oncology</i> , 2018, 13, 7.	2.7	18
75	Association between homologous recombination repair gene mutations and response to oxaliplatin in pancreatic cancer. <i>Oncotarget</i> , 2018, 9, 19817-19825.	1.8	54
76	Alcohol-induced Carcinogenesis in the Upper Aerodigestive Tract. <i>Nihon Kikan Shokudoka Gakkai Kaiho</i> , 2018, 69, 275-281.	0.0	0
77	Perspectives and attitudes toward the integration of oncology and palliative care in Japan: Qualitative analysis of a nationwide survey.. <i>Journal of Clinical Oncology</i> , 2018, 36, 96-96.	1.6	2
78	Establishment of a Quick and Highly Accurate Breath Test for ALDH2 Genotyping. <i>Clinical and Translational Gastroenterology</i> , 2017, 8, e96.	2.5	15
79	Evaluation of an e-learning system for diagnosis of gastric lesions using magnifying narrow-band imaging: a multicenter randomized controlled study. <i>Endoscopy</i> , 2017, 49, 957-967.	1.8	57
80	Clinical sequencing using a next-generation sequencing-based multiplex gene assay in patients with advanced solid tumors. <i>Cancer Science</i> , 2017, 108, 1440-1446.	3.9	57
81	Accumulation of alpha-fluoro-beta-alanine and fluoro mono acetate in a patient with 5-fluorouracil-associated hyperammonemia. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 629-633.	2.3	17
82	Development of an e-learning system for teaching endoscopists how to diagnose early gastric cancer: basic principles for improving early detection. <i>Gastric Cancer</i> , 2017, 20, 28-38.	5.3	48
83	Decreased risk of esophageal cancer owing to cigarette and alcohol cessation in smokers and drinkers: a systematic review and meta-analysis. <i>Esophagus</i> , 2017, 14, 290-302.	1.9	3
84	Chemotherapy for primary mediastinal yolk sac tumor in a patient undergoing chronic hemodialysis: a case report. <i>Journal of Medical Case Reports</i> , 2017, 11, 43.	0.8	6
85	Association between UGT1A1*28*28 genotype and lung cancer in the Japanese population. <i>International Journal of Clinical Oncology</i> , 2017, 22, 269-273.	2.2	4
86	PTEN loss is associated with a poor response to trastuzumab in HER2-overexpressing gastroesophageal adenocarcinoma. <i>Gastric Cancer</i> , 2017, 20, 416-427.	5.3	29
87	The Distribution of Phosphatidylcholine Species in Superficial-Type Pharyngeal Carcinoma. <i>BioMed Research International</i> , 2017, 2017, 1-10.	1.9	3
88	Molecular Mechanisms of Acetaldehyde-Mediated Carcinogenesis in Squamous Epithelium. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1943.	4.1	66
89	Distinct effects of EGFR inhibitors on epithelial- and mesenchymal-like esophageal squamous cell carcinoma cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 101.	8.6	27
90	A multicenter phase II study of salvage photodynamic therapy using talaporfin sodium (ME2906) and a diode laser (PNL6405EPC) for local failure after chemoradiotherapy or radiotherapy for esophageal cancer. <i>Oncotarget</i> , 2017, 8, 22135-22144.	1.8	91

#	ARTICLE	IF	CITATIONS
91	Impact of BRCAness on the efficacy of oxaliplatin-based chemotherapy in patients with unresectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 250-250.	1.6	5
92	Alcohol abstinence and risk assessment for second esophageal cancer in Japanese men after mucosectomy for early esophageal cancer. <i>PLoS ONE</i> , 2017, 12, e0175182.	2.5	24
93	Esophageal Rupture Associated with Colonoscopy Preparation. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 682-683.	2.6	2
94	Alcohol Consumption and Multiple Dysplastic Lesions Increase Risk of Squamous Cell Carcinoma in the Esophagus, Head, and Neck. <i>Gastroenterology</i> , 2016, 151, 860-869.e7.	1.3	144
95	Magnifying endoscopy simple diagnostic algorithm for early gastric cancer (MESDA-G). <i>Digestive Endoscopy</i> , 2016, 28, 379-393.	2.3	209
96	Active salvage chemotherapy versus best supportive care for patients with recurrent or metastatic squamous cell carcinoma of the esophagus refractory or intolerable to fluorouracil, platinum, and taxane. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 1209-1216.	2.3	8
97	Factors affecting dilation force in balloon dilation of severe esophageal strictures: an experiment using an artificial stricture model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4315-4320.	2.4	2
98	Identification of a predictive factor for distant metastasis in esophageal squamous cell carcinoma after definitive chemoradiotherapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 899-908.	2.2	17
99	The possibility of clinical sequencing in the management of cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 399-406.	1.3	26
100	Incidence of lymph node metastasis in intramucosal gastric cancer measuring 30mm or less, with ulceration; mixed, predominantly differentiated-type histology; and no lymphovascular invasion: a multicenter retrospective study. <i>Gastric Cancer</i> , 2016, 19, 1144-1148.	5.3	20
101	Transoral surgery for laryngo-pharyngeal cancer – The paradigm shift of the head and cancer treatment. <i>Auris Nasus Larynx</i> , 2016, 43, 21-32.	1.2	84
102	Prognostic model for survival based on readily available pretreatment factors in patients with advanced pancreatic cancer receiving palliative chemotherapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 118-125.	2.2	28
103	Endoscopic laryngo-pharyngeal surgery for superficial laryngo-pharyngeal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 323-329.	2.4	68
104	Voice Outcome in Patients Treated With Endoscopic Laryngopharyngeal Surgery for Superficial Hypopharyngeal Cancer. <i>Clinical and Experimental Otorhinolaryngology</i> , 2016, 9, 70-74.	2.1	7
105	ALDH2 modulates autophagy flux to regulate acetaldehyde-mediated toxicity thresholds. <i>American Journal of Cancer Research</i> , 2016, 6, 781-96.	1.4	12
106	A significant feature of microvessels in magnifying narrow-band imaging for diagnosis of early gastric cancer. <i>Endoscopy International Open</i> , 2015, 03, E590-E596.	1.8	15
107	Protective role of ALDH2 against acetaldehyde-derived DNA damage in oesophageal squamous epithelium. <i>Scientific Reports</i> , 2015, 5, 14142.	3.3	38
108	Serum miR-21, miR-29a, and miR-125b Are Promising Biomarkers for the Early Detection of Colorectal Neoplasia. <i>Clinical Cancer Research</i> , 2015, 21, 4234-4242.	7.0	128

#	ARTICLE	IF	CITATIONS
109	Magnifying endoscope with NBI to predict the depth of invasion in laryngo-pharyngeal cancer. <i>Laryngoscope</i> , 2015, 125, 1124-1129.	2.0	42
110	The changing patterns of dispensing branded and generic drugs for the treatment of gastroesophageal reflux disease between 2006 and 2011 in Japan: a retrospective cohort study. <i>BMC Health Services Research</i> , 2015, 15, 76.	2.2	4
111	Next-generation narrow band imaging system for colonic polyp detection: a prospective multicenter randomized trial. <i>International Journal of Colorectal Disease</i> , 2015, 30, 947-954.	2.2	58
112	Tips for Obtaining Optimum Viewing Conditions Using NBI. , 2015, , 11-30.		1
113	A Phase III study of oral steroid administration versus local steroid injection therapy for the prevention of esophageal stricture after endoscopic submucosal dissection (JCOG1217, Steroid EESD) Tj ETQq1 1 0.784314 88BT /Over	0.784314	88
114	Recent Advances From Basic and Clinical Studies of Esophageal Squamous Cell Carcinoma. <i>Gastroenterology</i> , 2015, 149, 1700-1715.	1.3	450
115	Guidelines for Diagnosis and Treatment of Carcinoma of the Esophagus April 2012 edited by the Japan Esophageal Society. <i>Esophagus</i> , 2015, 12, 1-30.	1.9	383
116	Discovery of a Good Responder Subtype of Esophageal Squamous Cell Carcinoma with Cytotoxic T-Lymphocyte Signatures Activated by Chemoradiotherapy. <i>PLoS ONE</i> , 2015, 10, e0143804.	2.5	13
117	Prognostic model for survival in patients with advanced pancreatic cancer receiving palliative chemotherapy.. <i>Journal of Clinical Oncology</i> , 2015, 33, 248-248.	1.6	0
118	Endoscopic Laryngo-Pharyngeal Surgery. <i>Nihon Kikan Shokudoka Gakkai Kaiho</i> , 2015, 66, 311-318.	0.0	0
119	Clinical outcome after endoscopic resection for superficial pharyngeal squamous cell carcinoma invading the subepithelial layer. <i>Endoscopy</i> , 2014, 47, 11-18.	1.8	26
120	Magnifying Endoscopy with Narrow Band Imaging to Determine the Extent of Resection in Transoral Robotic Surgery of Oropharyngeal Cancer. <i>Case Reports in Otolaryngology</i> , 2014, 2014, 1-4.	0.2	18
121	An efficient diagnostic strategy for small, depressed early gastric cancer with magnifying narrow-band imaging: a post-hoc analysis of a prospective randomized controlled trial. <i>Gastrointestinal Endoscopy</i> , 2014, 79, 55-63.	1.0	64
122	Preclinical Validation of Talaporfin Sodium-Mediated Photodynamic Therapy for Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e103126.	2.5	26
123	Impairment of aldehyde dehydrogenase 2 increases accumulation of acetaldehyde-derived DNA damage in the esophagus after ethanol ingestion. <i>American Journal of Cancer Research</i> , 2014, 4, 279-84.	1.4	20
124	Endoscopic diagnostic strategy of superficial esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2013, 25, 1-6.	2.3	9
125	Surveillance after endoscopic mucosal resection or endoscopic submucosal dissection for esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2013, 25, 39-43.	2.3	31
126	Narrow-band Imaging for the Head and Neck Region and the Upper Gastrointestinal Tract. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 458-465.	1.3	7

#	ARTICLE	IF	CITATIONS
127	Elimination of esophageal multiple precancerous lesions by chemotherapy: potential chemoprevention of metachronous multiple cancer development after curative treatment. <i>Esophagus</i> , 2012, 9, 203-209.	1.9	2
128	Stability of acetaldehyde-derived DNA adduct in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2012, 423, 642-646.	2.1	13
129	Risk of superficial squamous cell carcinoma developing in the head and neck region in patients with esophageal squamous cell carcinoma. <i>Laryngoscope</i> , 2012, 122, 1291-1296.	2.0	53
130	Photodynamic therapy as salvage treatment for local failure after chemoradiotherapy in patients with esophageal squamous cell carcinoma: A phase II study. <i>International Journal of Cancer</i> , 2012, 131, 1228-1234.	5.1	83
131	Combination of <scp>ADH</scp>1<scp>B</scp>*2/<scp>ALDH</scp>2*2 polymorphisms alters acetaldehyde-derived <scp>DNA</scp> damage in the blood of <scp>J</scp>apanese alcoholics. <i>Cancer Science</i> , 2012, 103, 1651-1655.	3.9	45
132	Nonsurgical treatments for stage 0-IA squamous esophageal cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, 113-113.	1.6	0
133	Magnifying Narrowband Imaging Is More Accurate Than Conventional White-Light Imaging in Diagnosis of Gastric Mucosal Cancer. <i>Gastroenterology</i> , 2011, 141, 2017-2025.e3.	1.3	335
134	Long-term outcome of transoral organ-preserving pharyngeal endoscopic resection for superficial pharyngeal cancer. <i>Gastrointestinal Endoscopy</i> , 2011, 74, 477-484.	1.0	87
135	Macroscopic estimation of submucosal invasion in the esophagus. <i>Techniques in Gastrointestinal Endoscopy</i> , 2011, 13, 8-13.	0.3	2
136	Efficacy of Preventive Endoscopic Balloon Dilatation for Esophageal Stricture After Endoscopic Resection. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 222-227.	2.2	156
137	Differences of image enhancement in image-enhanced endoscopy: narrow band imaging versus flexible spectral imaging color enhancement. <i>Journal of Gastroenterology</i> , 2011, 46, 998-1002.	5.1	10
138	Diagnosis of the extent of advanced oropharyngeal and hypopharyngeal cancers by narrow band imaging with magnifying endoscopy. <i>Laryngoscope</i> , 2011, 121, 753-759.	2.0	33
139	Early Detection of Superficial Squamous Cell Carcinoma in the Head and Neck Region and Esophagus by Narrow Band Imaging: A Multicenter Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2010, 28, 1566-1572.	1.6	600
140	Magnifying narrow-band imaging versus magnifying white-light imaging for the differential diagnosis of gastric small depressive lesions: a prospective study. <i>Gastrointestinal Endoscopy</i> , 2010, 71, 477-484.	1.0	95
141	A Phase II Trial of Combined Treatment of Endoscopic Mucosal Resection and Chemoradiotherapy for Clinical Stage I Esophageal Carcinoma: Japan Clinical Oncology Group Study JCOG0508. <i>Japanese Journal of Clinical Oncology</i> , 2009, 39, 686-689.	1.3	54
142	Prospective study of early detection of pharyngeal superficial carcinoma with the narrowband imaging laryngoscope. <i>Head and Neck</i> , 2009, 31, 189-194.	2.0	63
143	Narrow-band imaging of the gastrointestinal tract. <i>Journal of Gastroenterology</i> , 2009, 44, 13-25.	5.1	41
144	Multiple early-stage malignant melanoma of the esophagus with long follow-up period after endoscopic treatment: report of a case. <i>Esophagus</i> , 2009, 6, 249-252.	1.9	6

#	ARTICLE	IF	CITATIONS
145	Improving visualization techniques by narrow band imaging and magnification endoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009, 24, 1333-1346.	2.8	58
146	Multicenter Prospective Randomized Controlled Study On the Detection and Diagnosis of Superficial Squamous Cell Carcinoma By Back-to-Back Endoscopic Examination of Narrowband Imaging and White Light Observation. <i>Gastrointestinal Endoscopy</i> , 2007, 65, AB110.	1.0	15
147	Potential and present limitation of endocytoscopy in the diagnosis of esophageal squamous-cell carcinoma: a multicenter ex vivo pilot study. <i>Gastrointestinal Endoscopy</i> , 2007, 66, 551-555.	1.0	35
148	NARROW-BAND IMAGING COMBINED WITH MAGNIFIED ENDOSCOPY FOR CANCER AT THE HEAD AND NECK REGION. <i>Digestive Endoscopy</i> , 2005, 17, S23-S24.	2.3	37
149	Risk of multiple squamous cell carcinomas both in the esophagus and the head and neck region. <i>Carcinogenesis</i> , 2005, 26, 1008-1012.	2.8	111
150	Local recurrence of squamous-cell carcinoma of the esophagus after EMR. <i>Gastrointestinal Endoscopy</i> , 2005, 61, 219-225.	1.0	143
151	Photodynamic therapy as salvage treatment for local failures after definitive chemoradiotherapy for esophageal cancer. <i>Gastrointestinal Endoscopy</i> , 2005, 62, 31-36.	1.0	77
152	Narrow Band Imaging: A New Diagnostic Approach to Visualize Angiogenesis in Superficial Neoplasia. <i>Clinical Gastroenterology and Hepatology</i> , 2005, 3, S16-S20.	4.4	179
153	Squamous cell carcinoma in situ at oropharyngeal and hypopharyngeal mucosal sites. <i>Cancer</i> , 2004, 101, 1375-1381.	4.1	369
154	Nonrandomized comparison between definitive chemoradiotherapy and radical surgery in patients with T2a-c N0 squamous cell carcinoma of the esophagus. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 425-433.	0.8	198
155	EMR as salvage treatment for patients with locoregional failure of definitive chemoradiotherapy for esophageal cancer. <i>Gastrointestinal Endoscopy</i> , 2003, 58, 65-70.	1.0	75
156	Long-Term Toxicity After Definitive Chemoradiotherapy for Squamous Cell Carcinoma of the Thoracic Esophagus. <i>Journal of Clinical Oncology</i> , 2003, 21, 2697-2702.	1.6	355
157	Alcohol flushing, alcohol and aldehyde dehydrogenase genotypes, and risk for esophageal squamous cell carcinoma in Japanese men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 1227-33.	2.5	80
158	Genetic polymorphisms of alcohol and aldehyde dehydrogenases and glutathione S-transferase M1 and drinking, smoking, and diet in Japanese men with esophageal squamous cell carcinoma. <i>Carcinogenesis</i> , 2002, 23, 1851-1859.	2.8	199
159	Association between aldehyde dehydrogenase gene polymorphisms and the phenomenon of field cancerization in patients with head and neck cancer. <i>Carcinogenesis</i> , 2002, 23, 1759-1766.	2.8	89
160	Association of multiple Lugol-voiding lesions with synchronous and metachronous esophageal squamous cell carcinoma in patients with head and neck cancer. <i>Gastrointestinal Endoscopy</i> , 2002, 56, 517-521.	1.0	200
161	Association of multiple Lugol-voiding lesions with synchronous and metachronous esophageal squamous cell carcinoma in patients with head and neck cancer. <i>Gastrointestinal Endoscopy</i> , 2002, 56, 517-521.	1.0	187
162	Acetaldehyde production by non-pathogenic <i>Neisseria</i> in human oral microflora: Implications for carcinogenesis in upper aerodigestive tract. <i>International Journal of Cancer</i> , 2000, 88, 342-350.	5.1	145

#	ARTICLE	IF	CITATIONS
163	Definitive Chemoradiotherapy for T4 and/or M1 Lymph Node Squamous Cell Carcinoma of the Esophagus. <i>Journal of Clinical Oncology</i> , 1999, 17, 2915-2915.	1.6	394