Jaroslaw Walkowiak

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/389343/jaroslaw-walkowiak-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180 26 2,043 35 h-index g-index citations papers 2,706 4.86 223 3.2 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
180	Characterization of the circulating transcriptomic landscape in inflammatory bowel disease provides evidence for dysregulation of multiple transcription factors including NFE2, SPI1, CEBPB, and IRF2 <i>Journal of Crohnls and Colitis</i> , 2022 ,	1.5	2
179	The Effect of Endurance and Endurance-Strength Training on Bone Health and Body Composition in Centrally Obese Women Randomised Pilot Trial. <i>Healthcare (Switzerland)</i> , 2022 , 10, 821	3.4	
178	The Effect of Sodium Butyrate Enemas Compared with Placebo on Disease Activity, Endoscopic Scores, and Histological and Inflammatory Parameters in Inflammatory Bowel Diseases: A Systematic Review of Randomised Controlled Trials. <i>Complementary Medicine Research</i> , 2021 , 28, 344-	1.3 ·356	6
177	High-Fat, Western-Style Diet, Systemic Inflammation, and Gut Microbiota: A Narrative Review. <i>Cells</i> , 2021 , 10,	7.9	20
176	Apolipoprotein E variants correlate with the clinical presentation of paediatric inflammatory bowel disease: A cross-sectional study. <i>World Journal of Gastroenterology</i> , 2021 , 27, 1483-1496	5.6	O
175	Endurance Training Depletes Antioxidant System but Does Not Affect Endothelial Functions in Women with Abdominal Obesity: A Randomized Trial with a Comparison to Endurance-Strength Training. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
174	The effect of endurance and endurance-strength training on body composition and cardiometabolic markers in abdominally obese women: a randomised trial. <i>Scientific Reports</i> , 2021 , 11, 12339	4.9	1
173	Comparison of Subjective and Objective Methods to Measure the Physical Activity of Non-Depressed Middle-Aged Healthy Subjects with Normal Cognitive Function and Mild Cognitive Impairment-A Cross-Sectional Study. International Journal of Environmental Research and Public	4.6	1
172	Health, 2021, 18, Expression profiling of ileal mucosa in asthma reveals upregulation of innate immunity and genes characteristic of Paneth and goblet cells. Allergy, Asthma and Clinical Immunology, 2021, 17, 82	3.2	
171	Inflammatory Potential of Diet Is Associated with Biomarkers Levels of Inflammation and Cognitive Function among Postmenopausal Women. <i>Nutrients</i> , 2021 , 13,	6.7	2
170	Snacking may improve dietary fiber density and is associated with a lower body mass index in postmenopausal women. <i>Nutrition</i> , 2021 , 83, 111063	4.8	3
169	Waiting in the wings: RUNX3 reveals hidden depths of immune regulation with potential implications for inflammatory bowel disease. <i>Scandinavian Journal of Immunology</i> , 2021 , 93, e13025	3.4	1
168	Serum bile acids in cystic fibrosis patients-glycodeoxycholic acid as a potential marker of liver disease. <i>Digestive and Liver Disease</i> , 2021 ,	3.3	2
167	Reliability of Capillary Complete Blood Count in Children With Acute Gastroenteritis. <i>Frontiers in Pediatrics</i> , 2021 , 9, 715576	3.4	О
166	Automated Bowel Sound Analysis: An Overview. <i>Sensors</i> , 2021 , 21,	3.8	5
165	The Effect of Endurance and Endurance-Strength Training on Bone Mineral Density and Content in Abdominally Obese Postmenopausal Women: A Randomized Trial. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	1
164	Crohn's Disease Susceptibility and Onset Are Strongly Related to Three Gene Haplotypes. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1

(2019-2020)

163	Hypomagnesemia is underestimated in children with HNF1B mutations. <i>Pediatric Nephrology</i> , 2020 , 35, 1877-1886	3.2	8	
162	Body Fat Changes and Liver Safety in Obese and Overweight Women Supplemented with Conjugated Linoleic Acid: A 12-Week Randomised, Double-Blind, Placebo-Controlled Trial. <i>Nutrients</i> , 2020 , 12,	6.7	1	
161	Retinal nerve fibre layer thickness associates with phenylketonuria control and cognition. <i>Journal of Medical Genetics</i> , 2020 , 57, 863-864	5.8	1	
160	The Effect of the Paleolithic Diet vs. Healthy Diets on Glucose and Insulin Homeostasis: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6	
159	Is lithium a potential treatment for the novel Wuhan (2019-nCoV) coronavirus? A scoping review. <i>F1000Research</i> , 2020 , 9, 93	3.6	16	
158	Lycopene in tomatoes and tomato products. <i>Open Chemistry</i> , 2020 , 18, 752-756	1.6	17	
157	The therapeutic potential of short-chain fatty acids enemas in inflammatory bowel diseases: a systematic review 2020 , 76, 297-304		2	
156	Metabolic Health in Obese Subjects-Is There a Link to Lactoferrin and Lactoferrin Receptor-Related Gene Polymorphisms?. <i>Nutrients</i> , 2020 , 12,	6.7	3	
155	Dipeptidyl peptidase-4 and GLP-1 interplay in STC-1 and GLUTag cell lines. <i>Peptides</i> , 2020 , 134, 170419	3.8	6	
154	Systemic inflammation is associated with circulating cell death released keratin 18 fragments in colorectal cancer. <i>Oncolmmunology</i> , 2020 , 9, 1783046	7.2	6	
153	Determinants favoring weight regain after weight-loss therapy among postmenopausal women. <i>Scientific Reports</i> , 2020 , 10, 17713	4.9	0	
152	Infant formula fatty acid profile following microwave heating. <i>PLoS ONE</i> , 2020 , 15, e0237391	3.7	О	
151	Circulating brain-derived neurotrophic factor, leptin, neuropeptide Y, and their clinical correlates in cystic fibrosis: a cross-sectional study. <i>Archives of Medical Science</i> , 2020 , 16, 1049-1056	2.9	2	
150	No Difference in Lactoferrin Levels between Metabolically Healthy and Unhealthy Obese Women. <i>Nutrients</i> , 2019 , 11,	6.7	3	
149	Multi-Day Prolonged Low- to Moderate-Intensity Endurance Exercise Mimics Training Improvements in Metabolic and Oxidative Profiles Without Concurrent Chromosomal Changes in Healthy Adults. <i>Frontiers in Physiology</i> , 2019 , 10, 1123	4.6	6	
148	Overweight in classical phenylketonuria children: A retrospective cohort study. <i>Advances in Medical Sciences</i> , 2019 , 64, 409-414	2.8	2	
147	Inorganic mesoporous particles for controlled Hinolenic acid delivery to stimulate GLP-1 secretion in vitro. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019 , 144, 132-138	5.7	7	
146	PPARG and FTO polymorphism can modulate the outcomes of a central European diet and a Mediterranean diet in centrally obese postmenopausal women. <i>Nutrition Research</i> , 2019 , 69, 94-100	4	3	

145	Cystic fibrosis dyslipidaemia: A cross-sectional study. <i>Journal of Cystic Fibrosis</i> , 2019 , 18, 566-571	4.1	6
144	Vitamin K Deficiency in Patients After Restorative Proctocolectomy. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, e17-e18	4.5	1
143	The Effect of Habitual Fat Intake, IL6 Polymorphism, and Different Diet Strategies on Inflammation in Postmenopausal Women with Central Obesity. <i>Nutrients</i> , 2019 , 11,	6.7	8
142	Effects of Endurance and Endurance-Strength Training on Endothelial Function in Women with Obesity: A Randomized Trial. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	11
141	Therapy compliance in children with phenylketonuria younger than 5 years: A cohort study. <i>Advances in Clinical and Experimental Medicine</i> , 2019 , 28, 1385-1391	1.8	2
140	Lactose intolerance, lactose malabsorption and genetic predisposition to adult-type hypolactasia in patients after restorative proctocolectomy. <i>Acta Biochimica Polonica</i> , 2019 , 66, 173-175	2	2
139	Comparison of the effects of endurance and endurance-strength training programmes on the level of endothelial dysfunction in women with abdominal obesity: study protocol for a randomised controlled trial. <i>Journal of Medical Science</i> , 2019 , 88, 266-272	1.6	4
138	Fecal Fat Concentration and Excretion in the First 2 Years of Life: a Cross-Sectional Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 285-289	2.8	3
137	Green tea extract prevents the development of nonalcoholic liver steatosis in rats fed a high-fat diet. <i>Polish Journal of Pathology</i> , 2019 , 70, 295-303	0.9	О
136	FADS1 and FADS2 polymorphism are associated with changes in fatty acid concentrations after calorie-restricted Central European and Mediterranean diets. <i>Menopause</i> , 2019 , 26, 1415-1424	2.5	3
135	Influence of endurance and endurance-strength training on mineral status in women with abdominal obesity: a randomized trial. <i>Medicine (United States)</i> , 2019 , 98, e14909	1.8	11
134	Redefining the Practical Utility of Blood Transcriptome Biomarkers in Inflammatory Bowel Diseases. <i>Journal of Crohnls and Colitis</i> , 2019 , 13, 626-633	1.5	11
133	Interactions between fecal bacteria, bile acids and components of tomato pomace. <i>Food Science and Biotechnology</i> , 2019 , 28, 649-655	3	1
132	Reliability of capillary blood potassium measurements in children with acute gastroenteritis. <i>Archives of Disease in Childhood</i> , 2018 , 103, 1091-1093	2.2	1
131	The Content of Dietary Fibre and Polyphenols in Morphological Parts of Buckwheat (Fagopyrum tataricum). <i>Plant Foods for Human Nutrition</i> , 2018 , 73, 82-88	3.9	18
130	Vitamin E status and its determinants in patients with cystic fibrosis. <i>Advances in Medical Sciences</i> , 2018 , 63, 341-346	2.8	5
129	Weight loss and metabolic health effects from energy-restricted Mediterranean and Central-European diets in postmenopausal women: A randomized controlled trial. <i>Scientific Reports</i> , 2018, 8, 11170	4.9	27
128	Apolipoprotein E polymorphism determines vitamin K supplementation effectiveness in cystic fibrosis patients. <i>Journal of Cystic Fibrosis</i> , 2018 , 17, e39-e40	4.1	O

(2017-2018)

127	Nutritional Considerations in Pediatric Pancreatitis: A Position Paper from the NASPGHAN Pancreas Committee and ESPGHAN Cystic Fibrosis/Pancreas Working Group. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 67, 131-143	2.8	33	
126	Deficiency of long-chain polyunsaturated fatty acids in phenylketonuria: a cross-sectional study. <i>Acta Biochimica Polonica</i> , 2018 , 65, 303-308	2	2	
125	The Central European diet as an alternative to the Mediterranean diet in atherosclerosis prevention in postmenopausal obese women with a high risk of metabolic syndrome - a randomized nutrition-al trial. <i>Acta Scientiarum Polonorum, Technologia Alimentaria</i> , 2018 , 17, 399-407	1	6	
124	The Central European diet as an alternative to the Mediterranean diet in atherosclerosis prevention in postmenopausal obese women with a high risk of metabolic syndrome - a randomized nutrition-al trial [pdf]. Acta Scientiarum Polonorum, Technologia Alimentaria, 2018, 17, 399-	1 407	2	
123	Clear Liquid Versus Low-fibre Diet in Bowel Cleansing for Colonoscopy in Children: A Randomized Trial. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 720-724	2.8	7	
122	Prevalence of vitamin K deficiency and associated factors in non-supplemented cystic fibrosis patients. <i>Archivos Argentinos De Pediatria</i> , 2018 , 116, e19-e25	0.7	2	
121	Consumption of cranberry functional beverage reduces gingival index and plaque index in patients with gingivitis. <i>Nutrition Research</i> , 2018 , 58, 36-45	4	9	
120	Fecal elastase-1 in healthy children up to 2 years of age: a cross-sectional study. <i>Medycyna Wieku Rozwojowego</i> , 2018 , 22, 123-127	0.4		
119	Vitamin K status in cystic fibrosis patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2017 , 49, 672-	63.5	5	
118	Gastroesophageal reflux is not associated with short-term variability of parasympathetic activity in children. <i>Advances in Medical Sciences</i> , 2017 , 62, 103-109	2.8	0	
117	Conservative Measures for Managing Constipation in Patients Living With a Colostomy. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2017 , 44, 160-164	1.7	6	
116	Immunogenicity of Pertussis Booster Vaccination in Children and Adolescents with Inflammatory Bowel Disease: A Controlled Study. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 847-852	4.5	7	
115	Interactions of Insoluble Residue from Enzymatic Hydrolysis of Brewer's Spent Grain with Intestinal Microbiota in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 3748-3756	5.7	7	
114	Mulberry leaf extract decreases digestion and absorption of starch in healthy subjects-A randomized, placebo-controlled, crossover study. <i>Advances in Medical Sciences</i> , 2017 , 62, 302-306	2.8	11	
113	Prevalence of incorrect body posture in children and adolescents with overweight and obesity. European Journal of Pediatrics, 2017 , 176, 563-572	4.1	34	
112	Conjugated linoleic acid does not affect digestion and absorption of fat and starch-a randomized, double-blinded, placebo-controlled parallel study. <i>Journal of Breath Research</i> , 2017 , 12, 016010	3.1	1	
111	Whole blood glycerophospholipids in dried blood spots - a reliable marker for the fatty acid status. <i>Chemistry and Physics of Lipids</i> , 2017 , 207, 1-9	3.7	6	
110	Serum Phospholipid Fatty Acid Composition in Cystic Fibrosis Patients with and without Liver Cirrhosis. <i>Annals of Nutrition and Metabolism</i> , 2017 , 71, 91-98	4.5	4	

109	Increased Soluble VCAM-1 and Normal P-Selectin in Cystic Fibrosis: a Cross-Sectional Study. <i>Lung</i> , 2017 , 195, 445-453	2.9	7	
108	Determinants of Serum Glycerophospholipid Fatty Acids in Cystic Fibrosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	5	
107	Vitamin A status and its determinants in patients with cystic fibrosis. <i>Acta Scientiarum Polonorum, Technologia Alimentaria</i> , 2017 , 16, 345-354	1	1	
106	Overweight and obesity in children with newly diagnosed inflammatory bowel disease. <i>Advances in Medical Sciences</i> , 2016 , 61, 28-31	2.8	13	
105	Two Aerobic Exercise Programs in Management of Back Pain Among Middle-Aged Obese Women: A Randomized Controlled Study. <i>Human Movement</i> , 2016 , 17,	0.8	1	
104	Pancreatic Elastase-1 Quick Test for rapid assessment of pancreatic status in cystic fibrosis patients. <i>Journal of Cystic Fibrosis</i> , 2016 , 15, 664-8	4.1	7	
103	The effect of vitamin D supplementation on selected inflammatory biomarkers in obese and overweight subjects: a systematic review with meta-analysis. <i>European Journal of Nutrition</i> , 2016 , 55, 2163-76	5.2	55	
102	Effects of endurance and endurance-strength exercise on biochemical parameters of liver function in women with abdominal obesity. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 80, 1-7	7.5	25	
101	Effect of Wheat Dietary Fiber Particle Size during Digestion In Vitro on Bile Acid, Faecal Bacteria and Short-Chain Fatty Acid Content. <i>Plant Foods for Human Nutrition</i> , 2016 , 71, 151-7	3.9	15	
100	Secretin-enhanced Magnetic Resonance Cholangio-pancreatography in Pancreatic Insufficient and Pancreatic Sufficient Cystic Fibrosis Patients. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2016 , 25, 57-62	1.4	5	
99	Twelve weeks CLA supplementation decreases the hip circumference in overweight and obese women. A double-blind, randomized, placebo-controlled trial. <i>Acta Scientiarum Polonorum, Technologia Alimentaria</i> , 2016 , 15, 107-113	1	11	
98	Phenylketonuria is not a risk factor for changes of inflammation status as assessed by interleukin 6 and interleukin 8 concentrations. <i>Acta Scientiarum Polonorum, Technologia Alimentaria</i> , 2016 , 15, 221-2	2 5	1	
97	Twelve-week-conjugated linoleic acid supplementation has no effects on the selected markers of atherosclerosis in obese and overweight women. <i>Food and Nutrition Research</i> , 2016 , 60, 32776	3.1	6	
96	Effects of Endurance and Endurance-strength Exercise on Renal Function in Abdominally Obese Women with Renal Hyperfiltration: A Prospective Randomized Trial. <i>Biomedical and Environmental Sciences</i> , 2016 , 29, 706-712	1.1	17	
95	Serotype-Specific Pneumococcal Status prior to PCV 13 Administration in Children and Adolescents with Inflammatory Bowel Disease. <i>Polish Journal of Microbiology</i> , 2016 , 65, 89-91	1.8	2	
94	Link between Food Energy Density and Body Weight Changes in Obese Adults. <i>Nutrients</i> , 2016 , 8, 229	6.7	48	
93	Conflicting results of non-invasive methods for detection of Helicobacter pylori infection in children with celiac disease - a preliminary study. <i>Acta Biochimica Polonica</i> , 2016 , 63, 127-130	2	2	
92	Evaluation of medical and psychological parameters of quality of life in supraventricular tachyarrhythmia children. A comparison with healthy children. <i>Archives of Medical Science</i> , 2016 , 12, 105	5 2 -906	3 ¹	

(2015-2016)

91	Dietary Interventions and Changes in Cardio-Metabolic Parameters in Metabolically Healthy Obese Subjects: A Systematic Review with Meta-Analysis. <i>Nutrients</i> , 2016 , 8,	6.7	26
90	Supplementation of ursodeoxycholic acid improves fat digestion and absorption in cystic fibrosis patients with mild liver involvement. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 645-9	2.2	6
89	Smaller Width of the Pancreatic Duct During Secretin-Enhanced Magnetic Resonance Cholangiopancreatography in Pancreatic-Sufficient Cystic Fibrosis Patients. <i>Pancreas</i> , 2016 , 45, 1175-8	2.6	1
88	Exocrine pancreatic function in children with Alagille syndrome. <i>Scientific Reports</i> , 2016 , 6, 35229	4.9	4
87	Genetic architecture differences between pediatric and adult-onset inflammatory bowel diseases in the Polish population. <i>Scientific Reports</i> , 2016 , 6, 39831	4.9	26
86	Nawracajile zakalinie ukildu moczowego jako pierwszy objaw choroby Lelliowskiego i Crohna. <i>Pediatria Polska</i> , 2016 , 91, 289-293	0.1	
85	Specific Alu elements involved in a significant percentage of copy number variations of the STK11 gene in patients with Peutz-Jeghers syndrome. <i>Familial Cancer</i> , 2015 , 14, 455-61	3	9
84	Large bowel mucosal neoplasia in the original specimen may increase the risk of ileal pouch neoplasia in patients following restorative proctocolectomy for ulcerative colitis. <i>International Journal of Colorectal Disease</i> , 2015 , 30, 1261-6	3	7
83	Rapid Detection Method for the Four Most Common CHEK2 Mutations Based on Melting Profile Analysis. <i>Molecular Diagnosis and Therapy</i> , 2015 , 19, 419-25	4.5	6
82	Evaluation of factors related to bone disease in Polish children and adolescents with cystic fibrosis. <i>Advances in Medical Sciences</i> , 2015 , 60, 315-20	2.8	7
81	Gastroesophageal Reflux Disease in Children with Cystic Fibrosis. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 873, 1-7	3.6	13
80	L-Arginine and vitamin C attenuate pro-atherogenic effects of high-fat diet on biomarkers of endothelial dysfunction in rats. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 76, 100-6	7.5	11
79	Optical Coherence Tomography of the Labial Salivary Glands Reveals Age-Related Differences in Women. <i>Clinical and Translational Science</i> , 2015 , 8, 717-21	4.9	2
78	Exogenous and endogenous determinants of vitamin K status in cystic fibrosis. <i>Scientific Reports</i> , 2015 , 5, 12000	4.9	9
77	Green tea extract decreases starch digestion and absorption from a test meal in humans: a randomized, placebo-controlled crossover study. <i>Scientific Reports</i> , 2015 , 5, 12015	4.9	27
76	Esophageal pH Monitoring in Children: A Simple Mathematical Formula for pH Probe Positioning. Journal of Pediatric Gastroenterology and Nutrition, 2015 , 61, 212-4	2.8	2
75	Immunogenicity of 13-Valent Pneumococcal Conjugate Vaccine in Pediatric Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 1607-14	4.5	22
74	Effects of Endurance and Endurance Strength Training on Body Composition and Physical Capacity in Women with Abdominal Obesity. <i>Obesity Facts</i> , 2015 , 8, 175-87	5.1	36

73	Effects of rye bread enriched with green tea extract on weight maintenance and the characteristics of metabolic syndrome following weight loss: a pilot study. <i>Journal of Medicinal Food</i> , 2015 , 18, 698-70	05 ^{2.8}	15
72	Dietary habits changes and quality of life in patients undergoing chemotherapy for epithelial ovarian cancer. <i>Supportive Care in Cancer</i> , 2015 , 23, 1015-23	3.9	20
71	Optical coherence tomography identifies lower labial salivary gland surface density in cystic fibrosis. <i>PLoS ONE</i> , 2015 , 10, e0117517	3.7	3
70	Fecal pyruvate kinase is not suitable for discrimination between inflammatory bowel disease exacerbation and acute gastroenteritis. <i>Medycyna Wieku Rozwojowego</i> , 2015 , 19, 167-73	0.4	
69	Microencapsulated sodium butyrate administered to patients with diverticulosis decreases incidence of diverticulitisa prospective randomized study. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 387-93	3	28
68	Lipid profile and non-cholesterol sterols in obese women's serum after supplementing with plant stanol ester. <i>Research in Complementary Medicine</i> , 2014 , 21, 178-83		3
67	Successful maintenance of body weight reduction after individualized dietary counseling in obese subjects. <i>Scientific Reports</i> , 2014 , 4, 6620	4.9	13
66	Comparison of fecal pyruvate kinase isoform M2 and calprotectin in acute diarrhea in hospitalized children. <i>Scientific Reports</i> , 2014 , 4, 4769	4.9	5
65	Prevalence and correlates of vitamin K deficiency in children with inflammatory bowel disease. <i>Scientific Reports</i> , 2014 , 4, 4768	4.9	32
64	Long-term weight status in regainers after weight loss by lifestyle intervention: status and challenges. <i>Proceedings of the Nutrition Society</i> , 2014 , 73, 509-18	2.9	23
63	Sodium butyrate and short chain fatty acids in prevention of travellers' diarrhoea: a randomized prospective study. <i>Travel Medicine and Infectious Disease</i> , 2014 , 12, 183-8	8.4	17
62	Comparative-high resolution melting: a novel method of simultaneous screening for small mutations and copy number variations. <i>Human Genetics</i> , 2014 , 133, 535-45	6.3	9
61	Polyunsaturated fatty acids and not plant sterols naturally-occurring in food influence lipid profile in obese women. <i>Acta Scientiarum Polonorum, Technologia Alimentaria</i> , 2014 , 13, 111-7	1	1
60	Small intestinal bacterial overgrowth in patients with progressive familial intrahepatic cholestasis. <i>Acta Biochimica Polonica</i> , 2014 , 61, 103-7	2	3
59	Comparison of fecal pyruvate kinase isoform M2 and calprotectin in assessment of pediatric inflammatory bowel disease severity and activity. <i>Acta Biochimica Polonica</i> , 2014 , 61, 99-102	2	3
58	High Resolution Melting analysis as a rapid and efficient method of screening for small mutations in the STK11 gene in patients with Peutz-Jeghers syndrome. <i>BMC Medical Genetics</i> , 2013 , 14, 58	2.1	12
57	Early treatment and prevention of the radiation proctitiscomposite enemas containing sodium butyrate. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 1731-2	3	7
56	Quantitative assessment of oral mucosa and labial minor salivary glands in patients with Sjgren's syndrome using swept source OCT. <i>Biomedical Optics Express</i> , 2013 , 5, 259-74	3.5	8

(2011-2013)

55	Prevalence of Helicobacter pylori infection in patients with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2013 , 12, 761-5	4.1	2
54	Newborn screening for cystic fibrosis: Polish 4 years' experience with CFTR sequencing strategy. <i>European Journal of Human Genetics</i> , 2013 , 21, 391-6	5.3	22
53	Butyric acid in functional constipation. Przeglad Gastroenterologiczny, 2013, 8, 295-8	6	31
52	Butyric acid in irritable bowel syndrome. Przeglad Gastroenterologiczny, 2013, 8, 350-3	6	34
51	Single dose of green tea extract decreases lipid digestion and absorption from a test meal in humans <i>Acta Biochimica Polonica</i> , 2013 , 60,	2	13
50	Single dose of green tea extract decreases lipid digestion and absorption from a test meal in humans. <i>Acta Biochimica Polonica</i> , 2013 , 60, 481-3	2	7
49	Vitamin K status in patients with short bowel syndrome. Clinical Nutrition, 2012, 31, 1015-7	5.9	12
48	Yogurt I potential strategy for overcoming lactose intolerance: the significance of the dose. <i>Przeglad Gastroenterologiczny</i> , 2012 , 2, 81-86	6	
47	Lactose malabsorption is a risk factor for decreased bone mineral density in pancreatic insufficient cystic fibrosis patients. <i>European Journal of Human Genetics</i> , 2012 , 20, 1092-5	5.3	7
46	Adaptive changes of pancreatic protease secretion to a short-term vegan diet: influence of reduced intake and modification of protein. <i>British Journal of Nutrition</i> , 2012 , 107, 272-6	3.6	8
45	Stricture of ileo-anal J pouch anastomosis increased the intensity of pouchitis in an experimental rat model. <i>Medical Science Monitor</i> , 2012 , 18, BR409-13	3.2	2
44	Discrepancy between clinical and histological effects of DHA supplementation in a rat model of pouchitis. <i>Folia Histochemica Et Cytobiologica</i> , 2012 , 50, 125-129	1.4	8
43	Oral antibiotic therapy improves fat absorption in cystic fibrosis patients with small intestine bacterial overgrowth. <i>Journal of Cystic Fibrosis</i> , 2011 , 10, 418-21	4.1	28
42	Green tea aqueous extract reduces visceral fat and decreases protein availability in rats fed with a high-fat diet. <i>Nutrition Research</i> , 2011 , 31, 157-64	4	23
41	Mild CFTR mutations and genetic predisposition to lactase persistence in cystic fibrosis. <i>European Journal of Human Genetics</i> , 2011 , 19, 748-52	5.3	6
40	Fecal pancreatic elastase-1 levels in older individuals without known gastrointestinal diseases or diabetes mellitus. <i>BMC Geriatrics</i> , 2011 , 11, 4	4.1	27
39	Pilot study: a randomised, double blind, placebo controlled trial of pancrealipase for the treatment of postprandial irritable bowel syndrome-diarrhoea. <i>Frontline Gastroenterology</i> , 2011 , 2, 48-56	2.6	8
38	The diameter of the ileal J-pouch-anal anastomosis as an important risk factor of pouchitis - clinical observations. <i>Medical Science Monitor</i> , 2011 , 17, CR91-6	3.2	2

37	Vitamin K status in peritoneally dialyzed patients with chronic kidney disease <i>Acta Biochimica Polonica</i> , 2011 , 58,	2	11
36	Antibiotic therapy and fat digestion and absorption in cystic fibrosis <i>Acta Biochimica Polonica</i> , 2011 , 58,	2	4
35	Vitamin K status in peritoneally dialyzed patients with chronic kidney disease. <i>Acta Biochimica Polonica</i> , 2011 , 58, 617-20	2	5
34	Early intestinal manifestation in infants with cystic fibrosis (a pilot study. <i>Przeglad Gastroenterologiczny</i> , 2010 , 3, 164-167	6	
33	Small intestine bacterial overgrowth does not correspond to intestinal inflammation in cystic fibrosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010 , 70, 322-6	2	20
32	Stanowisko Polskiego Towarzystwa Mukowiscydozy (PTM) dotycziłe wykonania klasycznego testu potowego. <i>Pediatria Polska</i> , 2010 , 85, 353-358	0.1	
31	Defining DIOS and constipation in cystic fibrosis with a multicentre study on the incidence, characteristics, and treatment of DIOS. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 38-42	2.8	111
30	Screening for associated autoimmune disorders in Polish patients with Addison's disease. <i>Endocrine</i> , 2010 , 37, 349-60	4	33
29	Acid steatocrit determination is not helpful in cystic fibrosis patients without or with mild steatorrhea. <i>Pediatric Pulmonology</i> , 2010 , 45, 249-54	3.5	4
28	Adult-type hypolactasia and lactose malabsorption in Poland Acta Biochimica Polonica, 2010, 57,	2	8
27	Cystic fibrosis is a risk factor for celiac disease. <i>Acta Biochimica Polonica</i> , 2010 , 57, 115-8	2	20
26	Normal levels of serum pancreatic enzymes in patients with progressive familial intrahepatic cholestasis type 2. <i>Acta Biochimica Polonica</i> , 2010 , 57, 573-5	2	1
25	Adult-type hypolactasia and lactose malabsorption in Poland. <i>Acta Biochimica Polonica</i> , 2010 , 57, 585-8	2	7
24	Znaczenie witaminy K w mukowiscydozie. <i>Pediatria Polska</i> , 2009 , 84, 265-269	0.1	
23	Treatment of irritable bowel syndrome-diarrhea with pancrealipase or colesevelam and association with steatorrhea. <i>Pancreas</i> , 2009 , 38, 232-3	2.6	13
22	Small intestine bacterial overgrowth is frequent in cystic fibrosis: combined hydrogen and methane measurements are required for its detection. <i>Acta Biochimica Polonica</i> , 2009 , 56, 631-4	2	35
21	The changing face of the exocrine pancreas in cystic fibrosis: pancreatic sufficiency, pancreatitis and genotype. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 157-60	2.2	44
20	Chronic pouchitis is not related to small intestine bacterial overgrowth. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 1102-4	4.5	12

(2002-2007)

19	Polyunsaturated fatty acids in cystic fibrosis are related to nutrition and clinical expression of the disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 488-9; author reply 489	2.8	10
18	The elimination of meat from the diet selectively decreases pancreatic elastase secretion. <i>British Journal of Nutrition</i> , 2007 , 98, 154-8	3.6	5
17	Fecal pyruvate kinase: a potential new marker for intestinal inflammation in children with inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1147-50	2.4	35
16	Re: fecal elastase: pancreatic status verification and influence on nutritional status in children with cystic fibrosis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 42, 117; author reply 118	2.8	2
15	Normal pancreatic secretion in children with progressive familial intrahepatic cholestasis type 1. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 1480-3	2.4	7
14	Unresponsive or non-compliant steatorrhea in cystic fibrosis?. <i>Journal of Cystic Fibrosis</i> , 2006 , 5, 253-5	4.1	4
13	Exocrine pancreatic function in children with progressive familial intrahepatic cholestasis type 2. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 42, 416-8	2.8	14
12	Pancreatic enzyme therapy and gastrointestinal symptoms in patients with cystic fibrosis. <i>Journal of Pediatrics</i> , 2005 , 147, 870-1	3.6	2
11	Fecal pyruvate kinase (M2-PK): a new predictor for inflammation and severity of pouchitis. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 1493-4	2.4	38
10	Early decline of pancreatic function in cystic fibrosis patients with class 1 or 2 CFTR mutations. Journal of Pediatric Gastroenterology and Nutrition, 2005 , 40, 199-201	2.8	48
9	Indirect pancreatic function tests in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 107-14	2.8	53
8	Serum lipase after secretin stimulation detects mild pancreatic involvement in cystic fibrosis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 38, 430-5	2.8	8
7	Assessment of maldigestion in cystic fibrosis. <i>Journal of Pediatrics</i> , 2004 , 145, 285-7	3.6	23
6	Vegetarian Diet and Exocrine Pancreatic Function Using Fecal Tests: The Authors Reply. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 39, 212-213	2.8	1
5	Vegetarian diet alters the assessment of exocrine pancreatic function with the use of fecal tests. Journal of Pediatric Gastroenterology and Nutrition, 2004 , 38, 224-6	2.8	8
4	Longitudinal follow-up of exocrine pancreatic function in pancreatic sufficient cystic fibrosis patients using the fecal elastase-1 test. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 474-8	2.8	44
3	Fecal elastase-1 is superior to fecal chymotrypsin in the assessment of pancreatic involvement in cystic fibrosis. <i>Pediatrics</i> , 2002 , 110, e7	7.4	58
2	Fecal elastase-1 cut-off levels in the assessment of exocrine pancreatic function in cystic fibrosis. Journal of Cystic Fibrosis, 2002, 1, 260-4	4.1	33

Faecal elastase-1: clinical value in the assessment of exocrine pancreatic function in children. European Journal of Pediatrics, **2000**, 159, 869-70

4.1 32