

Xian Sheng Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3894052/xian-sheng-zhang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

2,402

citations

28

h-index

47

g-index

87

ext. papers

3,383

ext. citations

7.5

avg, IF

5.27

L-index

#	Paper	IF	Citations
83	Regulation of Expression Represents the Difference Between Direct and Indirect Shoot Regeneration.. <i>Frontiers in Plant Science</i> , 2022 , 13, 850726	6.2	0
82	Options for Engineering Apomixis in Plants.. <i>Frontiers in Plant Science</i> , 2022 , 13, 864987	6.2	1
81	Plant cell totipotency: Insights into cellular reprogramming. <i>Journal of Integrative Plant Biology</i> , 2021 , 63, 228-243	8.3	21
80	ZmTE1 promotes plant height by regulating intercalary meristem formation and internode cell elongation in maize. <i>Plant Biotechnology Journal</i> , 2021 ,	11.6	3
79	Single-cell profiling lights different cell trajectories in plants. <i>ABIOTECH</i> , 2021 , 2, 64-78	3.9	0
78	The Arabidopsis MATERNAL EFFECT EMBRYO ARREST45 protein modulates maternal auxin biosynthesis and controls seed size by inducing AINTEGUMENTA. <i>Plant Cell</i> , 2021 , 33, 1907-1926	11.6	4
77	Characterization of the gene family in. <i>Plant Signaling and Behavior</i> , 2021 , 16, 1913301	2.5	
76	Genetic, hormonal, and environmental control of tillering in wheat. <i>Crop Journal</i> , 2021 ,	4.6	4
75	The reference genome of <i>Miscanthus floridulus</i> illuminates the evolution of Saccharinae. <i>Nature Plants</i> , 2021 , 7, 608-618	11.5	5
74	ARF4 regulates shoot regeneration through coordination with ARF5 and IAA12. <i>Plant Cell Reports</i> , 2021 , 40, 315-325	5.1	4
73	MPK14-mediated auxin signaling controls lateral root development via ERF13-regulated very-long-chain fatty acid biosynthesis. <i>Molecular Plant</i> , 2021 , 14, 285-297	14.4	11
72	Analysis of N-methyladenosine reveals a new important mechanism regulating the salt tolerance of sweet sorghum. <i>Plant Science</i> , 2021 , 304, 110801	5.3	13
71	Genome assembly of the Chinese maize elite inbred line RP125 and its EMS mutant collection provide new resources for maize genetics research and crop improvement. <i>Plant Journal</i> , 2021 , 108, 40-54	6.9	1
70	A nitrate transporter encoded by ZmNPF7.9 is essential for maize seed development. <i>Plant Science</i> , 2021 , 308, 110901	5.3	0
69	FERONIA receptor kinase-regulated reactive oxygen species mediate self-incompatibility in <i>Brassica rapa</i> . <i>Current Biology</i> , 2021 , 31, 3004-3016.e4	6.3	13
68	Down-expression of TaPIN1s Increases the Tiller Number and Grain Yield in Wheat. <i>BMC Plant Biology</i> , 2021 , 21, 443	5.3	1
67	The novel E-subgroup pentatricopeptide repeat protein DEK55 is responsible for RNA editing at multiple sites and for the splicing of nad1 and nad4 in maize. <i>BMC Plant Biology</i> , 2020 , 20, 553	5.3	3

66	Functional Implications of Active N-Methyladenosine in Plants. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 291	5.7	12
65	Initiation and maintenance of plant stem cells in root and shoot apical meristems. <i>ABIOTECH</i> , 2020 , 1, 194-204	3.9	4
64	ROS in the Male-Female Interactions During Pollination: Function and Regulation. <i>Frontiers in Plant Science</i> , 2020 , 11, 177	6.2	17
63	The BIG gene controls size of shoot apical meristems in <i>Arabidopsis thaliana</i> . <i>Plant Cell Reports</i> , 2020 , 39, 543-552	5.1	2
62	AGC protein kinase AGC1-4 mediates seed size in <i>Arabidopsis</i> . <i>Plant Cell Reports</i> , 2020 , 39, 825-837	5.1	3
61	TaMYB86B encodes a R2R3-type MYB transcription factor and enhances salt tolerance in wheat. <i>Plant Science</i> , 2020 , 300, 110624	5.3	8
60	Overexpression of ZmDWF4 improves major agronomic traits and enhances yield in maize. <i>Molecular Breeding</i> , 2020 , 40, 1	3.4	4
59	Genome-wide identification and expression analysis of YTH domain-containing RNA-binding protein family in common wheat. <i>BMC Plant Biology</i> , 2020 , 20, 351	5.3	12
58	Regulation of cell reprogramming by auxin during somatic embryogenesis. <i>ABIOTECH</i> , 2020 , 1, 185-193	3.9	1
57	Integration of pluripotency pathways regulates stem cell maintenance in the shoot meristem. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 22561-22571	11.5	22
56	Genome-wide identification and analysis of heterotic loci in three maize hybrids. <i>Plant Biotechnology Journal</i> , 2020 , 18, 185-194	11.6	19
55	DEK43 is a P-type pentatricopeptide repeat (PPR) protein responsible for the Cis-splicing of nad4 in maize mitochondria. <i>Journal of Integrative Plant Biology</i> , 2020 , 62, 299-313	8.3	22
54	TaD27-B gene controls the tiller number in hexaploid wheat. <i>Plant Biotechnology Journal</i> , 2020 , 18, 513-525	11.5	37
53	Comparative Transcriptome Analysis Reveals New lncRNAs Responding to Salt Stress in Sweet Sorghum. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 331	5.8	19
52	Architecture of Wheat Inflorescence: Insights from Rice. <i>Trends in Plant Science</i> , 2019 , 24, 802-809	13.1	18
51	Pentatricopeptide repeat protein DEK40 is required for mitochondrial function and kernel development in maize. <i>Journal of Experimental Botany</i> , 2019 , 70, 6163-6179	7	9
50	Local Auxin Biosynthesis Mediates Plant Growth and Development. <i>Trends in Plant Science</i> , 2019 , 24, 6-9	13.1	22
49	Comparative Transcriptome Analysis Revealing the Effect of Light on Anthocyanin Biosynthesis in Purple Grains of Wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 3465-3476	5.7	12

48	Plant stem cells and de novo organogenesis. <i>New Phytologist</i> , 2018 , 218, 1334-1339	9.8	38
47	PHB3 Maintains Root Stem Cell Niche Identity through ROS-Responsive AP2/ERF Transcription Factors in Arabidopsis. <i>Cell Reports</i> , 2018 , 22, 1350-1363	10.6	83
46	Type-B ARR1s Control Carpel Regeneration Through Mediating AGAMOUS Expression in Arabidopsis. <i>Plant and Cell Physiology</i> , 2018 , 59, 756-764	4.9	5
45	Thioredoxin-Mediated ROS Homeostasis Explains Natural Variation in Plant Regeneration. <i>Plant Physiology</i> , 2018 , 176, 2231-2250	6.6	25
44	DNA METHYLTRANSFERASE1-mediated shoot regeneration is regulated by cytokinin-induced cell cycle in Arabidopsis. <i>New Phytologist</i> , 2018 , 217, 219-232	9.8	23
43	iPSCs: A Comparison between Animals and Plants. <i>Trends in Plant Science</i> , 2018 , 23, 660-666	13.1	18
42	Distribution of Phenolic Acids and Antioxidant Activities of Different Bran Fractions from Three Pigmented Wheat Varieties. <i>Journal of Chemistry</i> , 2018 , 2018, 1-9	2.3	17
41	Unfolded protein response activation compensates endoplasmic reticulum-associated degradation deficiency in Arabidopsis. <i>Journal of Integrative Plant Biology</i> , 2017 , 59, 506-521	8.3	11
40	Wheat Ms2 encodes for an orphan protein that confers male sterility in grass species. <i>Nature Communications</i> , 2017 , 8, 15121	17.4	59
39	Type-B ARABIDOPSIS RESPONSE REGULATORS Specify the Shoot Stem Cell Niche by Dual Regulation of. <i>Plant Cell</i> , 2017 , 29, 1357-1372	11.6	129
38	Synergistic action of auxin and cytokinin mediates aluminum-induced root growth inhibition in. <i>EMBO Reports</i> , 2017 , 18, 1213-1230	6.5	49
37	FUSCA3 interacting with LEAFY COTYLEDON2 controls lateral root formation through regulating YUCCA4 gene expression in Arabidopsis thaliana. <i>New Phytologist</i> , 2017 , 213, 1740-1754	9.8	37
36	Genome-wide analysis of SSR and ILP markers in trees: diversity profiling, alternate distribution, and applications in duplication. <i>Scientific Reports</i> , 2017 , 7, 17902	4.9	12
35	Microfilament Depolymerization Is a Pre-requisite for Stem Cell Formation During Shoot Regeneration in. <i>Frontiers in Plant Science</i> , 2017 , 8, 158	6.2	6
34	Meristem Biology Flourishes Under Mt. Tai. <i>Molecular Plant</i> , 2016 , 9, 1224-1227	14.4	
33	Endogenous auxin biosynthesis and de novo root organogenesis. <i>Journal of Experimental Botany</i> , 2016 , 67, 4011-3	7	15
32	AtPRMT5 Regulates Shoot Regeneration through Mediating Histone H4R3 Dimethylation on KRPs and Pre-mRNA Splicing of RKP in Arabidopsis. <i>Molecular Plant</i> , 2016 , 9, 1634-1646	14.4	13
31	The microRNA167 controls somatic embryogenesis in Arabidopsis through regulating its target genes ARF6 and ARF8. <i>Plant Cell, Tissue and Organ Culture</i> , 2016 , 124, 405-417	2.7	39

30	The tae-miR408-Mediated Control of TaTOC1 Genes Transcription Is Required for the Regulation of Heading Time in Wheat. <i>Plant Physiology</i> , 2016 , 170, 1578-94	6.6	67
29	Two-stage cyclic enzymatic amplification method for ultrasensitive electrochemical assay of microRNA-21 in the blood serum of gastric cancer patients. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 307-12	11.8	45
28	Electrochemical biosensor for microRNA detection based on poly(U) polymerase mediated isothermal signal amplification. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 79-85	11.8	44
27	The Arabidopsis KIN1 Subunit of the SnRK1 Complex Regulates Pollen Hydration on the Stigma by Mediating the Level of Reactive Oxygen Species in Pollen. <i>PLoS Genetics</i> , 2016 , 12, e1006228	6	43
26	Interaction between RNA helicase ROOT INITIATION DEFECTIVE 1 and GAMETOPHYTIC FACTOR 1 is involved in female gametophyte development in Arabidopsis. <i>Journal of Experimental Botany</i> , 2016 , 67, 5757-5768	7	3
25	Integrative genome-wide analysis reveals HLP1, a novel RNA-binding protein, regulates plant flowering by targeting alternative polyadenylation. <i>Cell Research</i> , 2015 , 25, 864-76	24.7	61
24	Genome-Wide Analysis and Expression Patterns of the YUCCA Genes in Maize. <i>Journal of Genetics and Genomics</i> , 2015 , 42, 707-10	4	11
23	Establishment of embryonic shoot-root axis is involved in auxin and cytokinin response during Arabidopsis somatic embryogenesis. <i>Frontiers in Plant Science</i> , 2014 , 5, 792	6.2	74
22	The hormonal control of regeneration in plants. <i>Current Topics in Developmental Biology</i> , 2014 , 108, 35-69	9.3	50
21	Transcript profiles of maize embryo sacs and preliminary identification of genes involved in the embryo sac-pollen tube interaction. <i>Frontiers in Plant Science</i> , 2014 , 5, 702	6.2	18
20	ABNORMAL POLLEN TUBE GUIDANCE1, an Endoplasmic Reticulum-Localized Mannosyltransferase Homolog of GLYCOSYLPHOSPHATIDYLINOSITOL10 in Yeast and PHOSPHATIDYLINOSITOL GLYCAN ANCHOR BIOSYNTHESIS B in Human, Is Required for Arabidopsis Pollen Tube Micropylar Guidance and Embryo Development. <i>Plant Physiology</i> , 2014 , 165, 1544-1556	6.6	43
19	Abscisic acid regulates early seed development in Arabidopsis by ABI5-mediated transcription of SHORT HYPOCOTYL UNDER BLUE1. <i>Plant Cell</i> , 2014 , 26, 1053-68	11.6	99
18	Knockdown expression of the B-type cyclin gene Orysa;CycB1;1 leads to triploid rice 2014 , 57, 43-47		7
17	Transcriptional analyses of natural leaf senescence in maize. <i>PLoS ONE</i> , 2014 , 9, e115617	3.7	40
16	Induction of somatic embryos in Arabidopsis requires local YUCCA expression mediated by the down-regulation of ethylene biosynthesis. <i>Molecular Plant</i> , 2013 , 6, 1247-60	14.4	67
15	Differences in capacities of in vitro organ regeneration between two Arabidopsis ecotypes Wassilewskija and Columbia. <i>Plant Cell, Tissue and Organ Culture</i> , 2013 , 112, 65-74	2.7	17
14	Abscisic acid is required for somatic embryo initiation through mediating spatial auxin response in Arabidopsis. <i>Plant Growth Regulation</i> , 2013 , 69, 167-176	3.2	29
13	Arabidopsis COBRA-LIKE 10, a GPI-anchored protein, mediates directional growth of pollen tubes. <i>Plant Journal</i> , 2013 , 74, 486-97	6.9	78

12	Pattern of auxin and cytokinin responses for shoot meristem induction results from the regulation of cytokinin biosynthesis by AUXIN RESPONSE FACTOR3. <i>Plant Physiology</i> , 2013 , 161, 240-51	6.6	160
11	Arabidopsis AtVPS15 is essential for pollen development and germination through modulating phosphatidylinositol 3-phosphate formation. <i>Plant Molecular Biology</i> , 2011 , 77, 251-60	4.6	46
10	DNA methylation and histone modifications regulate de novo shoot regeneration in Arabidopsis by modulating WUSCHEL expression and auxin signaling. <i>PLoS Genetics</i> , 2011 , 7, e1002243	6	150
9	Stigma factors regulating self-compatible pollination. <i>Frontiers in Biology</i> , 2010 , 5, 156-163		9
8	Pattern analysis of stem cell differentiation during in vitro Arabidopsis organogenesis. <i>Frontiers in Biology</i> , 2010 , 5, 464-470		3
7	Rice OsAS2 Gene, a Member of LOB Domain Family, Functions in the Regulation of Shoot Differentiation and Leaf Development 2009 , 52, 374-381		15
6	SHORT HYPOCOTYL UNDER BLUE1 associates with MINISEED3 and HAIKU2 promoters in vivo to regulate Arabidopsis seed development. <i>Plant Cell</i> , 2009 , 21, 106-17	11.6	132
5	Overexpression of TaMADS1, a SEPALLATA-like gene in wheat, causes early flowering and the abnormal development of floral organs in Arabidopsis. <i>Planta</i> , 2006 , 223, 698-707	4.7	53
4	Wheat D-type cyclin Triae;CYCD2;1 regulate development of transgenic Arabidopsis plants. <i>Planta</i> , 2006 , 224, 1129-40	4.7	13
3	The wheat TaGl1, involved in photoperiodic flowering, encodes an Arabidopsis Gl ortholog. <i>Plant Molecular Biology</i> , 2005 , 58, 53-64	4.6	80
2	Isolation of HAG1 and its regulation by plant hormones during in vitro floral organogenesis in Hyacinthus orientalis L. <i>Planta</i> , 2002 , 215, 533-40	4.7	36
1	Molecular cloning and expression analysis of HAG1 in the floral organs of Hyacinthus orientalis L. <i>Science in China Series C: Life Sciences</i> , 2000 , 43, 395-401		2