

Kai Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/389558/publications.pdf>

Version: 2024-02-01

47
papers

1,106
citations

430442

18
h-index

433756

31
g-index

54
all docs

54
docs citations

54
times ranked

1995
citing authors

#	ARTICLE	IF	CITATIONS
19	Tumor-derived exosomal miR-19b-3p facilitates M2 macrophage polarization and exosomal LINC00273 secretion to promote lung adenocarcinoma metastasis via Hippo pathway. <i>Clinical and Translational Medicine</i> , 2021, 11, e478.	1.7	86
20	Do Leptin Play a Role in Metabolism-Related Psychopathological Symptoms?. <i>Frontiers in Psychiatry</i> , 2021, 12, 710498.	1.3	4
21	Association of Gene Polymorphisms in APOE and BIN1 With Dementia of Alzheimer's Type Susceptibility in Chinese Han Population. <i>Frontiers in Psychiatry</i> , 2021, 12, 753909.	1.3	1
22	Determination of the concentration of transcription factor by using exonuclease III-aided amplification and gold nanoparticle mediated fluorescence intensity: A new method for gene transcription related enzyme detection. <i>Analytica Chimica Acta</i> , 2020, 1104, 132-139.	2.6	12
23	<p></p>Effects of Chemotherapy on Serum Lipids in Chinese Postoperative Breast Cancer Patients</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 8397-8408.	0.9	8
24	Triglyceride/glucose index is a reliable predictor of insulin resistance in schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 366-367.	1.1	3
25	Association Between Cognitive Function and Early Life Experiences in Patients with Alcohol Use Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 792.	1.3	5
26	Improved clinical symptoms and mortality among patients with severe or critical COVID-19 after convalescent plasma transfusion. <i>Blood</i> , 2020, 136, 755-759.	0.6	125
27	Long Noncoding RNA MALAT1 Contributes to Sorafenib Resistance by Targeting miR-140-5p/Aurora-A Signaling in Hepatocellular Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 1197-1209.	1.9	49
28	Association analysis between CAMKK2 rs1063843 and patients with schizophrenia in a Han Chinese population. <i>Asian Journal of Psychiatry</i> , 2020, 52, 102055.	0.9	0
29	Treatment concerns for psychiatric symptoms in patients with COVID-19 with or without psychiatric disorders. <i>British Journal of Psychiatry</i> , 2020, 217, 351-351.	1.7	41
30	<p></p>Impact of serotonin transporter gene on rTMS augmentation of SSRIs for obsessive compulsive disorder</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1771-1779.	1.0	15
31	Lack of Opioid System in the Antidepressant Actions of Ketamine. <i>Biological Psychiatry</i> , 2019, 85, e25-e27.	0.7	53
32	A cancer-testis non-coding RNA LIN28B-AS1 activates driver gene LIN28B by interacting with IGF2BP1 in lung adenocarcinoma. <i>Oncogene</i> , 2019, 38, 1611-1624.	2.6	61
33	Impact of aerobic exercise on cognitive impairment and oxidative stress markers in methamphetamine-dependent patients. <i>Psychiatry Research</i> , 2018, 266, 328-333.	1.7	30
34	Cancer-testis gene <i>PIWIL1</i> promotes cell proliferation, migration, and invasion in lung adenocarcinoma. <i>Cancer Medicine</i> , 2018, 7, 157-166.	1.3	45
35	Bmi1 and BRG1 drive myocardial repair by regulating cardiac stem cell function in acute rheumatic heart disease. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3812-3816.	0.8	2
36	MicroRNAs as regulators of drug abuse and immunity. <i>Central-European Journal of Immunology</i> , 2016, 4, 426-434.	0.4	8

#	ARTICLE	IF	CITATIONS
37	Association study of GABA system genes polymorphisms with amphetamine-induced psychotic disorder in a Han Chinese population. <i>Neuroscience Letters</i> , 2016, 622, 37-44.	1.0	2
38	Altered expression of mRNA profiles in blood of early-onset schizophrenia. <i>Scientific Reports</i> , 2016, 6, 16767.	1.6	24
39	Systematic identification of genes with a cancer-testis expression pattern in 19 cancer types. <i>Nature Communications</i> , 2016, 7, 10499.	5.8	124
40	Exploring Transcription Factors-microRNAs Co-regulation Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 1037-1045.	2.3	49
41	Brain-derived neurotrophic factor serum levels in heroin-dependent patients after 26weeks of withdrawal. <i>Comprehensive Psychiatry</i> , 2016, 65, 150-155.	1.5	30
42	Evaluation of regulatory genetic variants in POU5F1 and risk of congenital heart disease in Han Chinese. <i>Scientific Reports</i> , 2015, 5, 15860.	1.6	5
43	Association between the efficacy of fluoxetine treatment in obsessive-compulsive disorder patients and SLC1A1 in a Han Chinese population. <i>Psychiatry Research</i> , 2015, 229, 631-632.	1.7	6
44	Association analysis identifies new risk loci for congenital heart disease in Chinese populations. <i>Nature Communications</i> , 2015, 6, 8082.	5.8	26
45	A functional variant in miR-155 regulation region contributes to lung cancer risk and survival. <i>Oncotarget</i> , 2015, 6, 42781-42792.	0.8	47
46	Association of polymorphisms at <i>HORMAD2</i> and prognosis in advanced non-small-cell lung cancer patients. <i>Cancer Epidemiology</i> , 2014, 38, 414-418.	0.8	5
47	Replication of the 4p16 Susceptibility Locus in Congenital Heart Disease in Han Chinese Populations. <i>PLoS ONE</i> , 2014, 9, e107411.	1.1	14