Dmitry Hits

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3896939/dmitry-hits-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

249
papers

8,797
citations

48
h-index

9-index

263
ext. papers

9,854
ext. citations

4.9
avg, IF

L-index

| # | Paper | IF | Citations |
|-----|--|--------|------------|
| 249 | Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970 | 4.2 | 3 |
| 248 | Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3 | 4.2 | 5 |
| 247 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4 | 4.2 | 61 |
| 246 | Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164 | 4.2 | 0 |
| 245 | A Study of the Radiation Tolerance of CVD Diamond to 70 MeV Protons, Fast Neutrons and 200 MeV Pions. <i>Sensors</i> , 2020 , 20, | 3.8 | 3 |
| 244 | A study of the radiation tolerance of poly-crystalline and single-crystalline CVD diamond to 800 MeV and 24 GeV protons. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 465103 | 3 | 6 |
| 243 | Three-dimensional charge transport mapping by two-photon absorption edge transient-current technique in synthetic single-crystalline diamond. <i>Applied Physics Letters</i> , 2019 , 114, 203504 | 3.4 | 2 |
| 242 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280 | 4.2 | 12 |
| 241 | Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90 | 4.2 | 6 |
| 240 | Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 19 |
| 239 | Diamond detectors for high energy physics experiments. <i>Journal of Instrumentation</i> , 2018 , 13, C01029- | -C@102 | 9 6 |
| 238 | Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287 | 4.2 | 11 |
| 237 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | |
| 236 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 40 |
| 235 | Measurement of normalized differential (mathrm{t}overline{mathrm{t}}) cross sections in the dilepton channel from pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 12 |
| 234 | Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140 | 4.2 | 20 |
| 233 | Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891 | 4.2 | 13 |

| 232 | Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707 | 4.2 | 23 | |
|-----|--|-----|----|--|
| 231 | Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939 | 4.2 | 12 | |
| 230 | Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789 | 4.2 | 19 | |
| 229 | Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. European Physical Journal C, 2018 , 78, 509 | 4.2 | 37 | |
| 228 | Electroweak production of two jets in association with a Z boson in protonproton collisions at (sqrt{s}=) 13(,text {TeV}). European Physical Journal C, 2018, 78, 1 | 4.2 | 12 | |
| 227 | Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15 | 4.2 | 19 | |
| 226 | Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172 | 4.2 | 22 | |
| 225 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 34 | |
| 224 | Search for electroweak production of charginos in final states with two [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 | |
| 223 | Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92 | 4.2 | 7 | |
| 222 | Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236 | 4.2 | 21 | |
| 221 | Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269 | 4.2 | 26 | |
| 220 | A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294 | 4.2 | 21 | |
| 219 | Search for new physics in the monophoton final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 | |
| 218 | Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751 | 4.2 | 15 | |
| 217 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H-¾WW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 | |
| 216 | Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 64 | |
| 215 | Search for (mathrm{t}overline{mathrm{t}}) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 17 | |

| 214 | Search for associated production of dark matter with a Higgs boson decaying to (mathrm{b}overline{mathrm{b}}) or Lat (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
|-----|--|-----|----|
| 213 | Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 29 |
| 212 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 26 |
| 211 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 8 |
| 210 | Measurement of the semileptonic (mathrm{t}overline{mathrm{t}}) + $[production cross section in pp collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2017, 2017, 1$ | 5.4 | 7 |
| 209 | Measurements of the pp -ৠ屆nd pp -ৠ屆ross sections and limits on anomalous quartic gauge couplings at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 2 |
| 208 | Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710 | 4.2 | 54 |
| 207 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 |
| 206 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 19 |
| 205 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
| 204 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 15 |
| 203 | Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327 | 4.2 | 17 |
| 202 | Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. European Physical Journal C, 2017, 77, 354 | 4.2 | 8 |
| 201 | Searches for invisible decays of the Higgs boson in pp collisions at (sqrt{s}) = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1 | 5.4 | 74 |
| 200 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 19 |
| 199 | Measurement of electroweak-induced production of Wlwith two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
| 198 | Searches for W? bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 197 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 5 |

| 196 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 18 |
|-----|--|-----|----|
| 195 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 |
| 194 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 20 |
| 193 | Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 25 |
| 192 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 12 |
| 191 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 14 |
| 190 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 4 |
| 189 | Test beam performance measurements for the Phase I upgrade of the CMS pixel detector. <i>Journal of Instrumentation</i> , 2017 , 12, P05022-P05022 | 1 | 3 |
| 188 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578 | 4.2 | 21 |
| 187 | Search for top quark partners with charge 5/3 in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1 | 5.4 | 3 |
| 186 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 21 |
| 185 | Measurements of jet charge with dijet events in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 |
| 184 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 |
| 183 | Search for new physics with dijet angular distributions in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 |
| 182 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 46 |
| 181 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 35 |
| 180 | Search for new phenomena with multiple charged leptons in protonproton collisions at (sqrt{s}=13) (,text {TeV}). European Physical Journal C, 2017, 77, 1 | 4.2 | 2 |
| 179 | Search for high-mass ZIresonances in e+eland I+ II final states in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 4 |

| 178 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying [leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 18 |
|-----|--|-----|----|
| 177 | Search for CP violation in (toverline{t}) production and decay in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 4 |
| 176 | Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746 | 4.2 | 8 |
| 175 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 174 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 |
| 173 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 77 |
| 172 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 16 |
| 171 | Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325 | 4.2 | 13 |
| 170 | Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439 | 4.2 | 34 |
| 169 | Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 2 |
| 168 | Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 8 |
| 167 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372 | 4.2 | 24 |
| 166 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 15 |
| 165 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the elthannel in proton-proton collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 30 |
| 164 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 16 |
| 163 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 9 |
| 162 | Evidence for exclusive 日₩ + W [production and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 27 |
| 161 | Search for supersymmetry in pp collisions at (sqrt{s}=13) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 7 |

(2016-2016)

| 160 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460 | 4.2 | 14 |
|--------------------------|--|-------------------|-----------------------|
| 159 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2016 , 2016, 1 | 5.4 | 9 |
| 158 | Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1 | 5.4 | 11 |
| 157 | Measurement of the mass of the top quark in decays with a J/Imeson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 5 |
| 156 | Measurement of the inclusive jet cross section in pp collisions at ($sqrt{s} = 2.76$, text {TeV}). European Physical Journal C, 2016 , 76, 1 | 4.2 | 17 |
| 155 | Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379 | 4.2 | 20 |
| 154 | Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469 | 4.2 | 37 |
| 153 | Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 18 |
| 152 | Search for W? -*b in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 2 |
| 151 | Correlations between jets and charged particles in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 21 |
| | | | |
| 150 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 2 |
| 150 149 | | 5·4 5·4 | 2 |
| | (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy | | |
| 149 | (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Measurement of the [Formula: see text] production cross section in the all-jets final state in pp | 5.4 | 10 |
| 149 | (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text] [Formula: see text]. European Physical Journal C, 2016, 76, 128 Event generator tunes obtained from underlying event and multiparton scattering measurements. | 5.4 | 10 |
| 149 148 147 | (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. European Physical Journal C, 2016, 76, 128 Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155 Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see | 5·4 4·2 4·2 | 10 21 250 |
| 149 148 147 146 | (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 1 Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2016, 2016, 2016, 1 Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text] [Formula: see text]. European Physical Journal C, 2016, 76, 128 Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155 Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text] [Formula: see text]. European Physical Journal C, 2016, 76, 237 | 5·4 4·2 4·2 | 10 21 250 19 |

| 142 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 16 |
|-----|--|-----|----|
| 141 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13 | 4.2 | 35 |
| 140 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 7 |
| 139 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 13 |
| 138 | Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451 | 4.2 | 36 |
| 137 | Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401 | 4.2 | 38 |
| 136 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371 | 4.2 | 25 |
| 135 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 14 |
| 134 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317 | 4.2 | 9 |
| 133 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 4 |
| 132 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 21 |
| 131 | Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 20 |
| 130 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 6 |
| 129 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 10 |
| 128 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251 | 4.2 | 55 |
| 127 | Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66 | 4.2 | 21 |
| 126 | Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147 | 4.2 | 50 |
| 125 | Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151 | 4.2 | 33 |

(2015-2015)

| 124 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 19 |
|-----|---|-----|-----|
| 123 | Measurement of the ratio of the production cross sections times branching fractions of B \exists c - \exists / \Box \exists and B \exists - \exists / \Box k \exists and (mathrm{mathcal{B}}\eft({mathrm{B}}_{mathrm{c}}^{pm})^{pm} for mathrm{J}/psi {pi}^{pm}{pm}^{pi}^{mathrm{c}}/{mathrm{mathcal{B}}} {mathrm{c}}^{pm} for mathrm{c}/{pm} | 5.4 | 13 |
| 122 | Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 35 |
| 121 | Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 18 |
| 120 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 69 |
| 119 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 6 |
| 118 | Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235 | 4.2 | 250 |
| 117 | Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288 | 4.2 | 37 |
| 116 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302 | 4.2 | 4 |
| 115 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325 | 4.2 | 24 |
| 114 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 22 |
| 113 | Search for third-generation scalar leptoquarks in the tthannel in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 19 |
| 112 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 26 |
| 111 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 33 |
| 110 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 17 |
| 109 | Search for a charged Higgs boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 61 |
| 108 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 11 |
| 107 | Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37 | 5.4 | 33 |

| 106 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 16 |
|-----|---|-----|-----|
| 105 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | |
| 104 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 73 |
| 103 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212 | 4.2 | 399 |
| 102 | Measurement of the Z[production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 7 |
| 101 | Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVIand determination of the strong coupling constant in the TeVIange. <i>European Physical Journal C</i> , 2015 , 75, 186 | 4.2 | 41 |
| 100 | Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542 | 4.2 | 98 |
| 99 | Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511 | 4.2 | 25 |
| 98 | Comparison of the Z/\mathbb{F} + jets to \mathbb{F} jets cross sections in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 5 |
| 97 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 18 |
| 96 | Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 43 |
| 95 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) =2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 60 |
| 94 | Measurement of associated W + charm production in pp collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 37 |
| 93 | Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 38 |
| 92 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(sqrt{s_{NN}}) = 5.02)$ (,text {TeV}). European Physical Journal C, 2014 , 74, 1 | 4.2 | 67 |
| 91 | Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973 | 4.2 | 16 |
| 90 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980 | 4.2 | 131 |
| 89 | Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014 | 4.2 | 11 |

| 88 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 61 |
|----|---|-----|-----|
| 87 | Event activity dependence of (Y)(nS) production in (sqrt{{s_{NN }}}}) = 5.02 TeV pPb and (sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 42 |
| 86 | . Journal of High Energy Physics, 2014 , 2014, 1 | 5.4 | 18 |
| 85 | Evidence for the 125 GeV Higgs boson decaying to a pair of 🏻 eptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 101 |
| 84 | Search for W? - \pm b decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 23 |
| 83 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 15 |
| 82 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 81 |
| 81 | Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. Journal of High Energy Physics, 2014 , 2014, 1 | 5.4 | 48 |
| 80 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 21 |
| 79 | Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 3 |
| 78 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at ($sqrt{s}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 74 |
| 77 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 59 |
| 76 | Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758 | 4.2 | 21 |
| 75 | Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847 | 4.2 | 71 |
| 74 | Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901 | 4.2 | 13 |
| 73 | Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149 | 4.2 | 149 |
| 72 | Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060 | 4.2 | 29 |
| 71 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 70 |

| 70 | Measurement of pseudorapidity distributions of charged particles in proton \overline{p} roton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1 | 4.2 | 37 |
|----|--|------------|-----|
| 69 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036 | 4.2 | 183 |
| 68 | Measurement of prompt J/ \Box pair production in pp collisions at (sqrt{s}) = 7 Tev. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 41 |
| 67 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076 | 4.2 | 239 |
| 66 | Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 45 |
| 65 | Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV. Journal of High Energy Physics, 2014, 2014, 1 | 5.4 | 3 |
| 64 | Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 15 |
| 63 | Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 32 |
| 62 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 144 |
| 61 | Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV 2014 , 2014, 1 | | 3 |
| 60 | Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1 | | 6 |
| 59 | Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 38 |
| 58 | Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 14 |
| 57 | Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 96 |
| 56 | Study of exclusive two-photon production of W+Wlln pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 56 |
| 55 | Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2013 , 2013, 1 | 5.4 | 261 |
| 54 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp | 5.4 | 35 |
| | collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | <i>y</i> , | |

| 52 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the all-jet final state in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1 | 5.4 | 14 |
|----|---|------------------|-----|
| 51 | Measurement of the X(3872) production cross section via decays to J/□+ □n pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 44 |
| 50 | Study of the underlying event at forward rapidity in pp collisions at (sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 39 |
| 49 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 15 |
| 48 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 33 |
| 47 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 30 |
| 46 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 16 |
| 45 | Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404 | 4.2 | 15 |
| 44 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469 | 4.2 | 49 |
| 43 | Measurement of the production cross section for (mathrm{Z}gamma to nu overline{nu}gamma) in pp collisions at (sqrt{s} = 7) TeV and limits on ZZIand ZIIriple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 12 |
| 42 | Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 25 |
| 41 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568 | 4.2 | 82 |
| 40 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 10 |
| 39 | Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494 | 4.2 | 37 |
| 38 | Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 249 | 3 ^{4.2} | 10 |
| 37 | Measurement of the (mathrm $\{t\}$ bar $\{mathrm\{t\}\}$) production cross section in the \exists jets channel in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$). European Physical Journal C, 2013 , 73, 1 | 4.2 | 21 |
| 36 | Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674 | 4.2 | 24 |
| 35 | Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013, 73, 1 | 4.2 | 162 |

| 34 | Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 43 |
|----------|---|------------|-----|
| 33 | Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 26 |
| 32 | Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (sqrt{s} = 7 mathrm{TeV}) and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1 | 4.2 | 50 |
| 31 | Measurement of the W+W \mathbb{L} ross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WW \mathbb{L} and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1 | 4.2 | 56 |
| 30 | Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 37 |
| 29 | Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 39 |
| 28 | Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable B T. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 29 |
| 27 | Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 12 |
| 26 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283 | 4.2 | 45 |
| 25 | Measurement of differential top-quark-pair production cross sections in pp collisions at (sqrt{s} = 7 mathrm{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1 | 4.2 | 102 |
| 24 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt{s}=8$) TeV 2013 , 2013, 1 | | 2 |
| 23 | Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 65 |
| 22 | Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt $\{s\}$ = 7;TeV). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 101 |
| 21 | Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 17 |
| 20 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 24 |
| | | | |
| 19 | Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 155 |
| 19 18 | Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = | 5·4 5·4 | 155 |

LIST OF PUBLICATIONS

| 16 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at (sqrt{{{s_{mathrm{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 73 |
|----|---|-----|-----|
| 15 | Measurement of the (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}=7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 64 |
| 14 | Search for exclusive or semi-exclusive [production and observation of exclusive and semi-exclusive e+e[production in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 45 |
| 13 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 6 |
| 12 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 41 |
| 11 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 10 |
| 10 | Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 25 |
| 9 | Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 30 |
| 8 | Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1 | 5.4 | 70 |
| 7 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 12 |
| 6 | Measurement of the top-quark mass in (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$) events with lepton+jets final states in pp collisions at (sqrt $\{s\}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 30 |
| 5 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $(sqrt\{s\} = 0.9, 2.76, mbox{and }7~mbox{TeV})$. European Physical Journal C, 2012 , 72, 1 | 4.2 | 133 |
| 4 | A search for a doubly-charged Higgs boson in pp collisions at (sqrt{s} = 7 mbox{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 111 |
| 3 | Measurement of the top-quark mass in (mathrm{t}overline{mathrm{t}}) events with dilepton final states in pp collisions at ($sqrt{s}=7 mbox{TeV}$). European Physical Journal C, 2012 , 72, 1 | 4.2 | 36 |
| 2 | Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. European Physical Journal C, 2012 , 72, 2251 | 4.2 | 46 |
| 1 | Search for ({text{B}}_{text{s}}^0) -县 | 5.4 | 52 |