

Mario Martinez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3897105/mario-martinez-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

652
papers

23,334
citations

72
h-index

117
g-index

666
ext. papers

26,735
ext. citations

4.8
avg, IF

4.8
L-index

#	Paper	IF	Citations
652	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010 , 70, 823-874	4.2	817
651	Search for neutral MSSM Higgs bosons at LEP. <i>European Physical Journal C</i> , 2006 , 47, 547	4.2	496
650	ALEPH: A detector for electron-positron annihilations at LEP. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1990 , 294, 121-178	1.2	340
649	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
648	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
647	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263
646	Performance of the ALEPH detector at LEP. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1995 , 360, 481-506	1.2	256
645	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	232
644	Performance of missing transverse momentum reconstruction in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$) with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
643	Performance of b-jet identification in the ATLAS experiment. <i>Journal of Instrumentation</i> , 2016 , 11, P04008-P04008	4.2	206
642	Jet energy measurement with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	209
641	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
640	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
639	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
638	Jet substructure at the Tevatron and LHC: new results, new tools, new benchmarks. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2012 , 39, 063001	2.9	192
637	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
636	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185

635	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
634	Luminosity determination in pp collisions at ($\sqrt{s} = 7$) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	167
633	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
632	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 220-241	4.2	165
631	Studies of Quantum Chromodynamics with the ALEPH detector. <i>Physics Reports</i> , 1998 , 294, 1-165	27.7	161
630	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
629	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
628	Measurement with the ATLAS detector of multi-particle azimuthal correlations in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 725, 60-78	4.2	153
627	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
626	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
625	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
624	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}} = 2.76$ TeV) with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	143
623	Observation of Long-Range Elliptic Azimuthal Anisotropies in $\sqrt{s}=13$ and 2.76 TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 116, 172301	7.4	140
622	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
621	A precise measurement of $\sigma_{\text{hadrons}}(\text{Z} \rightarrow \text{bb})/\sigma_{\text{hadrons}}(\text{Z} \rightarrow \text{hadrons})$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 313, 535-548	4.2	138
620	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
619	ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering. <i>Physical Review D</i> , 2003 , 67,	4.9	126
618	Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	125

617	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
616	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at (\sqrt{s}) = 8TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	120
615	Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	115
614	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ events using pp collision data at ($\sqrt{s} = 7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
613	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
612	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ($\sqrt{s}=8$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
611	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
610	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
609	Search for doubly charged Higgs bosons in like-sign dilepton final states at ($\sqrt{s} = 7$ mathrm{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
608	Combination of the top-quark mass measurements from the Tevatron collider. <i>Physical Review D</i> , 2012 , 86,	4.9	104
607	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
606	Study of the fragmentation of b quarks into B mesons at the Z peak. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 512, 30-48	4.2	102
605	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
604	Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at ($\sqrt{s_{NN}}=2.76$ TeV) with the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 072302	7.4	99
603	Determination of the strange-quark density of the proton from ATLAS measurements of the W - and Z -cross sections. <i>Physical Review Letters</i> , 2012 , 109, 012001	7.4	98
602	Measurement of the top quark forward-backward production asymmetry and its dependence on event kinematic properties. <i>Physical Review D</i> , 2013 , 87,	4.9	96
601	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
600	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92

599	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
598	Measurement of the t-channel single top-quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 330-350	4.2	91
597	Searches for Higgs boson pair production in the $hh \rightarrow b\bar{b} \gamma \gamma^*$, $B\bar{B}$, $b\bar{b}b\bar{b}$ channels with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	87
596	Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\sqrt{s_{NN}} = 5.02$ TeV proton-lead collisions with the ATLAS detector. <i>Physical Review C</i> , 2014 , 90,	2.7	87
595	Observation and measurement of Higgs boson decays to WW^* with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	86
594	Measurement of $[Z/\gamma]$ production with a veto on additional central jet activity in collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
593	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 1193-1236	4.2	82
592	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
591	Measurement of the Z/γ boson transverse momentum distribution in pp collisions at $(\sqrt{s} = 7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
590	Measurement of the charge asymmetry in top quark pair production in collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
589	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
588	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $(\sqrt{s} = 8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
587	Search for a light charged Higgs boson in the decay channel $[Z/\gamma] \rightarrow \tau\tau$ in $[Z/\gamma]$ events using collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
586	Search for charginos nearly mass degenerate with the lightest neutralino in e^+e^- collisions at centre-of-mass energies up to 209 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 533, 223-236	4.2	76
585	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	74
584	Search for production of $[Z/\gamma]$ resonances decaying to a lepton, neutrino and jets in $[Z/\gamma]$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
583	Higgs boson studies at the Tevatron. <i>Physical Review D</i> , 2013 , 88,	4.9	73
582	Evidence for electroweak production of $W\tau Wjj$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2014 , 113, 141803	7.4	73

581	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	72
580	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4-2	71
579	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ($\sqrt{s} = 7$ mTeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	70
578	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-821	4-2	70
577	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4-2	68
576	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	67
575	Jet mass and substructure of inclusive jets in ($\sqrt{s} = 7$; TeV) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	67
574	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4-2	66
573	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5-4	66
572	Search for Higgs boson decays to a photon and a Z boson in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 732, 8-27	4-2	66
571	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4-2	66
570	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	65
569	Search for the (\overline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	64
568	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	64
567	Measurements of normalized differential cross sections for $t\bar{t}$ production in pp collisions at ($s=7$ TeV) using the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4-9	64
566	Search for scalar leptons in $e+e$ collisions at centre-of-mass energies up to 209 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 526, 206-220	4-2	64
565	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4-2	63
564	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4-2	62

563	Underlying event in hard interactions at the Fermilab Tevatron $p\bar{p}$ collider. <i>Physical Review D</i> , 2004 , 70,	4.9	62
562	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61
561	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60
560	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $(\sqrt{s}) = 7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
559	Measurement of the γ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
558	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59
557	Measurement of the W and Z/ γ production cross sections in proton-proton collisions at $(\sqrt{s} = 7; \text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58
556	Search for charged Higgs bosons in $e+e$ collisions at energies up to $\sqrt{s}=209$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 543, 1-13	4.2	58
555	A search for (\overline{t}) resonances using lepton-plus-jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
554	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
553	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56
552	Precision measurement and interpretation of inclusive γ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
551	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
550	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55
549	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55
548	Summary of the searches for squarks and gluinos using $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	55
547	Search for the decay $\tau \rightarrow \mu \nu \nu$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 387-407	4.2	55
546	Measurement of the diffractive structure function $F_2 D(4)$ at HERA. <i>European Physical Journal C</i> , 1998 , 1, 81-96	4.2	55

545	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
544	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	54
543	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54
542	Measurement of $W \mp Z$ production in proton-proton collisions at ($\sqrt{s}=7\sim\text{mbox{TeV}}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
541	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] =13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
540	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53
539	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	53
538	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ($\sqrt{s}=7\text{mbox{\sim}TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53
537	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53
536	Search for direct top-squark pair production in final states with two leptons in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52
535	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
534	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52
533	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	52
532	Search for WZ resonances in the fully leptonic channel using pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 737, 223-243	4.2	52
531	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
530	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
529	Search for scalar quarks in $e+e$ collisions at s up to 209 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 537, 5-20	4.2	52
528	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51

527	Search for scalar leptoquarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>New Journal of Physics</i> , 2016 , 18, 093016	2.9	51
526	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51
525	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
524	Evidence for the ($H \rightarrow b\bar{b}$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
523	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $[\text{Formula: see text}] \sqrt{s}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4.2	50
522	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ($\sqrt{s}=13$) (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	50
521	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at $[\text{Formula: see text}] [\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
520	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	49
519	Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	49
518	Search for resonances in diphoton events at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	49
517	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49
516	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at $[\text{Formula: see text}]$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
515	Search for supersymmetry at $[\text{Formula: see text}] \sqrt{s}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
514	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
513	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb of ($\sqrt{s} = 7$;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48
512	Measurement of Bs from scaling violations in fragmentation functions in e+e- annihilation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 357, 487-499	4.2	48
511	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	48
510	Measurement of the prompt $[\text{Formula: see text}]$ pair production cross-section in collisions at $[\text{Formula: see text}] \sqrt{s}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47

509	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
508	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47
507	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
506	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
505	Search for lepton-flavour-violating H \rightarrow H decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	46
504	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ($\sqrt{s}=8$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
503	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
502	Measurement of ZZ production in pp collisions at ($\sqrt{s}=7$) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	45
501	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034	4.2	45
500	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s}=7$; TeV) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
499	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
498	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
497	Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7$; TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
496	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	44
495	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
494	Fermion pair production in e+e- collisions at 18909 GeV and constraints on physics beyond the standard model. <i>European Physical Journal C</i> , 2007 , 49, 411-437	4.2	44
493	Angular analysis of B $0 \rightarrow$ $\mu^+ \mu^-$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44
492	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43

491	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = \{7, \{ \text{TeV} \} \}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
490	Measurement of Ξ s from the structure of particle clusters produced in hadronic Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1991 , 257, 479-491	4.2	43
489	ATLAS b-jet identification performance and efficiency measurement with $t(\bar{t})$ events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43
488	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
487	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
486	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42
485	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 [Interpreted in the phenomenological MSSM]. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
484	Further search for supersymmetry at $\sqrt{s}=7$ TeV in final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. <i>Physical Review D</i> , 2012 , 86,	4.9	42
483	Search for heavy resonances in the and final states using proton-proton collisions at [] with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
482	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
481	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41
480	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7\sim 8$ TeV proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41
479	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41
478	Absolute mass lower limit for the lightest neutralino of the MSSM from $e+e$ data at \sqrt{s} up to 209 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 583, 247-263	4.3	41
477	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	41
476	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
475	Study of orbitally excited B mesons and evidence for a new B_c resonance. <i>Physical Review D</i> , 2014 , 90,	4.9	40
474	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39

473	Search for supersymmetry at $(\sqrt{s}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	39
472	A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $(\sqrt{s} = 7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	39
471	Search for charged Higgs bosons decaying into top and bottom quarks at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
470	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4-2	38
469	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4-2	38
468	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	38
467	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s} = 13)$ (text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	37
466	Measurement of the production of a W boson in association with a charm quark in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
465	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	37
464	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $(\sqrt{s} = 7, \text{TeV})$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	37
463	Limits on the production of the standard model Higgs boson in pp collisions at $(\sqrt{s} = 7)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4-2	37
462	Search for massive colored scalars in four-jet final states in $(\sqrt{s}=7\sim\text{TeV})$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4-2	37
461	Charged-particle distributions at low transverse momentum in [Formula: see text]TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4-2	37
460	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	36
459	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	36
458	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4-2	35
457	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4-2	35
456	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4-2	35

455	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	35
454	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
453	Search for second generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35
452	Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying W bosons. <i>Physical Review Letters</i> , 2012 , 109, 032001	7.4	35
451	Search for single top production in $e+e$ collisions at \sqrt{s} up to 209 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 543, 173-182	4.2	35
450	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
449	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34
448	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ($\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
447	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb of proton-proton collision data at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 647-665	4.2	34
446	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4.2	34
445	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
444	Search for charged Higgs bosons in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
443	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
442	Search for charged Higgs bosons decaying via $H \rightarrow b\bar{b}$ in the b -jets and b -lepton final states with 36 fb of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
441	Measurement of the top quark mass in the $t \rightarrow bW$ and $t \rightarrow qW$ channels using ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
440	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	32
439	Search for pair production of Higgs bosons in the $(\gamma\gamma)$ final state using proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
438	Constraints on mediator-based dark matter and scalar dark energy models using ($\sqrt{s} = 13$ TeV) pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31

437	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ($\sqrt{s} = 7$ TeV) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	3 ¹
436	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	3 ¹
435	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	3 ¹
434	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	3 ¹
433	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ($\sqrt{s} = 8$) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3 ¹
432	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3 ¹
431	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7$ TeV) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	3 ¹
430	Inclusive search for same-sign dilepton signatures in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	3 ¹
429	Measurement of the W boson mass and width in e+e- collisions at LEP. <i>European Physical Journal C</i> , 2006 , 47, 309-335	4.2	3 ¹
428	Measurements of b-jet tagging efficiency with the ATLAS detector using (\overline{t}) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3 ¹
427	Search for third generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	3 ⁰
426	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3 ⁰
425	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ($\sqrt{s}=8$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3 ⁰
424	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	3 ⁰
423	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ($\sqrt{s}=900$) GeV and ($\sqrt{s}=7$) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	3 ⁰
422	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3 ⁰
421	Measurement of total and differential W + W [p] production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016 , 2016,	5.4	3 ⁰
420	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2 ⁹

419	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
418	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29
417	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
416	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
415	Measurement of the leptonic asymmetry in $t\bar{t}$ events produced in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	29
414	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
413	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
412	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
411	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
410	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
409	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
408	Fiducial, total and differential cross-section measurements of γ -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27
407	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27
406	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 337	4.2	27
405	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 285-305	4.2	27
404	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
403	Direct measurement of the total decay width of the top quark. <i>Physical Review Letters</i> , 2013 , 111, 202001.4	4.4	27
402	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27

401	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
400	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
399	Measurement of τ_1 and τ_2 production with (\sqrt{s}) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
398	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
397	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
396	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
395	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
394	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
393	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4.2	25
392	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
391	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4.2	25
390	Search for pair production of strongly interacting particles decaying to pairs of jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 031802	7.4	25
389	Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at $\sqrt{s}=1.8$ TeV. <i>Physical Review D</i> , 2005 , 71,	4.9	25
388	Measurement of the $e^+e^- \rightarrow Z\gamma$ production cross section at centre-of-mass energies of 183 and 189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 469, 287-302	4.2	25
387	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
386	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	25
385	Measurement of the top quark mass in the $(t\bar{t} \rightarrow \ell\bar{\ell} + jets)$ channel from ($\sqrt{s}=8$) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24
384	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24

383	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
382	Measurement of the production cross section of prompt J/ψ mesons in association with a W boson in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
381	Measurement of the differential cross-section of B^+ meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	24
380	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24
379	Evidence for a bottom baryon resonance Λ_b^0 in CDF data. <i>Physical Review D</i> , 2013 , 88,	4.9	24
378	Optimized search for single-top-quark production at the Fermilab Tevatron. <i>Physical Review D</i> , 2004 , 69,	4.9	24
377	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
376	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
375	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
374	Measurements of direct CP-violating asymmetries in charmless decays of bottom baryons. <i>Physical Review Letters</i> , 2014 , 113, 242001	7.4	23
373	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23
372	Search for pair-production of long-lived heavy charged particles in e^+e^- annihilation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 405, 379-388	4.2	23
371	K_S^0 and D production studies in pp collisions at $s=1800$ and 630 GeV. <i>Physical Review D</i> , 2005 , 72,	4.9	23
370	Direct photon cross section with conversions at CDF. <i>Physical Review D</i> , 2004 , 70,	4.9	23
369	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at \sqrt{s} TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23
368	Search for Higgs boson pair production in the ($\gamma\gamma b\bar{b}$) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
367	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4.2	23
366	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22

365	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
364	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22
363	Search for W W/W Z resonance production in $\bar{q}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
362	A search for prompt lepton-jets in pp collisions at ($\sqrt{\text{mathrm{s}}}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22
361	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
360	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $s=8$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , 2015 , 92,	4.9	22
359	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
358	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
357	Measurement of the inclusive leptonic asymmetry in top-quark pairs that decay to two charged leptons at CDF. <i>Physical Review Letters</i> , 2014 , 113, 042001	7.4	22
356	Performance of a large scale prototype of the ATLAS accordion electromagnetic calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1995 , 364, 290-306	1.2	22
355	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
354	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
353	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4.2	21
352	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21
351	Flavor tagged time-dependent angular analysis of the $B_{s0} \rightarrow \mu\mu$ decay and extraction of β and the weak phase γ_s in ATLAS. <i>Physical Review D</i> , 2014 , 90,	4.9	21
350	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
349	Measurement of the cross section for direct-photon production in association with a heavy quark in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 042003	7.4	21
348	Measurement of the differential cross section $d\sigma/d(\cos(\theta))$ for Top-Quark Pair Production in pp Collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 182002	7.4	21

347	Search for pair-produced heavy quarks decaying to Wq in the two-lepton channel at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2012 , 86,	4.9	21
346	Study of hard double-parton scattering in four-jet events in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
345	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
344	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
343	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
342	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
341	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
340	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
339	Searches for heavy diboson resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
338	Measurement of $(W^{\pm}Z)$ production cross sections and gauge boson polarisation in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	20
337	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
336	Evidence of $W\gamma$ Production in pp Collisions at $\sqrt{s}=8$ TeV and Limits on Anomalous Quartic Gauge Couplings with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 031802	7.4	20
335	Observation of D^0 - \bar{D}^0 mixing using the CDF II detector. <i>Physical Review Letters</i> , 2013 , 111, 231802	7.4	20
334	Observation of the production of a W boson in association with a single charm quark. <i>Physical Review Letters</i> , 2013 , 110, 071801	7.4	20
333	Search for new resonances in mass distributions of jet pairs using 139 fb $^{-1}$ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
332	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $[\text{Formula: see text}] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
331	Measurement of the boson polarisation in $[\text{Formula: see text}]$ events from collisions at $[\text{Formula: see text}] = 8$ TeV in the lepton+ γ jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
330	Performance of top-quark and (\vec{W}) -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19

329	Indirect dark matter searches in the dwarf satellite galaxy Ursa Major II with the MAGIC telescopes. <i>Journal of Cosmology and Astroparticle Physics</i> , 2018 , 2018, 009-009	6.4	19
328	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
327	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
326	Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 427-447	4.2	19
325	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
324	Measurement of three-jet production cross-sections in [Formula: see text] collisions at \sqrt{s} [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
323	Search for long-lived neutral particles in pp collisions at $(\sqrt{s}) = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
322	Searches for third-generation scalar leptoquarks in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
321	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
320	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18
319	Measurement of the low-mass Drell-Yan differential cross section at $(\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
318	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18
317	Search for a Heavy Neutral Particle Decaying to $e\bar{e}$ or $\mu\bar{\mu}$ in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 031801	7.4	18
316	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
315	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5.4	18
314	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4.2	18
313	Mass and lifetime measurements of bottom and charm baryons in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	18
312	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $(\sqrt{s}=7)$ TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	18

311	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ($\sqrt{s}=7$) TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18
310	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18
309	Searches for heavy ZZ and ZW resonances in the $\bar{b}q$ and bq final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
308	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
307	Measurement of polarization in τ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2062	4.2	17
306	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
305	Search for a scalar partner of the top quark in the all-hadronic ($t\bar{t}$) plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
304	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4.2	17
303	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
302	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	16
301	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
300	Search for the Standard Model Higgs boson decaying into ($\bar{b}b$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
299	Indirect measurement of $\sin^2 2W$ (or MW) using $\mu\mu$ pairs from μ/Z bosons produced in pp collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	16
298	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
297	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
296	Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
295	Measurement of the ($\bar{t}W$) and ($\bar{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
294	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16

293	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
292	Precise measurement of the W-boson mass with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2014 , 89,	4.9	16
291	Measurement of the production cross-section of $(ZS) \rightarrow J/\psi + \mu\mu$ in pp collisions at $(\sqrt{s}) = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16
290	Search for scalar top quark production in $(\bar{p}p)$ collisions at $(\sqrt{s}=1.96;\mathrm{TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
289	Search for anomalous production of prompt like-sign lepton pairs at $(\sqrt{s}=7;\mathrm{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
288	Search for excited electrons and muons in $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 093011	2.9	16
287	Measurement of the cross section for prompt isolated diphoton production using the full CDF run II data sample. <i>Physical Review Letters</i> , 2013 , 110, 101801	7.4	16
286	Search for B_s^0 - and B^0 -decays with the full CDF Run II data set. <i>Physical Review D</i> , 2013 , 87,	4.9	16
285	Exclusion of exotic top-like quarks with $2/3$ electric charge using jet-charge tagging in single-lepton $t\bar{t}$ events at CDF. <i>Physical Review D</i> , 2013 , 88,	4.9	16
284	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
283	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
282	Search for the Higgs boson produced in association with a boson and decaying to four q -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
281	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
280	Measurement of fiducial and differential (W^+W^-) production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
279	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02\text{--}7.69$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
278	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
277	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $(\sqrt{s}) = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	15
276	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15

275	A search for high-mass resonances decaying to $\tau^+\tau^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 242-260	4.2	15
274	Measurement of the top quark charge in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
273	Measurement of W-boson polarization in top-quark decay using the full CDF Run II data set. <i>Physical Review D</i> , 2013 , 87,	4.9	15
272	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $(\sqrt{s}=7\text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
271	Measurements of $\chi(3512)$ and $\chi(3872) \rightarrow J/\psi \eta'$ production in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
270	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
269	Determination of the top-quark pole mass using $(\overline{t}) + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	15
268	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15
267	Search for resonant top-antitop production in the lepton plus jets decay mode using the full CDF data set. <i>Physical Review Letters</i> , 2013 , 110, 121802	7.4	15
266	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
265	Heavy flavor properties of jets produced in pp interactions at $s=1.8\text{TeV}$. <i>Physical Review D</i> , 2004 , 69,	4.9	15
264	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
263	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4.2	15
262	Measurement of the $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ production cross sections in multilepton final states using 3.2 fb $[\text{Formula: see text}]$ of $[\text{Formula: see text}]$ collisions at $[\text{Formula: see text}] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
261	Measurements of electroweak $[\text{Formula: see text}]$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
260	Search for single production of vector-like quarks decaying into Wb in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
259	Measurement of the (\overline{t}) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
258	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14

257	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
256	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14
255	Search for charged Higgs bosons through the violation of lepton universality in $(\overline{t}t)$ events using pp collision data at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
254	Indirect measurement of $\sin 2\alpha$ (MW) using e^+e^- pairs in the Z-boson region with $pp \rightarrow$ collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	14
253	Measurement of colour flow with the jet pull angle in $t\bar{t}$ events using the ATLAS detector at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 475-493	4.2	14
252	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
251	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
250	Combination of searches for the Higgs boson using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	14
249	Measurement of $R=B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in top-quark-pair decays using lepton+jets events and the full CDF run II dataset. <i>Physical Review D</i> , 2013 , 87,	4.9	14
248	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14
247	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
246	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
245	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
244	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13
243	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13
242	Search for top-quark decays $t \rightarrow Hq$ with 36 fb of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
241	Measurement of the transverse polarization of Λ and Σ hyperons produced in proton-proton collisions at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	13
240	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\bar{e}$ with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13

239	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
238	Identification of high transverse momentum top quarks in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
237	Addendum to Measurement of the ($t\bar{t}$) production cross-section using ($e\mu$) events with b-tagged jets in pp collisions at (\sqrt{s}) = 7 and 8 (TeV) with the ATLAS detector \square <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	13
236	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
235	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
234	Evidence for s-channel single-top-quark production in events with one charged lepton and two jets at CDF. <i>Physical Review Letters</i> , 2014 , 112, 231804	7.4	13
233	Search for R-parity-violating supersymmetry in events with four or more leptons in ($\sqrt{s}=7;\text{TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
232	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ($\sqrt{s} = 7\sim\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
231	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
230	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
229	Search for the standard model Higgs Boson produced in association with top quarks using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 181802	7.4	13
228	Search for Higgs bosons decaying into $b\bar{b}$ and produced in association with a vector boson in pp collisions at square root of $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2005 , 95, 051801	7.4	13
227	Measurement of charged-particle multiplicities in gluon and quark jets in pp collisions at square root of $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2005 , 94, 171802	7.4	13
226	Fluctuations of anisotropic flow in Pb+Pb collisions at ($\sqrt{\{\mathit{m}\{s\}}_{\mathit{m}\{NN}\}} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
225	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
224	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
223	Measurements of top-quark pair differential and double-differential cross-sections in the ($e\ell$)+jets channel with pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13
222	Operation and performance of the ATLAS Tile Calorimeter in Run \square . <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13

221	Measurements of W and Z boson production in pp collisions at ($\sqrt{s}=5.02$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
220	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
219	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
218	Search for new phenomena with photon+jet events in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
217	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
216	Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
215	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
214	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
213	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
212	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
211	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
210	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
209	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
208	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \mu\mu$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
207	Measurements of top quark spin observables in (\overline{t}) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
206	Measurement of the flavour composition of dijet events in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12
205	Updated search for the standard model Higgs boson in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013 , 87,	4.9	12
204	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12

203	Measurement of the top-quark mass in $(\overline{t}) + 1$ -jet events collected with the ATLAS detector in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
202	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}=8\text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
201	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
200	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . <i>European Physical Journal C</i> , 2019 , 79,	4.2	11
199	Measurement of lepton differential distributions and the top quark mass in production in collisions at \sqrt{s} TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
198	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
197	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
196	Measurement of $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in top-quark-pair decays using dilepton events and the full CDF Run II data set. <i>Physical Review Letters</i> , 2014 , 112, 221801	7.4	11
195	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $(\sqrt{s}=7)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
194	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
193	Measurement of the top-quark pair-production cross section in events with two leptons and bottom-quark jets using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	11
192	Top-quark mass measurement in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	11
191	Measurement of W and Z production in proton-proton collisions at $(\sqrt{s} = 7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
190	Observation of scaling violations in scaled momentum distributions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 414, 428-443	4.2	11
189	Determination of AFB _b using jet charge measurements in Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 426, 217-230	4.2	11
188	Search for heavy lepton pair production in e+e- collisions at centre-of-mass energies of 130 and 136 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 384, 439-448	4.2	11
187	Implications for First-Order Cosmological Phase Transitions from the Third LIGO-Virgo Observing Run. <i>Physical Review Letters</i> , 2021 , 126, 151301	7.4	11
186	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $s=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 520-537	4.2	11

185	Jet energy scale and resolution measured in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
184	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
183	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
182	Measurement of the CP-violating phase ϕ_s and the B^0_s meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
181	Search for diboson resonances in hadronic final states in 139 fb $^{-1}$ of pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
180	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10
179	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
178	Study of top quark production and decays involving a tau lepton at CDF and limits on a charged Higgs boson contribution. <i>Physical Review D</i> , 2014 , 89,	4.9	10
177	Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2014 , 89,	4.9	10
176	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
175	Measurement of charged-particle event shape variables in inclusive ($\sqrt{s}=7$) TeV proton-proton interactions with the ATLAS detector. <i>Physical Review D</i> , 2013 , 88,	4.9	10
174	Measurement of the ZZ production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV using the ZZ $\rightarrow 2\ell^+\ell^-$ and (ZZto $\ell^+\ell^-\nu\bar{\nu}$) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
173	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
172	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb $^{-1}$ of (\sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
171	First search for exotic Z Boson decays into photons and neutral pions in hadron collisions. <i>Physical Review Letters</i> , 2014 , 112, 111803	7.4	9
170	Search for s-channel single-top-quark production in events with missing energy plus jets in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231805	7.4	9
169	Measurement of the mass difference between top and antitop quarks. <i>Physical Review D</i> , 2013 , 87,	4.9	9
168	Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in pp collisions at $\sqrt{s}=1.8$ TeV. <i>Physical Review D</i> , 2004 , 70,	4.9	9

167	Inclusive search for anomalous production of high-pT like-sign lepton pairs in pp collisions at square root $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2004 , 93, 061802	7.4	9
166	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
165	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
164	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
163	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
162	Measurement of VH , $(\text{H}) \rightarrow \overline{\text{b}}\text{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
161	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
160	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
159	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
158	Search for scalar resonances decaying into $\mu\mu$ in events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
157	Measurement of splitting scales in τ -events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432	4.2	8
156	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
155	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
154	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 158	4.2	8
153	Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in pp collisions at $s=1.8$ TeV. <i>Physical Review D</i> , 2006 , 73,	4.9	8
152	Search for supersymmetric Higgs bosons in the di-tau decay mode in pp collisions at $s=1.8$ TeV. <i>Physical Review D</i> , 2005 , 72,	4.9	8
151	Evidence for $(\text{t}\bar{\text{t}})$ production in the multilepton final state in proton-proton collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
150	Search for light long-lived neutral particles produced in pp collisions at $(\sqrt{s} = 13\text{~}\text{TeV})$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8

149	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
148	Measurements of top-quark pair spin correlations in the (emu) channel at ($\sqrt{s} = 13$) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
147	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
146	Search for heavy resonances decaying into a pair of Z bosons in the ($e^+e^- \rightarrow e^+e^- \gamma \gamma$) and ($e^+e^- \rightarrow e^+e^- \nu \bar{\nu}$) final states using 139 (fb^{-1}) of proton-proton collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	8
145	Search for charged Higgs bosons decaying into a top quark and a bottom quark at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
144	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ($\sqrt{s} = 8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
143	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of ($\sqrt{s} = 13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
142	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
141	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
140	Measurements of inclusive and differential fiducial cross-sections of ($t\bar{t}\gamma$) production in leptonic final states at ($\sqrt{s} = 13$) TeV in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
139	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ($\sqrt{s} = 13$) TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
138	Transverse momentum and process dependent azimuthal anisotropies in ($\sqrt{s} = 8.16$) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
137	Search for new phenomena in high-mass final states with a photon and a jet from collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
136	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at ($\sqrt{s} = 13$) TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
135	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at ($\sqrt{s} = 8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
134	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
133	Measurement of the ($t\bar{t}\gamma$) production cross section in proton-proton collisions at ($\sqrt{s} = 8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
132	Measurements of top-quark pair to Z-boson cross-section ratios at ($\sqrt{s} = 13$), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7

131	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
130	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
129	Studies of Z production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
128	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
127	Measurement of the ZZ production cross section using the full CDF II data set. <i>Physical Review D</i> , 2014 , 89,	4.9	7
126	Performance of an endcap prototype of the ATLAS accordion electromagnetic calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1997 , 389, 398-408	1.2	7
125	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
124	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($\sqrt{s} = 13$, {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
123	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the ($\ell\ell$ bb) and ($\ell\ell$ WW) final states in pp collisions at ($\sqrt{s}=13$) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
122	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
121	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
120	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
119	Measurement of (W^{\pm}) boson production in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02\text{--}8$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
118	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
117	Measurements of WH and ZH production in the ($H \rightarrow b\bar{b}$) decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
116	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
115	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at ($\sqrt{s} = 8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
114	Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 261-279	4.2	6

113	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
112	Top-quark mass measurement in the all-hadronic (\overline{t}) decay channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
111	Searches for the Higgs boson decaying to $W+W\overline{\nu}$ with the CDF II detector. <i>Physical Review D</i> , 2013 , 88,	4.9	6
110	Search for narrow resonances lighter than ρ mesons. <i>European Physical Journal C</i> , 2009 , 62, 319-326	4.2	6
109	Search for (\overline{t}) resonances in fully hadronic final states in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
108	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
107	Search for new phenomena in final states with b-jets and missing transverse momentum in (\sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
106	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
105	Measurement of the ($Z\gamma \rightarrow \nu \overline{\nu} \gamma$) production cross section in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
104	Search for exclusive Higgs and Z boson decays to $\tau\overline{\tau}$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
103	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
102	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (\sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
101	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
100	Search for Higgs and Z Boson Decays to $\tau\overline{\tau}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 117, 111802	7.4	5
99	Search for the Higgs boson in the all-hadronic final state using the full CDF data set. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	5
98	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
97	Measurement of four-jet differential cross sections in ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5
96	Invariant-mass distribution of jet pairs produced in association with a W boson in pp collisions at $s=1.96$ TeV using the full CDF Run II data set. <i>Physical Review D</i> , 2014 , 89,	4.9	5

95	Production of K_S^0 , $K^{*0}(892)$ and $\eta(1020)$ in minimum bias events and K_S^0 and η in jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	5
94	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
93	Search for the $HH \rightarrow \overline{b}b$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
92	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s})=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
91	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
90	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
89	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4.2	5
88	Measurement of the relative width difference of the $(\overline{B}^0 \text{ } B^0)$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
87	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
86	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
85	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5
84	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4.2	5
83	Measurement of jet activity in top quark events using the e^+e^- final state with two b-tagged jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
82	Search for new phenomena in events with a monojet and large missing transverse momentum at the LHC using the ATLAS detector. <i>EPJ Web of Conferences</i> , 2012 , 28, 12015	0.3	4
81	Search for supersymmetry with like-sign lepton-tau events at CDF. <i>Physical Review Letters</i> , 2013 , 110, 201802	7.4	4
80	Signature-based search for delayed photons in exclusive photon plus missing transverse energy events from pp collisions with $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	4
79	Search for the production of ZW and ZZ boson pairs decaying into charged leptons and jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	4
78	Search for heavy diboson resonances in semileptonic final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4

77	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
76	Measurement of J/ψ production in association with a $W\eta$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
75	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	4
74	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
73	Search for dark matter produced in association with a single top quark in ($\sqrt{s}=13$) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
72	Search for dijet resonances in events with an isolated charged lepton using (\sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
71	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at ($\sqrt{s}=8$) and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
70	Measurement of the WW and WZ production cross section using final states with a charged lepton and heavy-flavor jets in the full CDF Run II data set. <i>Physical Review D</i> , 2016 , 94,	4.9	3
69	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
68	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4.2	3
67	Measurement of the k_t splitting scales in Z events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
66	Comparison of three-jet events in pp collisions at $s=1.8$ TeV to predictions from a next-to-leading order QCD calculation. <i>Physical Review D</i> , 2005 , 71,	4.9	3
65	Search for a Scalar Induced Stochastic Gravitational Wave Background in the Third LIGO-Virgo Observing Run.. <i>Physical Review Letters</i> , 2022 , 128, 051301	7.4	3
64	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector 2015 , 75, 1		3
63	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider 2015 , 75, 1		3
62	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	3
61	Determination of jet calibration and energy resolution in proton-proton collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
60	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector 2015 , 2015, 1		3

59	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	3
58	Searches for compact binary coalescence events using neural networks in the LIGO/Virgo second observation period. <i>Physical Review D</i> , 2021 , 103,	4-9	3
57	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
56	Measurement of hadronic event shapes in high- p_T multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
55	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	2
54	Measurement of the $Z(\rightarrow \mu\mu)$ production cross-section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
53	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	2
52	Search for new physics in trilepton events and limits on the associated chargino-neutralino production at CDF. <i>Physical Review D</i> , 2014 , 90,	4-9	2
51	Search for a dijet resonance in events with jets and missing transverse energy in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4-9	2
50	Preparation For Laser Wakefield Experiments Driven by the Texas Petawatt Laser System 2009 ,		2
49	Production of Λ , Σ , Ξ , and Ξ hyperons in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2012 , 86,	4-9	2
48	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $(\sqrt{s} = 13\text{TeV})$ proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4-2	2
47	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
46	Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
45	Measurements of inclusive and differential cross-sections of combined $(\overline{t}\gamma)$ and tW production in the $e\tau$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
44	Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
43	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4-2	2
42	Search for supersymmetry in events with four or more charged leptons in 139 fb of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2

41	Measurement of ZZ production in the final state with the ATLAS detector in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
40	Measurement of (W^{\pm})-boson and Z-boson production cross-sections in pp collisions at (\sqrt{s})=2.76 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
39	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at (\sqrt{s}) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
38	Studies of high-transverse momentum jet substructure and top quarks produced in 1.96 TeV proton-antiproton collisions. <i>Physical Review D</i> , 2015 , 91,	4.9	1
37	A search for an excited muon decaying to a muon and two jets in pp collisions at (\sqrt{s})=8 TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
36	Improved determination of the sample composition of dimuon events produced in ($\bar{p}p$) collisions at (\sqrt{s})=1.96 TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	1
35	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (\sqrt{s})=8 TeV with the ATLAS detector 2016 , 76, 1		1
34	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at (\sqrt{s})=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
33	Determination of the light exposure on the photodiodes of a new instrumented baffle for the Virgo input mode cleaner end-mirror. <i>Classical and Quantum Gravity</i> , 2021 , 38, 045002	3.3	1
32	Measurement of differential cross sections for single diffractive dissociation in (\sqrt{s}) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
31	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
30	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
29	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^{\pm} and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
28	A search for the decays of stopped long-lived particles at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
27	Betatron x-rays from GeV laser-plasma-accelerated electrons 2016 ,		1
26	Measurement of single top-quark production in association with a W boson in the single-lepton channel at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
25	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
24	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1

23	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
22	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
21	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	1
20	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
19	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
18	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
17	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
16	Measurements of $W+W\bar{W}$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
15	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
14	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
13	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
12	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
11	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	0
10	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run 2 data. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
9	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
8	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
7	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
6	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0

- 5 Measurement of the stray light in the Advanced Virgo input mode cleaner cavity using an instrumented baffle. *Classical and Quantum Gravity*, **2022**, 39, 115011 3.3 0
- 4 Z plus jets production at the tevatron. *Journal of Physics: Conference Series*, **2008**, 110, 022004 0.3
- 3 Measurement of the Inclusive Z+Jet(s) Production Cross Section at CDF. *Nuclear Physics, Section B, Proceedings Supplements*, **2008**, 177-178, 312-313
- 2 Inclusive Search for Squark and Gluino Production at CDF. *Nuclear Physics, Section B, Proceedings Supplements*, **2008**, 177-178, 314-315
- 1 The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. *European Physical Journal C*, **2022**, 82, 1 4.2