Song-Nan Li

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3898863/song-nan-li-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59	358	10	16
papers	citations	h-index	g-index
65	513	3.3	3.02
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
59	Impact of Low-density Lipoprotein Cholesterol Levels on Outcomes in Nonvalvular Atrial Fibrillation: Results from the China Atrial Fibrillation Registry Study <i>Medical Science Monitor</i> , 2022 , 28, e934747	3.2	
58	A novel and easy approach to difficult transseptal puncture during atrial fibrillation ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 62, 269-276	2.4	
57	Withdrawal: Prospective randomized comparison between upgraded "2C3L" versus PVI approach for catheter ablation of persistent atrial fibrillation: PROMPT-AF trial design. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1651	1.6	2
56	Cardiovascular magnetic resonance-determined left ventricular myocardium impairment is associated with C-reactive protein and ST2 in patients with paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 30	6.9	2
55	Effectiveness of ethanol infusion into the vein of Marshall combined with a fixed anatomical ablation strategy (the "upgraded 2C3L" approach) for catheter ablation of persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1849-1856	2.7	2
54	Sacubitril/Valsartan Decreases Atrial Fibrillation Susceptibility by Inhibiting Angiotensin II-Induced Atrial Fibrosis Through p-Smad2/3, p-JNK, and p-p38 Signaling Pathways. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 1	3.3	5
53	Ethanol infusion into the vein of Marshall for recurrent perimitral atrial tachycardia after catheter ablation for persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 773-781	1.6	3
52	Lefty1 Ameliorates Post-infarction Fibrosis by Suppressing p-Smad2 and p-ERK1/2 Signaling Pathways. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 14, 636-646	3.3	3
51	Antiviral treatment for hepatitis C is associated with a reduced risk of atherosclerotic cardiovascular outcomes: A systematic review and meta-analysis. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 664-671	3.4	2
50	Effect of family history of atrial fibrillation on recurrence after atrial fibrillation ablation: A report from the Chinese Atrial Fibrillation Registry Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 678-685	2.7	1
49	Comparison of prognosis and outcomes of catheter ablation versus drug therapy in patients with atrial fibrillation and stable coronary artery disease: A prospective propensity-score matched cohort study. Clinical Cardiology, 2021, 44, 1422-1431	3.3	2
48	A strategy of idarucizumab for pericardial tamponade during perioperative period of atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1824-1831	1.6	
47	Catheter ablation of atrial fibrillation in situs inversus dextrocardia: Challenge, improved procedure, outcomes, and literature review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 293-	305	2
46	Healthcare quality and mortality among patients hospitalized for heart failure by hospital level in Beijing, China. <i>ESC Heart Failure</i> , 2021 , 8, 1186-1194	3.7	6
45	Catheter ablation or surgical therapy in moderate-severe tricuspid regurgitation caused by long-standing persistent atrial fibrillation. Propensity score analysis. <i>Journal of Cardiothoracic Surgery</i> , 2020 , 15, 277	1.6	2
44	Relationship Between Ablation Lesion Size Estimated by Ablation Index and Different Ablation Settings-an Ex Vivo Porcine Heart Study. <i>Journal of Cardiovascular Translational Research</i> , 2020 , 13, 965	-969	2
43	Atrial tachycardia eliminated at the ventricular side in patients with congenitally corrected transposition of the great arteries: Electrophysiological findings and anatomical concerns. <i>Heart Rhythm</i> , 2020 , 17, 1337-1345	6.7	3

(2019-2020)

42	Evidence of 2 conduction exits of the moderator band: Findings from activation and pace mapping study. <i>Heart Rhythm</i> , 2020 , 17, 1856-1863	6.7	1
41	Pravastatin alleviates intracellular calcium dysregulation induced by Interleukin-6 via the mitochondrial ROS pathway in adult ventricular myocytes. <i>Journal of Pharmacological Sciences</i> , 2020 , 143, 141-147	3.7	1
40	Effectiveness and safety of atrial fibrillation ablation in females. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 583-592	1.6	2
39	Catheter ablation for atrial fibrillation is associated with reduced risk of mortality in the elderly: a prospective cohort study and propensity score analysis. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 740-74	. g 7	
38	New-Onset Atrial Fibrillation and Adverse In-Hospital Outcome in Patients with Acute Pulmonary Embolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2020 , 46, 887-894	5.3	3
37	Pericardial access via wire-guided puncture without contrast: The feasibility and safety of a modified approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 30-37	2.7	3
36	Safety and efficacy of catheter ablation for atrial fibrillation in abdominal solid organ (renal and hepatic) transplant recipients: A single-center pilot experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 3141-3149	2.7	
35	Clinical characteristics on admission predict in-hospital fatal outcome in patients aged \$\mathbb{Q}\$5 years with novel coronavirus disease (COVID-19): a retrospective cohort study. <i>BMC Geriatrics</i> , 2020 , 20, 514	4.1	5
34	Clinical characterization and outcome of prolonged heart rate-corrected QT interval among children with syndactyly. <i>Medicine (United States)</i> , 2020 , 99, e22740	1.8	1
33	Left-sided accessory pathways successfully ablated from the aortomitral continuity region: distinctive atrial activation patterns and anatomic concerns. <i>Europace</i> , 2020 , 22, 1712-1717	3.9	
32	The safety of discontinuation of oral anticoagulation therapy after apparently successful atrial fibrillation ablation: a report from the Chinese Atrial Fibrillation Registry study. <i>Europace</i> , 2020 , 22, 90-90-900.	9 .9	16
31	Right free-wall accessory pathway with branched atrial insertions: Clinical, electrocardiographic, and electrophysiological characteristics. <i>Heart Rhythm</i> , 2020 , 17, 243-249	6.7	1
30	Depolarization and repolarization parameters on ECG predict recurrence after atrial fibrillation ablation in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2405-2413	2.7	1
29	Prognostic Significance of Left Ventricular Fibrosis Assessed by T1 Mapping in Patients with Atrial Fibrillation and Heart Failure. <i>Scientific Reports</i> , 2019 , 9, 13374	4.9	9
28	Association between the use of contact force-sensing catheters and cardiac tamponade in atrial fibrillation ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 55, 137-143	2.4	4
27	Relationship between coronary artery calcification and calcium deposition in the myocardium. <i>Journal of International Medical Research</i> , 2019 , 47, 2910-2920	1.4	
26	Body mass index and all-cause mortality in patients with atrial fibrillation: insights from the China atrial fibrillation registry study. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1371-1380	6.1	6
25	Maternal arrhythmia in structurally normal heart: Prevalence and feasibility of catheter ablation without fluoroscopy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1566-1572	1.6	9

24	Left ventricular fibrosis by extracellular volume fraction and the risk of atrial fibrillation recurrence after catheter ablation. <i>Cardiovascular Diagnosis and Therapy</i> , 2019 , 9, 578-585	2.6	1
23	U-shaped association between serum free triiodothyronine and recurrence of atrial fibrillation after catheter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 51, 263-270	2.4	7
22	Transseptal puncture and catheter ablation of atrial fibrillation in patients with atrial septal occluder: initial experience of a single centre. <i>Europace</i> , 2018 , 20, 1468-1474	3.9	10
21	Electrocardiographic left ventricular hypertrophy predicts recurrence of atrial arrhythmias after catheter ablation of paroxysmal atrial fibrillation. <i>Clinical Cardiology</i> , 2018 , 41, 797-802	3.3	10
20	Acute administration of tumour necrosis factor-linduces spontaneous calcium release via the reactive oxygen species pathway in atrial myocytes. <i>Europace</i> , 2018 , 20, 1367-1374	3.9	17
19	Long-term outcome of catheter ablation for atrial fibrillation in patients with apical hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 951-957	2.7	7
18	Association Between Blood Lipid Profiles and Atrial Fibrillation: A Case-Control Study. <i>Medical Science Monitor</i> , 2018 , 24, 3903-3908	3.2	12
17	Patient-Reported Treatment Satisfaction with Dabigatran versus Warfarin in Patients with Non-Valvular Atrial Fibrillation in China. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 1815-1822	7	11
16	Surgical linear ablation for ventricular tachycardia with postinfarction ventricular aneurysm. <i>Journal of Surgical Research</i> , 2018 , 228, 211-220	2.5	4
15	Prophylactic Atropine Administration Prevents Vasovagal Response Induced by Cryoballoon Ablation in Patients with Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 551-5	5 § .6	3
14	Risk Stratification for Acute Pulmonary Embolism in Patients with Atrial Fibrillation: Role of CHADS2 Score. <i>Seminars in Thrombosis and Hemostasis</i> , 2017 , 43, 864-870	5.3	4
13	Right atrial diameter and outcome of catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 49, 157-164	2.4	8
12	Atrial fibrillation is associated with an increased risk of myocardial infarction: Insights from a meta-analysis. <i>Atherosclerosis</i> , 2016 , 254, 1-7	3.1	12
11	Ridge-related reentry despite apparent bidirectional mitral isthmus block. <i>Heart Rhythm</i> , 2016 , 13, 184	5 6 57	10
10	Systolic MOLLI T1 mapping with heart-rate-dependent pulse sequence sampling scheme is feasible in patients with atrial fibrillation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 13	6.9	26
9	Uptake of evidence-based statin therapy among atrial fibrillation patients in China: A report from the CAFR (Chinese Atrial Fibrillation Registry) Study. <i>International Journal of Cardiology</i> , 2016 , 220, 284	-9 ^{3.2}	3
8	Over 1-year efficacy and safety of left atrial appendage occlusion versus novel oral anticoagulants for stroke prevention in atrial fibrillation: A systematic review and meta-analysis of randomized controlled trials and observational studies. <i>Heart Rhythm</i> , 2016 , 13, 1203-14	6.7	19
7	Rationale and design of the Chinese Atrial Fibrillation Registry Study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 130	2.3	37

LIST OF PUBLICATIONS

6	Pouched mitral isthmus is associated with incomplete linear block in atrial fibrillation patients with mechanical mitral valve replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 501-8	2.7	2	
5	Catheter Ablation of Premature Ventricular Contractions Originating in the Aortic Sinus Cusp or Great Cardiac Vein: Two QRS Morphologies with One Origin. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 1029-38	1.6	7	
4	Plasma galectin-3 predicts clinical outcomes after catheter ablation in persistent atrial fibrillation patients without structural heart disease. <i>Europace</i> , 2015 , 17, 1541-7	3.9	33	
3	Catheter ablation of atrial fibrillation in patients with rheumatoid arthritis. <i>Journal of Cardiology</i> , 2015 , 66, 320-5	3	5	
2	Long-term results of single-procedure catheter ablation for atrial fibrillationin pre- and post-menopausal women. <i>Journal of Geriatric Cardiology</i> , 2014 , 11, 120-5	1.7	4	
1	Outcome of catheter ablation of atrial fibrillation in patients with prior ischemic stroke. <i>Chinese Medical Journal</i> , 2013 , 126, 1033-8	2.9	2	