

# Eleonora Sani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3899214/publications.pdf>

Version: 2024-02-01

31  
papers

1,257  
citations

394421

19  
h-index

501196

28  
g-index

32  
all docs

32  
docs citations

32  
times ranked

1869  
citing authors

#	ARTICLE	IF	CITATIONS
1	BASS. XXIX. The Near-infrared View of the Broad-line Region (BLR): The Effects of Obscuration in BLR Characterization*. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 8.	7.7	17
2	BASS. XXV. DR2 Broad-line-based Black Hole Mass Estimates and Biases from Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 5.	7.7	24
3	Counter-rotation and High-velocity Outflow in the Parsec-scale Molecular Torus of NGC 1068. <i>Astrophysical Journal Letters</i> , 2019, 884, L28.	8.3	71
4	MAGNUM survey: A MUSE- <i>Chandra</i> resolved view on ionized outflows and photoionization in the Seyfert galaxy NGC1365. <i>Astronomy and Astrophysics</i> , 2018, 619, A74.	5.1	75
5	Detection of faint broad emission lines in type 2 AGN – I. Near-infrared observations and spectral fitting. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 1783-1832.	4.4	21
6	Primordial environment of supermassive black holes. <i>Astronomy and Astrophysics</i> , 2017, 606, A23.	5.1	29
7	HIGH-VELOCITY BIPOLAR MOLECULAR EMISSION FROM AN AGN TORUS. <i>Astrophysical Journal Letters</i> , 2016, 829, L7.	8.3	90
8	Detection of Faint BLR Components in the Starburst/Seyfert Galaxy NGC 6221 and Measure of the Central BH Mass. <i>Frontiers in Astronomy and Space Sciences</i> , 2016, 3, .	2.8	4
9	SUPERMASSIVE BLACK HOLES AND THEIR HOST SPHEROIDS. II. THE RED AND BLUE SEQUENCE IN THE $M_{\text{BH}}-M_{\text{SPH}}$ DIAGRAM. <i>Astrophysical Journal</i> , 2016, 817, 21.	4.5	102
10	VARIABLE STARS AND STELLAR POPULATIONS IN ANDROMEDA XXI. II. ANOTHER MERGED GALAXY SATELLITE OF M31?. <i>Astrophysical Journal</i> , 2015, 806, 200.	4.5	14
11	Primordial environment of super massive black holes: large-scale galaxy overdensities around $z \sim 6$ quasars with LBT. <i>Astronomy and Astrophysics</i> , 2014, 568, A1.	5.1	57
12	Reduced Time CT Perfusion Acquisitions Are Sufficient to Measure the Permeability Surface Area Product with a Deconvolution Method. <i>BioMed Research International</i> , 2014, 2014, 1-6.	1.9	24
13	SHARK (System for coronagraphy with High order Adaptive optics from R to K band): a proposal for the LBT 2nd generation instrumentation. <i>Proceedings of SPIE</i> , 2014, , .	0.8	3
14	AGN/Starburst Connection. <i>Acta Polytechnica CTU Proceedings</i> , 2014, 1, 84-89.	0.3	0
15	Differences in perfusion CT parameter values with commercial software upgrades: a preliminary report about algorithm consistency and stability. <i>Acta Radiologica</i> , 2013, 54, 805-811.	1.1	29
16	A gas-rich AGN near the centre of a galaxy cluster at $z \sim 1.4$ . <i>Astronomy and Astrophysics</i> , 2013, 558, A60.	5.1	19
17	Compton-thick AGN inside local ULIRGs. , 2012, , .		0
18	The Circumnuclear Environment of IRAS 20551-4250: A Case Study of AGN/Starburst Connection for <i>JWST</i> . <i>Advances in Astronomy</i> , 2012, 2012, 1-10.	1.1	5

#	ARTICLE	IF	CITATIONS
19	THE GRAY NEEDLE: LARGE GRAINS IN THE HD 15115 DEBRIS DISK FROM LBT/PISCES/Ks AND LBTI/LMIRcam $\lambda$ ADAPTIVE OPTICS IMAGING. <i>Astrophysical Journal</i> , 2012, 752, 57.	4.5	45
20	LBT/LUCIFER view of star-forming galaxies in the cluster 7C 1756+6520 at $z \approx 1.4$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1195-1203.	4.4	10
21	The Spitzer/IRAC view of black hole-bulge scaling relations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 1479-1494.	4.4	163
22	The role of nuclear activity as the power source of ultraluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , .	4.4	51
23	A quantitative determination of the AGN content in local ULIRGs through $L$ -band spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 197-203.	4.4	25
24	Enhanced star formation in narrow-line Seyfert 1 active galactic nuclei revealed by Spitzer. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 403, 1246-1260.	4.4	107
25	Exploring the active galactic nucleus and starburst content of local ultraluminous infrared galaxies through 5-8 $\mu$ m spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 399, 1373-1402.	4.4	48
26	The active galactic nuclei/starburst content in high-redshift ultraluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 396, L1-L5.	3.3	5
27	Spectral decomposition of starbursts and active galactic nuclei in 5-8 $\mu$ m Spitzer-IRS spectra of local ultraluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 385, L130-L134.	3.3	85
28	3-5 $\mu$ m Spectroscopy of Obscured AGNs in ULIRGs. <i>Astrophysical Journal</i> , 2008, 675, 96-105.	4.5	31
29	The Double Active Galactic Nucleus in NGC 6240 Revealed through 3-5 $\mu$ m Spectroscopy. <i>Astrophysical Journal</i> , 2006, 637, L17-L20.	4.5	18
30	Unveiling the nature of Ultraluminous Infrared Galaxies with 3-4 $\mu$ m spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 365, 303-320.	4.4	75
31	NGC 1275: An Outlier of the Black Hole-Host Scaling Relations. <i>Frontiers in Astronomy and Space Sciences</i> , 0, 5, .	2.8	10