Hudson T Pinheiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3900505/publications.pdf

Version: 2024-02-01

87 papers 2,108 citations

304743

22

h-index

265206 42 g-index

88 all docs 88 docs citations

88 times ranked 1938 citing authors

#	Article	IF	CITATIONS
1	Comparative phylogeography of reef fishes indicates seamounts as stepping stones for dispersal and diversification. Coral Reefs, 2022, 41, 551-561.	2.2	11
2	Ecological Links between Pelagic and Mesophotic Reef Fishes in an Oceanic Archipelago of the Equatorial Atlantic Ocean. Diversity, 2022, 14, 273.	1.7	3
3	Limited human access is linked to higher effectiveness in a marine sanctuary. Journal of Environmental Management, 2022, 311, 114838.	7.8	11
4	Niche availability and habitat affinities of the red porgy <i>Pagrus pagrus </i> (Linnaeus, 1758): An important ecological player on the world's largest rhodolith beds. Journal of Fish Biology, 2022, 101, 179-189.	1.6	6
5	The challenges and opportunities of using small drones to monitor fishing activities in a marine protected area. Fisheries Management and Ecology, 2022, 29, 745-752.	2.0	4
6	Coralline Hills: high complexity reef habitats on seamount summits of the Vit \tilde{A}^3 ria-Trindade Chain. Coral Reefs, 2022, 41, 1075-1086.	2.2	4
7	An Inverted Management Strategy for the Fishery of Endangered Marine Species. Frontiers in Marine Science, 2021, 8, .	2.5	9
8	Mechanisms of dispersal and establishment drive a stepping stone community assembly on seamounts and oceanic islands. Marine Biology, $2021, 168, 1.$	1.5	16
9	Haplotype network branch diversity, a new metric combining genetic and topological diversity to compare the complexity of haplotype networks. PLoS ONE, 2021, 16, e0251878.	2.5	3
10	Pseudanthias hangapiko, a new anthiadine serranid (Teleostei, Serranidae, Anthiadinae) from Rapa Nui (Easter Island). ZooKeys, 2021, 1054, 1-13.	1.1	1
11	Fish aggregations and reproductive behaviour on mesophotic coral ecosystems of a southwestern Atlantic Oceanic archipelago. Journal of Natural History, 2021, 55, 2017-2025.	0.5	2
12	Disturbance and distribution gradients influence resource availability and feeding behaviours in corallivore fishes following a warm-water anomaly. Scientific Reports, 2021, 11, 23656.	3.3	5
13	Opportunities to close the gap between science and practice for Marine Protected Areas in Brazil. Perspectives in Ecology and Conservation, 2020, 18, 161-168.	1.9	9
14	Fish biodiversity of <scp>Saint Peter and Saint Paul's Archipelago</scp> , <scp>Midâ€Atlantic Ridge, Brazil:</scp> new records and a species database. Journal of Fish Biology, 2020, 97, 1143-1153.	1.6	20
15	Mesophotic Ecosystems: The Link between Shallow and Deep-Sea Habitats. Diversity, 2020, 12, 411.	1.7	14
16	Sometimes hard to swallow: Attempted feeding on a porcupinefish results in death of both predator and prey. Western Indian Ocean Journal of Marine Science, 2020, 18, 87-89.	0.4	4
17	Speeding up coral reef conservation with Al-aided automated image analysis. Nature Machine Intelligence, 2020, 2, 292-292.	16.0	14
18	Island Biogeography of Marine Shallow-Water Organisms. , 2020, , 61-75.		7

#	Article	IF	Citations
19	Trends in recreational fisheries and reef fish community structure indicate decline in target species population in an isolated tropical oceanic island. Ocean and Coastal Management, 2020, 191, 105194.	4.4	16
20	Mesophotic ecosystems at Fernando de Noronha Archipelago, Brazil (South-western Atlantic), reveal unique ichthyofauna and need for conservation. Neotropical Ichthyology, 2020, 18, .	1.0	14
21	A New Species of Chromis (Teleostei: Pomacentridae) from Mesophotic Coral Ecosystems of Rapa Nui (Easter Island) and Salas y $G\tilde{A}^3$ mez, Chile. Copeia, 2020, 108, 326.	1.3	7
22	Two new species of Plectranthias (Teleostei, Serranidae, Anthiadinae) from mesophotic coral ecosystems in the tropical Central Pacific. ZooKeys, 2020, 941, 145-161.	1.1	2
23	New records of fishes for the Vitória-Trindade Chain, southwestern Atlantic. Check List, 2020, 16, 699-705.	0.4	7
24	Phylogeography of the banded butterflyfish, Chaetodon striatus, indicates high connectivity between biogeographic provinces and ecosystems in the western Atlantic. Neotropical Ichthyology, 2020, 18, .	1.0	7
25	Determinants of reef fish assemblages in tropical Oceanic islands. Ecography, 2019, 42, 77-87.	4.5	40
26	Opportunistic Development and Environmental Disaster Threat Franciscana Dolphins in the Southeast of Brazil. Tropical Conservation Science, 2019, 12, 194008291984788.	1.2	6
27	Will DNA barcoding meet taxonomic needs?. Science, 2019, 365, 873-874.	12.6	22
28	Ecology of Prognathodes obliquus, a butterflyfish endemic to mesophotic ecosystems of St. Peter and St. Paul's Archipelago. Coral Reefs, 2019, 38, 955-960.	2.2	10
29	Ecological insights from environmental disturbances in mesophotic coral ecosystems. Ecosphere, 2019, 10, e02666.	2.2	24
30	Fishes: Biodiversity. Coral Reefs of the World, 2019, , 749-777.	0.7	15
31	Deep reef fishes in the world's epicenter of marine biodiversity. Coral Reefs, 2019, 38, 985-995.	2.2	27
32	Mesophotic.org: a repository for scientific information on mesophotic ecosystems. Database: the Journal of Biological Databases and Curation, 2019, 2019, .	3.0	14
33	Hope and doubt for the world's marine ecosystems. Perspectives in Ecology and Conservation, 2019, 17, 19-25.	1.9	23
34	Parrotfishes of the genus Scarus in southwestern Atlantic oceanic reef environments: occasional pulse or initial colonization?. Marine Biodiversity, 2019, 49, 555-561.	1.0	6
35	Three new species of Chromis (Teleostei, Pomacentridae) from mesophotic coral ecosystems of the Philippines. ZooKeys, 2019, 835, 1-15.	1.1	8
36	Cirrhilabrus wakanda, a new species of fairy wrasse from mesophotic ecosystems of Zanzibar, Tanzania, Africa (Teleostei, Labridae). ZooKeys, 2019, 863, 85-96.	1.1	10

#	Article	IF	CITATIONS
37	Liopropoma incandescens sp. nov. (Epinephelidae, Liopropominae), a new species of basslet from mesophotic coral ecosystems of Pohnpei, Micronesia. ZooKeys, 2019, 863, 97-106.	1.1	1
38	Southâ€western Atlantic reef fishes: Zoogeographical patterns and ecological drivers reveal a secondary biodiversity centre in the Atlantic Ocean. Diversity and Distributions, 2018, 24, 951-965.	4.1	142
39	Ephemeral aggregation of the benthic ctenophore Lyrocteis imperatoris on a mesophotic coral ecosystem in the Philippines. Bulletin of Marine Science, 2018, 94, 101-102.	0.8	5
40	Seabed Morphology and Sedimentary Regimes defining Fishing Grounds along the Eastern Brazilian Shelf. Geosciences (Switzerland), 2018, 8, 91.	2.2	20
41	Large and remote marine protected areas in the South Atlantic Ocean are flawed and raise concerns: Comments on Soares and Lucas (2018). Marine Policy, 2018, 96, 13-17.	3.2	53
42	SubCAS: A Portable, Submersible Hyperbaric Chamber to Collect Living Mesophotic Fishes. Frontiers in Marine Science, 2018, 5, .	2.5	3
43	Mesophotic coral ecosystems are threatened and ecologically distinct from shallow water reefs. Science, 2018, 361, 281-284.	12.6	213
44	Plectranthias ahiahiata, a new species of perchlet from a mesophotic ecosystem at Rapa Nui (Easter) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf
45	Harvest of endangered marine invertebrates in a priority area for conservation in Brazil. Nature Conservation Research, 2018, 3, .	1.5	2
46	Tosanoides aphrodite, a new species from mesophotic coral ecosystems of St. Paul's Rocks, Mid Atlantic Ridge (Perciformes, Serranidae, Anthiadinae). ZooKeys, 2018, 786, 105-115.	1.1	4
47	Cleaning service gaps in Bermuda, North Atlantic. Ecology, 2017, 98, 1973-1974.	3.2	5
48	Large-scale invasion of western Atlantic mesophotic reefs by lionfish potentially undermines culling-based management. Biological Invasions, 2017, 19, 939-954.	2.4	67
49	Island biogeography of marine organisms. Nature, 2017, 549, 82-85.	27.8	119
50	Newly discovered reefs in the southern Abrolhos Bank, Brazil: Anthropogenic impacts and urgent conservation needs. Marine Pollution Bulletin, 2017, 114, 123-133.	5.0	47
51	Roa rumsfeldi, a new butterflyfish (Teleostei, Chaetodontidae) from mesophotic coral ecosystems of the Philippines. ZooKeys, 2017, 709, 127-134.	1.1	16
52	Mesophotic fishes of the Abrolhos Shelf, the largest reef ecosystem in the South Atlantic. Journal of Fish Biology, 2016, 89, 990-1001.	1.6	44
53	The anti-predator role of within-nest emergence synchrony in sea turtle hatchlings. Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20160697.	2.6	58
54	Thiony Simon 1985–2016. Journal of Fish Biology, 2016, 89, 1121-1123.	1.6	0

#	Article	IF	CITATIONS
55	Bottom contact behaviour by humpback whales in Brazilian waters: first underwater observations at Trindade Island. Marine Biodiversity Records, 2016, 9, .	1.2	1
56	Upper and lower mesophotic coral reef fish communities evaluated by underwater visual censuses in two Caribbean locations. Coral Reefs, 2016, 35, 139-151.	2.2	100
57	Pempheris gasparinii, a new species of sweeper fish from Trindade Island, southwestern Atlantic (Teleostei, Pempheridae). ZooKeys, 2016, 561, 105-115.	1.1	5
58	Fish diversity of a southwestern Atlantic coastal island: aspects of distribution and conservation in a marine zoogeographical boundary. Check List, 2015, 11, 1615.	0.4	15
59	The role of recreational fishermen in the removal of target reef fishes. Ocean and Coastal Management, 2015, 112, 12-17.	4.4	15
60	Brazilian aquatic biodiversity in peril. Science, 2015, 350, 1043-1044.	12.6	39
61	Fish Biodiversity of the Vit \tilde{A}^3 ria-Trindade Seamount Chain, Southwestern Atlantic: An Updated Database. PLoS ONE, 2015, 10, e0118180.	2.5	95
62	Baseline Assessment of Mesophotic Reefs of the Vit \tilde{A}^3 ria-Trindade Seamount Chain Based on Water Quality, Microbial Diversity, Benthic Cover and Fish Biomass Data. PLoS ONE, 2015, 10, e0130084.	2.5	81
63	Effects of the sand tilefish Malacanthus plumieri on the structure and dynamics of a rhodolith bed in the Fernando de Noronha Archipelago, tropical West Atlantic. Marine Ecology - Progress Series, 2015, 541, 65-73.	1.9	27
64	Sponges and fish facilitate succession from rhodolith beds to reefs. Bulletin of Marine Science, 2014, 91, 45-46.	0.8	23
65	Reef oases in a seamount chain in the southwestern Atlantic. Coral Reefs, 2014, 33, 1113-1113.	2.2	17
66	Expansion of an invasive coral species over Abrolhos Bank, Southwestern Atlantic. Marine Pollution Bulletin, 2014, 85, 252-253.	5.0	40
67	Fish assemblages on shipwrecks and natural rocky reefs strongly differ in trophic structure. Marine Environmental Research, 2013, 90, 55-65.	2.5	46
68	Traditional Ecological Knowledge and the mapping of benthic marine habitats. Journal of Environmental Management, 2013, 115, 241-250.	7.8	51
69	The importance of small-scale environment factors to community structure patterns of tropical rocky reef fish. Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 1175-1185.	0.8	23
70	A new species of the genus Hypleurochilus (Teleostei:) Tj ETQq0 0	0 rgBT /O 0.5	verlock 10 7 5
71	Biologia reprodutiva do camarão sete-barbas no litoral centro sul e sul do EspÃfito Santo, Brasil. Boletim Do Instituto De Pesca, 2013, 39, 205-215.	0.5	9
72	A new record of whale shark <i>Rhincodon typus</i> in Brazilian waters: a report of association with <i>Caranx crysos</i> . Journal of Fish Biology, 2012, 81, 2092-2094.	1.6	7

#	Article	IF	CITATIONS
73	Spatial distribution and diet of Cephalopholis fulva (Ephinephelidae) at Trindade Island, Brazil. Neotropical Ichthyology, 2012, 10, 383-388.	1.0	6
74	Reef fish structure and distribution in a south-western Atlantic Ocean tropical island. Journal of Fish Biology, 2011, 79, 1984-2006.	1.6	44
75	Target fishes on artificial reefs: Evidences of impacts over nearby natural environments. Science of the Total Environment, 2011, 409, 4579-4584.	8.0	48
76	Coastal habitat degradation and green sea turtle diets in Southeastern Brazil. Marine Pollution Bulletin, 2011, 62, 1297-1302.	5.0	51
77	Length-weight relationships for some cryptobenthic reef fishes off Guarapari, southeastern Brazil. Journal of Applied Ichthyology, 2010, 26, 463-464.	0.7	3
78	Description of Halichoeres rubrovirens, a new species of wrasse (Labridae: Perciformes) from the Trindade and Martin Vaz Island group, southeastern Brazil, with a preliminary mtDNA molecular phylogeny of New World Halichoeres. Zootaxa, 2010, 2422, .	0.5	25
79	Sparisoma rocha, a new species of parrotfish (Actinopterygii: Labridae) from Trindade Island, South-western Atlantic. Zootaxa, 2010, 2493, .	0.5	13
80	Impact of commercial fishing on Trindade Island and Martin Vaz Archipelago, Brazil: characteristics, conservation status of the species involved and prospects for preservation. Brazilian Archives of Biology and Technology, 2010, 53, 1417-1423.	0.5	23
81	Reef fish mass mortality event in an isolated island off Brazil, with notes on recent similar events at Ascension, St Helena and Maldives. Marine Biodiversity Records, 2010, 3, .	1.2	7
82	Reef Fisheries and Underwater Surveys Indicate Overfishing of a Brazilian Coastal Island. Natureza A Conservacao, 2010, 08, 151-159.	2.5	18
83	New records of fishes for Trindade-Martin Vaz oceanic insular complex, Brazil . Zootaxa, 2009, 2298, 45-54.	0.5	22
84	Evidence of seasonal changes in community structure for a coastal ecosystem in the central coast of Brazil, south-west Atlantic. Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 217-224.	0.8	10
85	Pescarias multi-especÃficas na região da foz do Rio Doce, ES, Brasil: caracterÃsticas, problemas e opções para um futuro sustentável. Brazilian Journal of Aquatic Science and Technology, 2007, 11, 15.	0.1	20
86	On a trip to the mainland: occasional records of the rocky crab Grapsus grapsus (Linnaeus, 1758) (Decapoda: Grapsidae) on the Brazilian coast. Nauplius, 0 , 29 , .	0.3	1
87	The SubCAS: A Pressure Chamber for Fish. Frontiers for Young Minds, 0, 7, .	0.8	O