Ana P Carvalho

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3901058/ana-p-carvalho-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4,098 132 39 57 h-index g-index citations papers 4,496 5.38 133 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
132	Zeolites and Related Materials as Catalyst Supports for Hydrocarbon Oxidation Reactions. <i>Catalysts</i> , 2022 , 12, 154	4	3
131	Key Factors for Activated Carbon Adsorption of Pharmaceutical Compounds from Wastewaters: A Multivariate Modelling Approach. <i>Water (Switzerland)</i> , 2022 , 14, 166	3	3
130	Activated carbons in full-scale advanced wastewater treatment 2022 , 433-475		O
129	Individual and competitive adsorption of ibuprofen and caffeine from primary sewage effluent by yeast-based activated carbon and magnetic carbon nanocomposite. <i>Sustainable Chemistry and Pharmacy</i> , 2022 , 28, 100703	3.9	1
128	Solar Light-Induced Methylene Blue Removal over TiO/AC Composites and Photocatalytic Regeneration. <i>Nanomaterials</i> , 2021 , 11,	5.4	2
127	Friedel-Crafts acylation reaction over hierarchical Y zeolite modified through surfactant mediated technology. <i>Microporous and Mesoporous Materials</i> , 2021 , 323, 111167	5.3	2
126	Assessing the applicability of a new carob waste-derived powdered activated carbon to control pharmaceutical compounds in wastewater treatment. <i>Science of the Total Environment</i> , 2020 , 743, 140	79 ^{10.2}	16
125	Carbon-Based Sorbent Coatings for the Determination of Pharmaceutical Compounds by Bar Adsorptive Microextraction <i>ACS Applied Bio Materials</i> , 2020 , 3, 2078-2091	4.1	4
124	Tetraalkylammonium Functionalized Hydrochars as Efficient Supports for Palladium Nanocatalysts. <i>ChemCatChem</i> , 2020 , 12, 2295-2303	5.2	3
123	Eco-friendly cyclohexane oxidation by a V-scorpionate complex immobilized at hierarchical MOR zeolite. <i>Catalysis Today</i> , 2020 , 348, 37-44	5.3	10
122	Fe@Hierarchical BEA Zeolite Catalyst for MW-Assisted Alcohol Oxidation Reaction: A Greener Approach. <i>Catalysts</i> , 2020 , 10, 1029	4	2
121	Biomass-derived nanoporous carbons as electrocatalysts for oxygen reduction reaction. <i>Catalysis Today</i> , 2020 , 357, 269-278	5.3	9
120	Styrene oxidation catalyzed by copper(II) C-scorpionates in homogenous medium and immobilized on sucrose derived hydrochars. <i>Catalysis Today</i> , 2020 , 357, 56-63	5.3	9
119	The role of nanoporous carbon materials in catalytic cyclohexane oxidation. <i>Catalysis Today</i> , 2020 , 357, 46-55	5.3	9
118	Zooming in with QSPR on Friedel-Crafts acylation reactions over modified BEA zeolites. <i>Molecular Catalysis</i> , 2019 , 476, 110495	3.3	7
117	Photocatalytic Degradation of Pharmaceuticals Carbamazepine, Diclofenac, and Sulfamethoxazole by Semiconductor and Carbon Materials: A Review. <i>Molecules</i> , 2019 , 24,	4.8	44
116	Transformation products of citalopram: Identification, wastewater analysis and in silico toxicological assessment. <i>Chemosphere</i> , 2019 , 217, 858-868	8.4	16

115	Chemically activated high grade nanoporous carbons from low density renewable biomass (Agave sisalana) for the removal of pharmaceuticals. <i>Journal of Colloid and Interface Science</i> , 2019 , 536, 681-69	3 9·3	26	
114	Apple tree branches derived activated carbons for the removal of Eblocker atenolol. <i>Chemical Engineering Journal</i> , 2018 , 345, 669-678	14.7	32	
113	Ultra-fast and selective oxidation of styrene to benzaldehyde catalyzed by a C-scorpionate Cu(II) complex. <i>Catalysis Science and Technology</i> , 2018 , 8, 2285-2288	5.5	18	
112	Improved Cyclohexane Oxidation Catalyzed by a Heterogenized Iron (II) Complex on Hierarchical Y Zeolite through Surfactant Mediated Technology. <i>ChemCatChem</i> , 2018 , 10, 4058-4066	5.2	22	
111	Nanoporous Carbon Synthesis: An Old Story with Exciting New Chapters 2018,		10	
110	Solventless Olefin Epoxidation Using a Moloaded Sisal Derived Acid-Char Catalyst. <i>ChemistrySelect</i> , 2018 , 3, 10357-10363	1.8	1	
109	Kinetic study of Friedel-Crafts acylation reactions over hierarchical MCM-22 zeolites. <i>Molecular Catalysis</i> , 2017 , 434, 175-183	3.3	13	
108	Pharmaceuticals removal by activated carbons: Role of morphology on cyclic thermal regeneration. <i>Chemical Engineering Journal</i> , 2017 , 321, 233-244	14.7	78	
107	High efficacy on diclofenac removal by activated carbon produced from potato peel waste. <i>International Journal of Environmental Science and Technology</i> , 2016 , 13, 1989-2000	3.3	49	
106	Biodiesel production waste as promising biomass precursor of reusable activated carbons for caffeine removal. <i>RSC Advances</i> , 2016 , 6, 45419-45427	3.7	13	
105	The influence of the textural properties of activated carbons on acetaminophen adsorption at different temperatures. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 12340-9	3.6	14	
104	Sucrose-derived activated carbons: electron transfer properties and application as oxygen reduction electrocatalysts. <i>RSC Advances</i> , 2015 , 5, 102919-102931	3.7	30	
103	Effect of the irradiation wavelength on the performance of nanoporous carbon as an additive to TiO2. <i>Applied Catalysis A: General</i> , 2015 , 507, 91-98	5.1	11	
102	Sustainable activated carbons prepared from a sucrose-derived hydrochar: remarkable adsorbents for pharmaceutical compounds. <i>RSC Advances</i> , 2015 , 5, 19696-19707	3.7	55	
101	Visible light driven photooxidation of phenol on TiO2/Cu-loaded carbon catalysts. <i>Carbon</i> , 2014 , 76, 18	3-1/9.2	24	
100	High performance microspherical activated carbons for methane storage and landfill gas or biogas upgrade. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 15337-15344	13	53	
99	Chars from gasification of coal and pine activated with K2CO3: acetaminophen and caffeine adsorption from aqueous solutions. <i>Journal of Colloid and Interface Science</i> , 2014 , 433, 94-103	9.3	63	
98	Activated carbons prepared from industrial pre-treated cork: Sustainable adsorbents for pharmaceutical compounds removal. <i>Chemical Engineering Journal</i> , 2014 , 253, 408-417	14.7	89	

97	Enantioselective cyclopropanation and aziridination catalyzed by copper(II) bis(oxazoline) anchored onto mesoporous materials. <i>Polyhedron</i> , 2014 , 79, 315-323	2.7	8
96	Influence of activated carbons porous structure on iopamidol adsorption. <i>Carbon</i> , 2014 , 77, 607-615	10.4	21
95	Carbon-based materials prepared from pine gasification residues for acetaminophen adsorption. <i>Chemical Engineering Journal</i> , 2014 , 240, 344-351	14.7	54
94	Catalytic behavior of alkali-treated Pt/HMOR in n-hexane hydroisomerization. <i>Applied Catalysis A: General</i> , 2014 , 476, 148-157	5.1	21
93	The role of the support properties in the catalytic performance of an anchored copper(II) aza-bis(oxazoline) in mesoporous silicas and their carbon replicas. <i>Catalysis Science and Technology</i> , 2013 , 3, 659-672	5.5	9
92	Asymmetric benzoylation of hydrobenzoin by copper(II) bis(oxazoline) anchored onto ordered mesoporous silicas and their carbon replicas. <i>Catalysis Science and Technology</i> , 2013 , 3, 2415	5.5	14
91	Phosphotungstates as catalysts for monoterpenes oxidation: Homo- and heterogeneous performance. <i>Catalysis Today</i> , 2013 , 203, 95-102	5.3	46
90	Copper(II) aza-bis(oxazoline) complex immobilized onto ITQ-2 and MCM-22 based materials as heterogeneous catalysts for the cyclopropanation of styrene. <i>Microporous and Mesoporous Materials</i> , 2013 , 179, 231-241	5.3	9
89	Alkene epoxidation by manganese(III) complexes immobilized onto nanostructured carbon CMK-3. <i>Catalysis Today</i> , 2013 , 203, 103-110	5.3	41
88	Efficient cyclohexane oxidation with hydrogen peroxide catalysed by a C-scorpionate iron(II) complex immobilized on desilicated MOR zeolite. <i>Applied Catalysis A: General</i> , 2013 , 464-465, 43-50	5.1	62
87	STUDIES OF CERAMIC TILES ATTRIBUTED TO GABRIEL DEL BARCO. Archaeometry, 2013, 55, 54-67	1.6	1
86	Porosity characterization of old Portuguese ceramic tiles. <i>Construction and Building Materials</i> , 2012 , 28, 104-110	6.7	11
85	Characterization of the different fractions obtained from the pyrolysis of rope industry waste. Journal of Analytical and Applied Pyrolysis, 2012 , 95, 31-37	6	10
84	Dual role of copper on the reactivity of activated carbons from coal and lignocellulosic precursors. <i>Microporous and Mesoporous Materials</i> , 2012 , 154, 68-73	5.3	22
83	Strategies for copper bis(oxazoline) immobilization onto porous silica based materials. <i>Microporous and Mesoporous Materials</i> , 2012 , 158, 26-38	5.3	23
82	Oxidovanadium(IV) acetylacetonate immobilized onto CMK-3 for heterogeneous epoxidation of geraniol. <i>Microporous and Mesoporous Materials</i> , 2012 , 160, 67-74	5.3	34
81	Modification of MCM-22 zeolite through sequential post-synthesis treatments. Implications on the acidic and catalytic behaviour. <i>Applied Catalysis A: General</i> , 2012 , 445-446, 329-338	5.1	27
8o	Effect of the Alcohol Cosolvent in the Removal of Caffeine by Activated Carbons. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 9850-9857	3.9	11

(2010-2012)

79	ASSESSMENT OF THE BINDER IN HISTORICAL MORTARS BY VARIOUS TECHNIQUES. <i>Archaeometry</i> , 2012 , 54, 267-277	1.6	5
78	Determination of the heat effects involved during toluene vapor adsorption and desorption from microporous activated carbon. <i>Comptes Rendus Chimie</i> , 2012 , 15, 474-481	2.7	6
77	Pt/carbon materials as bi-functional catalysts for n-decane hydroisomerization. <i>Microporous and Mesoporous Materials</i> , 2012 , 163, 21-28	5.3	11
76	Development of a powdered activated carbon in bar adsorptive micro-extraction for the analysis of morphine and codeine in human urine. <i>Journal of Chromatographic Science</i> , 2012 , 50, 574-81	1.4	15
75	Designing novel hybrid materials by one-pot co-condensation: from hydrophobic mesoporous silica nanoparticles to superamphiphobic cotton textiles. <i>ACS Applied Materials & Design State S</i>	3 9-2 9	124
74	Copper Bis(oxazoline) Encapsulated in Zeolites and Its Application as Heterogeneous Catalysts for the Cyclopropanation of Styrene. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 11495-1150	o₹·9	15
73	Epoxidation of olefins catalyzed by manganese(III) salen complexes grafted to porous heterostructured clays. <i>Applied Clay Science</i> , 2011 , 53, 195-203	5.2	47
72	Powdered activated carbons as effective phases for bar adsorptive micro-extraction (BAE) to monitor levels of triazinic herbicides in environmental water matrices. <i>Talanta</i> , 2011 , 83, 1643-9	6.2	42
71	Activated carbons from sisal waste by chemical activation with KLOElkinetics of paracetamol and ibuprofen removal from aqueous solution. <i>Bioresource Technology</i> , 2011 , 102, 8253-60	11	109
70	Cork-based activated carbons as supported adsorbent materials for trace level analysis of ibuprofen and clofibric acid in environmental and biological matrices. <i>Journal of Chromatography A</i> , 2011 , 1218, 6263-70	4.5	37
69	Green processing of porous chitin structures for biomedical applications combining ionic liquids and supercritical fluid technology. <i>Acta Biomaterialia</i> , 2011 , 7, 1166-72	10.8	106
68	Desilication of MOR zeolite: Conventional versus microwave assisted heating. <i>Applied Catalysis A: General</i> , 2011 , 402, 59-68	5.1	41
67	Desilication of a TON zeolite with NaOH: Influence on porosity, acidity and catalytic properties. <i>Applied Catalysis A: General</i> , 2011 , 399, 100-109	5.1	42
66	Effect of the Conservation Treatment of Historical Ceramic Tiles on the Tensile Adhesion Strength. <i>International Journal of Architectural Heritage</i> , 2011 , 5, 241-250	2.1	1
65	Porous Silicas and Respective Carbon Replicates for Adsorption and Catalysis. <i>Adsorption Science and Technology</i> , 2010 , 28, 717-726	3.6	4
64	Comparison of Methods to Obtain Micropore Size Distributions of Carbonaceous Materials from CO2 Adsorption Based on the Dubinin B adushkevich Isotherm. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 4726-4730	3.9	33
63	How the adsorption properties get changed when going from SBA-15 to its CMK-3 carbon replica. <i>Separation and Purification Technology</i> , 2010 , 75, 366-376	8.3	60
62	Modification of MOR by desilication treatments: Structural, textural and acidic characterization. <i>Microporous and Mesoporous Materials</i> , 2010 , 131, 350-357	5.3	59

61	Anchoring of Chiral Manganese(III) Salen Complex onto Organo Clay and Porous Clay Heterostructure and Catalytic Activity in Alkene Epoxidation. <i>Catalysis Letters</i> , 2010 , 134, 63-71	2.8	32
60	Studies on polymeric conservation treatments of ceramic tiles with Paraloid B-72 and two alkoxysilanes. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	3
59	Surface heterogeneity effects of activated carbons on the kinetics of paracetamol removal from aqueous solution. <i>Applied Surface Science</i> , 2010 , 256, 5171-5175	6.7	78
58	Physicochemical characterization of silylated functionalized materials. <i>Journal of Colloid and Interface Science</i> , 2010 , 344, 603-10	9.3	47
57	Removal of an analgesic using activated carbons prepared from urban and industrial residues. <i>Chemical Engineering Journal</i> , 2010 , 163, 249-255	14.7	121
56	Effect of solution pH on the removal of clofibric acid by cork-based activated carbons. <i>Carbon</i> , 2010 , 48, 972-980	10.4	49
55	Templated synthesis of carbon materials mediated by porous clay heterostructures. <i>Carbon</i> , 2010 , 48, 4049-4056	10.4	28
54	Organo-functionalized mesoporous supports for Jacobsen-type catalyst: Laponite versus MCM-41. <i>Journal of Materials Science</i> , 2009 , 44, 2865-2875	4.3	21
53	Enantioselective Epoxidation of Alkenes by Jacobsen Catalyst Anchored onto Aminopropyl-functionalised Laponite, MCM-41 and FSM-16. <i>Catalysis Letters</i> , 2009 , 129, 367-375	2.8	19
52	n-Hexane Hydroisomerization Over Composite Catalysts Based on BEA Zeolite and Mesoporous Materials. <i>Catalysis Letters</i> , 2009 , 129, 331-335	2.8	6
51	Waste-derived activated carbons for removal of ibuprofen from solution: role of surface chemistry and pore structure. <i>Bioresource Technology</i> , 2009 , 100, 1720-6	11	179
50	Designing heterogeneous oxovanadium and copper acetylacetonate catalysts: Effect of covalent immobilisation in epoxidation and aziridination reactions. <i>Journal of Molecular Catalysis A</i> , 2009 , 312, 53-64		57
49	Grafting of vanadyl acetylacetonate onto organo-hexagonal mesoporous silica and catalytic activity in the allylic epoxidation of geraniol. <i>Polyhedron</i> , 2009 , 28, 994-1000	2.7	49
48	Synthesis of anatase TiO2 nanoparticles with high temperature stability and photocatalytic activity. <i>Solid State Sciences</i> , 2008 , 10, 602-606	3.4	81
47	Activated Carbon Derived from Cork Powder Waste by KOH Activation: Preparation, Characterization, and VOCs Adsorption. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 5841	- 3846	67
46	Gilded wood from the organ of the Church of Santa Cruz (Coimbra). <i>Journal of the Brazilian Chemical Society</i> , 2008 , 19, 1653-1658	1.5	6
45	Comparison of adsorbent materials for acetic acid removal in showcases. <i>Journal of Cultural Heritage</i> , 2008 , 9, 244-252	2.9	14
44	Catalytic characterization of pillared clays through toluene methylation reaction. <i>Reaction Kinetics and Catalysis Letters</i> , 2008 , 95, 373-378		

(2005-2008)

43	Immobilisation of B-Allyldicarbonyl Complexes of MoII with Bidentate Nitrogen Ligands within Aluminium-Pillared Clays. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 1147-1156	2.3	11
42	Effect of the impregnation treatment with Paraloid B-72 on the properties of old Portuguese ceramic tiles. <i>Journal of Cultural Heritage</i> , 2008 , 9, 269-276	2.9	38
41	Post-synthesis organo-sylanation of mesostructured FSM-16 for chiral Mn(III) salen catalyst anchoring. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 329, 190-197	5.1	14
40	Synthesis and characterisation of organo-silica hydrophobic clay heterostructures for volatile organic compounds removal. <i>Microporous and Mesoporous Materials</i> , 2008 , 111, 612-619	5.3	54
39	Vanadyl acetylacetonate anchored onto amine-functionalised clays and catalytic activity in the epoxidation of geraniol. <i>Journal of Molecular Catalysis A</i> , 2008 , 283, 5-14		71
38	Activated carbons for the adsorption of ibuprofen. <i>Carbon</i> , 2007 , 45, 1979-1988	10.4	271
37	Acidity characterization of pillared clays through microcalorimetric measurements and catalytic ethylbenzene test reaction. <i>Applied Catalysis A: General</i> , 2007 , 330, 89-95	5.1	17
36	Direct immobilisation versus covalent attachment of a Mn(III)salen complex onto an Al-pillared clay and influence in the catalytic epoxidation of styrene. <i>Journal of Molecular Catalysis A</i> , 2007 , 278, 82-91		35
35	Copper acetylacetonate anchored onto amine-functionalised clays. <i>Journal of Colloid and Interface Science</i> , 2007 , 316, 570-9	9.3	60
34	Open Cell Polyurethane Foams for New Filters with Supported Adsorbents. <i>Materials Science Forum</i> , 2006 , 514-516, 892-896	0.4	1
33	Immobilization of Hydride Tungsten Complex in Microporous Structures. <i>Materials Science Forum</i> , 2006 , 514-516, 1196-1200	0.4	1
32	Hydrophobic Porous Benzene-Silica Hybrid Clay Heterostructure and Its Application in the Adsorption of Volatile Organic Compounds. <i>Materials Science Forum</i> , 2006 , 514-516, 470-474	0.4	11
31	Characterisation of Ceramic Pastes of Portuguese Ancient Tiles. <i>Materials Science Forum</i> , 2006 , 514-516, 1648-1652	0.4	11
30	On the difficulties of predicting the adsorption of volatile organic compounds at low pressures in microporous solid: the example of ethyl benzene. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 250-7	3.4	18
29	Synthesis and regeneration of polyurethane/adsorbent composites and their characterization by adsorption methods. <i>Microporous and Mesoporous Materials</i> , 2006 , 89, 260-269	5.3	24
28	Granular activated carbons from powdered samples using clays as binders for the adsorption of organic vapours. <i>Microporous and Mesoporous Materials</i> , 2006 , 93, 226-231	5.3	22
27	Encapsulation of chiral Mn(III) salen complexes into aluminium pillared clays: Application as heterogeneous catalysts in the epoxidation of styrene. <i>Journal of Molecular Catalysis A</i> , 2006 , 248, 135-	143	40
26	Organo-Laponites as novel mesoporous supports for manganese(III) salen catalysts. <i>Langmuir</i> , 2005 , 21, 10825-34	4	38

25	Mn(III) salen complex immobilised into pillared clays by in situ and simultaneous pillaring/encapsulation procedures. <i>Microporous and Mesoporous Materials</i> , 2005 , 86, 295-302	5.3	28
24	Characterization of adsorbent materials supported on polyurethane foams by nitrogen and toluene adsorption. <i>Microporous and Mesoporous Materials</i> , 2005 , 80, 253-262	5.3	24
23	Catalytic Properties of a MnIII-Salen Complex Immobilised in a Pillared Clay by Simultaneous Pillaring/Encapsulation Procedures. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 837-844	2.3	12
22	Physical Adsorption of H2S Related to the Conservation of Works of Art: The Role of the Pore Structure at Low Relative Pressure. <i>Adsorption</i> , 2005 , 11, 569-576	2.6	29
21	Toluene methylation over pillared clays with Al, Zr and Al/Zr oxides. <i>Studies in Surface Science and Catalysis</i> , 2005 , 1469-1476	1.8	2
20	Sorption Isotherms of Organic Vapors on Polyurethane Foams. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 13813-13820	3.4	13
19	Synthesis and characterization of polyurethane foam matrices for the support of granular adsorbent materials. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2045-2053	2.9	15
18	Porous materials from clays by the gallery template approach: synthesis, characterization and adsorption properties. <i>Microporous and Mesoporous Materials</i> , 2004 , 73, 175-180	5.3	51
17	Synthesis and immobilization of molybdenum complexes in a pillared layered clay. <i>Microporous and Mesoporous Materials</i> , 2004 , 72, 111-118	5.3	28
16	Activated carbons from cork waste by chemical activation with K2CO3: Application to adsorption of natural gas components. <i>Carbon</i> , 2004 , 42, 672-674	10.4	46
15	Adsorption of Acetic Acid by Activated Carbons, Zeolites, and Other Adsorbent Materials Related with the Preventive Conservation of Lead Objects in Museum Showcases. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 725-731	2.8	18
14	Simultaneous aluminium oxide pillaring and copper(II) Schiff base complexes encapsulation in a montmorillonite. <i>Journal of Materials Chemistry</i> , 2004 , 14, 374		40
13	Epoxidation of styrene by a manganese(III) salen complex encapsulated in an aluminium pillared clay. <i>New Journal of Chemistry</i> , 2004 , 28, 853-858	3.6	30
12	Preparation of activated carbons from cork waste by chemical activation with KOH. <i>Carbon</i> , 2003 , 41, 2873-2876	10.4	41
11	Characterization of the Acidity of Al- and Zr-Pillared Clays. Clays and Clay Minerals, 2003, 51, 340-349	2.1	22
10	Adsorption microcalorimetry of probe molecules of different size to characterize the microporosity of pillared clays. <i>Microporous and Mesoporous Materials</i> , 2002 , 51, 145-154	5.3	10
9	Heats of Adsorption of N-Hexane by Thermal Gravimetry with Differential Scanning Calorimetry (Tg-DSC): A Tool for Textural Characterization of Pillared Clays. <i>Clays and Clay Minerals</i> , 2000 , 48, 385-39) ^{2.1}	14
8	Characterization of offretite during hydrothermal treatment by high-resolution solid-state 29Si magic angle spinning NMR and 27Al triple-quantum magic angle spinning NMR spectroscopy. Magnetic Resonance in Chemistry, 1999, 37, \$55-\$62	2.1	14

LIST OF PUBLICATIONS

7	Acidity studies on pillared clays (PILCs) by pyridine adsorption and 1-butanol dehydration. <i>Reaction Kinetics and Catalysis Letters</i> , 1998 , 65, 9-15		7
6	Degree of crystallinity of dealuminated offretites determined by X-ray diffraction and by a new method based on nitrogen adsorption. <i>Zeolites</i> , 1997 , 19, 382-386		11
5	Aluminum-pillared clays: Decomposition of the intercalating species and textural properties. <i>Zeolites</i> , 1997 , 19, 107-113		37
4	Characterisation of clays and aluminium pillared clays by adsorption of probe molecules. <i>Microporous Materials</i> , 1996 , 6, 65-77		61
3	Dealumination of zeolites: Part V. Influence of the hydrothermal treatment of offretite on its pore structure and acid properties. <i>Zeolites</i> , 1994 , 14, 217-224		10
2	Dealumination of zeolites: Part 4. Dealumination of offretite through hydrothermal treatment. <i>Zeolites</i> , 1993 , 13, 462-469		17
1	Direct Potentiometry of Ethanol in Alcoholic Beverages Using Ion-Selective Electrodes. <i>Journal of the American Society of Brewing Chemists</i> , 1991 , 49, 19-22	1.9	1