

Markku Sainio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3901461/publications.pdf>

Version: 2024-02-01

51
papers

1,259
citations

394286

19
h-index

377752

34
g-index

51
all docs

51
docs citations

51
times ranked

1211
citing authors

#	ARTICLE	IF	CITATIONS
1	Solvent exposed occupations and risk of Parkinson disease in Finland. <i>Clinical Parkinsonism & Related Disorders</i> , 2021, 4, 100092.	0.5	5
2	Annoyance, perception, and physiological effects of wind turbine infrasound. <i>Journal of the Acoustical Society of America</i> , 2021, 149, 2238-2248.	0.5	12
3	Healthy people in healthy premises: the Finnish Indoor Air and Health Programme 2018–2028. <i>Clinical and Translational Allergy</i> , 2020, 10, 4.	1.4	8
4	Psychosocial treatments for employees with non-specific and persistent physical symptoms associated with indoor air: A randomised controlled trial with a one-year follow-up. <i>Journal of Psychosomatic Research</i> , 2020, 131, 109962.	1.2	4
5	Clinical Characteristics of Disability in Patients with Indoor Air-Related Environmental Intolerance. <i>Safety and Health at Work</i> , 2019, 10, 362-369.	0.3	11
6	Health-related quality among life of employees with persistent nonspecific indoor-air-associated health complaints. <i>Journal of Psychosomatic Research</i> , 2019, 122, 112-120.	1.2	7
7	Limitations of periodical health examinations in detecting occupational chronic solvent encephalopathy. <i>Occupational and Environmental Medicine</i> , 2019, 76, 688-693.	1.3	1
8	Work ability score of solvent-exposed workers. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 559-569.	1.1	4
9	Prevalence of various environmental intolerances in a Swedish and Finnish general population. <i>Environmental Research</i> , 2018, 161, 220-228.	3.7	36
10	Prevalence of environmental annoyance in a Swedish and Finnish general population: Impact of everyday exposures on affect and behavior. <i>Journal of Environmental Psychology</i> , 2018, 56, 84-90.	2.3	3
11	1713...Why isn't chronic solvent encephalopathy detected in periodical occupational health examinations. , 2018, , .		0
12	Building-Related Environmental Intolerance and Associated Health in the General Population. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2047.	1.2	16
13	Environmental Intolerance, Symptoms and Disability Among Fertile-Aged Women. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 293.	1.2	15
14	Attention-Deficit/Hyperactivity Disorder and Fatal Accidents in Aviation Medicine. <i>Aerospace Medicine and Human Performance</i> , 2017, 88, 871-875.	0.2	7
15	Comparing cognitive-behavioural psychotherapy and psychoeducation for non-specific symptoms associated with indoor air: a randomised control trial protocol. <i>BMJ Open</i> , 2016, 6, e011003.	0.8	5
16	Reply to Letter to the Editor: Cognitive therapy in Sick Building Syndrome: Myths, beliefs or evidence. <i>NeuroToxicology</i> , 2016, 52, 186-187.	1.4	2
17	Neurotoxicity of solvents. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2015, 131, 93-110.	1.0	19
18	Decreased work ability associated to indoor air problems – An intervention (RCT) to promote health behavior. <i>NeuroToxicology</i> , 2015, 49, 59-67.	1.4	18

#	ARTICLE	IF	CITATIONS
19	Solvent-induced encephalopathy in the Netherlands and Finland. <i>Occupational Medicine</i> , 2015, 65, 609-611.	0.8	4
20	Cervical and lumbar pain and radiological degeneration among fighter pilots: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2015, 72, 145-150.	1.3	35
21	Cost of detecting a chronic solvent encephalopathy case by screening. <i>NeuroToxicology</i> , 2014, 45, 253-259.	1.4	8
22	Multimodal event-related potentials in occupational chronic solvent encephalopathy. <i>NeuroToxicology</i> , 2012, 33, 703-709.	1.4	5
23	Chronic solvent-induced encephalopathy: European consensus of neuropsychological characteristics, assessment, and guidelines for diagnostics. <i>NeuroToxicology</i> , 2012, 33, 710-726.	1.4	49
24	Chronic Solvent induced Encephalopathy: A step forward. <i>NeuroToxicology</i> , 2012, 33, 897-901.	1.4	4
25	Detecting chronic solvent encephalopathy in occupations at risk. <i>NeuroToxicology</i> , 2012, 33, 734-741.	1.4	19
26	Occupational chronic solvent encephalopathy in Finland 1995–2007: incidence and exposure. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 703-712.	1.1	26
27	Symptom screening in detection of occupational solvent-related encephalopathy. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 343-355.	1.1	26
28	Magnetic resonance imaging in occupational chronic solvent encephalopathy. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 595-602.	1.1	20
29	Symptoms of chronic solvent encephalopathy: Euroquest questionnaire study. <i>NeuroToxicology</i> , 2009, 30, 1187-1194.	1.4	24
30	10th Congress of International Neurotoxicology Association. <i>Human and Experimental Toxicology</i> , 2007, 26, 147-148.	1.1	0
31	Colour vision defects in occupational chronic solvent encephalopathy. <i>Human and Experimental Toxicology</i> , 2007, 26, 375-384.	1.1	14
32	P300 of auditory event related potentials in occupational chronic solvent encephalopathy. <i>NeuroToxicology</i> , 2007, 28, 1230-1236.	1.4	7
33	Memory Performance Profile in Occupational Chronic Solvent Encephalopathy Suggests Working Memory Dysfunction. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 1307-1326.	0.8	21
34	Visual search and eye movements in patients with chronic solvent-induced toxic encephalopathy. <i>NeuroToxicology</i> , 2006, 27, 1013-1023.	1.4	5
35	Frequent loss of heterozygosity at 6q in pheochromocytoma. <i>Human Pathology</i> , 2006, 37, 749-754.	1.1	29
36	Identification of genetic aberrations on chromosome 22 outside theNF2locus in schwannomatosis and neurofibromatosis type 2. <i>Human Mutation</i> , 2005, 26, 540-549.	1.1	29

#	ARTICLE	IF	CITATIONS
37	Anosmia in association with occupational use of a waterproof coating chemical. <i>Occupational Medicine</i> , 2005, 55, 142-144.	0.8	6
38	Effects of long-term occupational solvent exposure on contrast sensitivity and performance in visual search. <i>Environmental Toxicology and Pharmacology</i> , 2005, 19, 497-504.	2.0	9
39	Solvent-related health effects among construction painters with decreasing exposure. <i>American Journal of Industrial Medicine</i> , 2004, 46, 627-636.	1.0	39
40	Loss of Heterozygosity at 6q Is Frequent and Concurrent with 3p Loss in Sporadic and Familial Capillary Hemangioblastomas. <i>Journal of Neuropathology and Experimental Neurology</i> , 2004, 63, 1072-1079.	0.9	20
41	Stability of vocational outcome in adulthood after moderate to severe preschool brain injury. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 719-723.	1.2	50
42	Chromosome 22q alterations and expression of the NF2 gene product, merlin, in gastrointestinal stromal tumors. <i>Human Pathology</i> , 2003, 34, 872-879.	1.1	26
43	Concurrent LOH at multiple loci in human malignant mesothelioma with preferential loss of NF2 gene region. <i>Oncology Reports</i> , 2002, 9, 955.	1.2	9
44	Recurrent DNA sequence copy losses on chromosomal arm 6q in capillary hemangioblastoma. <i>Cancer Genetics and Cytogenetics</i> , 2002, 133, 174-178.	1.0	19
45	High resolution deletion analysis of constitutional DNA from neurofibromatosis type 2 (NF2) patients using microarray-CGH. <i>Human Molecular Genetics</i> , 2001, 10, 271-282.	1.4	147
46	Structure-function relationships in the ezrin family and the effect of tumor-associated point mutations in neurofibromatosis 2 protein. <i>BBA - Proteins and Proteomics</i> , 1998, 1387, 1-16.	2.1	48
47	Genomic structure of the human ezrin gene. <i>Human Genetics</i> , 1998, 103, 662-665.	1.8	12
48	Multiple schwannomas: schwannomatosis or neurofibromatosis type 2?. <i>Journal of Neurosurgery</i> , 1998, 89, 36-41.	0.9	81
49	Proliferation potential and histological features in neurofibromatosis 2-associated and sporadic meningiomas. <i>Journal of Neurosurgery</i> , 1997, 87, 610-614.	0.9	73
50	The ezrin protein family: membrane-cytoskeleton interactions and disease associations. <i>Current Opinion in Cell Biology</i> , 1997, 9, 659-666.	2.6	191
51	Proliferative Potential of Sporadic and Neurofibromatosis 2-Associated Schwannomas as Studied by MIB-1 (Ki-67) and PCNA Labeling. <i>Journal of Neuropathology and Experimental Neurology</i> , 1995, 54, 776-782.	0.9	31