
Chunxue Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3901621/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association Between <i>CYP2C19</i> Loss-of-Function Allele Status and Efficacy of Clopidogrel for Risk Reduction Among Patients With Minor Stroke or Transient Ischemic Attack. JAMA - Journal of the American Medical Association, 2016, 316, 70.	3.8	276
2	Clopidogrel With Aspirin in Acute Minor Stroke or Transient Ischemic Attack (CHANCE) Trial. Circulation, 2015, 132, 40-46.	1.6	178
3	Substantial Progress Yet Significant Opportunity for Improvement in Stroke Care in China. Stroke, 2016, 47, 2843-2849.	1.0	93
4	Effect of a Multifaceted Quality Improvement Intervention on Hospital Personnel Adherence to Performance Measures in Patients With Acute Ischemic Stroke in China. JAMA - Journal of the American Medical Association, 2018, 320, 245.	3.8	80
5	Depression after minor stroke: Prevalence and predictors. Journal of Psychosomatic Research, 2015, 79, 143-147.	1.2	71
6	High-Sensitive C-Reactive Protein Predicts Recurrent Stroke and Poor Functional Outcome. Stroke, 2016, 47, 2025-2030.	1.0	70
7	Insulin Resistance and Prognosis of Nondiabetic Patients With Ischemic Stroke. Stroke, 2017, 48, 887-893.	1.0	63
8	Standard-Dose Intravenous Tissue-Type Plasminogen Activator for Stroke Is Better Than Low Doses. Stroke, 2014, 45, 2354-2358.	1.0	61
9	Favorable Functional Recovery in Overweight Ischemic Stroke Survivors: Findings from the China National Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, e201-e206.	0.7	59
10	Use of Warfarin at Discharge Among Acute Ischemic Stroke Patients With Nonvalvular Atrial Fibrillation in China. Stroke, 2016, 47, 464-470.	1.0	58
11	Associations Between Estimated Glomerular Filtration Rate and Stroke Outcomes in Diabetic Versus Nondiabetic Patients. Stroke, 2014, 45, 2887-2893.	1.0	57
12	Significant Underuse of Warfarin in Patients with Nonvalvular Atrial Fibrillation: Results from the China National Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 1157-1163.	0.7	57
13	Triglyceride Glucose Index and Prognosis of Patients With Ischemic Stroke. Frontiers in Neurology, 2020, 11, 456.	1.1	54
14	Localized Retinal Nerve Fiber Layer Defects and Stroke. Stroke, 2014, 45, 1651-1656.	1.0	53
15	Decreased Uric Acid Levels Correlate with Poor Outcomes in Acute Ischemic Stroke Patients, but Not in Cerebral Hemorrhage Patients. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 469-475.	0.7	53
16	Risk Factors of Dilated Virchow-Robin Spaces Are Different in Various Brain Regions. PLoS ONE, 2014, 9, e105505.	1.1	45
17	Effect of clopidogrel with aspirin on functional outcome in TIA or minor stroke. Neurology, 2015, 85, 573-579.	1.5	44
18	Association of Lp-PLA ₂ -A and early recurrence of vascular events after TIA and minor stroke. Neurology, 2015, 85, 1585-1591.	1.5	43

#	Article	IF	CITATIONS
19	Prevalence, knowledge, and treatment of transient ischemic attacks in China. Neurology, 2015, 84, 2354-2361.	1.5	41
20	Relationship between C - Reactive Protein and Stroke: A Large Prospective Community Based Study. PLoS ONE, 2014, 9, e107017.	1.1	39
21	Comparison of Associations of Outcomes After Stroke With Estimated GFR Using Chinese Modifications of the MDRD Study and CKD-EPI Creatinine Equations: Results From the China National Stroke Registry. American Journal of Kidney Diseases, 2014, 63, 59-67.	2.1	39
22	A prospective cohort study of lesion location and its relation to post-stroke depression among Chinese patients. Journal of Affective Disorders, 2012, 136, e83-e87.	2.0	38
23	Factors for short-term outcomes in patients with a minor stroke: results from China National Stroke Registry. BMC Neurology, 2015, 15, 253.	0.8	38
24	Resting Heart Rate and Risk of Cardiovascular Diseases and All-Cause Death: The Kailuan Study. PLoS ONE, 2014, 9, e110985.	1.1	38
25	Hypertriglyceridemic waist phenotype and risk of cardiovascular diseases in China: Results from the Kailuan Study. International Journal of Cardiology, 2014, 174, 106-109.	0.8	37
26	Distal Single Subcortical Infarction Had a Better Clinical Outcome Compared With Proximal Single Subcortical Infarction. Stroke, 2014, 45, 2613-2619.	1.0	36
27	Soluble CD40L Is a Useful Marker to Predict Future Strokes in Patients With Minor Stroke and Transient Ischemic Attack. Stroke, 2015, 46, 1990-1992.	1.0	35
28	Post–Glucose Load Measures of Insulin Resistance and Prognosis of Nondiabetic Patients With Ischemic Stroke. Journal of the American Heart Association, 2017, 6, .	1.6	29
29	Cost-Effectiveness of Thrombolysis within 4.5 Hours of Acute Ischemic Stroke in China. PLoS ONE, 2014, 9, e110525.	1.1	29
30	Costâ€Effectiveness of Clopidogrelâ€Aspirin Versus Aspirin Alone for Acute Transient Ischemic Attack and Minor Stroke. Journal of the American Heart Association, 2014, 3, e000912.	1.6	28
31	The Oxfordshire Community Stroke Project classification system predicts clinical outcomes following intravenous thrombolysis: a prospective cohort study. Therapeutics and Clinical Risk Management, 2016, Volume 12, 1049-1056.	0.9	27
32	Frequency and risk factors of spontaneous hemorrhagic transformation following ischemic stroke on the initial brain CT or MRI: data from the China National Stroke Registry (CNSR). Neurological Research, 2016, 38, 538-544.	0.6	27
33	Prediction of Recurrent Stroke or Transient Ischemic Attack After Noncardiogenic Posterior Circulation Ischemic Stroke. Stroke, 2017, 48, 1835-1841.	1.0	27
34	Simple Smartphone-Based Assessment of Gait Characteristics in Parkinson Disease: Validation Study. JMIR MHealth and UHealth, 2021, 9, e25451.	1.8	27
35	Glycated albumin predicts the effect of dual and single antiplatelet therapy on recurrent stroke. Neurology, 2015, 84, 1330-1336.	1.5	26
36	Prognosis of Ischemic Stroke With Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria in Chinese Population. Stroke, 2016, 47, 2038-2044.	1.0	26

#	Article	IF	CITATIONS
37	Tracking and Monitoring Mood Stability of Patients With Major Depressive Disorder by Machine Learning Models Using Passive Digital Data: Prospective Naturalistic Multicenter Study. JMIR MHealth and UHealth, 2021, 9, e24365.	1.8	26
38	Emerging malnutrition during hospitalisation independently predicts poor 3-month outcomes after acute stroke: data from a Chinese cohort. Asia Pacific Journal of Clinical Nutrition, 2015, 24, 379-86.	0.3	26
39	Association between marriage and outcomes in patients with acute ischemic stroke. Journal of Neurology, 2018, 265, 942-948.	1.8	25
40	Clinical research methods for treatment, diagnosis, prognosis, etiology, screening, and prevention: A narrative review. Journal of Evidence-Based Medicine, 2020, 13, 130-136.	0.7	25
41	Association between estimated glomerular filtration rate and clinical outcomes in patients with acute ischaemic stroke: results from China National Stroke Registry. Age and Ageing, 2014, 43, 839-845.	0.7	23
42	Socioeconomic deprivation and mortality in people after ischemic stroke: The China National Stroke Registry. International Journal of Stroke, 2016, 11, 557-564.	2.9	23
43	Assessment and provision of rehabilitation among patients hospitalized with acute ischemic stroke in China: Findings from the China National Stroke Registry II. International Journal of Stroke, 2017, 12, 254-263.	2.9	23
44	Lower serum uric acid level strongly predict short-term poor functional outcome in acute stroke with normoglycaemia: a cohort study in China. BMC Neurology, 2017, 17, 21.	0.8	23
45	Is there a correlation between socioeconomic disparity and functional outcome after acute ischemic stroke?. PLoS ONE, 2017, 12, e0181196.	1.1	22
46	Association between Statin Use and Short-Term Outcome Based on Severity of Ischemic Stroke: A Cohort Study. PLoS ONE, 2014, 9, e84389.	1.1	21
47	Predictors of Remission of Early-Onset Poststroke Depression and the Interaction Between Depression and Cognition During Follow-Up. Frontiers in Psychiatry, 2018, 9, 738.	1.3	21
48	Rationale and design of a cluster-randomized multifaceted intervention trial to improve stroke care quality in China: The GOLDEN BRIDGE–Acute Ischemic Stroke. American Heart Journal, 2015, 169, 767-774.e2.	1.2	20
49	Smoking–Thrombolysis Relationship Depends on Ischemic Stroke Subtype. Stroke, 2016, 47, 1811-1816.	1.0	20
50	Treatment Effect of Clopidogrel Plus Aspirin Within 12ÂHours of Acute Minor Stroke or Transient Ischemic Attack. Journal of the American Heart Association, 2016, 5, e003038.	1.6	20
51	Prediction Factors of Recurrent Ischemic Events in One Year after Minor Stroke. PLoS ONE, 2015, 10, e0120105.	1.1	20
52	Elevated fasting glucose as a potential predictor for asymptomatic cerebral artery stenosis: A cross-sectional study in Chinese adults. Atherosclerosis, 2014, 237, 661-665.	0.4	19
53	Impact of CYP2C19 polymorphism in prognosis of minor stroke or TIA patients with declined eGFR on dual antiplatelet therapy: CHANCE substudy. Pharmacogenomics Journal, 2018, 18, 713-720.	0.9	19
54	Association between Seizures and Outcomes among Intracerebral Hemorrhage Patients: The China National Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 455-464.	0.7	17

#	Article	IF	CITATIONS
55	Factors Associated with Severity of Leukoaraiosis in First-ever Lacunar Stroke and Atherosclerotic Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2862-2868.	0.7	16
56	Socioeconomic Status and the Quality of Acute Stroke Care. Stroke, 2016, 47, 2836-2842.	1.0	16
57	Resting-state functional magnetic resonance imaging in patients with leukoaraiosis-associated subcortical vascular cognitive impairment: a cross-sectional study. Neurological Research, 2016, 38, 510-517.	0.6	16
58	Effect of Estimated Glomerular Filtration Rate Decline on the Efficacy and Safety of Clopidogrel With Aspirin in Minor Stroke or Transient Ischemic Attack. Stroke, 2016, 47, 2791-2796.	1.0	15
59	Association between Leukoaraiosis and Symptomatic Intracranial Large Artery Stenoses and Occlusions: the Chinese Intracranial Atherosclerosis (CICAS) Study. , 2018, 9, 1074.		15
60	Elevated Plasma Total Cholesterol Level Is Associated with the Risk of Asymptomatic Intracranial Arterial Stenosis. PLoS ONE, 2014, 9, e101232.	1.1	14
61	Effect of recurrent stroke on poor functional outcome in transient ischemic attack or minor stroke. International Journal of Stroke, 2016, 11, NP80-NP80.	2.9	13
62	Poor Performance of Stroke Prognostication Using Age and National Institutes of Health Stroke Scale-100 to Predict 3- and 12-month Outcomes of Ischemic Stroke in China National Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2335-2340.	0.7	11
63	Comparison of Associations of Reduced Estimated Glomerular Filtration Rate With Stroke Outcomes Between Hypertension and No Hypertension. Stroke, 2017, 48, 1691-1694.	1.0	11
64	Hemodynamic Significance of Middle Cerebral Artery Stenosis Associated With the Severity of Ipsilateral White Matter Changes. Frontiers in Neurology, 2020, 11, 214.	1.1	11
65	Impairment of cognition and sleep after acute ischaemic stroke or transient ischaemic attack in Chinese patients: design, rationale and baseline patient characteristics of a nationwide multicentre prospective registry. Stroke and Vascular Neurology, 2021, 6, 139-144.	1.5	11
66	Anticoagulation-related reduction of first-ever stroke severity in Chinese patients with atrial fibrillation. Journal of Clinical Neuroscience, 2014, 21, 1755-1760.	0.8	9
67	External Validation of the Totaled Health Risks in Vascular Events Score to Predict Functional Outcome and Mortality in Patients Entered into the China National Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 2331-2337.	0.7	9
68	Evidence-Based Performance Measures and Outcomes in Patients With Acute Ischemic Stroke. Circulation: Cardiovascular Quality and Outcomes, 2018, 11, e001968.	0.9	9
69	Cortical Microinfarcts in Patients with Middle Cerebral Artery Stenosis. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 1760-1765.	0.7	8
70	Clinical, imaging features and outcome in internal carotid artery versus middle cerebral artery disease. PLoS ONE, 2019, 14, e0225906.	1.1	8
71	Statin Use during Hospitalization and Short-Term Mortality in Acute Ischaemic Stroke with Chronic Kidney Disease. European Neurology, 2018, 79, 296-302.	0.6	7
72	Prevalence of Abnormal Glucose Regulation according to Different Diagnostic Criteria in Ischaemic Stroke without a History of Diabetes. BioMed Research International, 2018, 2018, 1-8.	0.9	7

#	Article	IF	CITATIONS
73	Validation of the DRAGON Score in a Chinese Population to Predict Functional Outcome of Intravenous Thrombolysis–Treated Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1755-1760.	0.7	6
74	Risk Factors of Cerebral Microbleeds in Strictly Deep or Lobar Brain Regions Differed. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 24-30.	0.7	6
75	Prognosis of Intracerebral Hemorrhage with Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1127-1133.	0.7	6
76	Clinical and Diffusion Tensor Imaging to Evaluate Falls, Balance and Gait Dysfunction in Leukoaraiosis: an Observational, Prospective Cohort Study. Journal of Geriatric Psychiatry and Neurology, 2020, 33, 223-230.	1.2	6
77	Editorial: Mental Disorders Associated With Neurological Diseases. Frontiers in Psychiatry, 2020, 11, 196.	1.3	6
78	Relationship between hospital performance measures and outcomes in patients with acute ischaemic stroke: a prospective cohort study. BMJ Open, 2018, 8, e020467.	0.8	4
79	Inpatient Statin Use Is Associated with Decreased Mortality of Acute Stroke Patients with Very Low Low-Density Lipoprotein Cholesterol. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 2369-2374.	0.7	3
80	Impact of baseline systolic blood pressure on visit-to-visit blood pressure variability: the Kailuan study. Therapeutics and Clinical Risk Management, 2016, Volume 12, 1191-1196.	0.9	3
81	COVID-19 pandemic: study on simple, easy, and practical relaxation techniques while wearing medical protective equipment. Psychological Medicine, 2022, 52, 1386-1392.	2.7	3
82	Insulin Resistance Index from Oral Glucose Tolerance Test Predicts Ischemic Stroke Outcomes in Non-Diabetic Patients with Different Estimated Glomerular Filtration Rate Strata. Cerebrovascular Diseases, 2018, 46, 140-149.	0.8	2
83	Diagnosis and treatment of post-stroke depression in China: a cross-sectional survey of 350 senior clinicians in neurology, geriatrics, and rehabilitation departments. International Psychogeriatrics, 2020, 32, 151-153.	0.6	2
84	Clopidogrel Plus Aspirin in Patients With Different Types of Single Small Subcortical Infarction. Frontiers in Neurology, 2021, 12, 631220.	1.1	2
85	Risk Factors and Imaging Mechanisms of Fatigue After Mild Ischemic Stroke: An Exploratory Study From a Single Chinese Center. Frontiers in Neurology, 2021, 12, 649021.	1.1	2
86	Both Ends of Values in the Hemoglobin Spectrum Are Associated with Adverse Stroke Outcomes. Cerebrovascular Diseases, 2022, 51, 36-44.	0.8	1
87	Relationship between hormonal contraceptives and sleep among women of reproductive age: a systematic review protocol. BMJ Open, 2021, 11, e045819.	0.8	1