

Chunxue Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3901621/chunxue-wang-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,825
citations

25
h-index

38
g-index

90
ext. papers

2,236
ext. citations

5
avg. IF

4.21
L-index

#	Paper	IF	Citations
86	Relationship between hormonal contraceptives and sleep among women of reproductive age: a systematic review protocol. <i>BMJ Open</i> , 2021 , 11, e045819	3	
85	Clopidogrel Plus Aspirin in Patients With Different Types of Single Small Subcortical Infarction. <i>Frontiers in Neurology</i> , 2021 , 12, 631220	4.1	0
84	Risk Factors and Imaging Mechanisms of Fatigue After Mild Ischemic Stroke: An Exploratory Study From a Single Chinese Center. <i>Frontiers in Neurology</i> , 2021 , 12, 649021	4.1	
83	Impairment of cognition and sleep after acute ischaemic stroke or transient ischaemic attack in Chinese patients: design, rationale and baseline patient characteristics of a nationwide multicentre prospective registry. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 139-144	9.1	9
82	Simple Smartphone-Based Assessment of Gait Characteristics in Parkinson Disease: Validation Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e25451	5.5	6
81	Tracking and Monitoring Mood Stability of Patients With Major Depressive Disorder by Machine Learning Models Using Passive Digital Data: Prospective Naturalistic Multicenter Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e24365	5.5	3
80	Both Ends of Values in the Hemoglobin Spectrum Are Associated with Adverse Stroke Outcomes. <i>Cerebrovascular Diseases</i> , 2021 , 1-9	3.2	0
79	Triglyceride Glucose Index and Prognosis of Patients With Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020 , 11, 456	4.1	15
78	Diagnosis and treatment of post-stroke depression in China: a cross-sectional survey of 350 senior clinicians in neurology, geriatrics, and rehabilitation departments. <i>International Psychogeriatrics</i> , 2020 , 32, 151-153	3.4	1
77	Hemodynamic Significance of Middle Cerebral Artery Stenosis Associated With the Severity of Ipsilateral White Matter Changes. <i>Frontiers in Neurology</i> , 2020 , 11, 214	4.1	4
76	Clinical research methods for treatment, diagnosis, prognosis, etiology, screening, and prevention: A narrative review. <i>Journal of Evidence-Based Medicine</i> , 2020 , 13, 130-136	6.1	13
75	COVID-19 pandemic: study on simple, easy, and practical relaxation techniques while wearing medical protective equipment. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	2
74	Clinical and Diffusion Tensor Imaging to Evaluate Falls, Balance and Gait Dysfunction in Leukoaraiosis: an Observational, Prospective Cohort Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020 , 33, 223-230	3.8	1
73	Clinical, imaging features and outcome in internal carotid artery versus middle cerebral artery disease. <i>PLoS ONE</i> , 2019 , 14, e0225906	3.7	4
72	Association between marriage and outcomes in patients with acute ischemic stroke. <i>Journal of Neurology</i> , 2018 , 265, 942-948	5.5	10
71	Impact of CYP2C19 polymorphism in prognosis of minor stroke or TIA patients with declined eGFR on dual antiplatelet therapy: CHANCE substudy. <i>Pharmacogenomics Journal</i> , 2018 , 18, 713-720	3.5	13
70	Prognosis of Intracerebral Hemorrhage with Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 1127-1133	2.8	6

69	Effect of a Multifaceted Quality Improvement Intervention on Hospital Personnel Adherence to Performance Measures in Patients With Acute Ischemic Stroke in China: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 245-254	27.4	51
68	Relationship between hospital performance measures and outcomes in patients with acute ischaemic stroke: a prospective cohort study. <i>BMJ Open</i> , 2018 , 8, e020467	3	2
67	Predictors of Remission of Early-Onset Poststroke Depression and the Interaction Between Depression and Cognition During Follow-Up. <i>Frontiers in Psychiatry</i> , 2018 , 9, 738	5	10
66	Evidence-Based Performance Measures and Outcomes in Patients With Acute Ischemic Stroke. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018 , 11, e001968	5.8	4
65	Association between Leukoaraiosis and Symptomatic Intracranial Large Artery Stenoses and Occlusions: the Chinese Intracranial Atherosclerosis (CICAS) Study 2018 , 9, 1074-1083		10
64	Insulin Resistance Index from Oral Glucose Tolerance Test Predicts Ischemic Stroke Outcomes in Non-Diabetic Patients with Different Estimated Glomerular Filtration Rate Strata. <i>Cerebrovascular Diseases</i> , 2018 , 46, 142-151	3.2	1
63	Statin Use during Hospitalization and Short-Term Mortality in Acute Ischaemic Stroke with Chronic Kidney Disease. <i>European Neurology</i> , 2018 , 79, 296-302	2.1	6
62	Prevalence of Abnormal Glucose Regulation according to Different Diagnostic Criteria in Ischaemic Stroke without a History of Diabetes. <i>BioMed Research International</i> , 2018 , 2018, 8358724	3	4
61	Post-Glucose Load Measures of Insulin Resistance and Prognosis of Nondiabetic Patients With Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	16
60	Insulin Resistance and Prognosis of Nondiabetic Patients With Ischemic Stroke: The ACROSS-China Study (Abnormal Glucose Regulation in Patients With Acute Stroke Across China). <i>Stroke</i> , 2017 , 48, 887-893	6.7	47
59	Comparison of Associations of Reduced Estimated Glomerular Filtration Rate With Stroke Outcomes Between Hypertension and No Hypertension. <i>Stroke</i> , 2017 , 48, 1691-1694	6.7	9
58	Cortical Microinfarcts in Patients with Middle Cerebral Artery Stenosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 1760-1765	2.8	6
57	Prediction of Recurrent Stroke or Transient Ischemic Attack After Noncardiogenic Posterior Circulation Ischemic Stroke. <i>Stroke</i> , 2017 , 48, 1835-1841	6.7	16
56	Assessment and provision of rehabilitation among patients hospitalized with acute ischemic stroke in China: Findings from the China National Stroke Registry II. <i>International Journal of Stroke</i> , 2017 , 12, 254-263	6.3	15
55	Lower serum uric acid level strongly predict short-term poor functional outcome in acute stroke with normoglycaemia: a cohort study in China. <i>BMC Neurology</i> , 2017 , 17, 21	3.1	14
54	Is there a correlation between socioeconomic disparity and functional outcome after acute ischemic stroke?. <i>PLoS ONE</i> , 2017 , 12, e0181196	3.7	11
53	Prognosis of Ischemic Stroke With Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria in Chinese Population. <i>Stroke</i> , 2016 , 47, 2038-44	6.7	21
52	Substantial Progress Yet Significant Opportunity for Improvement in Stroke Care in China. <i>Stroke</i> , 2016 , 47, 2843-2849	6.7	62

51	Socioeconomic Status and the Quality of Acute Stroke Care: The China National Stroke Registry. <i>Stroke</i> , 2016 , 47, 2836-2842	6.7	11
50	Resting-state functional magnetic resonance imaging in patients with leukoaraiosis-associated subcortical vascular cognitive impairment: a cross-sectional study. <i>Neurological Research</i> , 2016 , 38, 510-7	7.7	13
49	Frequency and risk factors of spontaneous hemorrhagic transformation following ischemic stroke on the initial brain CT or MRI: data from the China National Stroke Registry (CNSR). <i>Neurological Research</i> , 2016 , 38, 538-44	2.7	18
48	High-Sensitive C-Reactive Protein Predicts Recurrent Stroke and Poor Functional Outcome: Subanalysis of the Clopidogrel in High-Risk Patients With Acute Nondisabling Cerebrovascular Events Trial. <i>Stroke</i> , 2016 , 47, 2025-30	6.7	41
47	Association Between CYP2C19 Loss-of-Function Allele Status and Efficacy of Clopidogrel for Risk Reduction Among Patients With Minor Stroke or Transient Ischemic Attack. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 70-8	27.4	181
46	Treatment Effect of Clopidogrel Plus Aspirin Within 12 Hours of Acute Minor Stroke or Transient Ischemic Attack. <i>Journal of the American Heart Association</i> , 2016 , 5, e003038	6	16
45	Use of Warfarin at Discharge Among Acute Ischemic Stroke Patients With Nonvalvular Atrial Fibrillation in China. <i>Stroke</i> , 2016 , 47, 464-70	6.7	41
44	Impact of baseline systolic blood pressure on visit-to-visit blood pressure variability: the Kailuan study. <i>Therapeutics and Clinical Risk Management</i> , 2016 , 12, 1191-6	2.9	2
43	The Oxfordshire Community Stroke Project classification system predicts clinical outcomes following intravenous thrombolysis: a prospective cohort study. <i>Therapeutics and Clinical Risk Management</i> , 2016 , 12, 1049-56	2.9	18
42	Effect of recurrent stroke on poor functional outcome in transient ischemic attack or minor stroke. <i>International Journal of Stroke</i> , 2016 , 11, NP80	6.3	10
41	Socioeconomic deprivation and mortality in people after ischemic stroke: The China National Stroke Registry. <i>International Journal of Stroke</i> , 2016 , 11, 557-64	6.3	18
40	Smoking-Thrombolysis Relationship Depends on Ischemic Stroke Subtype. <i>Stroke</i> , 2016 , 47, 1811-6	6.7	11
39	Effect of Estimated Glomerular Filtration Rate Decline on the Efficacy and Safety of Clopidogrel With Aspirin in Minor Stroke or Transient Ischemic Attack: CHANCE Substudy (Clopidogrel in High-Risk Patients With Acute Nondisabling Cerebrovascular Events). <i>Stroke</i> , 2016 , 47, 2791-2796	6.7	13
38	External Validation of the Total Health Risks in Vascular Events Score to Predict Functional Outcome and Mortality in Patients Entered into the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 2331-7	2.8	6
37	Rationale and design of a cluster-randomized multifaceted intervention trial to improve stroke care quality in China: The GOLDEN BRIDGE-Acute Ischemic Stroke. <i>American Heart Journal</i> , 2015 , 169, 767-774	4.9	19
36	Soluble CD40L Is a Useful Marker to Predict Future Strokes in Patients With Minor Stroke and Transient Ischemic Attack. <i>Stroke</i> , 2015 , 46, 1990-2	6.7	33
35	Depression after minor stroke: Prevalence and predictors. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 143-7	4.1	60
34	Effect of clopidogrel with aspirin on functional outcome in TIA or minor stroke: CHANCE substudy. <i>Neurology</i> , 2015 , 85, 573-9	6.5	25

33	Prevalence, knowledge, and treatment of transient ischemic attacks in China. <i>Neurology</i> , 2015 , 84, 2354-63	6.3	32
32	Clopidogrel With Aspirin in Acute Minor Stroke or Transient Ischemic Attack (CHANCE) Trial: One-Year Outcomes. <i>Circulation</i> , 2015 , 132, 40-6	16.7	130
31	Inpatient Statin Use Is Associated with Decreased Mortality of Acute Stroke Patients with Very Low Low-Density Lipoprotein Cholesterol. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 2369-74	2.8	3
30	Association of Lp-PLA2-A and early recurrence of vascular events after TIA and minor stroke. <i>Neurology</i> , 2015 , 85, 1585-91	6.5	35
29	Factors for short-term outcomes in patients with a minor stroke: results from China National Stroke Registry. <i>BMC Neurology</i> , 2015 , 15, 253	3.1	29
28	Glycated albumin predicts the effect of dual and single antiplatelet therapy on recurrent stroke. <i>Neurology</i> , 2015 , 84, 1330-6	6.5	22
27	Validation of the DRAGON Score in a Chinese Population to Predict Functional Outcome of Intravenous Thrombolysis-Treated Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 1755-60	2.8	3
26	Risk factors of cerebral microbleeds in strictly deep or lobar brain regions differed. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 24-30	2.8	4
25	Association between seizures and outcomes among intracerebral hemorrhage patients: the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 455-64	2.8	10
24	Prediction factors of recurrent ischemic events in one year after minor stroke. <i>PLoS ONE</i> , 2015 , 10, e0129105	1.05	13
23	Emerging malnutrition during hospitalisation independently predicts poor 3-month outcomes after acute stroke: data from a Chinese cohort. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015 , 24, 379-86	1	23
22	Elevated fasting glucose as a potential predictor for asymptomatic cerebral artery stenosis: a cross-sectional study in Chinese adults. <i>Atherosclerosis</i> , 2014 , 237, 661-5	3.1	13
21	Poor performance of stroke prognostication using Age and National Institutes of Health Stroke Scale-100 to predict 3- and 12-month outcomes of ischemic stroke in China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2335-40	2.8	9
20	Association between estimated glomerular filtration rate and clinical outcomes in patients with acute ischaemic stroke: results from China National Stroke Registry. <i>Age and Ageing</i> , 2014 , 43, 839-45	3	21
19	Anticoagulation-related reduction of first-ever stroke severity in Chinese patients with atrial fibrillation. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 1755-60	2.2	7
18	Standard-dose intravenous tissue-type plasminogen activator for stroke is better than low doses. <i>Stroke</i> , 2014 , 45, 2354-8	6.7	43
17	Associations between estimated glomerular filtration rate and stroke outcomes in diabetic versus nondiabetic patients. <i>Stroke</i> , 2014 , 45, 2887-93	6.7	43
16	Favorable functional recovery in overweight ischemic stroke survivors: findings from the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, e201-6	2.8	46

15	Significant underuse of warfarin in patients with nonvalvular atrial fibrillation: results from the China national stroke registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 1157-63	2.8	51
14	Comparison of associations of outcomes after stroke with estimated GFR using Chinese modifications of the MDRD study and CKD-EPI creatinine equations: results from the China National Stroke Registry. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 59-67	7.4	26
13	Hypertriglyceridemic waist phenotype and risk of cardiovascular diseases in China: results from the Kailuan Study. <i>International Journal of Cardiology</i> , 2014 , 174, 106-9	3.2	27
12	Decreased uric acid levels correlate with poor outcomes in acute ischemic stroke patients, but not in cerebral hemorrhage patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 469-75	2.8	40
11	Association between statin use and short-term outcome based on severity of ischemic stroke: a cohort study. <i>PLoS ONE</i> , 2014 , 9, e84389	3.7	17
10	Relationship between C-reactive protein and stroke: a large prospective community based study. <i>PLoS ONE</i> , 2014 , 9, e107017	3.7	32
9	Cost-effectiveness of clopidogrel-aspirin versus aspirin alone for acute transient ischemic attack and minor stroke. <i>Journal of the American Heart Association</i> , 2014 , 3, e000912	6	22
8	Factors associated with severity of leukoaraiosis in first-ever lacunar stroke and atherosclerotic ischemic stroke patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2862-2868	2.8	11
7	Localized retinal nerve fiber layer defects and stroke. <i>Stroke</i> , 2014 , 45, 1651-6	6.7	35
6	Distal single subcortical infarction had a better clinical outcome compared with proximal single subcortical infarction. <i>Stroke</i> , 2014 , 45, 2613-9	6.7	26
5	Elevated plasma total cholesterol level is associated with the risk of asymptomatic intracranial arterial stenosis. <i>PLoS ONE</i> , 2014 , 9, e101232	3.7	10
4	Risk factors of dilated Virchow-Robin spaces are different in various brain regions. <i>PLoS ONE</i> , 2014 , 9, e105505	3.7	32
3	Cost-effectiveness of thrombolysis within 4.5 hours of acute ischemic stroke in China. <i>PLoS ONE</i> , 2014 , 9, e110525	3.7	19
2	Resting heart rate and risk of cardiovascular diseases and all-cause death: the Kailuan study. <i>PLoS ONE</i> , 2014 , 9, e110985	3.7	34
1	A prospective cohort study of lesion location and its relation to post-stroke depression among Chinese patients. <i>Journal of Affective Disorders</i> , 2012 , 136, e83-e87	6.6	27