

Patrizia Miodini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/390173/publications.pdf>

Version: 2024-02-01

30
papers

850
citations

516561

16
h-index

501076

28
g-index

30
all docs

30
docs citations

30
times ranked

1265
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-Cell Phenotypic and Molecular Characterization of Circulating Tumor Cells Isolated from Cryopreserved Peripheral Blood Mononuclear Cells of Patients with Lung Cancer and Sarcoma. <i>Clinical Chemistry</i> , 2022, 68, 691-701.	1.5	11
2	Analysis of Single Circulating Tumor Cells in Renal Cell Carcinoma Reveals Phenotypic Heterogeneity and Genomic Alterations Related to Progression. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1475.	1.8	25
3	Tailoring treatment of salivary duct carcinoma (SDC) by liquid biopsy: ARv7 expression in circulating tumor cells. <i>Annals of Oncology</i> , 2018, 29, 1599-1601.	0.6	12
4	Dissecting Time- from Tumor-Related Gene Expression Variability in Bilateral Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 196.	1.8	0
5	Prognostic and functional role of subtype-specific tumor-stroma interaction in breast cancer. <i>Molecular Oncology</i> , 2017, 11, 1399-1412.	2.1	6
6	Metabolic Footprints and Molecular Subtypes in Breast Cancer. <i>Disease Markers</i> , 2017, 2017, 1-19.	0.6	52
7	Development of a Protocol for Single-Cell Analysis of Circulating Tumor Cells in Patients with Solid Tumors. <i>Advances in Experimental Medicine and Biology</i> , 2017, 994, 83-103.	0.8	10
8	Stromal Activation by Tumor Cells: An in Vitro Study in Breast Cancer. <i>Microarrays (Basel)</i> , 2017, 6, 1-14.	1.4	7
9	Applicability of Under Vacuum Fresh Tissue Sealing and Cooling to Omics Analysis of Tumor Tissues. <i>Biopreservation and Biobanking</i> , 2016, 14, 480-490.	0.5	10
10	miR-30e* is an independent subtype-specific prognostic marker in breast cancer. <i>British Journal of Cancer</i> , 2015, 113, 290-298.	2.9	40
11	Use of Formalin-Fixed Paraffin-Embedded Samples for Gene Expression Studies in Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0123194.	1.1	11
12	Subtype-dependent prognostic relevance of an interferon-induced pathway metagene in node-negative breast cancer. <i>Molecular Oncology</i> , 2014, 8, 1278-1289.	2.1	39
13	Proliferation-, estrogen-, and T-cell-related metagenes to predict outcome after adjuvant/neoadjuvant chemotherapy for operable breast cancer in the ECTO trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 1014-1014.	0.8	2
14	Gene expression analysis reveals a different transcriptomic landscape in female and male breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 601-610.	1.1	88
15	Modulation of estrogen receptor- β isoforms by phytoestrogens in breast cancer cells. <i>International Journal of Oncology</i> , 2006, 28, 1185.	1.4	13
16	Prospective evaluation of estrogen receptor- β in predicting response to neoadjuvant antiestrogen therapy in elderly breast cancer patients. <i>Endocrine-Related Cancer</i> , 2004, 11, 761-770.	1.6	25
17	Selective modulation of ER- β by estradiol and xenoestrogens in human breast cancer cell lines. <i>Cellular and Molecular Life Sciences</i> , 2003, 60, 567-576.	2.4	25
18	Contribution of vascular endothelial growth factor to the Nottingham prognostic index in node-negative breast cancer. <i>British Journal of Cancer</i> , 2001, 85, 795-797.	2.9	28

#	ARTICLE	IF	CITATIONS
19	The two phyto-oestrogens genistein and quercetin exert different effects on oestrogen receptor function. <i>British Journal of Cancer</i> , 1999, 80, 1150-1155.	2.9	150
20	Genistein in the control of breast cancer cell growth: insights into the mechanism of action in vitro. <i>Cancer Letters</i> , 1998, 130, 143-152.	3.2	103
21	int-2 Oncogene amplification and prognosis in node-negative breast carcinoma. , 1997, 74, 620-624.		16
22	Modulation of Cathepsin-D and pS2 Protein Levels in Human Breast Cancer Cell Lines. <i>Tumor Biology</i> , 1996, 17, 290-298.	0.8	9
23	Paracrine interaction in co-culture of hormone-dependent and independent breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 1993, 26, 275-281.	1.1	8
24	Clusterin: A potential target for improving response to antiestrogens. <i>International Journal of Oncology</i> , 1992, 33, 791.	1.4	4
25	Simultaneous Estimation of Epidermal Growth Factor Receptors and Steroid Receptors in a Series of 136 Resectable Primary Breast Tumors. <i>Tumor Biology</i> , 1988, 9, 200-211.	0.8	29
26	A Double-Labeling Assay for Simultaneous Estimation and Characterization of Estrogen and Progesterone Receptors using Radioiodinated Estradiol and Tritiated Org 2058. <i>Tumori</i> , 1986, 72, 251-257.	0.6	32
27	Adjuvant Medroxyprogesterone Acetate and Steroid Hormone Receptors in Category M0 Renal Cell Carcinoma. An Interim Report of a Prospective Randomized Study. <i>Journal of Urology</i> , 1986, 135, 18-21.	0.2	22
28	Relationship between ER-ICA and conventional steroid receptor assays in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 1986, 8, 35-43.	1.1	17
29	Steroid hormone receptors in normal and malignant human renal tissue: Relationship with progestin therapy. <i>The Journal of Steroid Biochemistry</i> , 1984, 21, 329-335.	1.3	40
30	Blood sampling by chronic cannulation technique for reliable measurements of catecholamines and other hormones in plasma of conscious rats. <i>Journal of Pharmacological Methods</i> , 1981, 5, 293-303.	0.7	16