
Giulia Bravo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3903507/publications.pdf Version: 2024-02-01



CILLIA REAVO

#	Article	IF	CITATIONS
1	Celiac Artery Coverage After Thoracic Endovascular Aortic Procedure: A Meta-Analysis of Early and Late Results. Journal of Endovascular Therapy, 2023, 30, 499-509.	0.8	3
2	Physical capacities and leisure activities are related with cognitive functions in older adults. Journal of Sports Medicine and Physical Fitness, 2022, 62, .	0.4	1
3	SPiNCAR: A systematic model to evaluate and guide actions for tackling AMR. PLoS ONE, 2022, 17, e0265010.	1.1	0
4	Live-Action Role Playing for Safety Training: Effectiveness Evaluation in two Italian Companies. New Solutions, 2022, 32, 144-154.	0.6	2
5	Physical fitness reference standards in Italian children. European Journal of Pediatrics, 2021, 180, 1789-1798.	1.3	14
6	Risk Perception in the Construction Industry: Differences Between Italian and Migrant Workers Before and After a Targeted Training Intervention. New Solutions, 2021, 31, 65-71.	0.6	3
7	Parental Quality of Life and Involvement in Intervention for Children or Adolescents with Autism Spectrum Disorders: A Systematic Review. Journal of Personalized Medicine, 2021, 11, 894.	1.1	23
8	Risk Perception and Ethnic Background in Construction Workers: Results of a Cross-Sectional Study in a Group of Trainees of a Vocational School in Italy. European Journal of Investigation in Health, Psychology and Education, 2021, 11, 96-109.	1.1	11
9	A 3-year school-based intervention improved physical fitness and reduced the prevalence of overweight and obesity in Italian prepubertal children. Journal of Sports Medicine and Physical Fitness, 2021, 61, 1682-1689.	0.4	3
10	Dietary Intake of the Italian PHIME Infant Cohort: How We Are Getting Diet Wrong from as Early as Infancy. Nutrients, 2021, 13, 4430.	1.7	1
11	Levels of Ethylenethiourea (u-ETU) in a Population Living Near Vineyards. Exposure and Health, 2020, 12, 227-241.	2.8	2
12	Effects of 3-month high-intensity interval training vs. moderate endurance training and 4-month follow-up on fat metabolism, cardiorespiratory function and mitochondrial respiration in obese adults. European Journal of Applied Physiology, 2020, 120, 1787-1803.	1.2	17
13	A 3-Week Multidisciplinary Body Weight Reduction Program Improves Body Composition and Lower Limb Power Output in 3,778 Severely Obese Children and Adolescents. Frontiers in Physiology, 2020, 11, 548.	1.3	11
14	Ethnic background and risk perception in construction workers: development and validation of an exploratory tool. International Journal of Occupational Medicine and Environmental Health, 2020, 33, 163-172.	0.6	11
15	Relationship between body mass index and physical fitness in Italian prepubertal schoolchildren. PLoS ONE, 2020, 15, e0233362.	1.1	25
16	Hypofractionated simultaneous integrated boost (IMRT-SIB) with pelvic nodal irradiation and concurrent androgen deprivation therapy for high-risk prostate cancer: results of a prospective phase II trial. Prostate Cancer and Prostatic Diseases, 2018, 21, 269-276.	2.0	22
17	Nutrient intakes in an Italian population of infants during the complementary feeding period. Public Health Nutrition, 2018, 21, 3018-3026.	1.1	4
18	Correlation Between eHealth Literacy and Health Literacy Using the eHealth Literacy Scale and Real-Life Experiences in the Health Sector as a Proxy Measure of Functional Health Literacy: Cross-Sectional Web-Based Survey. Journal of Medical Internet Research, 2018, 20, e281.	2.1	68

GIULIA BRAVO

#	Article	IF	CITATIONS
19	Occupational and environmental exposure to extremely low frequency-magnetic fields: a personal monitoring study in a large group of workers in Italy. Journal of Exposure Science and Environmental Epidemiology, 2011, 21, 634-645.	1.8	10
20	Extremely Low Frequency-Magnetic Fields (ELF-EMF) occupational exposure and natural killer activity in peripheral blood lymphocytes. Science of the Total Environment, 2009, 407, 1218-1223.	3.9	30
21	Natural Killer Cell Activity Decreases in Workers Occupationally Exposed to Extremely Low Frequency Magnetic Fields Exceeding 1 μt. International Journal of Immunopathology and Pharmacology, 2009, 22, 1059-1066.	1.0	13
22	No association between occupational exposure to ELF magnetic field and urinary 6-sulfatoximelatonin in workers. Bioelectromagnetics, 2006, 27, 667-673.	0.9	9