

# Marit Graue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3903686/publications.pdf>

Version: 2024-02-01

72  
papers

2,091  
citations

279798

23  
h-index

276875

41  
g-index

77  
all docs

77  
docs citations

77  
times ranked

2898  
citing authors

#	ARTICLE	IF	CITATIONS
1	History of Foot Ulcer Increases Mortality Among Individuals With Diabetes. <i>Diabetes Care</i> , 2009, 32, 2193-2199.	8.6	190
2	Relationships of diabetes-specific emotional distress, depression, anxiety, and overall well-being with HbA1c in adult persons with type 1 diabetes. <i>Journal of Psychosomatic Research</i> , 2014, 77, 174-179.	2.6	163
3	Fear of hypoglycaemia in mothers and fathers of children with Type 1 diabetes is associated with poor glycaemic control and parental emotional distress: a population-based study. <i>Diabetic Medicine</i> , 2010, 27, 72-78.	2.3	137
4	Dropout From an eHealth Intervention for Adults With Type 2 Diabetes: A Qualitative Study. <i>Journal of Medical Internet Research</i> , 2017, 19, e187.	4.3	108
5	Perceived family burden and emotional distress: similarities and differences between mothers and fathers of children with type 1 diabetes in a population-based study. <i>Pediatric Diabetes</i> , 2011, 12, 107-114.	2.9	96
6	Measuring self-reported, health-related, quality of life in adolescents with type 1 diabetes using both generic and disease-specific instruments. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2003, 92, 1190-1196.	1.5	84
7	Severity and duration of diabetic foot ulcer (DFU) before seeking care as predictors of healing time: A retrospective cohort study. <i>PLoS ONE</i> , 2017, 12, e0177176.	2.5	82
8	Diabetes-related emotional distress in adults: Reliability and validity of the Norwegian versions of the Problem Areas in Diabetes Scale (PAID) and the Diabetes Distress Scale (DDS). <i>International Journal of Nursing Studies</i> , 2012, 49, 174-182.	5.6	80
9	Health-Related Quality of Life and Metabolic Control in Adolescents With Diabetes: The Role of Parental Care, Control, and Involvement. <i>Journal of Pediatric Nursing</i> , 2005, 20, 373-382.	1.5	64
10	Systematic literature review on effectiveness of self-management support interventions in patients with chronic conditions and low socioeconomic status. <i>Journal of Advanced Nursing</i> , 2017, 73, 775-793.	3.3	58
11	The Effect of Telemedicine Follow-up Care on Diabetes-Related Foot Ulcers: A Cluster-Randomized Controlled Noninferiority Trial. <i>Diabetes Care</i> , 2018, 41, 96-103.	8.6	51
12	Longitudinal relationship between diabetes-specific emotional distress and follow-up HbA <sub>1c</sub> in adults with Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2015, 32, 1304-1310.	2.3	46
13	Being mothers and fathers of a child with type 1 diabetes aged 1 to 7 years: a phenomenological study of parents' experiences. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2018, 13, 1487758.	1.6	46
14	Translating person-centered care into practice: A comparative analysis of motivational interviewing, illness-integration support, and guided self-determination. <i>Patient Education and Counseling</i> , 2016, 99, 400-407.	2.2	45
15	Evaluation of a programme of group visits and computer-assisted consultations in the treatment of adolescents with Type 1 diabetes. <i>Diabetic Medicine</i> , 2005, 22, 1522-1529.	2.3	44
16	Conditions for success in introducing telemedicine in diabetes foot care: a qualitative inquiry. <i>BMC Nursing</i> , 2017, 16, 2.	2.5	43
17	Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-Trøndelag Health Study (HUNT). <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 20-25.	2.3	40
18	How patient and community involvement in diabetes research influences health outcomes: A realist review. <i>Health Expectations</i> , 2019, 22, 907-920.	2.6	35

#	ARTICLE	IF	CITATIONS
19	Telemedicine in diabetes foot care delivery: health care professionalsâ€™ experience. BMC Health Services Research, 2016, 16, 134.	2.2	31
20	Pain Tolerance and Pain Perception in Adolescents Born Extremely Preterm. Journal of Pain, 2012, 13, 978-987.	1.4	30
21	Psychosocial family factors and glycemic control among children aged 1-15 years with type 1 diabetes: a population-based survey. BMC Pediatrics, 2011, 11, 118.	1.7	27
22	An integrated wound-care pathway, supported by telemedicine, and competent wound managementâ€™Essential in follow-up care of adults with diabetic foot ulcers. International Journal of Medical Informatics, 2016, 94, 59-66.	3.3	27
23	The effect of guided self-determination on self-management in persons with type 1 diabetes mellitus and HbA <sub>1c</sub> $\geq 64$ mmol/mol: a group-based randomised controlled trial. BMJ Open, 2017, 7, e013295.	1.9	26
24	Parents' Perspectives of Surgery for a Child Who Has Cerebral Palsy. Journal of Pediatric Health Care, 2009, 23, 165-172.	1.2	25
25	Health-related quality of life may deteriorate from adolescence to young adulthood after extremely preterm birth. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 948-955.	1.5	25
26	The influence of an eHealth intervention for adults with type 2 diabetes on the patientâ€™nurse relationship: a qualitative study. Scandinavian Journal of Caring Sciences, 2019, 33, 741-749.	2.1	25
27	Self-reported diabetes self-management competence and support from healthcare providers in achieving autonomy are negatively associated with diabetes distress in adults with Type 1 diabetes. Diabetic Medicine, 2015, 32, 1513-1519.	2.3	20
28	Learning transitionsâ€™a descriptive study of nursesâ€™ experiences during advanced level nursing education. BMC Nursing, 2015, 14, 30.	2.5	18
29	Patient safety culture in nursing homes â€™ a cross-sectional study among nurses and nursing aides caring for residents with diabetes. BMC Nursing, 2018, 17, 36.	2.5	17
30	Telemedicine Versus Standard Follow-Up Care for Diabetes-Related Foot Ulcers: Protocol for a Cluster Randomized Controlled Noninferiority Trial (DiaFOTo). JMIR Research Protocols, 2016, 5, e148.	1.0	17
31	Learning to practise the Guided Self-Determination approach in type 2 diabetes in primary care: A qualitative pilot study. Nursing Open, 2017, 4, 134-142.	2.4	16
32	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: study protocol for the DiaPROM randomised controlled trial pilot study. BMJ Open, 2019, 9, e024008.	1.9	16
33	Evaluation of peer-group support and problem-solving training in the treatment of adolescents with type 1 diabetes. European Diabetes Nursing, 2007, 4, 28-33.	0.2	15
34	Challenges in managing elderly people with diabetes in primary care settings in Norway. Scandinavian Journal of Primary Health Care, 2013, 31, 241-247.	1.5	15
35	Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-TrÃndelag Health Study, Norway. Journal of Psychosomatic Research, 2015, 79, 309-315.	2.6	15
36	The relationships among fear of hypoglycaemia, diabetes-related quality of life and psychological well-being in Norwegian adults with Type 1 diabetes. Diabetes Research and Clinical Practice, 2017, 124, 11-19.	2.8	15

#	ARTICLE	IF	CITATIONS
37	Telemedicine follow-up facilitates more comprehensive diabetes foot ulcer care: A qualitative study in home-based and specialist health care. <i>Journal of Clinical Nursing</i> , 2018, 27, e1134-e1145.	3.0	15
38	Written reflection in an eHealth intervention for adults with type 2 diabetes mellitus: a qualitative study. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 311-320.	1.8	15
39	Diabetes prevalence among older people receiving care at home: associations with symptoms, health status and psychological well-being. <i>Diabetic Medicine</i> , 2019, 36, 96-104.	2.3	14
40	Psychometric properties of the Norwegian version of the Audit of Diabetes-Dependent Quality of Life. <i>Quality of Life Research</i> , 2013, 22, 2809-2812.	3.1	13
41	Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-Naïve Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-Trøndelag Health Survey (HUNT2), Norway. <i>PLoS ONE</i> , 2016, 11, e0160861.	2.5	13
42	Nurses' and physicians' experiences with diabetes consultations and the use of dialogue tools in the DiaPROM pilot trial: A qualitative study. <i>Diabetic Medicine</i> , 2021, 38, e14419.	2.3	13
43	Measuring self-reported, health-related, quality of life in adolescents with type 1 diabetes using both generic and disease-specific instruments. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2003, 92, 1190-1196.	1.5	13
44	Health-related quality of life and emotional and behavioral difficulties after extreme preterm birth: developmental trajectories. <i>PeerJ</i> , 2015, 3, e738.	2.0	13
45	Assessment of a web-based Guided Self-Determination intervention for adults with type 2 diabetes in general practice: a study protocol. <i>BMJ Open</i> , 2016, 6, e013026.	1.9	12
46	Diabetes knowledge in nursing homes and home-based care services: a validation study of the Michigan Diabetes Knowledge Test adapted for use among nursing personnel. <i>BMC Nursing</i> , 2016, 15, 40.	2.5	12
47	Electronic capturing of patient-reported outcome measures on a touchscreen computer in clinical diabetes practice (the DiaPROM trial): a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 29.	1.2	12
48	Effect of a telemedicine intervention for diabetes-related foot ulcers on health, well-being and quality of life: secondary outcomes from a cluster randomized controlled trial (DiaFOTo). <i>BMC Endocrine Disorders</i> , 2020, 20, 157.	2.2	12
49	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: the DiaPROM randomised controlled pilot trial. <i>BMJ Open</i> , 2021, 11, e042353.	1.9	12
50	Involving people with diabetes and the wider community in diabetes research: a realist review protocol. <i>Systematic Reviews</i> , 2015, 4, 146.	5.3	11
51	Integrative review: Patient safety among older people with diabetes in home care services. <i>Journal of Advanced Nursing</i> , 2019, 75, 2449-2460.	3.3	11
52	Young adults with type 1 diabetes and their experiences with diabetes follow-up and participation in the DiaPROM pilot trial: A qualitative study. <i>Diabetic Medicine</i> , 2021, 38, e14535.	2.3	11
53	Regularity of preventive foot care in persons with diabetes: Results from the Nord-Trøndelag Health Study. <i>Research in Nursing and Health</i> , 2008, 31, 226-237.	1.6	9
54	Diabetes-related foot ulcers and associated factors: Results from the Nord-Trøndelag Health Survey (HUNT3) (2006-2008). <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 156-161.	2.3	9

#	ARTICLE	IF	CITATIONS
55	Experience of knowledge and skills that are essential in self-managing a chronic condition – a focus group study among people with type 2 diabetes. <i>Scandinavian Journal of Caring Sciences</i> , 2016, 30, 382-390.	2.1	9
56	Hypoglycaemia in older home-dwelling people with diabetes- a scoping review. <i>BMC Geriatrics</i> , 2021, 21, 20.	2.7	8
57	Integrating evidence-based practice into the diabetes nurse curriculum in Bergen. <i>European Diabetes Nursing</i> , 2010, 7, 10-15.	0.2	7
58	Diabetes research reported by nurses in Nordic countries. <i>European Diabetes Nursing</i> , 2013, 10, 46-51.	0.2	7
59	Reconfiguring clinical communication in the electronic counselling context: The nuances of disruption. <i>Nursing Open</i> , 2019, 6, 393-400.	2.4	7
60	Challenges in maintaining satisfactory documentation routines and evidence-based diabetes management in nursing homes. <i>International Diabetes Nursing</i> , 2016, 13, 37-42.	0.1	6
61	Evaluation of a multidisciplinary patient education program for people with systemic lupus erythematosus. <i>Journal of Nursing and Healthcare of Chronic Illness</i> , 2009, 1, 87-95.	0.5	5
62	Developing, implementing and evaluating diabetes care training for nurses and nursing aides in nursing homes and municipal home-based services. <i>European Diabetes Nursing</i> , 2013, 10, 19-24b.	0.2	4
63	Characteristics of nursing studies in diabetes research published over three decades in Sweden, Norway, Denmark and Iceland: a narrative review of the literature. <i>Scandinavian Journal of Caring Sciences</i> , 2016, 30, 241-249.	2.1	4
64	Factors explaining variation in self-esteem among persons with type 1 diabetes and elevated HbA1c. <i>PLoS ONE</i> , 2018, 13, e0201006.	2.5	4
65	Continuous glucose monitoring in older people with diabetes receiving home care – a feasibility study. <i>Pilot and Feasibility Studies</i> , 2021, 7, 12.	1.2	4
66	Casual blood glucose and subsequent cardiovascular disease and all-cause mortality among 159 731 participants in Cohort of Norway (CONOR). <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001928.	2.8	3
67	Adolescents' Experiences with Diabetes Self-Management and the Use of Carbohydrate Counting in Their Everyday Life with Type 1 Diabetes. <i>Patient Preference and Adherence</i> , 2022, Volume 16, 887-896.	1.8	3
68	Experiences of being a family member to an older person with diabetes receiving home care services. <i>Scandinavian Journal of Caring Sciences</i> , 2018, 32, 805-814.	2.1	2
69	Documented diabetes care among older people receiving home care services: a cross-sectional study. <i>BMC Endocrine Disorders</i> , 2021, 21, 46.	2.2	2
70	Pharmacologically treated diabetes and hospitalization among older Norwegians receiving homecare services from 2009 to 2014: a nationwide register study. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002000.	2.8	2
71	The prevalence and incidence of pharmacologically treated diabetes among older people receiving home care services in Norway 2009–2014: a nationwide longitudinal study. <i>BMC Endocrine Disorders</i> , 2022, 22, .	2.2	1
72	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway. <i>BMJ Open</i> , 2022, 12, e055467.	1.9	0