
## Paola Pricolo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/39038/publications.pdf Version: 2024-02-01



Ρλοι Α Ρριζοι ο

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Ultrahypofractionated radiotherapy for localized prostate cancer with simultaneous boost to the dominant intraprostatic lesion: a plan comparison. Tumori, 2022, 108, 263-269.  | 1.1 | 4         |
| 2  | Repeat MRI during active surveillance: natural history of prostatic lesions and upgrading rates. BJU<br>International, 2022, 129, 524-533.  | 2.5 | 4         |
| 3  | MRI-targeted or systematic random biopsies for prostate cancer diagnosis in biopsy naÃ <sup>-</sup> ve patients:<br>follow-up of a PRECISION trial-like retrospective cohort. Prostate Cancer and Prostatic Diseases, 2021,<br>24, 406-413.   | 3.9 | 9         |
| 4  | MRI-based radiomics signature for localized prostate cancer: a new clinical tool for cancer aggressiveness prediction? Sub-study of prospective phase II trial on ultra-hypofractionated radiotherapy (AIRC IG-13218). European Radiology, 2021, 31, 716-728.   | 4.5 | 31        |
| 5  | Whole-body magnetic resonance imaging: technique, guidelines and key applications.<br>Ecancermedicalscience, 2021, 15, 1164.  | 1.1 | 18        |
| 6  | Preliminary observations regarding the expectations, acceptability and satisfaction of whole-body MRI in self-referring asymptomatic subjects. British Journal of Radiology, 2021, 94, 20191031.  | 2.2 | 7         |
| 7  | Semi-Automated Segmentation of Bone Metastases from Whole-Body MRI: Reproducibility of Apparent Diffusion Coefficient Measurements. Diagnostics, 2021, 11, 499.   | 2.6 | 6         |
| 8  | Value Attribution in the Decision to Use of Whole Body MRI for Early Cancer Diagnosis. Diagnostics, 2021, 11, 972.  | 2.6 | 0         |
| 9  | Whole-body magnetic resonance imaging (WB-MRI) for cancer screening: recommendations for use.<br>Radiologia Medica, 2021, 126, 1434-1450.   | 7.7 | 36        |
| 10 | Confirmatory multiparametric magnetic resonance imaging at recruitment confers prolonged stay in<br>active surveillance and decreases the rate of upgrading at follow-up. Prostate Cancer and Prostatic<br>Diseases, 2020, 23, 94-101.  | 3.9 | 4         |
| 11 | Pathological findings at radical prostatectomy of biopsy naÃ <sup>-</sup> ve men diagnosed with MRI targeted<br>biopsy alone without concomitant standard systematic sampling. Urologic Oncology: Seminars and<br>Original Investigations, 2020, 38, 929.e11-929.e19.                                     | 1.6 | 8         |
| 12 | Phase II prospective trial "Give Me Five―short-term high precision radiotherapy for early prostate cancer with simultaneous boost to the dominant intraprostatic lesion: the impact of toxicity on quality of life (AIRC IG-13218). Medical Oncology, 2020, 37, 74.                                       | 2.5 | 7         |
| 13 | Whole-body magnetic resonance imaging (WB-MRI) reporting with the METastasis Reporting and Data<br>System for Prostate Cancer (MET-RADS-P): inter-observer agreement between readers of different<br>expertise levels. Cancer Imaging, 2020, 20, 77.  | 2.8 | 11        |
| 14 | A novel nomogram to identify candidates for active surveillance amongst patients with International<br>Society of Urological Pathology (ISUP) Grade Group (GG) 1 or ISUP GG2 prostate cancer, according to<br>multiparametric magnetic resonance imaging findings. BJU International, 2020, 126, 104-113. | 2.5 | 21        |
| 15 | Low PI-RADS assessment category excludes extraprostatic extension (≥pT3a) of prostate cancer: a<br>histology-validated study including 301 operated patients. European Radiology, 2019, 29, 5478-5487.  | 4.5 | 20        |
| 16 | Reirradiation for isolated local recurrence of prostate cancer: Mono-institutional series of 64<br>patients treated with salvage stereotactic body radiotherapy (SBRT). British Journal of Radiology,<br>2019, 92, 20180494.  | 2.2 | 50        |
| 17 | Multiparametric Magnetic Resonance Imaging Second Opinion May Reduce the Number of Unnecessary<br>Prostate Biopsies: Time to Improve Radiologists' Training Program?. Clinical Genitourinary Cancer,<br>2019, 17, 88-96.  | 1.9 | 22        |
| 18 | Whole-body magnetic resonance imaging (WB-MRI) in oncology: recommendations and key uses.<br>Radiologia Medica, 2019, 124, 218-233.   | 7.7 | 52        |

PAOLA PRICOLO

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The added value of whole-body magnetic resonance imaging in the management of patients with advanced breast cancer. PLoS ONE, 2018, 13, e0205251.  | 2.5 | 22        |
| 20 | Investigating cancer patient acceptance of Whole Body MRI. Clinical Imaging, 2018, 52, 246-251.  | 1.5 | 21        |
| 21 | Multiparametric Magnetic-Resonance to Confirm Eligibility to an Active Surveillance Program for<br>Low-Risk Prostate Cancer: Intermediate Time Results of a Third Referral High Volume Centre Active<br>Surveillance Protocol. Urologia Internationalis, 2018, 101, 56-64. | 1.3 | 17        |
| 22 | Linear asymptomatic pneumatosis as an unexpected finding of computed tomography colonography: a case report. Journal of Medical Case Reports, 2013, 7, 205.  | 0.8 | 1         |
| 23 | Left circumflex to superior vena cava coronary artery fistula. European Heart Journal Cardiovascular<br>Imaging, 2012, 13, 798-798.  | 1.2 | 2         |