

Gnay Can

List of Publications by Citations

Source: <https://exaly.com/author-pdf/390407/gunay-can-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

377
citations

10
h-index

17
g-index

64
ext. papers

554
ext. citations

3.3
avg, IF

3.41
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 50 | 1543. The More Resistant, the More Fatal: Results of 414 Bacteremia Episodes in Febrile Neutropenic Patients. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S479-S479 | 1 | 78 |
| 49 | Conventional markers in determination of activity of sarcoidosis. <i>International Immunopharmacology</i> , 2015 , 25, 174-9 | 5.8 | 47 |
| 48 | Risk factors predicting upper urinary tract deterioration in patients with spinal cord injury: A retrospective study. <i>Neurology and Urodynamics</i> , 2017 , 36, 653-658 | 2.3 | 21 |
| 47 | Oxidative stress-mediated (sex-specific) loss of protection against type-2 diabetes by macrophage migration inhibitory factor (MIF)-173G/C polymorphism. <i>Clinica Chimica Acta</i> , 2015 , 438, 1-6 | 6.2 | 18 |
| 46 | Sex- and Obesity-specific Association of Aromatase (CYP19A1) Gene Variant with Apolipoprotein B and Hypertension. <i>Archives of Medical Research</i> , 2015 , 46, 564-71 | 6.6 | 17 |
| 45 | Long-term prognostic significance of pentraxin-3 in patients with acute myocardial infarction: 5-year prospective cohort study. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 202-209 | 0.8 | 17 |
| 44 | Gender-specific associations of the APOA1 -75G>A polymorphism with several metabolic syndrome components in Turkish adults. <i>Clinica Chimica Acta</i> , 2014 , 431, 244-9 | 6.2 | 16 |
| 43 | Risk of obesity and metabolic syndrome associated with FTO gene variants discloses clinically relevant gender difference among Turks. <i>Molecular Biology Reports</i> , 2016 , 43, 485-94 | 2.8 | 16 |
| 42 | Excess Mortality in Istanbul during Extreme Heat Waves between 2013 and 2017. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 13 |
| 41 | Dual activity of serum lipoprotein-associated phospholipase A(2) yielding positive and inverse associations with cardiometabolic risk. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 1349-1357 | 5.9 | 11 |
| 40 | Lipoprotein(a) level and MIF gene variant predict incident metabolic syndrome and mortality. <i>Journal of Investigative Medicine</i> , 2016 , 64, 392-9 | 2.9 | 10 |
| 39 | An easy-to-use nomogram for predicting in-hospital mortality risk in COVID-19: a retrospective cohort study in a university hospital. <i>BMC Infectious Diseases</i> , 2021 , 21, 148 | 4 | 9 |
| 38 | Lipoprotein(a)-activated immunity, insulin resistance and new-onset diabetes. <i>Postgraduate Medicine</i> , 2017 , 129, 611-618 | 3.7 | 8 |
| 37 | Mapping of carbon monoxide related death risk in Turkey: a ten-year analysis based on news agency records. <i>BMC Public Health</i> , 2019 , 19, 9 | 4.1 | 8 |
| 36 | Fatty liver disease: Disparate predictive ability for cardiometabolic risk and all-cause mortality. <i>World Journal of Gastroenterology</i> , 2015 , 21, 13555-65 | 5.6 | 7 |
| 35 | Serum total and high-density lipoprotein phospholipids: independent predictive value for cardiometabolic risk. <i>Clinical Nutrition</i> , 2014 , 33, 815-22 | 5.9 | 6 |
| 34 | Inactive SARS-CoV-2 vaccine generates high antibody responses in healthcare workers with and without prior infection. <i>Vaccine</i> , 2021 , 40, 52-52 | 4.1 | 6 |

| | | | |
|----|---|-----|---|
| 33 | Factors affecting mortality in geriatric patients hospitalized with COVID-19. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 454-463 | 2.7 | 5 |
| 32 | An eleven-year cohort of bloodstream infections in 552 febrile neutropenic patients: resistance profiles of Gram-negative bacteria as a predictor of mortality. <i>Annals of Hematology</i> , 2020 , 99, 1925-1932 | | 4 |
| 31 | Apelin in ST segment elevation and non-ST segment elevation acute coronary syndromes: a novel finding. <i>Kardiologia Polska</i> , 2014 , 72, 239-45 | 0.9 | 4 |
| 30 | Change in species distribution and antifungal susceptibility of candidemias in an intensive care unit of a university hospital (10-year experience). <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 40, 325-333 | 5.3 | 4 |
| 29 | Little contribution of conventional factors in an algorithm to predicting death risk in Turkish adults. <i>International Journal of Cardiology</i> , 2017 , 230, 542-548 | 3.2 | 3 |
| 28 | Distinction of hypertriglyceridemic waist phenotype from simple abdominal obesity: interaction with sex hormone-binding globulin levels to confer high coronary risk. <i>Postgraduate Medicine</i> , 2017 , 129, 288-295 | 3.7 | 3 |
| 27 | COVID-19 Vaccine Hesitancy in Healthcare Personnel: A University Hospital Experience. <i>Vaccines</i> , 2021 , 9, | 5.3 | 3 |
| 26 | High-normal thyroid-stimulating hormone in euthyroid subjects is associated with risk of mortality and composite disease endpoint only in women. <i>Archives of Medical Science</i> , 2018 , 14, 1394-1403 | 2.9 | 3 |
| 25 | The rs2175898 Polymorphism in the ESR1 Gene has a Significant Sex-Specific Effect on Obesity. <i>Biochemical Genetics</i> , 2020 , 58, 935-952 | 2.4 | 2 |
| 24 | Population-based serum omentin-1 levels: paradoxical association with cardiometabolic disorders primarily in men. <i>Biomarkers in Medicine</i> , 2018 , 12, 141-149 | 2.3 | 2 |
| 23 | Lower circulating migration inhibitory factor protein is associated with metabolic syndrome and diabetes. <i>Biomarkers in Medicine</i> , 2017 , 11, 557-568 | 2.3 | 2 |
| 22 | Determinants of obstructive sleep apnea syndrome: Pro-inflammatory state and dysfunction of high-density lipoprotein. <i>Nutrition</i> , 2017 , 43-44, 54-60 | 4.8 | 2 |
| 21 | Relation of Biochemical Parameters with Flow-mediated Dilatation in Patients with Metabolic Syndrome. <i>Chinese Medical Journal</i> , 2017 , 130, 1564-1569 | 2.9 | 2 |
| 20 | Differences in the body composition and biochemistry in women grouped as normal-weight, overweight and obese according to body mass index and their relation with cardiometabolic risk. <i>Open Medicine (Poland)</i> , 2010 , 5, 724-732 | 2.2 | 2 |
| 19 | Clinical outcomes of geriatric patients with COVID-19: review of one-year data.. <i>Aging Clinical and Experimental Research</i> , 2022 , 34, 465 | 4.8 | 2 |
| 18 | Relationship between the types of urinary incontinence, handgrip strength, and pelvic floor muscle strength in adult women. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1532-1538 | 2.3 | 2 |
| 17 | The relationship of Chlamydomydia pneumoniae with schizophrenia: The role of brain-derived neurotrophic factor (BDNF) and neurotrophin-3 (NT-3) in this relationship. <i>Revista Argentina De Microbiologia</i> , 2017 , 49, 39-49 | 1.8 | 1 |
| 16 | Gender-modulated risk of coronary heart disease, diabetes and coronary mortality among Turks for three major risk factors, and residual adiposity risk. <i>BMC Endocrine Disorders</i> , 2016 , 16, 54 | 3.3 | 1 |

| | | | |
|----|---|-----|---|
| 15 | Sex-specific associations of TCF7L2 variants with fasting glucose, type 2 diabetes and coronary heart disease among Turkish adults. <i>Anatolian Journal of Cardiology</i> , 2020 , 24, 326-333 | 0.8 | 1 |
| 14 | Fasting glycemia and glycosylated hemoglobin categories: Relationship to serum lipoprotein(a) level and disparity in 2 geographic regional groups of Turkey. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 191-199 | 0.8 | 1 |
| 13 | The Impact of Stone Density on Operative Complications of Retrograde Intrarenal Surgery: A Multicenter Study with Propensity Score Matching Analysis. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2021 , | 2.1 | 1 |
| 12 | The Relationship between Pre-Pandemic Interferon Gamma Release Assay Test Results and COVID-19 Infection: Potential Prognostic Value of Indeterminate IFN- Release Assay Results. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2021 , 2021, 1989277 | 2.6 | 1 |
| 11 | Waning immunity to inactive SARS-CoV-2 vaccine in healthcare workers: booster required.. <i>Irish Journal of Medical Science</i> , 2022 , 1 | 1.9 | 1 |
| 10 | Antibody responses to inactivated and mRNA SARS-CoV-2 vaccines in familial Mediterranean fever patients treated with interleukin-1 inhibitors.. <i>Rheumatology</i> , 2022 , | 3.9 | 1 |
| 9 | Research update for articles published in EJCI in 2013. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1005-16 | 4.6 | 0 |
| 8 | Low acylation stimulating protein levels are associated with cardiometabolic disorders-secondary to autoimmune activation?. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 97-106 | 0.8 | 0 |
| 7 | Optimal anthropometric measures to predict incidence of coronary heart disease in adults in Turkey. <i>The National Medical Journal of India</i> , 2019 , 32, 334-341 | 0.4 | 0 |
| 6 | Risk factors predicting upper urinary tract deterioration in children with spinal cord injury. <i>Neurourology and Urodynamics</i> , 2021 , 40, 435-442 | 2.3 | 0 |
| 5 | Interobserver agreement between interpretations of acute changes after lung stereotactic body radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 423-428 | 4.3 | 0 |
| 4 | Sex-dependent independent prediction of incident diabetes by depressive symptoms. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1425-1432 | 3.9 | |
| 3 | Common genetic variants on chromosome 9p21 are associated with the risk and severity of coronary artery disease in Turkish population. <i>Heart</i> , 2011 , 97, A79-A79 | 5.1 | |
| 2 | Association of polymorphisms in the sex hormone genes with the presence and severity of coronary artery disease.. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2022 , 50, 22-33 | 0.3 | |
| 1 | Evaluation of Retinal and Optic Disc Vascular Changes and Retinal Nerve Fiber Layer Thickness in Patients with Nasopharyngeal Carcinoma Following Image Guided Intensity-Modulated Radiation Therapy Using Optical Coherence Tomography Angiography.. <i>Photodiagnosis and Photodynamic Therapy</i> , 2022 , 102887 | 3.5 | |