

Xufeng Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3905617/xufeng-zhou-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

3,831

citations

26

h-index

61

g-index

68

ext. papers

4,496

ext. citations

10.2

avg, IF

5.84

L-index

#	Paper	IF	Citations
63	Towards High-Voltage Aqueous Metal-Ion Batteries Beyond 1.5 V: The Zinc/Zinc Hexacyanoferrate System. <i>Advanced Energy Materials</i> , 2015 , 5, 1400930	21.8	680
62	Graphene modified LiFePO ₄ cathode materials for high power lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3353		420
61	A scalable, solution-phase processing route to graphene oxide and graphene ultralarge sheets. <i>Chemical Communications</i> , 2010 , 46, 2611-3	5.8	216
60	3D Porous MXene (TiC)/Reduced Graphene Oxide Hybrid Films for Advanced Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 3634-3643	9.5	185
59	A 3D porous architecture of Si/graphene nanocomposite as high-performance anode materials for Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 7724		182
58	Large-Sized Few-Layer Graphene Enables an Ultrafast and Long-Life Aluminum-Ion Battery. <i>Advanced Energy Materials</i> , 2017 , 7, 1700034	21.8	160
57	Morphology-controlled solvothermal synthesis of LiFePO ₄ as a cathode material for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2010 , 20, 8086		158
56	A Comprehensive Understanding of Lithium Sulfur Battery Technology. <i>Advanced Functional Materials</i> , 2019 , 29, 1901730	15.6	156
55	Morphology-Dependent Electrochemical Performance of Zinc Hexacyanoferrate Cathode for Zinc-Ion Battery. <i>Scientific Reports</i> , 2015 , 5, 18263	4.9	156
54	Sulfur/Carbon Nanotube Composite Film as a Flexible Cathode for Lithium Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 21112-21119	3.8	121
53	Mechanical and Thermal Properties of Epoxy Resin Nanocomposites Reinforced with Graphene Oxide. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 251-256		116
52	Microscale Lithium Metal Stored inside Cellular Graphene Scaffold toward Advanced Metallic Lithium Anodes. <i>Advanced Energy Materials</i> , 2018 , 8, 1703152	21.8	113
51	Morphology controlled synthesis and modification of high-performance LiMnPO ₄ cathode materials for Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 21144		86
50	Water-mediated cation intercalation of open-framework indium hexacyanoferrate with high voltage and fast kinetics. <i>Nature Communications</i> , 2016 , 7, 11982	17.4	73
49	Synthesis and electrochemical properties of layered lithium transition metal oxides. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2544-2549		69
48	Metal etching method for preparing porous graphene as high performance anode material for lithium-ion batteries. <i>Carbon</i> , 2015 , 89, 41-46	10.4	60
47	Freestanding bacterial cellulose-graphene oxide composite membranes with high mechanical strength for selective ion permeation. <i>Scientific Reports</i> , 2016 , 6, 33185	4.9	58

46	Graphene nested porous carbon current collector for lithium metal anode with ultrahigh areal capacity. <i>Energy Storage Materials</i> , 2018 , 15, 266-273	19.4	52
45	Orientation Control of Graphene Flakes by Magnetic Field: Broad Device Applications of Macroscopically Aligned Graphene. <i>Advanced Materials</i> , 2017 , 29, 1604453	24	50
44	Designed synthesis of LiMn ₂ O ₄ microspheres with adjustable hollow structures for lithium-ion battery applications. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 837-842	13	50
43	Distinguishing thermal lens effect from electronic third-order nonlinear self-phase modulation in liquid suspensions of 2D nanomaterials. <i>Nanoscale</i> , 2017 , 9, 3547-3554	7.7	45
42	Localized concentration reversal of lithium during intercalation into nanoparticles. <i>Science Advances</i> , 2018 , 4, eaao2608	14.3	44
41	Two-Dimensional Porous Micro/Nano Metal Oxides Templated by Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 11984-90	9.5	41
40	Nitrogen-Doped Graphene Nanoscroll Foam with High Diffusion Rate and Binding Affinity for Removal of Organic Pollutants. <i>Small</i> , 2017 , 13, 1603779	11	29
39	Highly Reversible Li Plating Confined in Three-Dimensional Interconnected Microchannels toward High-Rate and Stable Metallic Lithium Anodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 20387-20395	9.5	29
38	Niobium carbide/reduced graphene oxide hybrid porous aerogel as high capacity and long-life anode material for Li-ion batteries. <i>International Journal of Energy Research</i> , 2019 , 43, 4995-5003	4.5	26
37	Competitive Solvation-Induced Concurrent Protection on the Anode and Cathode toward a 400 Wh kg ⁻¹ Lithium Metal Battery. <i>ACS Energy Letters</i> , 2021 , 6, 115-123	20.1	25
36	A bifunctional hierarchical porous carbon network integrated with an in situ formed ultrathin graphene shell for stable lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 13674-13682	13	24
35	Hydrothermal self-assembly of graphene foams with controllable pore size. <i>RSC Advances</i> , 2016 , 6, 20843-20849	3.7	24
34	Oriented Arrangement: The Origin of Versatility for Porous Graphene Materials. <i>Small</i> , 2017 , 13, 1701231	11	24
33	Graphene network nested Cu foam for reducing size of lithium metal towards stable metallic lithium anode. <i>Energy Storage Materials</i> , 2019 , 21, 107-114	19.4	24
32	Ordered self-assembly of amphipathic graphene nanosheets into three-dimensional layered architectures. <i>Nanoscale</i> , 2016 , 8, 197-203	7.7	23
31	Epoxy composites filled with one-dimensional SiC nanowires and two-dimensional graphene nanoplatelets hybrid nanofillers. <i>RSC Advances</i> , 2014 , 4, 59409-59417	3.7	21
30	TiO ₂ (B)@CNT/graphene ternary composite anode material for lithium ion batteries. <i>RSC Advances</i> , 2015 , 5, 22449-22454	3.7	20
29	Planar Alignment of Graphene Sheets by a Rotating Magnetic Field for Full Exploitation of Graphene as a 2D Material. <i>Advanced Functional Materials</i> , 2018 , 28, 1805255	15.6	20

28	Attapulgite nanofibers and graphene oxide composite membrane for high-performance molecular separation. <i>Journal of Colloid and Interface Science</i> , 2019 , 545, 276-281	9.3	19
27	Ultrasmall Co ₃ O ₄ Nanoparticles Confined in P, N-Doped Carbon Matrices for High-Performance Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 9225-9232	3.8	19
26	Hierarchical porous MnO/graphene composite aerogel as high-performance anode material for lithium ion batteries. <i>RSC Advances</i> , 2017 , 7, 15857-15863	3.7	18
25	Graphene wrapped silicon suboxides anodes with suppressed Li-uptake behavior enabled superior cycling stability. <i>Energy Storage Materials</i> , 2021 , 35, 317-326	19.4	18
24	A compressible and hierarchical porous graphene/Co composite aerogel for lithium-ion batteries with high gravimetric/volumetric capacity. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6021-6028	13	17
23	Graphene/Sulfur Composites with a Foam-Like Porous Architecture and Controllable Pore Size for High Performance Lithium-Sulfur Batteries. <i>ChemNanoMat</i> , 2016 , 2, 952-958	3.5	15
22	Regulating capillary pressure to achieve ultralow areal mass loading metallic lithium anodes. <i>Energy Storage Materials</i> , 2019 , 23, 693-700	19.4	14
21	Graphene Modified Polyaniline-Hydrogel Based Stretchable Supercapacitor with High Capacitance and Excellent Stretching Stability. <i>ChemSusChem</i> , 2021 , 14, 938-945	8.3	14
20	Graphene/Sulfur/Carbon Nanocomposite for High Performance Lithium-Sulfur Batteries. <i>Nanomaterials</i> , 2015 , 5, 1481-1492	5.4	13
19	Flexible asymmetric microsupercapacitor with high energy density based on all-graphene electrode system. <i>Journal of Materials Science</i> , 2020 , 55, 309-318	4.3	12
18	Solvent evaporation induced self-assembly of graphene foam for thermally conductive polymers. <i>RSC Advances</i> , 2017 , 7, 15469-15474	3.7	11
17	Depressing the irreversible reactions on a three-dimensional interface towards a high-areal capacity lithium metal anode. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 6267-6274	13	10
16	All graphene electrode for high-performance asymmetric supercapacitor. <i>International Journal of Energy Research</i> , 2020 , 44, 1244-1255	4.5	10
15	Photoacoustic identification of laser-induced microbubbles as light scattering centers for optical limiting in a liquid suspension of graphene nanosheets. <i>Nanoscale</i> , 2020 , 12, 7109-7115	7.7	7
14	Revealing Anion Adsorption Mechanism for Coating Layer on Separator toward Practical Li Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 23584-23591	9.5	7
13	Robust and durable flexible micro-supercapacitors enabled by graphene nanoscrolls. <i>Chemical Engineering Journal</i> , 2021 , 405, 127009	14.7	7
12	Graphene Flakes: Orientation Control of Graphene Flakes by Magnetic Field: Broad Device Applications of Macroscopically Aligned Graphene (Adv. Mater. 1/2017). <i>Advanced Materials</i> , 2017 , 29,	24	6
11	In situ preparation of FeO in a carbon hybrid of graphene nanoscrolls and carbon nanotubes as high performance anode material for lithium-ion batteries. <i>Nanotechnology</i> , 2017 , 28, 465401	3.4	6

10	Porous Graphene-Like Materials Prepared from Hollow Carbonaceous Microspheres for Supercapacitors. <i>ChemNanoMat</i> , 2015 , 1, 422-429	3.5	6
9	Direct probing of density of states of reduced graphene oxides in a wide voltage range by tunneling junction. <i>Applied Physics Letters</i> , 2012 , 101, 183110	3.4	5
8	Nano-channel-based physical and chemical synergic regulation for dendrite-free lithium plating. <i>Nano Research</i> , 2021 , 14, 3585-3597	10	4
7	Patterning of graphene microscale structures using electrohydrodynamic atomisation deposition of photoresist moulds. <i>Micro and Nano Letters</i> , 2014 , 9, 136-140	0.9	2
6	Conformal Coating of a Carbon Film on 3D Hosts toward Stable Lithium Anodes. <i>ACS Applied Energy Materials</i> , 2021 , 4, 7288-7297	6.1	1
5	MgSiO/Si-Coated Disproportionated SiO Composite Anodes with High Initial Coulombic Efficiency for Lithium Ion Batteries.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	1
4	Laser-induced dynamic alignment and nonlinear-like optical transmission in liquid suspensions of 2D atomically thin nanomaterials. <i>Optics Express</i> , 2021 , 29, 36389-36399	3.3	0
3	High Li-Ion Conductivity Artificial Interface Enabled by Li-Grafted Graphene Oxide for Stable Li Metal Pouch Cell. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 29500-29510	9.5	0
2	Graphene Sheets: Planar Alignment of Graphene Sheets by a Rotating Magnetic Field for Full Exploitation of Graphene as a 2D Material (Adv. Funct. Mater. 46/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870330	15.6	
1	Seamlessly Integrated Alloy-polymer Interphase for High-rate and Long-life Lithium Metal Anodes. <i>Materials Today Energy</i> , 2022 , 100988	7	