

Mogens GrÃ¸nvold

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3905661/publications.pdf>

Version: 2024-02-01

168
papers

6,818
citations

53660

45
h-index

74018

75
g-index

179
all docs

179
docs citations

179
times ranked

7977
citing authors

#	ARTICLE	IF	CITATIONS
1	Burnout in physicians: a survey of the Danish society for palliative medicine. <i>BMJ Supportive and Palliative Care</i> , 2024, 14, 52-55.	0.8	6
2	Symptoms of advanced cancer in palliative medicine: a longitudinal study. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e415-e427.	0.8	4
3	Advance care planningâ€”family carer psychological distress and involvement in decision making: the ACTION trial. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e807-e811.	0.8	1
4	Process, content, and experiences of delivering the Carer Support Needs Assessment Tool Intervention (CSNAT-I) in the Danish specialised palliative care setting. <i>Supportive Care in Cancer</i> , 2022, 30, 377-387.	1.0	4
5	The quality of end of life care for Danish cancer patients who have received specialized palliative: a national survey using the Danish version of VOICES-SF. <i>Supportive Care in Cancer</i> , 2022, 30, 3593.	1.0	1
6	Minimally important differences of EORTC QLQ-C30 scales in patients with lung cancer or malignant pleural mesothelioma â€” Interpretation guidance derived from two randomized EORTC trials. <i>Lung Cancer</i> , 2022, 167, 65-72.	0.9	6
7	Another look at floor and ceiling effects in the EORTC QLQâ€”C30 Physical Functioning subscale and possible solutions. <i>Cancer</i> , 2022, 128, 2384-2385.	2.0	1
8	Clustering of EORTC QLQ-C30 health-related quality of life scales across several cancer types: Validation study. <i>European Journal of Cancer</i> , 2022, 170, 1-9.	1.3	6
9	Early specialised palliative care: interventions, symptoms, problems. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 444-453.	0.8	1
10	Evaluating the Thresholds for Clinical Importance of the EORTC QLQ-C15-PAL in Patients Receiving Palliative Treatment. <i>Journal of Palliative Medicine</i> , 2021, 24, 397-404.	0.6	9
11	Development and Psychometric Evaluation of an Item Bank for Computerized Adaptive Testing of the EORTC Insomnia Dimension in Cancer Patients (EORTC CAT-SL). <i>Applied Research in Quality of Life</i> , 2021, 16, 827-844.	1.4	1
12	Determining minimal important change for the thyroid-related quality of life questionnaire ThyPRO. <i>Endocrine Connections</i> , 2021, 10, 316-324.	0.8	17
13	Functional impairment, symptom severity, and overall quality of life in patients with advanced lung or colorectal cancer in six European countries: baseline findings from the ACTION study. <i>Supportive Care in Cancer</i> , 2021, 29, 5797-5810.	1.0	6
14	Size and composition of family networks of decedents: A nationwide register-based study. <i>Palliative Medicine</i> , 2021, 35, 1652-1662.	1.3	7
15	Coverage of symptomatic toxicities from the common terminology criteria for adverse events (CTCAE) framework within the european organization for research and treatment of cancer (EORTC) item library.. <i>Journal of Clinical Oncology</i> , 2021, 39, e24117-e24117.	0.8	0
16	Early, integrated palliative rehabilitation improves quality of life of patients with newly diagnosed advanced cancer: The Pal-Rehab randomized controlled trial. <i>Palliative Medicine</i> , 2021, 35, 1344-1355.	1.3	19
17	Minimally important differences for the EORTC QLQ-C30 in prostate cancer clinical trials. <i>BMC Cancer</i> , 2021, 21, 1083.	1.1	12
18	Investigating the response scale of the EORTC QLQ-C30 in German cancer patients and a population survey. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 235.	1.0	2

#	ARTICLE	IF	CITATIONS
19	Regional and age differences in specialised palliative care for patients with pancreatic cancer. <i>BMC Palliative Care</i> , 2021, 20, 192.	0.8	6
20	Effectiveness of a nurse-delivered (FOCUS+) and a web-based (iFOCUS) psychoeducational intervention for people with advanced cancer and their family caregivers (DIAdIC): study protocol for an international randomized controlled trial. <i>BMC Palliative Care</i> , 2021, 20, 193.	0.8	7
21	Improving information to caregivers of cancer patients: the Herlev Hospital Empowerment of Relatives through More and Earlier information Supply (HERMES) randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 939-950.	1.0	4
22	Thresholds for clinical importance were defined for the European Organisation for Research and Treatment of Cancer Computer Adaptive Testing Core™ an adaptive measure of core quality of life domains in oncology clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 117-125.	2.4	12
23	Exploratory analyses of the Danish Palliative Care Trial (DanPaCT): a randomized trial of early specialized palliative care plus standard care versus standard care in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 2145-2155.	1.0	13
24	Which symptoms and problems do advanced cancer patients admitted to specialized palliative care report in addition to those included in the EORTC QLQ-C15-PAL? A register-based national study. <i>Supportive Care in Cancer</i> , 2020, 28, 1725-1735.	1.0	10
25	Thresholds for clinical importance were established to improve interpretation of the EORTC QLQ-C30 in clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 118, 1-8.	2.4	184
26	Response to Letter to the Editor: Improving information to caregivers of cancer patients: the Herlev Hospital Empowerment of Relatives through More and Earlier information Supply (HERMES) randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 417-417.	1.0	1
27	Minimally important differences for interpreting European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 scores in patients with head and neck cancer. <i>Head and Neck</i> , 2020, 42, 3141-3152.	0.9	28
28	Minimally important differences for interpreting the EORTC QLQ-C30 in patients with advanced colorectal cancer treated with chemotherapy. <i>Colorectal Disease</i> , 2020, 22, 2278-2287.	0.7	22
29	Updated EORTC QLQ-C30 general population norm data for Germany. <i>European Journal of Cancer</i> , 2020, 137, 161-170.	1.3	32
30	Minimally important differences for interpreting European Organisation for Research and Treatment of Cancer (EORTC) Quality of life Questionnaire core 30 scores in patients with ovarian cancer. <i>Gynecologic Oncology</i> , 2020, 159, 515-521.	0.6	12
31	Methylphenidate as Needed for Fatigue in Patients With Advanced Cancer. A Prospective, Double-Blind, and Placebo-Controlled Study. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 992-1002.	0.6	9
32	Similar levels of symptoms and problems were found among patients referred to specialized palliative care by general practitioners and hospital physicians: A nationwide register-based study of 31,139 cancer patients. <i>Palliative Medicine</i> , 2020, 34, 1118-1126.	1.3	0
33	Development and content validation of a questionnaire measuring patient empowerment in cancer follow-up. <i>Quality of Life Research</i> , 2020, 29, 2253-2274.	1.5	4
34	Content validation of the EORTC QLQ-C15-PAL with advanced cancer patients and health care professionals from palliative care services in Chile. <i>BMC Palliative Care</i> , 2020, 19, 81.	0.8	3
35	Patient-reported symptoms and problems at admission to specialized palliative care improved survival prediction in 30,969 cancer patients: A nationwide register-based study. <i>Palliative Medicine</i> , 2020, 34, 795-805.	1.3	6
36	Clinical research in cancer palliative care: a metaresearch analysis. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 249-258.	0.8	9

#	ARTICLE	IF	CITATIONS
37	Should analyses of large, national palliative care data sets with patient reported outcomes (PROs) be restricted to services with high patient participation? A register-based study. BMC Palliative Care, 2020, 19, 89.	0.8	0
38	Reply to: Olanzapine: Sancho Panza for clinicians who care for patients with advanced cancer. Supportive Care in Cancer, 2020, 28, 1539-1539.	1.0	0
39	International standards for the analysis of quality-of-life and patient-reported outcome endpoints in cancer randomised controlled trials: recommendations of the SISAQOL Consortium. Lancet Oncology, The, 2020, 21, e83-e96.	5.1	180
40	International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. Quality of Life Research, 2020, 29, 1405-1417.	1.5	21
41	Effect of the Carer Support Needs Assessment Tool intervention (CSNAT-I) in the Danish specialised palliative care setting: a stepped-wedge cluster randomised controlled trial. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002467.	0.8	8
42	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. PLoS Medicine, 2020, 17, e1003422.	3.9	68
43	Title is missing!. , 2020, 17, e1003422.		0
44	Title is missing!. , 2020, 17, e1003422.		0
45	Title is missing!. , 2020, 17, e1003422.		0
46	Title is missing!. , 2020, 17, e1003422.		0
47	Title is missing!. , 2020, 17, e1003422.		0
48	Title is missing!. , 2020, 17, e1003422.		0
49	Title is missing!. , 2020, 17, e1003422.		0
50	Nausea in advanced cancer: relationships between intensity, burden, and the need for help. Supportive Care in Cancer, 2019, 27, 265-273.	1.0	7
51	Validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Summary Score in Patients With Hematologic Malignancies. Value in Health, 2019, 22, 1303-1310.	0.1	18
52	Patient reported outcome data as performance indicators in surgically treated lung cancer patients. Lung Cancer, 2019, 130, 143-148.	0.9	6
53	Measuring health-related quality of life in colorectal cancer patients: systematic review of measurement properties of the EORTC QLQ-CR29. Supportive Care in Cancer, 2019, 27, 2395-2412.	1.0	13
54	The Female Sexual Function Index (FSFI)â€™A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 640-660.	0.3	80

#	ARTICLE	IF	CITATIONS
55	Assessing Emotional Functioning with Increased Power: Relative Validity of a Customized EORTC Short Form in the International ACTION Trial. <i>Value in Health</i> , 2019, 22, 92-98.	0.1	3
56	Prevalence and possible predictors of sexual dysfunction and self-reported needs related to the sexual life of advanced cancer patients. <i>Acta Oncologica</i> , 2019, 58, 769-775.	0.8	21
57	OP55...Evaluating costs of advance care planning; results from the international ACTION study. , 2019, , .		0
58	Age, cancer site and gender associations with symptoms and problems in specialised palliative care: a large, nationwide, register-based study. <i>BMJ Supportive and Palliative Care</i> , 2019, , bmjspcare-2019-001880.	0.8	16
59	Prognostic value of patient-reported outcomes from international randomised clinical trials on cancer: a systematic review. <i>Lancet Oncology</i> , The, 2019, 20, e685-e698.	5.1	80
60	Patient-reported outcomes (PROs) in lung cancer: Experiences from a nationwide feasibility study. <i>Lung Cancer</i> , 2019, 128, 67-73.	0.9	10
61	Establishing the European Norm for the health-related quality of life domains of the computer-adaptive test EORTC CAT Core. <i>European Journal of Cancer</i> , 2019, 107, 133-141.	1.3	38
62	General population normative data for the EORTC QLQ-C30 health-related quality of life questionnaire based on 15,386 persons across 13 European countries, Canada and the Unites States. <i>European Journal of Cancer</i> , 2019, 107, 153-163.	1.3	259
63	Cohabitation Status Influenced Admittance to Specialized Palliative Care for Cancer Patients: A Nationwide Study from the Danish Palliative Care Database. <i>Journal of Palliative Medicine</i> , 2019, 22, 164-172.	0.6	8
64	A new model of early, integrated palliative care: palliative rehabilitation for newly diagnosed patients with non-resectable cancer. <i>Supportive Care in Cancer</i> , 2019, 27, 3291-3300.	1.0	20
65	Establishing anchor-based minimally important differences (MID) with the EORTC quality-of-life measures: a meta-analysis protocol. <i>BMJ Open</i> , 2018, 8, e019117.	0.8	45
66	A systematic review of the measurement properties of the Body Image Scale (BIS) in cancer patients. <i>Supportive Care in Cancer</i> , 2018, 26, 1715-1726.	1.0	41
67	A cross-cultural convergent parallel mixed methods study of what makes a cancer-related symptom or functional health problem clinically important. <i>Psycho-Oncology</i> , 2018, 27, 548-555.	1.0	16
68	Conversion of standard retrospective patient-reported outcomes to momentary versions: cognitive interviewing reveals varying degrees of momentary compatibility. <i>Quality of Life Research</i> , 2018, 27, 1065-1076.	1.5	7
69	Measuring the quality of end-of-life care: Development, testing, and cultural validation of the Danish version of Views of Informal Carers™ Evaluation of Services™ Short Form. <i>Palliative Medicine</i> , 2018, 32, 804-814.	1.3	10
70	What Facilitates "Patient Empowerment" in Cancer Patients During Follow-Up: A Qualitative Systematic Review of the Literature. <i>Qualitative Health Research</i> , 2018, 28, 292-304.	1.0	63
71	Adaptation and cross-cultural validation of the Spanish version of the Thyroid-Related Quality-of-Life Patient-Reported Outcome questionnaire. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2018, 65, 500-507.	0.1	7
72	Interpreting European Organisation for Research and Treatment for Cancer Quality of life Questionnaire core 30 scores as minimally importantly different for patients with malignant melanoma. <i>European Journal of Cancer</i> , 2018, 104, 169-181.	1.3	38

#	ARTICLE	IF	CITATIONS
73	How Should Thyroid-Related Quality of Life Be Assessed? Recalled Patient-Reported Outcomes Compared to Here-and-Now Measures. <i>Thyroid</i> , 2018, 28, 1561-1570.	2.4	13
74	Statistical analysis of patient-reported outcome data in randomised controlled trials of locally advanced and metastatic breast cancer: a systematic review. <i>Lancet Oncology</i> , The, 2018, 19, e459-e469.	5.1	66
75	The EORTC CAT Core – The computer adaptive version of the EORTC QLQ-C30 questionnaire. <i>European Journal of Cancer</i> , 2018, 100, 8-16.	1.3	68
76	Patients with Benign Thyroid Diseases Experience an Impaired Sex Life. <i>Thyroid</i> , 2018, 28, 1261-1269.	2.4	10
77	Is specialized palliative cancer care associated with use of antineoplastic treatment at the end of life? A population-based cohort study. <i>Palliative Medicine</i> , 2018, 32, 1509-1517.	1.3	22
78	A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. <i>Supportive Care in Cancer</i> , 2018, 26, 2551-2560.	1.0	11
79	Moving forward toward standardizing analysis of quality of life data in randomized cancer clinical trials. <i>Clinical Trials</i> , 2018, 15, 624-630.	0.7	42
80	Conceptualizing patient empowerment in cancer follow-up by combining theory and qualitative data. <i>Acta Oncologica</i> , 2017, 56, 232-238.	0.8	26
81	Patient empowerment: a systematic review of questionnaires measuring empowerment in cancer patients. <i>Acta Oncologica</i> , 2017, 56, 156-165.	0.8	44
82	Randomised clinical trial of early specialist palliative care plus standard care versus standard care alone in patients with advanced cancer: The Danish Palliative Care Trial. <i>Palliative Medicine</i> , 2017, 31, 814-824.	1.3	67
83	Admittance to specialized palliative care (SPC) of patients with an assessed need: a study from the Danish palliative care database (DPD). <i>Acta Oncologica</i> , 2017, 56, 1210-1217.	0.8	18
84	Health-related quality of life in melanoma patients: Impact of melanoma-related limb lymphoedema. <i>European Journal of Cancer</i> , 2017, 85, 122-132.	1.3	37
85	Psychometric evaluation of an item bank for computerized adaptive testing of the EORTC QLQ-C30 cognitive functioning dimension in cancer patients. <i>Quality of Life Research</i> , 2017, 26, 2919-2929.	1.5	11
86	Is admittance to specialised palliative care among cancer patients related to sex, age and cancer diagnosis? A nation-wide study from the Danish Palliative Care Database (DPD). <i>BMC Palliative Care</i> , 2017, 16, 21.	0.8	31
87	Development of an item bank for computerized adaptive testing of self-reported cognitive difficulty in cancer patients. <i>Neuro-Oncology Practice</i> , 2017, 4, 189-196.	1.0	5
88	A parallel-group randomized clinical trial of individually tailored, multidisciplinary, palliative rehabilitation for patients with newly diagnosed advanced cancer: the Pal-Rehab study protocol. <i>BMC Cancer</i> , 2017, 17, 560.	1.1	17
89	Danish Palliative Care Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 637-643.	1.5	21
90	The use of EORTC measures in daily clinical practice – A synopsis of a newly developed manual. <i>European Journal of Cancer</i> , 2016, 68, 73-81.	1.3	75

#	ARTICLE	IF	CITATIONS
91	Quality-of-Life Impairments Persist Six Months After Treatment of Graves' Hyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. <i>Thyroid</i> , 2016, 26, 1010-1018.	2.4	55
92	How does pain experience relate to the need for pain relief? A secondary exploratory analysis in a large sample of cancer patients. <i>Supportive Care in Cancer</i> , 2016, 24, 4187-4195.	1.0	4
93	Analysing data from patient-reported outcome and quality of life endpoints for cancer clinical trials: a start in setting international standards. <i>Lancet Oncology</i> , The, 2016, 17, e510-e514.	5.1	158
94	Focusing on Core Patient-Reported Outcomes in Cancer Clinical Trialsâ€”Letter. <i>Clinical Cancer Research</i> , 2016, 22, 5617-5617.	3.2	18
95	Advance care planning â€” a multi-centre cluster randomised clinical trial: the research protocol of the ACTION study. <i>BMC Cancer</i> , 2016, 16, 264.	1.1	43
96	Change in health-related quality of life over 1Â month in cancer patients with high initial levels of symptoms and problems. <i>Quality of Life Research</i> , 2016, 25, 2669-2674.	1.5	4
97	Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). <i>Health and Quality of Life Outcomes</i> , 2016, 14, 72.	1.0	29
98	An emotional functioning item bank of 24 items for computerized adaptive testing (CAT) was established. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 90-100.	2.4	20
99	Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 79-88.	2.4	306
100	Development of an item bank for computerized adaptive test (CAT) measurement of pain. <i>Quality of Life Research</i> , 2016, 25, 1-11.	1.5	29
101	Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. <i>PLoS ONE</i> , 2016, 11, e0156925.	1.1	109
102	Effects of melatonin on physical fatigue and other symptoms in patients with advanced cancer receiving palliative care: A double-blind placebo-controlled crossover trial. <i>Cancer</i> , 2015, 121, 3727-3736.	2.0	37
103	The interaction between informal cancer caregivers and health care professionals: a survey of caregiversâ€™ experiences of problems and unmet needs. <i>Supportive Care in Cancer</i> , 2015, 23, 1719-1733.	1.0	62
104	Development of a lack of appetite item bank for computer-adaptive testing (CAT). <i>Supportive Care in Cancer</i> , 2015, 23, 1541-1548.	1.0	14
105	Comparing three different approaches to the measurement of needs concerning fatigue in patients with advanced cancer. <i>Quality of Life Research</i> , 2015, 24, 2231-2238.	1.5	11
106	Quality of Life in Patients with Benign Nontoxic Goiter: Impact of Disease and Treatment Response, and Comparison with the General Population. <i>Thyroid</i> , 2015, 25, 284-291.	2.4	54
107	Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. <i>Thyroid</i> , 2015, 25, 1069-1079.	2.4	82
108	Cross-cultural validity of the thyroid-specific quality-of-life patient-reported outcome measure, ThyPRO. <i>Quality of Life Research</i> , 2015, 24, 769-780.	1.5	52

#	ARTICLE	IF	CITATIONS
109	O-76â€¦First results from the action study. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, A24.2-A24.	0.8	0
110	Confirmatory factor analysis of the thyroid-related quality of life questionnaire ThyPRO. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 126.	1.0	41
111	Detailed statistical analysis plan for the Danish Palliative Care Trial (DanPaCT). <i>Trials</i> , 2014, 15, 376.	0.7	18
112	The Thyroid-Related Quality of Life Measure ThyPRO Has Good Responsiveness and Ability to Detect Relevant Treatment Effects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3708-3717.	1.8	123
113	A prospective evaluation of Dignity Therapy in advanced cancer patients admitted to palliative care. <i>Palliative Medicine</i> , 2014, 28, 448-458.	1.3	74
114	The validity and reliability of the â€œCancer Caregiving Tasks, Consequences and Needs Questionnaireâ€™™ (CaTCoN). <i>Acta OncolÃ³gica</i> , 2014, 53, 966-974.	0.8	21
115	Development and implementation of PROgmatic: A clinical trial management system for pragmatic multi-centre trials, optimised for electronic data capture and patient-reported outcomes. <i>Clinical Trials</i> , 2014, 11, 344-354.	0.7	26
116	Few items in the thyroid-related quality of life instrument ThyPRO exhibited differential item functioning. <i>Quality of Life Research</i> , 2014, 23, 327-338.	1.5	29
117	Quality of life and symptoms in patients with malignant diseases admitted to a comprehensive cancer centre. <i>Supportive Care in Cancer</i> , 2014, 22, 1843-1849.	1.0	11
118	The EORTC emotional functioning computerized adaptive test: phases Iâ€“III of a crossâ€œcultural item bank development. <i>Psycho-Oncology</i> , 2014, 23, 397-403.	1.0	27
119	Cancer caregiving tasks and consequences and their associations with caregiver status and the caregiverâ€™™s relationship to the patient: a survey. <i>BMC Cancer</i> , 2014, 14, 541.	1.1	86
120	Danish population-based reference data for the EORTC QLQ-C30: associations with gender, age and morbidity. <i>Quality of Life Research</i> , 2014, 23, 2183-2193.	1.5	67
121	The chronic autoimmune thyroiditis quality of life selenium trial (CATALYST): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 115.	0.7	60
122	Anxiety and Depression Are More Prevalent in Patients with Graves' Disease than in Patients with Nodular Goitre. <i>European Thyroid Journal</i> , 2014, 3, 173-178.	1.2	40
123	Psychometric evaluation of the EORTC computerized adaptive test (CAT) fatigue item pool. <i>Quality of Life Research</i> , 2013, 22, 2443-2454.	1.5	22
124	An evaluation of the response category translations of the EORTC QLQ-C30 questionnaire. <i>Quality of Life Research</i> , 2013, 22, 1483-1490.	1.5	5
125	The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 330-339.	2.4	33
126	A randomised, multicentre clinical trial of specialised palliative care plus standard treatment versus standard treatment alone for cancer patients with palliative care needs: the Danish palliative care trial (DanPaCT) protocol. <i>BMC Palliative Care</i> , 2013, 12, 37.	0.8	17

#	ARTICLE	IF	CITATIONS
127	Cancer patients'™ evaluation of communication: a report from the population-based study 'The Cancer Patient's™ World'™. Supportive Care in Cancer, 2013, 21, 235-244.	1.0	15
128	Satisfaction with information provided to Danish cancer patients: Validation and survey results. Patient Education and Counseling, 2013, 93, 239-247.	1.0	7
129	Do advanced cancer patients in Denmark receive the help they need? A nationally representative survey of the need related to 12 frequent symptoms/problems. Psycho-Oncology, 2013, 22, 1724-1730.	1.0	49
130	The initial development of the 'Cancer Caregiving Tasks, Consequences and Needs Questionnaire'™ (CaTCoN). Acta Oncol³gica, 2012, 51, 1009-1019.	0.8	23
131	Is Thyroid Autoimmunity per se a Determinant of Quality of Life in Patients with Autoimmune Hypothyroidism?. European Thyroid Journal, 2012, 1, 186-192.	1.2	59
132	The relatives'™ perspective on advanced cancer care in Denmark. A cross-sectional survey. Supportive Care in Cancer, 2012, 20, 3179-3188.	1.0	14
133	Comparing higher order models for the EORTC QLQ-C30. Quality of Life Research, 2012, 21, 1607-1617.	1.5	52
134	Factors associated with Danish cancer patients'™ return to work. A report from the population-based study 'The Cancer Patient's™ World'™. Cancer Epidemiology, 2012, 36, 222-229.	0.8	29
135	Using method triangulation to validate a new instrument (CPWQ-com) assessing cancer patients'™ satisfaction with communication. Cancer Epidemiology, 2012, 36, 29-35.	0.8	8
136	Validation of the Danish version of the disease specific instrument EORTC QLQ-CR38 to assess Health-related quality of life in patients with colorectal cancer. Health and Quality of Life Outcomes, 2012, 10, 150.	1.0	16
137	Health-Related Quality of Life in EORTC clinical trials ' 30 years of progress from methodological developments to making a real impact on oncology practice. European Journal of Cancer, Supplement, 2012, 10, 141-149.	2.2	73
138	Expert conference on cancer pain assessment and classification--the need for international consensus: working proposals on international standards. BMJ Supportive and Palliative Care, 2011, 1, 281-287.	0.8	56
139	Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. Quality of Life Research, 2011, 20, 479-490.	1.5	38
140	Quality of life in patients with diffuse large B-cell lymphoma treated with dose-dense chemotherapy is only affected temporarily. Leukemia and Lymphoma, 2011, 52, 400-408.	0.6	15
141	Cross-sectorial cooperation and supportive care in general practice: cancer patients' experiences. Family Practice, 2011, 28, 532-540.	0.8	24
142	Testing the feasibility of the Dignity Therapy interview: adaptation for the Danish culture. BMC Palliative Care, 2010, 9, 21.	0.8	40
143	Differential item functioning (DIF) analyses of health-related quality of life instruments using logistic regression. Health and Quality of Life Outcomes, 2010, 8, 81.	1.0	92
144	Construct validity of a revised Physical Activity Scale and testing by cognitive interviewing. Scandinavian Journal of Public Health, 2010, 38, 707-714.	1.2	80

#	ARTICLE	IF	CITATIONS
145	Validity and reliability of the novel thyroid-specific quality of life questionnaire, ThyPRO. <i>European Journal of Endocrinology</i> , 2010, 162, 161-167.	1.9	163
146	Health-related quality of life in early breast cancer. <i>Danish Medical Bulletin</i> , 2010, 57, B4184.	0.3	15
147	Symptoms and problems in a nationally representative sample of advanced cancer patients. <i>Palliative Medicine</i> , 2009, 23, 491-501.	1.3	112
148	Chronic pain and other sequelae in long-term breast cancer survivors: Nationwide survey in Denmark. <i>European Journal of Pain</i> , 2009, 13, 478-485.	1.4	204
149	Health care utilisation and characteristics of long-term breast cancer survivors: Nationwide survey in Denmark. <i>European Journal of Cancer</i> , 2009, 45, 625-633.	1.3	56
150	Improving a newly developed patient-reported outcome for thyroid patients, using cognitive interviewing. <i>Quality of Life Research</i> , 2008, 17, 1009-1017.	1.5	65
151	The relationship between overall quality of life and its subdimensions was influenced by culture: analysis of an international database. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 788-795.	2.4	65
152	Which Domains of Thyroid-Related Quality of Life Are Most Relevant? Patients and Clinicians Provide Complementary Perspectives. <i>Thyroid</i> , 2007, 17, 647-654.	2.4	78
153	Does the agreement of patient and physician assessments of health related quality of life in palliative care depend on patient characteristics?. <i>Palliative Medicine</i> , 2007, 21, 289-294.	1.3	10
154	Breast cancer patients on adjuvant chemotherapy report a wide range of problems not identified by health-care staff. <i>Breast Cancer Research and Treatment</i> , 2007, 103, 185-195.	1.1	27
155	Psychological distress and fatigue predicted recurrence and survival in primary breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 209-219.	1.1	268
156	The development of the EORTC QLQ-C15-PAL: A shortened questionnaire for cancer patients in palliative care. <i>European Journal of Cancer</i> , 2006, 42, 55-64.	1.3	502
157	Item response theory was used to shorten EORTC QLQ-C30 scales for use in palliative care. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 36-44.	2.4	40
158	957 CHRONIC PAIN AND OTHER SEQUELAE IN BREAST CANCER SURVIVORS: A NATIONWIDE STUDY IN DENMARK. <i>European Journal of Pain</i> , 2006, 10, S248-S248.	1.4	0
159	Predictors of the Extent of Agreements between Terminally ill Cancer Patients and their Family Caregivers in Taiwan. <i>Quality of Life Research</i> , 2006, 15, 405-406.	1.5	4
160	Response to Commentary on Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. <i>Quality of Life Research</i> , 2006, 15, 1119-1120.	1.5	5
161	Chemotherapy versus ovarian ablation as adjuvant therapy for breast cancer: impact on health-related quality of life in a randomized trial. <i>Breast Cancer Research and Treatment</i> , 2006, 98, 275-284.	1.1	22
162	Quality of life in patients with benign thyroid disorders. A review. <i>European Journal of Endocrinology</i> , 2006, 154, 501-510.	1.9	184

#	ARTICLE	IF	CITATIONS
163	A longitudinal study of palliative care. <i>Cancer</i> , 2005, 103, 1747-1755.	2.0	73
164	Use of item response theory to develop a shortened version of the EORTC QLQ-C30 emotional functioning scale. <i>Quality of Life Research</i> , 2004, 13, 1683-1697.	1.5	55
165	Symptomatology of cancer patients in palliative care. <i>European Journal of Cancer</i> , 2002, 38, 788-794.	1.3	113
166	Self-assessment in cancer patients referred to palliative care. <i>Cancer</i> , 2002, 94, 512-520.	2.0	119
167	Methodological issues in the assessment of health-related quality of life in palliative care trials. <i>Acta Anaesthesiologica Scandinavica</i> , 1999, 43, 948-953.	0.7	19
168	Testing for differences in multiple quality of life dimensions: generating hypotheses from the experience of hospital staff. <i>Quality of Life Research</i> , 1998, 7, 479-486.	1.5	7