Aleksander Giwercman

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/390592/aleksander-giwercman-publications-by-year.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216 13,742 114 59 h-index g-index citations papers 6.06 15,399 235 5.3 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
216	Low-grade inflammation in survivors of childhood cancer and testicular cancer and its association with hypogonadism and metabolic risk factors <i>BMC Cancer</i> , 2022 , 22, 157	4.8	O
215	Testicular Dysfunction Among Cancer Survivors <i>Endocrinology and Metabolism Clinics of North America</i> , 2022 , 51, 173-186	5.5	1
214	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study <i>Physiology and Behavior</i> , 2022 , 252, 113825	3.5	O
213	Are sex disparities in COVID-19 a predictable outcome of failing mens health provision?. <i>Nature Reviews Urology</i> , 2021 ,	5.5	2
212	Self-Reported Shorter Than Desired Ejaculation Latency and Related Distress-Prevalence and Clinical Correlates: Results From the European Male Ageing Study. <i>Journal of Sexual Medicine</i> , 2021 , 18, 908-919	1.1	2
211	RUBIC (ReproUnion Biobank and Infertility Cohort): A binational clinical foundation to study risk factors, life course, and treatment of infertility and infertility-related morbidity. <i>Andrology</i> , 2021 , 9, 187	2 8-1 84	.23
21 0	Premature ovarian failure after childhood cancer and risk of metabolic syndrome: a cross-sectional analysis. <i>European Journal of Endocrinology</i> , 2021 , 185, 67-75	6.5	1
209	SARS-CoV-2, testosterone and frailty in males (PROTEGGIMI): A multidimensional research project. <i>Andrology</i> , 2021 , 9, 19-22	4.2	35
208	Serum amyloid P component: a new biomarker for low sperm concentration?. <i>Asian Journal of Andrology</i> , 2021 , 23, 450-455	2.8	4
207	Increased risk for prostate cancer related mortality among childless men in a population-based cohort followed for up to 40 years. <i>Scandinavian Journal of Urology</i> , 2021 , 55, 125-128	1.6	1
206	Communication and ethical considerations for fertility preservation for patients with childhood, adolescent, and young adult cancer: recommendations from the PanCareLIFE Consortium and the International Late Effects of Childhood Cancer Guideline Harmonization Group. <i>Lancet Oncology</i> ,	21.7	14
205	Sperm DNA fragmentation index and cumulative live birth rate in a cohort of 2,713 couples undergoing assisted reproduction treatment. <i>Fertility and Sterility</i> , 2021 , 116, 1483-1490	4.8	1
204	Hormonal Male Contraception. Current Pharmaceutical Design, 2021, 27, 2770-2774	3.3	O
203	Impact of genetic risk score on the association between male childlessness and cardiovascular disease and mortality. <i>Scientific Reports</i> , 2021 , 11, 18526	4.9	
202	Inflammatory markers are associated with quality of life, physical activity, and gait speed but not sarcopenia in aged men (40-79 years). <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	3
201	Hypertension and Reproduction. Current Hypertension Reports, 2020, 22, 29	4.7	5
200	Fetal exposure to paternal smoking and semen quality in the adult son. <i>Andrology</i> , 2020 , 8, 1117-1125	4.2	4

199	Low bone mineral density is associated with hypogonadism and cranial irradiation in male childhood cancer survivors. <i>Osteoporosis International</i> , 2020 , 31, 1261-1272	5.3	3
198	Testosterone replacement therapy in men who conceived with intracytoplasmic sperm injection: nationwide register study. <i>European Journal of Endocrinology</i> , 2020 , 182, 423-428	6.5	2
197	Short-term effect of pharmacologically induced alterations in testosterone levels on common blood biomarkers in a controlled healthy human model. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020 , 80, 25-31	2	О
196	Fetal Programming of Semen Quality (FEPOS) Cohort - A DNBC Male-Offspring Cohort. <i>Clinical Epidemiology</i> , 2020 , 12, 757-770	5.9	4
195	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up. <i>PLoS ONE</i> , 2020 , 15, e0237422	3.7	3
194	Symptoms of sexual dysfunction among men from infertile couples: prevalence and association with testosterone deficiency. <i>Andrology</i> , 2020 , 8, 160-165	4.2	9
193	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up 2020 , 15, e0237422		
192	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up 2020 , 15, e0237422		
191	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up 2020 , 15, e0237422		
190	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up 2020 , 15, e0237422		
189	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up 2020 , 15, e0237422		
188	Male childlessness as independent predictor of risk of cardiovascular and all-cause mortality: A population-based cohort study with more than 30 years follow-up 2020 , 15, e0237422		
187	Risk of prostate cancer for men fathering through assisted reproduction: nationwide population based register study. <i>BMJ, The</i> , 2019 , 366, l5214	5.9	12
186	Cancer therapy and risk of congenital malformations in children fathered by men treated for testicular germ-cell cancer: A nationwide register study. <i>PLoS Medicine</i> , 2019 , 16, e1002816	11.6	5
185	Identification of circulating small non-coding RNAs in relation to male subfertility and reproductive hormones. <i>Molecular and Cellular Endocrinology</i> , 2019 , 492, 110443	4.4	6
184	Copy number of the X-linked genes TLR7 and CD40L influences innate and adaptive immune responses. <i>Scandinavian Journal of Immunology</i> , 2019 , 90, e12776	3.4	14
183	Sperm chromatin structure assay high DNA stainability sperm as a marker of early miscarriage after intracytoplasmic sperm injection. <i>Fertility and Sterility</i> , 2019 , 112, 46-53.e2	4.8	22
182	National guidelines and multilingual age-adapted patient brochures and videos as decision aids for fertility preservation (FP) of children and teenagers with cancer-A multidisciplinary effort to improve childrens information and access to FP in Sweden. <i>Acta Obstetricia Et Gynecologica</i>	3.8	19

181	Sperm count in Swedish clinical stage I testicular cancer patients following adjuvant treatment. <i>Annals of Oncology</i> , 2019 , 30, 604-611	10.3	6
180	Interaction between serum levels of Anti-Mullerian Hormone and the degree of sperm DNA fragmentation measured by sperm chromatin structure assay can be a predictor for the outcome of standard in vitro fertilization. <i>PLoS ONE</i> , 2019 , 14, e0220909	3.7	1
179	Sperm recovery and ICSI outcomes in men with non-obstructive azoospermia: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2019 , 25, 733-757	15.8	85
178	Male factor infertility and risk of death: a nationwide record-linkage study. <i>Human Reproduction</i> , 2019 , 34, 2266-2273	5.7	17
177	Association between semen parameters and chance of fatherhood - a long-term follow-up study. <i>Andrology</i> , 2019 , 7, 76-81	4.2	2
176	Anti-mllerian hormone compared with other ovarian markers after childhood cancer treatment. <i>Acta Oncolgica</i> , 2019 , 58, 218-224	3.2	11
175	Racial and Sociodemographic Differences of Semen Parameters Among US Men Undergoing a Semen Analysis. <i>Urology</i> , 2019 , 123, 126-132	1.6	15
174	Impact of Di-2-Ethylhexyl Phthalate Metabolites on Male Reproductive Function: a Systematic Review of Human Evidence. <i>Current Environmental Health Reports</i> , 2018 , 5, 20-33	6.5	32
173	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 701-709	5.6	20
172	Impact of diet and bariatric surgery on anti-Mllerian hormone levels. <i>Human Reproduction</i> , 2018 , 33, 690-693	5.7	20
171	Alterations in Serum MicroRNA Profile During Hemodialysis - Potential Biological Implications. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 793-801	3.9	2
170	Impact of Kidney Transplantation on Reproductive Hormone Levels in Males: A Longitudinal Study. <i>Nephron</i> , 2018 , 138, 192-201	3.3	11
169	Endocrine disruptors and testicular function. <i>Metabolism: Clinical and Experimental</i> , 2018 , 86, 79-90	12.7	45
168	Male factor infertility and risk of multiple sclerosis: A register-based cohort study. <i>Multiple Sclerosis Journal</i> , 2018 , 24, 1835-1842	5	19
167	European Academy of Andrology guideline Management of oligo-astheno-teratozoospermia. <i>Andrology</i> , 2018 , 6, 513-524	4.2	79
166	Anti-mlerian hormone levels are associated with live birth rates in ART, but the predictive ability of anti-mlerian hormone is modest. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 225, 199-204	2.4	18
165	Sperm DNA and Natural Pregnancy 2018 , 365-391		
164	Sperm Chromatin and Environmental Factors 2018 , 301-319		O

163	Elevated luteinizing hormone despite normal testosterone levels in older men-natural history, risk factors and clinical features. <i>Clinical Endocrinology</i> , 2018 , 88, 479-490	3.4	18	
162	High risk of hypogonadism in young male cancer survivors. <i>Clinical Endocrinology</i> , 2018 , 88, 432-441	3.4	20	
161	Risk of Congenital Malformations in Children Born Before Paternal Cancer. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky027	4.6	4	
160	Association between paternal smoking at the time of pregnancy and the semen quality in sons. <i>PLoS ONE</i> , 2018 , 13, e0207221	3.7	3	
159	Male reproductive health statement (XIIIth international symposium on Spermatology, may 9th-12th 2018, Stockholm, Sweden. <i>Basic and Clinical Andrology</i> , 2018 , 28, 13	2.8	6	
158	Risk of metabolic disorders in childless men: a population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e020	293	8	
157	Impact of antioxidant treatment on DNA fragmentation index: a double-blind placebo-controlled randomized trial. <i>Andrology</i> , 2018 , 6, 811-816	4.2	25	
156	Serum chemerin levels are negatively associated with male fertility and reproductive hormones. <i>Human Reproduction</i> , 2018 , 33, 2168-2174	5.7	5	
155	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. <i>Clinical Endocrinology</i> , 2018 , 89, 459-469	3.4	30	
154	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. <i>European Journal of Nutrition</i> , 2017 , 56, 2093-2103	5.2	10	
153	Lower prostate cancer risk in Swedish men with the androgen receptor E213 A-allele. <i>Cancer Causes and Control</i> , 2017 , 28, 227-233	2.8		
152	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 662-671	6.5	13	
151	Risk of low bone mineral density in testicular germ cell cancer survivors: association with hypogonadism and treatment modality. <i>Andrology</i> , 2017 , 5, 898-904	4.2	11	
150	Risk of diabetes according to male factor infertility: a register-based cohort study. <i>Human Reproduction</i> , 2017 , 32, 1474-1481	5.7	44	
149	Hypogonadism in testicular cancer patients is associated with risk factors of cardiovascular disease and the metabolic syndrome. <i>Andrology</i> , 2017 , 5, 711-717	4.2	20	
148	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2798-2806	5.6	14	
147	Androgen receptor gene CAG and GGN repeat lengths as predictors of recovery of spermatogenesis following testicular germ cell cancer treatment. <i>Asian Journal of Andrology</i> , 2017 , 19, 538-542	2.8	2	
146	MicroRNA-155 and Anti-Mlerian Hormone: New Potential Markers of Subfertility in Men with Chronic Kidney Disease. <i>Nephron Extra</i> , 2017 , 7, 33-41		7	

145	Male Infertility and Risk of Nonmalignant Chronic Diseases: A Systematic Review of the Epidemiological Evidence. <i>Seminars in Reproductive Medicine</i> , 2017 , 35, 282-290	1.4	48
144	Serum microRNAs in male subfertility-biomarkers and a potential pathogenetic link to metabolic syndrome. <i>Journal of Assisted Reproduction and Genetics</i> , 2017 , 34, 1277-1282	3.4	9
143	Changes in prevalence of obesity and high waist circumference over four years across European regions: the European male ageing study (EMAS). <i>Endocrine</i> , 2017 , 55, 456-469	4	16
142	Seasonal fluctuation in the secretion of the antioxidant melatonin is not associated with alterations in sperm DNA damage. <i>Asian Journal of Andrology</i> , 2017 , 19, 52-56	2.8	1
141	Frailty and bone health in European men. Age and Ageing, 2017, 46, 635-641	3	15
140	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016 , 85, 891-901	3.4	27
139	Health Effects of PCBs in Residences and Schools (HESPERUS): PCB - health Cohort Profile. <i>Scientific Reports</i> , 2016 , 6, 24571	4.9	13
138	Mendelian randomization in relation to androgens and suicidal behavior in males. <i>Psychiatry Research</i> , 2016 , 245, 414-415	9.9	
137	Sperm chromatin structure assay in prediction of in vitro fertilization outcome. <i>Andrology</i> , 2016 , 4, 290-	-64.2	63
136	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 32	2.8	19
135	Lower bone turnover and relative bone deficits in men with metabolic syndrome: a matter of insulin sensitivity? The European Male Ageing Study. <i>Osteoporosis International</i> , 2016 , 27, 3227-3237	5.3	23
134	High prevalence of hypogonadism and associated impaired metabolic and bone mineral status in subfertile men. <i>Clinical Endocrinology</i> , 2016 , 85, 189-95	3.4	38
133	Chronic widespread pain is associated with worsening frailty in European men. <i>Age and Ageing</i> , 2016 , 45, 268-74	3	49
132	Sperm count in Swedish clinical stage I testicular cancer patients following modern adjuvant treatment <i>Journal of Clinical Oncology</i> , 2016 , 34, 4542-4542	2.2	
131	Low Free Testosterone Is Associated with Hypogonadal Signs and Symptoms in Men with Normal Total Testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2647-57	5.6	100
130	Exposure to persistent organic pollutants and sperm DNA methylation changes in Arctic and European populations. <i>Environmental and Molecular Mutagenesis</i> , 2016 , 57, 200-9	3.2	29
129	Environmental cadmium and lead exposure and anti-Mllerian hormone in pregnant women. <i>Reproductive Toxicology</i> , 2016 , 61, 114-9	3.4	7
128	High Prevalence of Osteoporosis in Men with Distal Radius Fracture: A Cross-Sectional Study of 233 Men. <i>Calcified Tissue International</i> , 2016 , 99, 250-8	3.9	6

(2014-2016)

127	The androgen receptor gene CAG repeat ?in relation to 4-year changes in ?androgen-sensitive endpoints in ?community-dwelling older European men. <i>European Journal of Endocrinology</i> , 2016 , 175, 583-593	6.5	9
126	The epidemiologic evidence linking prenatal and postnatal exposure to endocrine disrupting chemicals with male reproductive disorders: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2016 , 23, 104-125	15.8	168
125	Environmental hexachlorobenzene exposure and human male reproductive function. <i>Reproductive Toxicology</i> , 2015 , 58, 8-14	3.4	11
124	Cadmium may impair prostate function as measured by prostate specific antigen in semen: A cross-sectional study among European and Inuit men. <i>Reproductive Toxicology</i> , 2015 , 53, 33-8	3.4	6
123	Phthalates, perfluoroalkyl acids, metals and organochlorines and reproductive function: a multipollutant assessment in Greenlandic, Polish and Ukrainian men. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 385-93	2.1	52
122	Prenatal phthalate exposure and reproductive function in young men. <i>Environmental Research</i> , 2015 , 138, 264-70	7.9	62
121	Phthalate exposure and reproductive parameters in young men from the general Swedish population. <i>Environment International</i> , 2015 , 85, 54-60	12.9	61
120	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3172-82	5.6	95
119	Anti-Mllerian hormone, a Sertoli cell-derived marker, is decreased in plasma of male patients in all stages of chronic kidney disease. <i>Andrology</i> , 2015 , 3, 1160-4	4.2	7
118	Hypogonadism in young men treated for cancer. <i>Hormones</i> , 2015 , 14, 590-7	3.1	1
117	Serum miR-155 as a potential biomarker of male fertility. <i>Human Reproduction</i> , 2015 , 30, 853-60	5.7	16
116	No association between body mass index and sperm DNA integrity. Human Reproduction, 2015, 30, 170	4 5 13	36
115	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014 , 43, 528-35	3	16
114	Interactions between polymorphisms in the aryl hydrocarbon receptor signalling pathway and exposure to persistent organochlorine pollutants affect human semen quality. <i>Reproductive Toxicology</i> , 2014 , 49, 65-73	3.4	16
113	Indices of methylation in sperm DNA from fertile men differ between distinct geographical regions. <i>Human Reproduction</i> , 2014 , 29, 2065-72	5.7	19
112	Persistent organic pollutants and male reproductive health. <i>Asian Journal of Andrology</i> , 2014 , 16, 71-80	2.8	78
111	Exposure to persistent organic pollutants and sperm sex chromosome ratio in men from the Faroe Islands. <i>Environment International</i> , 2014 , 73, 359-64	12.9	10
110	Androgen receptor polymorphism-dependent variation in prostate-specific antigen concentrations of European men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2048-56	4	7

109	Inhibin B concentration is predictive for long-term azoospermia in men treated for testicular cancer. <i>Andrology</i> , 2014 , 2, 252-8	4.2	12
108	Perfluoroalkyl substances and time to pregnancy in couples from Greenland, Poland and Ukraine. <i>Environmental Health</i> , 2014 , 13, 116	6	25
107	Associations between serum phthalates and biomarkers of reproductive function in 589 adult men. <i>Environment International</i> , 2014 , 66, 146-56	12.9	77
106	The impact of sperm DNA damage in assisted conception and beyond: recent advances in diagnosis and treatment. <i>Reproductive BioMedicine Online</i> , 2013 , 27, 325-37	4	175
105	Non-linear association between androgen receptor CAG and GGN repeat lengths and reproductive parameters in fertile European and Inuit men. <i>Molecular and Cellular Endocrinology</i> , 2013 , 370, 163-71	4.4	8
104	Environmental mercury exposure, semen quality and reproductive hormones in Greenlandic Inuit and European men: a cross-sectional study. <i>Asian Journal of Andrology</i> , 2013 , 15, 97-104	2.8	24
103	Prevalence of high DNA fragmentation index in male partners of unexplained infertile couples. <i>Andrology</i> , 2013 , 1, 357-60	4.2	93
102	Negative association between testosterone concentration and inflammatory markers in young men: a nested cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e61466	3.7	98
101	The Impact of Paternal and Maternal Smoking on Semen Quality of Adolescent Men. <i>PLoS ONE</i> , 2013 , 8, e66766	3.7	26
100	Male Subfertility and Sperm Chromatin Damage 2013 , 117-136		
100 99	Male Subfertility and Sperm Chromatin Damage 2013, 117-136 Sperm Chromatin and Environmental Factors 2013, 167-184		
		10.2	556
99	Sperm Chromatin and Environmental Factors 2013 , 167-184 European Association of Urology guidelines on Male Infertility: the 2012 update. <i>European Urology</i> ,	10.2	556 39
99 98	Sperm Chromatin and Environmental Factors 2013 , 167-184 European Association of Urology guidelines on Male Infertility: the 2012 update. <i>European Urology</i> , 2012 , 62, 324-32 High prevalence of androgen deficiency and abnormal lipid profile in infertile men with		
99 98 97	Sperm Chromatin and Environmental Factors 2013 , 167-184 European Association of Urology guidelines on Male Infertility: the 2012 update. <i>European Urology</i> , 2012 , 62, 324-32 High prevalence of androgen deficiency and abnormal lipid profile in infertile men with non-obstructive azoospermia. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 688-94 Sperm DNA integrity in relation to exposure to environmental perfluoroalkyl substances - a study		39
99 98 97 96	Sperm Chromatin and Environmental Factors 2013, 167-184 European Association of Urology guidelines on Male Infertility: the 2012 update. <i>European Urology</i> , 2012, 62, 324-32 High prevalence of androgen deficiency and abnormal lipid profile in infertile men with non-obstructive azoospermia. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 688-94 Sperm DNA integrity in relation to exposure to environmental perfluoroalkyl substances - a study of spouses of pregnant women in three geographical regions. <i>Reproductive Toxicology</i> , 2012, 33, 577-58 Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and	33 ^{.4}	39 58
99 98 97 96	Sperm Chromatin and Environmental Factors 2013, 167-184 European Association of Urology guidelines on Male Infertility: the 2012 update. <i>European Urology</i> , 2012, 62, 324-32 High prevalence of androgen deficiency and abnormal lipid profile in infertile men with non-obstructive azoospermia. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 688-94 Sperm DNA integrity in relation to exposure to environmental perfluoroalkyl substances - a study of spouses of pregnant women in three geographical regions. <i>Reproductive Toxicology</i> , 2012, 33, 577-58 Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. <i>Chemosphere</i> , 2012, 88, 1269-75 Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men.	33·4 8.4	39 58 101

91 Sperm Chromatin and Environmental Factors **2011**, 361-374

90	Male Subfertility and Sperm Chromatin Damage 2011 , 321-335		
89	Environmental factors and testicular function. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2011 , 25, 391-402	6.5	53
88	Persistent Organohalogen Pollutants and Phthalates: Effects on Male Reproductive Function 2011 , 387-	-394	
87	Differences in serum levels of CB-153 and p,pSDDE, and reproductive parameters between men living south and north in Norway. <i>Reproductive Toxicology</i> , 2011 , 32, 261-7	3.4	27
86	High risk of azoospermia in men treated for childhood cancer. <i>Journal of Developmental and Physical Disabilities</i> , 2011 , 34, 69-76		53
85	Non-linear association between androgen receptor CAG repeat length and risk of male subfertilitya meta-analysis. <i>Journal of Developmental and Physical Disabilities</i> , 2011 , 34, 327-32		44
84	Sperm chromatin structure assay (SCSA): a tool in diagnosis and treatment of infertility. <i>Asian Journal of Andrology</i> , 2011 , 13, 69-75	2.8	126
83	Persistent organic pollutants have dose and CAG repeat length dependent effects on androgen receptor activity in vitro. <i>Reproductive Toxicology</i> , 2011 , 32, 293-7	3.4	8
82	Intra-individual variation of the sperm chromatin structure assay DNA fragmentation index in men from infertile couples. <i>Human Reproduction</i> , 2011 , 26, 3244-8	5.7	37
81	Influence of polymorphisms in the RANKL/RANK/OPG signaling pathway on volumetric bone mineral density and bone geometry at the forearm in men. <i>Calcified Tissue International</i> , 2011 , 89, 446-5	3 .9	15
80	Estrogens and phytoestrogens in male infertility. Current Opinion in Urology, 2011, 21, 519-26	2.8	33
79	No secular trend over the last decade in sperm counts among Swedish men from the general population. <i>Human Reproduction</i> , 2011 , 26, 1012-6	5.7	67
78	Persistent Organohalogen Pollutants and Phthalates: Effects on Male Reproductive Function 2011 , 96-1	03	
77	Sperm DNA Damage: Causes and Guidelines for Current Clinical Practice 2011 , 155-179		1
76	Sperm chromatin structure assay as an independent predictor of fertility in vivo: a case-control study. <i>Journal of Developmental and Physical Disabilities</i> , 2010 , 33, e221-7		159
75	Sperm DNA integrity in men treated for childhood cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 3843-50	12.9	35
74	Characteristics of secondary, primary, and compensated hypogonadism in aging men: evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1810-	§ .6	402

73	CAG repeat number is not inversely associated with androgen receptor activity in vitro. <i>Molecular Human Reproduction</i> , 2010 , 16, 153-7	4.4	70
72	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1830-8	6.3	49
71	Gene-environment interaction and male reproductive function. <i>Asian Journal of Andrology</i> , 2010 , 12, 298-307	2.8	18
70	Hypogonadism risk in men treated for childhood cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4180-6	5.6	68
69	Words of wisdom. Re: Testicular microlithiasis and carcinoma in situ overview and proposed clinical guidelines. <i>European Urology</i> , 2009 , 56, 1087	10.2	1
68	The European Male Ageing Study (EMAS): design, methods and recruitment. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 11-24		109
67	Single semen analysis as a predictor of semen quality: clinical and epidemiological implications. <i>Asian Journal of Andrology</i> , 2009 , 11, 723-30	2.8	21
66	Editorial comment on: noninvasive detection of testicular carcinoma in situ in semen using OCT3/4. <i>European Urology</i> , 2008 , 54, 159	10.2	1
65	Risk factors for post-treatment hypogonadism in testicular cancer patients. <i>European Journal of Endocrinology</i> , 2008 , 158, 561-70	6.5	44
64	Hypothalamic-pituitary-testicular axis disruptions in older men are differentially linked to age and modifiable risk factors: the European Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2737-45	5.6	639
63	Fertility and markers of male reproductive function in Inuit and European populations spanning large contrasts in blood levels of persistent organochlorines. <i>Environmental Health Perspectives</i> , 2008 , 116, 269-77	8.4	87
62	Association between tobacco exposure and reproductive parameters in adolescent males. <i>Journal of Developmental and Physical Disabilities</i> , 2008 , 31, 31-9		48
61	Sperm-DNA Fragmentation Measured by Sperm Chromatin Structure Assay as an Independent Predictor of Male Fertility In Vivo <i>Biology of Reproduction</i> , 2008 , 78, 174-174	3.9	
60	DNA Damage Measured by Sperm Chromatin Structure Assay (SCSA) and Birth Characteristics in Children Conceived by IVF or ICSI <i>Biology of Reproduction</i> , 2008 , 78, 182-182	3.9	
59	Influence of endocrine disruptors on human male fertility. <i>Reproductive BioMedicine Online</i> , 2007 , 15, 633-42	4	28
58	Semen quality in relation to xenohormone and dioxin-like serum activity among Inuits and three European populations. <i>Environmental Health Perspectives</i> , 2007 , 115 Suppl 1, 15-20	8.4	18
57	Seasonal variation in serum concentrations of reproductive hormones and urinary excretion of 6-sulfatoxymelatonin in men living north and south of the Arctic Circle: a longitudinal study. <i>Clinical Endocrinology</i> , 2007 , 67, 85-92	3.4	23
56	Sperm DNA integrity assessment in prediction of assisted reproduction technology outcome. <i>Human Reproduction</i> , 2007 , 22, 174-9	5.7	525

(2005-2007)

55	organohalogen pollutant exposure markers and semen characteristics. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 391-401	1.9	38
54	Re: Reduced risk of prostate cancer in men who are childless. <i>International Journal of Cancer</i> , 2006 , 118, 788-788	7.5	
53	Semen quality and exposure to persistent organochlorine pollutants. <i>Epidemiology</i> , 2006 , 17, 450-8	3.1	104
52	Sperm DNA integrity in testicular cancer patients. <i>Human Reproduction</i> , 2006 , 21, 3199-205	5.7	66
51	Impact of PCB and p,pSDDE contaminants on human sperm Y:X chromosome ratio: studies in three European populations and the Inuit population in Greenland. <i>Environmental Health Perspectives</i> , 2006 , 114, 718-24	8.4	41
50	Reproductive hormone levels in men exposed to persistent organohalogen pollutants: a study of inuit and three European cohorts. <i>Environmental Health Perspectives</i> , 2006 , 114, 1348-53	8.4	51
49	Relationships between sperm DNA fragmentation, sperm apoptotic markers and serum levels of CB-153 and p,pSDDE in European and Inuit populations. <i>Reproduction</i> , 2006 , 132, 949-58	3.8	54
48	Xenoestrogenic activity in blood of European and Inuit populations. <i>Environmental Health</i> , 2006 , 5, 12	6	36
47	Dioxin-like activities in serum across European and Inuit populations. <i>Environmental Health</i> , 2006 , 5, 14	6	32
46	Remarkably low incidence of hypospadias in Greenland despite high exposure to endocrine disrupters; possible protective effect of androgen receptor genotype. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 375-7	1.9	15
45	Sperm chromatin structure and male fertility: biological and clinical aspects. <i>Asian Journal of Andrology</i> , 2006 , 8, 11-29	2.8	215
44	Ethnic differences in occurrence of TDS genetics and/or environment?. <i>Journal of Developmental and Physical Disabilities</i> , 2006 , 29, 291-7; discussion 304-6		28
43	Significant impact of 5alpha-reductase type 2 polymorphisms on sperm concentration and motility. Journal of Developmental and Physical Disabilities, 2006 , 29, 414-20		18
42	Androgen receptor gene GGN repeat length and reproductive characteristics in young Swedish men. <i>European Journal of Endocrinology</i> , 2006 , 155, 347-54	6.5	31
41	Intra-individual variation in sperm chromatin structure assay parameters in men from infertile couples: clinical implications. <i>Human Reproduction</i> , 2006 , 21, 2061-4	5.7	70
40	Fertility in four regions spanning large contrasts in serum levels of widespread persistent organochlorines: a cross-sectional study. <i>Environmental Health</i> , 2005 , 4, 26	6	85
39	Inter-population variations in concentrations, determinants of and correlations between 2,2\$4,4\$5,5\$hexachlorobiphenyl (CB-153) and 1,1-dichloro-2,2-bis (p-chlorophenyl)-ethylene (p,p\$DDE): a cross-sectional study of 3161 men and women from Inuit and European populations.	6	81
38	Environmental Health, 2005, 4, 27 Urinary phthalate metabolites and biomarkers of reproductive function in young men. Epidemiology, 2005, 16, 487-93	3.1	189

37	Exposure to persistent organochlorine pollutants associates with human sperm Y:X chromosome ratio. <i>Human Reproduction</i> , 2005 , 20, 1903-9	5.7	69
36	Testicular cancer and molecular genetics. <i>Andrologia</i> , 2005 , 37, 224-5	2.4	6
35	Quality control workshops in standardization of sperm concentration and motility assessment in multicentre studies. <i>Journal of Developmental and Physical Disabilities</i> , 2005 , 28, 144-9		26
34	Sperm concentration in Latvian military conscripts as compared with other countries in the Nordic-Baltic area. <i>Journal of Developmental and Physical Disabilities</i> , 2005 , 28, 208-14		24
33	Reduced risk of prostate cancer in men who are childless as compared to those who have fathered a child: a population based case-control study. <i>International Journal of Cancer</i> , 2005 , 115, 994-7	7.5	33
32	Exposure to PCBs and p,pSDDE and human sperm chromatin integrity. <i>Environmental Health Perspectives</i> , 2005 , 113, 175-9	8.4	79
31	Linkage between cryptorchidism, hypospadias, and GGN repeat length in the androgen receptor gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5105-9	5.6	100
30	Toluidine blue cytometry test for sperm DNA conformation: comparison with the flow cytometric sperm chromatin structure and TUNEL assays. <i>Human Reproduction</i> , 2004 , 19, 2277-82	5.7	94
29	Reproductive function during summer and winter in Norwegian men living north and south of the Arctic circle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 4397-402	5.6	21
28	Impact of therapy and androgen receptor polymorphism on sperm concentration in men treated for testicular germ cell cancer: a longitudinal study. <i>Human Reproduction</i> , 2004 , 19, 1418-25	5.7	25
27	Androgen receptor gene GGN and CAG polymorphisms among severely oligozoospermic and azoospermic Swedish men. <i>Human Reproduction</i> , 2004 , 19, 2076-83	5.7	47
26	Exposure to CB-153 and p,pSDDE and male reproductive function. <i>Human Reproduction</i> , 2004 , 19, 2066	-7557	111
25	The predictive value of sperm chromatin structure assay (SCSA) parameters for the outcome of intrauterine insemination, IVF and ICSI. <i>Human Reproduction</i> , 2004 , 19, 1401-8	5.7	352
24	Linkage between androgen receptor gene CAG trinucleotide repeat length and testicular germ cell cancer histological type and clinical stage. <i>European Journal of Cancer</i> , 2004 , 40, 2152-8	7.5	39
23	No association between mutations in the human androgen receptor GGN repeat and inter-sex conditions. <i>Molecular Human Reproduction</i> , 2003 , 9, 375-9	4.4	37
22	Serum levels of 2,2\$4,4\$5,5Shexachlorobiphenyl (CB-153) in relation to markers of reproductive function in young males from the general Swedish population. <i>Environmental Health Perspectives</i> , 2003 , 111, 409-13	8.4	142
21	Correlation between sperm motility and sperm chromatin structure assay parameters. <i>Fertility and Sterility</i> , 2003 , 80, 1404-12	4.8	150
20	Higher sperm counts in Southern Sweden compared with Denmark. <i>Human Reproduction</i> , 2002 , 17, 246	8 <i>577</i> 3	64

19	The impact of testicular and accessory sex gland function on sperm chromatin integrity as assessed by the sperm chromatin structure assay (SCSA). <i>Human Reproduction</i> , 2002 , 17, 3162-9	5.7	60
18	The impact of epididymal and accessory sex gland function on sperm motility. <i>Human Reproduction</i> , 2002 , 17, 2904-11	5.7	111
17	Inter-observer variation in the results of the clinical andrological examination including estimation of testicular size. <i>Journal of Developmental and Physical Disabilities</i> , 2000 , 23, 248-53		70
16	Computer-assisted semen analysis parameters as predictors for fertility of men from the general population. The Danish First Pregnancy Planner Study Team. <i>Human Reproduction</i> , 2000 , 15, 1562-7	5.7	179
15	Cancer and male infertility. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2000 , 14, 453-71	6.5	37
14	Human semen quality in relation to dietary pesticide exposure and organic diet. <i>Archives of Environmental Contamination and Toxicology</i> , 1999 , 37, 415-23	3.2	51
13	Semen quality and reproductive hormones before orchiectomy in men with testicular cancer. <i>Journal of Clinical Oncology</i> , 1999 , 17, 941-7	2.2	159
12	A longitudinal study of semen quality in pesticide spraying Danish farmers. The ASCLEPIOS Study Group. <i>Reproductive Toxicology</i> , 1998 , 12, 581-9	3.4	63
11	Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. <i>Lancet, The</i> , 1998 , 352, 1172-7	40	583
10	The applicability of the flow cytometric sperm chromatin structure assay in epidemiological studies. Asclepios. <i>Human Reproduction</i> , 1998 , 13, 2495-505	5.7	124
9	Inhibin B as a serum marker of spermatogenesis: correlation to differences in sperm concentration and follicle-stimulating hormone levels. A study of 349 Danish men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 4059-63	5.6	217
8	Identifying environmental risk to male reproductive function by occupational sperm studies: logistics and design options. <i>Occupational and Environmental Medicine</i> , 1996 , 53, 511-9	2.1	72
7	Male reproductive health and environmental xenoestrogens. <i>Environmental Health Perspectives</i> , 1996 , 104 Suppl 4, 741-803	8.4	905
6	Dose-dependent impairment of testicular function in patients treated with cisplatin-based chemotherapy for germ cell cancer. <i>Annals of Oncology</i> , 1994 , 5, 355-8	10.3	85
5	Pathogenesis and management of male infertility. <i>Lancet, The</i> , 1994 , 343, 1473-9	40	146
4	Evidence for increasing incidence of abnormalities of the human testis: a review. <i>Environmental Health Perspectives</i> , 1993 , 101 Suppl 2, 65-71	8.4	125
3	Evidence for decreasing quality of semen during past 50 years. <i>BMJ: British Medical Journal</i> , 1992 , 305, 609-13		1774
2	Screening for carcinoma-in-situ of the testis. <i>Journal of Developmental and Physical Disabilities</i> , 1987 , 10, 173-80		51

Ultrasound in detection of early neoplasia of the testis. *Journal of Developmental and Physical Disabilities*, **1987**, 10, 187-90

64