## Johannes F E Mann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3906023/publications.pdf

Version: 2024-02-01

76196 62479 14,473 78 40 80 citations h-index g-index papers 82 82 82 14297 docs citations times ranked citing authors all docs

| #  | Article   | IF          | Citations               |
|----|---|-------------|-------------------------|
| 1  | Liraglutide and Cardiovascular Outcomes in Type 2 Diabetes. New England Journal of Medicine, 2016, 375, 311-322.  | 13.9        | 5,070                   |
| 2  | Renal outcomes with telmisartan, ramipril, or both, in people at high vascular risk (the ONTARGET) Tj ETQq0 0 0   | rgBT/Ove    | rlock 10 Tf 50<br>1,442 |
| 3  | Chronic Kidney Disease. Circulation, 2007, 116, 85-97.  | 1.6         | 1,278                   |
| 4  | Liraglutide and Renal Outcomes in Type 2 Diabetes. New England Journal of Medicine, 2017, 377, 839-848.   | 13.9        | 903                     |
| 5  | Meta-analysis: Effect of Monotherapy and Combination Therapy with Inhibitors of the Renin–Angiotensin System on Proteinuria in Renal Disease. Annals of Internal Medicine, 2008, 148, 30.       | 2.0         | 626                     |
| 6  | Avosentan for Overt Diabetic Nephropathy. Journal of the American Society of Nephrology: JASN, 2010, 21, 527-535.   | 3.0         | 428                     |
| 7  | Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. Lancet, The, 2016, 388, 465-475. | 6.3         | 381                     |
| 8  | Effects of Vitamin E on Cardiovascular and Microvascular Outcomes in High-Risk Patients With Diabetes: Results of the HOPE Study and MICRO-HOPE Substudy. Diabetes Care, 2002, 25, 1919-1927.   | 4.3         | 349                     |
| 9  | Achieved blood pressure and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. Lancet, The, 2017, 389, 2226-2237.                                       | <b>6.</b> 3 | 263                     |
| 10 | Changes in Albuminuria Predict Mortality and Morbidity in Patients with Vascular Disease. Journal of the American Society of Nephrology: JASN, 2011, 22, 1353-1364.                             | 3.0         | 234                     |
| 11 | Lipoprotein(a) Serum Concentrations and Apolipoprotein(a) Phenotypes in Mild and Moderate Renal Failure. Journal of the American Society of Nephrology: JASN, 2000, 11, 105-115.                | 3.0         | 206                     |
| 12 | Design of the liraglutide effect and action in diabetes: Evaluation of cardiovascular outcome results (LEADER) trial. American Heart Journal, 2013, 166, 823-830.e5.                            | 1.2         | 182                     |
| 13 | Executive summary of the KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. Kidney International, 2021, 99, 559-569.                        | 2.6         | 169                     |
| 14 | Effect of Telmisartan on Renal Outcomes. Annals of Internal Medicine, 2009, 151, 1.   | 2.0         | 163                     |
| 15 | Cardiovascular and Renal Outcomes With Telmisartan, Ramipril, or Both in People at High Renal Risk.<br>Circulation, 2011, 123, 1098-1107.   | 1.6         | 135                     |
| 16 | Development of Renal Disease in People at High Cardiovascular Risk: Results of the HOPE Randomized Study. Journal of the American Society of Nephrology: JASN, 2003, 14, 641-647.               | 3.0         | 130                     |
| 17 | ACE Inhibitors versus AT1 Receptor Antagonists in Patients with Chronic Renal Disease. Journal of the American Society of Nephrology: JASN, 2002, 13, 1100-1108.                                | 3.0         | 110                     |
| 18 | Long-term effects of the iron-based phosphate binder, sucroferric oxyhydroxide, in dialysis patients. Nephrology Dialysis Transplantation, 2015, 30, 1037-1046.                                 | 0.4         | 109                     |

| #  | Article  | IF                | CITATIONS            |
|----|--|-------------------|----------------------|
| 19 | Effects of vitamin E on cardiovascular outcomes in people with mild-to-moderate renal insufficiency: Results of the HOPE Study. Kidney International, 2004, 65, 1375-1380.   | 2.6               | 102                  |
| 20 | Risk Prediction for Early CKD in Type 2 Diabetes. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1371-1379.  | 2.2               | 97                   |
| 21 | Achieved diastolic blood pressure and pulse pressure at target systolic blood pressure (120–140) Tj ETQq1 1 0 trials. European Heart Journal, 2018, 39, 3105-3114.   | 0.784314 i<br>1.0 | rgBT /Overlock<br>92 |
| 22 | Cardiovascular Risk Reduction With Liraglutide: An Exploratory Mediation Analysis of the LEADER Trial. Diabetes Care, 2020, 43, 1546-1552.   | 4.3               | 92                   |
| 23 | The COOPERATE trial: a letter of concern. Lancet, The, 2008, 371, 1575-1576.   | 6.3               | 89                   |
| 24 | Effects of Liraglutide Versus Placebo on Cardiovascular Events in Patients With Type 2 Diabetes Mellitus and Chronic Kidney Disease. Circulation, 2018, 138, 2908-2918.  | 1.6               | 88                   |
| 25 | Effect of the Glucagon-Like Peptide-1 Receptor Agonists Semaglutide and Liraglutide on Kidney Outcomes in Patients With Type 2 Diabetes: Pooled Analysis of SUSTAIN 6 and LEADER. Circulation, 2022, 145, 575-585.   | 1.6               | 88                   |
| 26 | Modifiable lifestyle and social factors affect chronic kidney disease in high-risk individuals with type 2 diabetes mellitus. Kidney International, 2015, 87, 784-791.   | 2.6               | 86                   |
| 27 | Effects of once-weekly subcutaneous semaglutide on kidney function and safety in patients with type 2 diabetes: a post-hoc analysis of the SUSTAIN $1\hat{a}\in$ "7 randomised controlled trials. Lancet Diabetes and Endocrinology,the, 2020, 8, 880-893. | 5.5               | 86                   |
| 28 | Homocysteine lowering with folic acid and B vitamins in people with chronic kidney diseaseresults of the renal Hope-2 study. Nephrology Dialysis Transplantation, 2007, 23, 645-653.   | 0.4               | 82                   |
| 29 | Progression of renal insufficiency in type 2 diabetes with and without microalbuminuria: results of the Heart Outcomes and Prevention Evaluation (HOPE) randomized study. American Journal of Kidney Diseases, 2003, 42, 936-942.                          | 2.1               | 75                   |
| 30 | Estimated Glomerular Filtration Rate and Albuminuria as Predictors of Outcomes in Patients With High Cardiovascular Risk. Annals of Internal Medicine, 2011, 154, 310.   | 2.0               | 74                   |
| 31 | Dual inhibition of the renin–angiotensin system in high-risk diabetes and risk for stroke and other outcomes. Journal of Hypertension, 2013, 31, 414-421.  | 0.3               | 72                   |
| 32 | Albuminuria as a predictor of cardiovascular and renal outcomes in people with known atherosclerotic cardiovascular disease. Kidney International, 2004, 66, S59-S62.  | 2.6               | 70                   |
| 33 | Diet and Major Renal Outcomes: A Prospective Cohort Study. The NIH-AARP Diet and Health Study. , 2016, 26, 288-298.  |                   | 68                   |
| 34 | Sodium Intake and Renal Outcomes: A Systematic Review. American Journal of Hypertension, 2014, 27, 1277-1284.  | 1.0               | 66                   |
| 35 | International consensus definitions of clinical trial outcomes for kidney failure: 2020. Kidney International, 2020, 98, 849-859.  | 2.6               | 65                   |
| 36 | Cardiovascular risk in patients with mild renal insufficiency. Kidney International, 2003, 63, S192-S196.  | 2.6               | 61                   |

| #  | Article   | IF          | Citations |
|----|---|-------------|-----------|
| 37 | Blood pressure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. Kidney International, 2019, 95, 1027-1036.   | 2.6         | 60        |
| 38 | How Does Minor Renal Dysfunction Influence Cardiovascular Risk and the Management of Cardiovascular Disease?. Journal of the American Society of Nephrology: JASN, 2004, 15, 517-523.   | 3.0         | 55        |
| 39 | Cardiovascular outcomes and achieved blood pressure in patients with and without diabetes at high cardiovascular risk. European Heart Journal, 2019, 40, 2032-2043.   | 1.0         | 47        |
| 40 | Population-Attributable Fractions of Modifiable Lifestyle Factors for CKD and Mortality in Individuals With Type 2 Diabetes: AÂCohort Study. American Journal of Kidney Diseases, 2016, 68, 29-40.  | 2.1         | 46        |
| 41 | Effects of Linagliptin on Cardiovascular and Kidney Outcomes in People With Normal and Reduced Kidney Function: Secondary Analysis of the CARMELINA Randomized Trial. Diabetes Care, 2020, 43, 1803-1812.   | <b>4.</b> 3 | 44        |
| 42 | Genome-wide studies to identify risk factors for kidney disease with a focus on patients with diabetes. Nephrology Dialysis Transplantation, 2015, 30, iv26-iv34.   | 0.4         | 41        |
| 43 | Management of Blood Pressure in Patients With Chronic Kidney Disease Not Receiving Dialysis:<br>Synopsis of the 2021 KDIGO Clinical Practice Guideline. Annals of Internal Medicine, 2021, 174, 1270-1281.  | 2.0         | 41        |
| 44 | Potential kidney protection with liraglutide and semaglutide: Exploratory mediation analysis. Diabetes, Obesity and Metabolism, 2021, 23, 2058-2066.  | 2.2         | 33        |
| 45 | Safety of Liraglutide in Type 2 Diabetes and Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 465-473.  | 2.2         | 32        |
| 46 | Dietary risk factors for incidence or progression of chronic kidney disease in individuals with type 2 diabetes in the European Union. Nephrology Dialysis Transplantation, 2015, 30, iv76-iv85.  | 0.4         | 31        |
| 47 | Liraglutide and Renal Outcomes in Type 2 Diabetes. New England Journal of Medicine, 2017, 377, 2195-2198.   | 13.9        | 31        |
| 48 | Changes in Albuminuria Predict Cardiovascular and Renal Outcomes in Type 2 Diabetes: A Post Hoc Analysis of the LEADER Trial. Diabetes Care, 2021, 44, 1020-1026.   | 4.3         | 30        |
| 49 | Cardiovascular Risk in Patients with Early Renal Insufficiency. American Journal of Cardiovascular<br>Drugs, 2002, 2, 157-162.  | 1.0         | 29        |
| 50 | Effect of dapagliflozin on kidney and cardiovascular outcomes by baseline KDIGO risk categories: a post hoc analysis of the DAPA-CKD trial. Diabetologia, 2022, 65, 1085-1097.  | 2.9         | 28        |
| 51 | Long-term effects following 4 years of randomized treatment with atorvastatin in patients with type 2Âdiabetes mellitus on hemodialysis. Kidney International, 2016, 89, 1380-1387.   | 2.6         | 27        |
| 52 | Darbepoetin alfa once every 2 weeks for treatment of anemia in dialysis patients: a combined analysis of eight multicenter trials. Clinical Nephrology, 2007, 67, 140-148.  | 0.4         | 27        |
| 53 | Optimal Treatment of Renal Anaemia (OPTA): improving the efficacy and efficiency of renal anaemia therapy in haemodialysis patients receiving intravenous epoetin. Nephrology Dialysis Transplantation, 2005, 20, iii25-iii32.  | 0.4         | 25        |
| 54 | Reevaluation by High-Performance Liquid Chromatography: Clinical Significance of Microalbuminuria in Individuals at High Risk of Cardiovascular Disease in the Heart Outcomes Prevention Evaluation (HOPE) Study. American Journal of Kidney Diseases, 2006, 48, 889-896. | 2.1         | 25        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | One-year efficacy and safety of the iron-based phosphate binder sucroferric oxyhydroxide in patients on peritoneal dialysis. Nephrology Dialysis Transplantation, 2017, 32, 1918-1926.  | 0.4 | 21        |
| 56 | Blood HER2 and Uromodulin as Causal Mediators of CKD. Journal of the American Society of Nephrology: JASN, 2018, 29, 1326-1335.   | 3.0 | 21        |
| 57 | Cardiovascular risk in patients with mild renal insufficiency: implications for the use of ACE inhibitors. Presse Medicale, 2005, 34, 1303-1308.  | 0.8 | 18        |
| 58 | Fewer dose changes with once-monthly C.E.R.A. in patients with chronic kidney disease. Clinical Nephrology, 2011, 76, 9-15.   | 0.4 | 16        |
| 59 | Incretin-based drugs and the kidney in type 2 diabetes: choosing between DPP-4 inhibitors and GLP-1 receptor agonists. Kidney International, 2021, 99, 314-318.   | 2.6 | 14        |
| 60 | Cardiovascular and renal outcomes by baseline albuminuria status and renal function: Results from the <scp>LEADER</scp> randomized trial. Diabetes, Obesity and Metabolism, 2020, 22, 2077-2088.  | 2.2 | 10        |
| 61 | A pharmacoepidemiological study of the multi-level determinants, predictors, and clinical outcomes of biosimilar epoetin alfa for renal anaemia in haemodialysis patients: background and methodology of the MONITOR-CKD5 study. Internal and Emergency Medicine, 2013, 8, 389-399. | 1.0 | 9         |
| 62 | Diagnosis and treatment of early renal disease in patients with type 2 diabetes mellitus: what are the clinical needs?. Nephrology Dialysis Transplantation, 2015, 30, iv1-iv5.   | 0.4 | 9         |
| 63 | Renal outcomes and blood pressure patterns in diabetic and nondiabetic individuals at high cardiovascular risk. Journal of Hypertension, 2021, 39, 766-774.   | 0.3 | 9         |
| 64 | Long-term treatment with biosimilar epoetin- $\hat{l}_{\pm}$ (HX575) in hemodialysis patients with renal anemia: real-world effectiveness and safety in the MONITOR-CKD5 study. Clinical Nephrology, 2018, 89, 1-9.   | 0.4 | 7         |
| 65 | Dual renin–angiotensin system blockade and outcome benefits in hypertension. Current Opinion in Cardiology, 2015, 30, 373-377.  | 0.8 | 6         |
| 66 | Potential life-years gained over a 5-year period by correcting DOPPS-identified modifiable practices in haemodialysis: results from the European MONITOR-CKD5 study. BMC Nephrology, 2019, 20, 81.  | 0.8 | 6         |
| 67 | What's new in hypertension 2008?. Nephrology Dialysis Transplantation, 2008, 24, 38-42.   | 0.4 | 5         |
| 68 | Commentary on the KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in CKD. Current Cardiology Reports, 2021, 23, 132.  | 1.3 | 5         |
| 69 | What's new in hypertension 2010?. Nephrology Dialysis Transplantation, 2011, 26, 50-55.   | 0.4 | 4         |
| 70 | SaOO10EFFECTS OF THE GLUCAGON-LIKE PEPTIDE-1 (GLP-1) ANALOGUES SEMAGLUTIDE AND LIRAGLUTIDE ON RENAL OUTCOMES – A POOLED ANALYSIS OF THE SUSTAIN 6 AND LEADER TRIALS. Nephrology Dialysis Transplantation, 2019, 34, .   | 0.4 | 4         |
| 71 | Effects of ACE inhibitors and angiotensin receptor blockers: protocol for a UK cohort study using routinely collected electronic health records with validation against the ONTARGET trial. BMJ Open, 2022, 12, e051907.  | 0.8 | 4         |
| 72 | What's new in hypertension 2009?. Nephrology Dialysis Transplantation, 2010, 25, 37-41.   | 0.4 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Prediction of the Effects of Liraglutide on Kidney and Cardiovascular Outcomes Based on Short-Term Changes in Multiple Risk Markers. Frontiers in Pharmacology, 2022, 13, 786767. | 1.6 | 2         |
| 74 | Clinic versus home blood-pressure measurements as a predictor of outcomes in chronic kidney disease. Nature Clinical Practice Nephrology, 2006, 2, 474-475.                       | 2.0 | 1         |
| 75 | What's new in hypertension?. Nephrology Dialysis Transplantation, 2006, 22, 47-52.  | 0.4 | 1         |
| 76 | What's new in hypertension 2007?. Nephrology Dialysis Transplantation, 2007, 23, 466-470.   | 0.4 | 1         |
| 77 | Dual RAS blockade—unresolved controversy?. Nature Reviews Nephrology, 2013, 9, 640-640.   | 4.1 | 1         |
| 78 | Letter regarding "diagnosis and treatment of arterial hypertension 2021― Kidney International, 2022, 101, 828-830.  | 2.6 | 1         |