

Andras Szekacs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/390727/publications.pdf>

Version: 2024-02-01

124
papers

2,488
citations

249298

26
h-index

299063

42
g-index

125
all docs

125
docs citations

125
times ranked

3099
citing authors

#	ARTICLE	IF	CITATIONS
1	Physiological and metabolic alterations induced by commercial neonicotinoid formulations in <i>Daphnia magna</i> . <i>Ecotoxicology</i> , 2022, 31, 415-424.	1.1	8
2	Herbivorous Juvenile Grass Carp (<i>Ctenopharyngodon idella</i>) Fed with Genetically Modified MON 810 and DAS-59122 Maize Varieties Containing Cry Toxins: Intestinal Histological, Developmental, and Immunological Investigations. <i>Toxins</i> , 2022, 14, 153.	1.5	0
3	Potential Risk of Pollen from Genetically Modified MON 810 Maize Containing Cry1Ab Toxin to Protected Lepidopteran Larvae in the Pannonian Biogeographical Region—A Retrospective View. <i>Insects</i> , 2022, 13, 206.	1.0	1
4	Cytotoxic effects of Roundup Classic and its components on NE-4C and MC3T3-E1 cell lines determined by biochemical and flow cytometric assays. <i>Toxicology Reports</i> , 2022, 9, 914-926.	1.6	8
5	Effects of Combined Application of Solid Pyrolysis Products and Digestate on Selected Soil Properties of Arenosol and Plant Growth and Composition in Laboratory Experiments. <i>Agronomy</i> , 2022, 12, 1440.	1.3	3
6	Herbicides: Brief history, agricultural use, and potential alternatives for weed control. , 2021, , 1-20.		2
7	An Optical Planar Waveguide-Based Immunosensors for Determination of Fusarium Mycotoxin Zearalenone. <i>Toxins</i> , 2021, 13, 89.	1.5	15
8	Direct and Competitive Optical Grating Immunosensors for Determination of Fusarium Mycotoxin Zearalenone. <i>Toxins</i> , 2021, 13, 43.	1.5	10
9	Development of an Immunofluorescence Assay Module for Determination of the Mycotoxin Zearalenone in Water. <i>Toxins</i> , 2021, 13, 182.	1.5	10
10	Effects of glyphosate-based herbicides and their active ingredients on earthworms, water infiltration and glyphosate leaching are influenced by soil properties. <i>Environmental Sciences Europe</i> , 2021, 33, .	2.6	24
11	Biosensors for Deoxynivalenol and Zearalenone Determination in Feed Quality Control. <i>Toxins</i> , 2021, 13, 499.	1.5	11
12	Editorial: RNAi Based Pesticides. <i>Frontiers in Plant Science</i> , 2021, 12, 714116.	1.7	5
13	Mycotoxins as Emerging Contaminants. Introduction to the Special Issue “Rapid Detection of Mycotoxin Contamination”. <i>Toxins</i> , 2021, 13, 475.	1.5	6
14	Herbicide mode of action. , 2021, , 41-86.		7
15	3-Amidinophenylalanine-derived matriptase inhibitors can modulate hepcidin production in vitro. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 511-520.	1.4	2
16	Aflatoxin B1 and Sterigmatocystin Binding Potential of Lactobacilli. <i>Toxins</i> , 2020, 12, 756.	1.5	10
17	Aflatoxin B1 and Sterigmatocystin Binding Potential of Non-Lactobacillus LAB Strains. <i>Toxins</i> , 2020, 12, 799.	1.5	6
18	Appearance of Thiacloprid in the Guttation Liquid of Coated Maize Seeds. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3290.	1.2	2

#	ARTICLE	IF	CITATIONS
19	Summary of Discussions From the 2019 OECD Conference on RNAi Based Pesticides. <i>Frontiers in Plant Science</i> , 2020, 11, 740.	1.7	19
20	Neonicotinoids: Spreading, Translocation and Aquatic Toxicity. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2006.	1.2	30
21	Commercial glyphosate-based herbicides effects on springtails (Collembola) differ from those of their respective active ingredients and vary with soil organic matter content. <i>Environmental Science and Pollution Research</i> , 2020, 27, 17280-17289.	2.7	13
22	Environmental Analytical and Ecotoxicological Aspects of Bt Maize in the Pannonian Biogeographical Region of the European Union. <i>Topics in Biodiversity and Conservation</i> , 2020, , 149-172.	0.3	0
23	[INVITED] Novel optical biosensing technologies for detection of mycotoxins. <i>Optics and Laser Technology</i> , 2019, 109, 212-221.	2.2	25
24	Highly sensitive label-free in vitro detection of aflatoxin B1 in an aptamer assay using optical planar waveguide operating as a polarization interferometer. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 7717-7724.	1.9	13
25	Tumor-Associated Disialylated Glycosphingolipid Antigen-Revealing Antibodies Found in Melanoma Patients' Immunoglobulin Repertoire Suggest a Two-Direction Regulation Mechanism Between Immune B Cells and the Tumor. <i>Frontiers in Immunology</i> , 2019, 10, 650.	2.2	3
26	Aquatic toxicity and loss of linear alkylbenzenesulfonates alone and in a neonicotinoid insecticide formulation in surface water. <i>Science of the Total Environment</i> , 2019, 652, 780-787.	3.9	11
27	Contamination of the guttation liquid of two common weeds with neonicotinoids from coated maize seeds planted in close proximity. <i>Science of the Total Environment</i> , 2019, 649, 1137-1143.	3.9	11
28	Sensitive fluorescence instrumentation for water quality assessment. , 2019, , .		0
29	Label-free optical biosensor for real-time monitoring the cytotoxicity of xenobiotics: A proof of principle study on glyphosate. <i>Journal of Hazardous Materials</i> , 2018, 351, 80-89.	6.5	31
30	Detection of ochratoxin A in aptamer assay using total internal reflection ellipsometry. <i>Sensors and Actuators B: Chemical</i> , 2018, 263, 248-251.	4.0	34
31	Radiolysis of sulfonamide antibiotics in aqueous solution: Degradation efficiency and assessment of antibacterial activity, toxicity and biodegradability of products. <i>Science of the Total Environment</i> , 2018, 622-623, 1009-1015.	3.9	28
32	The effect of intensive chemical plant protection on the quality of spice paprika. <i>Journal of Food Composition and Analysis</i> , 2018, 67, 141-148.	1.9	5
33	The effect of different decontamination methods on the microbial load, bioactive components, aroma and colour of spice paprika. <i>Food Control</i> , 2018, 83, 131-140.	2.8	50
34	Chemical characteristics of spice paprika of different origins. <i>Food Control</i> , 2018, 83, 54-60.	2.8	22
35	Investigation of regional differences of the dominant microflora of spice paprika by molecular methods. <i>Food Control</i> , 2018, 83, 109-117.	2.8	8
36	Network and vulnerability analysis of international spice trade. <i>Food Control</i> , 2018, 83, 141-146.	2.8	7

#	ARTICLE	IF	CITATIONS
37	Environmental and food safety of spices and herbs along global food chains. Food Control, 2018, 83, 1-6.	2.8	40
38	National seasoning practices and factors affecting the herb and spice consumption habits in Europe. Food Control, 2018, 83, 147-156.	2.8	10
39	The impact of H ₂ O ₂ and the role of mineralization in biodegradation or ecotoxicity assessment of advanced oxidation processes. Radiation Physics and Chemistry, 2018, 144, 361-366.	1.4	19
40	Integrin targeting of glyphosate and its cell adhesion modulation effects on osteoblastic MC3T3-E1 cells revealed by label-free optical biosensing. Scientific Reports, 2018, 8, 17401.	1.6	23
41	Neonicotinoid insecticides are potential substrates of the multixenobiotic resistance (MXR) mechanism in the non-target invertebrate, <i>Dreissena</i> sp.. Aquatic Toxicology, 2018, 205, 148-155.	1.9	14
42	Editorial: Digital Transformation of Animal Health Data: Proceedings of the AHEAD 2017 Workshop. Frontiers in Veterinary Science, 2018, 5, 111.	0.9	1
43	Mycotoxin Biosensor Based on Optical Planar Waveguide. Toxins, 2018, 10, 272.	1.5	11
44	Label-Free Optical Detection of Mycotoxins Using Specific Aptamers Immobilized on Gold Nanostructures. Toxins, 2018, 10, 291.	1.5	22
45	Re-registration Challenges of Glyphosate in the European Union. Frontiers in Environmental Science, 2018, 6, .	1.5	81
46	Environmental and Ecological Aspects in the Overall Assessment of Bioeconomy. Journal of Agricultural and Environmental Ethics, 2017, 30, 153-170.	0.9	51
47	Effects of neonicotinoid insecticide formulations and their components on <i>Daphnia magna</i> – the role of active ingredients and co-formulants. International Journal of Environmental Analytical Chemistry, 2017, 97, 885-900.	1.8	26
48	Dissipation of the herbicide active ingredient glyphosate in natural water samples in the presence of biofilms. International Journal of Environmental Analytical Chemistry, 2017, 97, 901-921.	1.8	32
49	Development of immunosensors based on optical waveguide lightmode spectroscopy (OWLS) technique for determining active substance in herbs. Sensors and Actuators B: Chemical, 2017, 239, 413-420.	4.0	7
50	Inhibitory effects of four neonicotinoid active ingredients on acetylcholine esterase activity. Acta Biologica Hungarica, 2017, 68, 345-357.	0.7	23
51	LSPR/TIRE bio-sensing platform for detection of low molecular weight toxins. , 2017, , .		4
52	Authorization and Toxicity of Veterinary Drugs and Plant Protection Products: Residues of the Active Ingredients in Food and Feed and Toxicity Problems Related to Adjuvants. Frontiers in Veterinary Science, 2017, 4, 146.	0.9	21
53	Determination of Mycotoxin Production of <i>Fusarium</i> Species in Genetically Modified Maize Varieties by Quantitative Flow Immunocytometry. Toxins, 2017, 9, 70.	1.5	13
54	Evanescence field effect–based nanobiosensors for agro-environmental and food safety. , 2017, , 429-474.		7

#	ARTICLE	IF	CITATIONS
55	Occurrence of neonicotinoids in guttation liquid of maize – soil mobility and cross-contamination. <i>International Journal of Environmental Analytical Chemistry</i> , 2017, 97, 868-884.	1.8	5
56	Mechanism-related Teratogenic, Hormone Modulant and other Toxicological effects of Veterinary and agricultural surfactants. , 2017, 1, 024-031.		5
57	OWLS Based Nanosensors for Agro-Environmental and Food Safety. <i>Journal of Advanced Agricultural Technologies</i> , 2017, 4, 335-339.	0.2	1
58	Research directions in plant protection chemistry. <i>Ecocycles</i> , 2017, 3, 4-12.	0.2	1
59	Study on Soil Mobility of Two Neonicotinoid Insecticides. <i>Journal of Chemistry</i> , 2016, 2016, 1-9.	0.9	35
60	Reinforced Epithelial Barrier Integrity via Matriptase Induction with Sphingosine-1-Phosphate Did Not Result in Disturbances in Physiological Redox Status. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-7.	1.9	6
61	Co-Formulants in Glyphosate-Based Herbicides Disrupt Aromatase Activity in Human Cells below Toxic Levels. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 264.	1.2	150
62	Optical waveguide lightmode spectroscopy technique-based immunosensor development for aflatoxin B1 determination in spice paprika samples. <i>Food Chemistry</i> , 2016, 211, 972-977.	4.2	26
63	Label-Free Optical Biosensors for Monitoring Cellular Processes and Cytotoxic Agents at Interfaces Using Guided Modes and Advanced Phase-Contrast Imaging Techniques. <i>Advanced Sciences and Technologies for Security Applications</i> , 2016, , 443-468.	0.4	3
64	New technologies in agricultural biotechnology. <i>Ecocycles</i> , 2016, 2, .	0.2	2
65	Monitoring Pesticide Residues in Surface and Ground Water in Hungary: Surveys in 1990–2015. <i>Journal of Chemistry</i> , 2015, 2015, 1-15.	0.9	113
66	No scientific consensus on GMO safety. <i>Environmental Sciences Europe</i> , 2015, 27, .	2.6	119
67	Label-free immunosensor for monitoring vitellogenin as a biomarker for exogenous oestrogen compounds in amphibian species. <i>International Journal of Environmental Analytical Chemistry</i> , 2015, 95, 481-493.	1.8	10
68	Changes in the Distribution of Type II Transmembrane Serine Protease, TMPRSS2 and in Paracellular Permeability in IPEC-J2 Cells Exposed to Oxidative Stress. <i>Inflammation</i> , 2015, 38, 775-783.	1.7	17
69	Neonicotinoid insecticides inhibit cholinergic neurotransmission in a molluscan (<i>Lymnaea stagnalis</i>) nervous system. <i>Aquatic Toxicology</i> , 2015, 167, 172-179.	1.9	43
70	Enhancing recombinant protein solubility with ubiquitin-like small archeal modifying protein fusion partners. <i>Journal of Microbiological Methods</i> , 2015, 118, 113-122.	0.7	3
71	Internal quality control of an enzyme-linked immunoassay for Cry1Ab toxin detection applied in animal tissues. <i>Acta Alimentaria</i> , 2015, 44, 593-600.	0.3	2
72	Determination of histamine content in vegetable juices by using direct and competitive immunosensors. <i>Food and Agricultural Immunology</i> , 2014, 25, 20-33.	0.7	4

#	ARTICLE	IF	CITATIONS
73	Cytotoxicity on human cells of Cry1Ab and Cry1Ac Bt insecticidal toxins alone or with a glyphosate-based herbicide. <i>Journal of Applied Toxicology</i> , 2013, 33, 695-699.	1.4	54
74	Extraction of Mycotoxins from Aqueous Solutions Using Functionalized Polyelectrolyte-Coated Microparticles. <i>BioNanoScience</i> , 2013, 3, 79-84.	1.5	4
75	Optical waveguide lightmode spectroscopy immunosensor for detection of carp vitellogenin. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 932-939.	4.0	14
76	Determination of glyphosate residues in Hungarian water samples by immunoassay. <i>Microchemical Journal</i> , 2013, 107, 143-151.	2.3	93
77	Survival and development of a stored-product pest, <i>Sitophilus zeamais</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.7	10
78	Comparative Aspects of Cry Toxin Usage in Insect Control. , 2013, , 195-230.		17
79	Environmental Risk of Chemical Agriculture. <i>Progress in Environmental Science, Technology and Management</i> , 2013, , .	0.1	0
80	Inter-laboratory comparison of Cry1Ab toxin quantification in MON 810 maize by enzyme-immunoassay. <i>Food and Agricultural Immunology</i> , 2012, 23, 99-121.	0.7	23
81	Monitoring of herbicide effect in maize based on electrical measurements. <i>International Agrophysics</i> , 2012, 26, 243-247.	0.7	11
82	A framework for a European network for a systematic environmental impact assessment of genetically modified organisms (GMO). <i>BioRisk</i> , 2012, 7, 73-97.	0.2	9
83	Aquatic effect duration study of Cry4 toxin with immunoassay and <i>Aedes aegypti</i> larval biotest. <i>Aquatic Insects</i> , 2012, 34, 207-222.	0.6	5
84	Comparison of the legal regulations of pesticides and hazardous chemicals in the European Union with emphasis on genotoxic and endocrine disrupting effects. <i>Acta Phytopathologica Et Entomologica Hungarica</i> , 2012, 47, 251-274.	0.1	1
85	Analytical difficulties and certain biological aspects of Cry1Ab toxin determination in MON 810 genetically modified maize. <i>Acta Phytopathologica Et Entomologica Hungarica</i> , 2012, 47, 293-306.	0.1	5
86	Environmental assessment of MON 810 maize in the Pannonian biogeographical region. <i>Acta Phytopathologica Et Entomologica Hungarica</i> , 2012, 47, 307-319.	0.1	4
87	Relationships of <i>Helicoverpa armigera</i> , <i>Ostrinia nubilalis</i> and <i>Fusarium verticillioides</i> on MON 810 Maize. <i>Insects</i> , 2011, 2, 1-11.	1.0	14
88	Effects of Consumption of Bt-maize (MON 810) on the Collembolan <i>Folsomia candida</i> , Over Multiple Generations: A Laboratory Study. <i>Insects</i> , 2011, 2, 243-252.	1.0	18
89	Optical waveguide lightmode spectroscopy technique-based immunosensor development for deoxynivalenol determination in wheat samples. <i>European Food Research and Technology</i> , 2011, 233, 1041-1047.	1.6	16
90	Detection of low molecular weight toxins using an optical phase method of ellipsometry. <i>Sensors and Actuators B: Chemical</i> , 2011, 154, 232-237.	4.0	36

#	ARTICLE	IF	CITATIONS
91	Purification of substances contaminated with mycotoxins using functionalized microparticles. , 2011, , .		0
92	Detection of Cry1Ab toxin in the leaves of MON 810 transgenic maize. Analytical and Bioanalytical Chemistry, 2010, 396, 2203-2211.	1.9	36
93	Novel derivatisation technique for the determination of chlorophenoxy acid type herbicides by gas chromatography-mass spectrometry. Analytical and Bioanalytical Chemistry, 2010, 397, 537-548.	1.9	23
94	Cry1Ab toxin production of MON 810 transgenic maize. Environmental Toxicology and Chemistry, 2010, 29, 182-190.	2.2	62
95	Detection of low molecular weight toxins using optical phase detection techniques. Procedia Chemistry, 2009, 1, 1491-1494.	0.7	14
96	Optical waveguide light-mode spectroscopy immunosensors for environmental monitoring. Applied Optics, 2009, 48, B151.	2.1	41
97	Optical Waveguide Lightmode Spectroscopy (OWLS) Immunosensors for Environmental Monitoring. , 2008, , .		1
98	Monitoring water-polluting pesticides in Hungary. Microchemical Journal, 2007, 85, 88-97.	2.3	67
99	Preference tests with collembolas on isogenic and Bt-maize. European Journal of Soil Biology, 2006, 42, S132-S135.	1.4	38
100	Optimization and validation of an enzyme immunoassay for the insect growth regulator fenoxycarb. Analytica Chimica Acta, 2003, 487, 15-29.	2.6	18
101	Development of a non-labeled immunosensor for the herbicide trifluralin via optical waveguide lightmode spectroscopic detection. Analytica Chimica Acta, 2003, 487, 31-42.	2.6	48
102	Evaluation of an enzyme immunoassay for the detection of the insect growth regulator fenoxycarb in environmental and biological samples. Pest Management Science, 2003, 59, 410-416.	1.7	10
103	Development of an Enzyme-Linked Immunosorbent Assay (ELISA) for the Herbicide Propanil. International Journal of Environmental Analytical Chemistry, 2002, 82, 865-878.	1.8	5
104	An Enzyme-Linked Immunosorbent Assay (Elisa) for the Detection of Acetochlor. International Journal of Environmental Analytical Chemistry, 2002, 82, 879-891.	1.8	9
105	Fenoxycarb levels and their effects on general and juvenile hormone esterase activity in the hemolymph of the silkworm, Bombyx mori. Pesticide Biochemistry and Physiology, 2002, 73, 174-187.	1.6	8
106	Synthesis of Haptens and Protein Conjugates for the Development of Immunoassays for the Insect Growth Regulator Fenoxycarb. Journal of Agricultural and Food Chemistry, 2002, 50, 29-40.	2.4	33
107	Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin. Analytica Chimica Acta, 2000, 421, 121-133.	2.6	22
108	Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance. Analytica Chimica Acta, 2000, 421, 135-146.	2.6	23

#	ARTICLE	IF	CITATIONS
109	Progesterone in <i>Periplaneta americana</i> and <i>Neobellieria bullata</i> Adults from the Procuticle Phase until First Progeny Production. <i>General and Comparative Endocrinology</i> , 1997, 107, 450-460.	0.8	13
110	Detection of atrazine in Hungary by immunoanalytical (ELISA) method. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 1996, 31, 459-464.	0.7	0
111	ELISA for the detection of the triazole fungicide myclobutanil. <i>Journal of Agricultural and Food Chemistry</i> , 1995, 43, 2083-2091.	2.4	22
112	Characterization of a spectrophotometric assay for juvenile hormone esterase. <i>Insect Biochemistry and Molecular Biology</i> , 1995, 25, 119-126.	1.2	17
113	Hydrolysis of carbonates, thiocarbonates, carbamates, and carboxylic esters of alpha-naphthol, beta-naphthol, and p-nitrophenol by human, rat, and mouse liver carboxylesterases. <i>Pharmaceutical Research</i> , 1993, 10, 639-648.	1.7	78
114	Affinity chromatography of neuropathy target esterase. <i>Chemico-Biological Interactions</i> , 1993, 87, 347-360.	1.7	10
115	An affinity-amplified immunoassay for juvenile hormone esterase. <i>Analytical Biochemistry</i> , 1992, 207, 291-297.	1.1	2
116	Immunochemical approach to the detection of aminotriazoles using selective amino group protection by chromophores. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 129-136.	2.4	19
117	Heterocyclic derivatives of 3-substituted-1,1,1-trifluoro-2-propanones as inhibitors of esterolytic enzymes. <i>Chemical Research in Toxicology</i> , 1990, 3, 325-332.	1.7	14
118	Characterization of neuropathy target esterase using trifluoromethyl ketones. <i>Biochemical Pharmacology</i> , 1990, 40, 2587-2596.	2.0	29
119	Immunochemical Technology in Environmental Analysis. <i>ACS Symposium Series</i> , 1989, , 112-139.	0.5	15
120	New trifluoropropanone sulfides as highly active and selective inhibitors of insect juvenile hormone esterase. <i>Pesticide Biochemistry and Physiology</i> , 1989, 33, 112-124.	1.6	19
121	Quantitative Structure-Activity Relationship Study of Aromatic Trifluoromethyl Ketones. <i>ACS Symposium Series</i> , 1989, , 169-182.	0.5	2
122	Inhibition of Juvenile Hormone Esterase by Transition-State Analogs. <i>ACS Symposium Series</i> , 1988, , 215-227.	0.5	6
123	Forty Years with Glyphosate. , 0, , .		59
124	Quality Management in Spice Paprika Production: From Cultivation to End Product. , 0, , .		1