

Jonas Manjer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3907978/publications.pdf>

Version: 2024-02-01

86
papers

3,234
citations

186265
28
h-index

182427
51
g-index

87
all docs

87
docs citations

87
times ranked

6062
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries. <i>Environment International</i> , 2022, 163, 107213.	10.0	6
2	Autoimmunity to selenoprotein P predicts breast cancer recurrence. <i>Redox Biology</i> , 2022, 53, 102346.	9.0	9
3	Risk of breast cancer in relation to dietary intake of selenium and serum selenium as a marker of dietary intake: a prospective cohort study within The Malmö Diet and Cancer Study. <i>Cancer Causes and Control</i> , 2021, 32, 815-826.	1.8	7
4	A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 338-347.	4.7	7
5	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrients</i> , 2021, 13, 1843.	4.1	4
6	The Inverse Association of Body Mass Index with Lung Cancer: Exploring Residual Confounding, Metabolic Aberrations and Within-Person Variability in Smoking. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1489-1497.	2.5	5
7	Serum zinc and dietary intake of zinc in relation to risk of different breast cancer subgroups and serum levels as a marker of intake: a prospective nested case-control study. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 571-583.	2.5	8
8	Epidemiology of 40 blood biomarkers of one-carbon metabolism, vitamin status, inflammation, and renal and endothelial function among cancer-free older adults. <i>Scientific Reports</i> , 2021, 11, 13805.	3.3	9
9	Serum selenium, selenoprotein P and glutathione peroxidase 3 as predictors of mortality and recurrence following breast cancer diagnosis: A multicentre cohort study. <i>Redox Biology</i> , 2021, 47, 102145.	9.0	40
10	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer. <i>Nutrients</i> , 2021, 13, 4435.	4.1	7
11	Low thyroid hormone receptor alpha-2 (THR α -2) tumor expression is associated with unfavorable tumor characteristics and high breast cancer mortality. <i>Breast Cancer Research</i> , 2021, 23, 117.	5.0	8
12	Linear age-course effects on the associations between body mass index, triglycerides, and female breast and male liver cancer risk: An internal replication study of 800,000 individuals. <i>International Journal of Cancer</i> , 2020, 146, 58-67.	5.1	12
13	The triglyceride-glucose index as a measure of insulin resistance and risk of obesity-related cancers. <i>International Journal of Epidemiology</i> , 2020, 49, 193-204.	1.9	48
14	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020, 146, 2394-2405.	5.1	21
15	Immune-mediated genetic pathways resulting in pulmonary function impairment increase lung cancer susceptibility. <i>Nature Communications</i> , 2020, 11, 27.	12.8	23
16	Prediagnostic serum selenium levels in relation to breast cancer survival and tumor characteristics. <i>International Journal of Cancer</i> , 2020, 147, 2424-2436.	5.1	22
17	Protein-altering germline mutations implicate novel genes related to lung cancer development. <i>Nature Communications</i> , 2020, 11, 2220.	12.8	31
18	Serum Iodine and Breast Cancer Risk: A Prospective Nested Case-Control Study Stratified for Selenium Levels. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1335-1340.	2.5	8

#	ARTICLE	IF	CITATIONS
19	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020, 18, 5.	5.5	148
20	Sociodemographic and Lifestyle Factors in relation to Overweight Defined by BMI and "Normal-Weight Obesity". <i>Journal of Obesity</i> , 2020, 2020, 1-11.	2.7	20
21	Vitamin D receptor expression in invasive breast tumors and breast cancer survival. <i>Breast Cancer Research</i> , 2019, 21, 84.	5.0	63
22	BMI and weight changes and risk of obesity-related cancers: a pooled European cohort study. <i>International Journal of Epidemiology</i> , 2019, 48, 1872-1885.	1.9	44
23	Elevated Platelet Count Appears to Be Causally Associated with Increased Risk of Lung Cancer: A Mendelian Randomization Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 935-942.	2.5	21
24	Oncoplastic Breast Surgery Compared to Conventional Breast-Conserving Surgery With Regard to Oncologic Outcome. <i>Clinical Breast Cancer</i> , 2019, 19, 423-432.e5.	2.4	11
25	A colorectal cancer diet quality index is inversely associated with colorectal cancer in the Malmö diet and cancer study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 463-471.	1.3	6
26	Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. <i>Oncotarget</i> , 2019, 10, 1760-1774.	1.8	25
27	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.9	25
28	Systematic analyses of regulatory variants in DNase I hypersensitive sites identified two novel lung cancer susceptibility loci. <i>Carcinogenesis</i> , 2019, 40, 432-440.	2.8	5
29	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. <i>International Journal of Epidemiology</i> , 2019, 48, 751-766.	1.9	32
30	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019, 58, 3303-3312.	3.9	9
31	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503.	5.1	58
32	CA19" and apolipoprotein"2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019, 144, 1877-1887.	5.1	44
33	Insulin resistance measured by the triglyceride-glucose index and risk of obesity-related cancers: An epidemiological investigation in more than 500,000 individuals.. <i>Journal of Clinical Oncology</i> , 2019, 37, 1552-1552.	1.6	0
34	Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. <i>Carcinogenesis</i> , 2018, 39, 336-346.	2.8	29
35	Blood lipid genetic scores, the HMCCR gene and cancer risk: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2018, 47, 495-505.	1.9	32
36	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201.	5.1	16

#	ARTICLE	IF	CITATIONS
37	Thyroid-associated genetic polymorphisms in relation to breast cancer risk in the Malmö Diet and Cancer Study. <i>International Journal of Cancer</i> , 2018, 142, 1309-1321.	5.1	10
38	Clinical Value of RNA Sequencing-Based Classifiers for Prediction of the Five Conventional Breast Cancer Biomarkers: A Report From the Population-Based Multicenter Sweden Cancerome Analysis Network Breast Initiative. <i>JCO Precision Oncology</i> , 2018, 2, 1-18.	3.0	101
39	Risk of bladder cancer by disease severity in relation to metabolic factors and smoking: A prospective pooled cohort study of 800,000 men and women. <i>International Journal of Cancer</i> , 2018, 143, 3071-3082.	5.1	34
40	SNPs related to vitamin D and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2018, 20, 1.	5.0	61
41	Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. <i>Nature Communications</i> , 2018, 9, 3221.	12.8	60
42	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771.	1.9	15
43	Patients Undergoing Breast-Conserving Surgery Can Benefit from the Opportunity to Participate in Choosing Their Surgical Technique. <i>World Journal of Surgery</i> , 2017, 41, 734-741.	1.6	5
44	Prediagnostic Calcium Intake and Lung Cancer Survival: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1060-1070.	2.5	9
45	Associations between prediagnostic blood glucose levels, diabetes, and glioma. <i>Scientific Reports</i> , 2017, 7, 1436.	3.3	21
46	Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. <i>Nature Genetics</i> , 2017, 49, 1126-1132.	21.4	472
47	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 741-748.	2.3	7
48	Selenium and breast cancer risk: A prospective nested case-control study on serum selenium levels, smoking habits and overweight. <i>International Journal of Cancer</i> , 2017, 141, 1741-1750.	5.1	18
49	Intake of different types of red meat, poultry, and fish and incident colorectal cancer in women and men: results from the Malmö Diet and Cancer Study. <i>Food and Nutrition Research</i> , 2017, 61, 1341810.	2.6	23
50	Aesthetic result after breast-conserving therapy is associated with quality of life several years after treatment. Swedish women evaluated with BCCT.core and BREAST-Q. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 679-687.	2.5	32
51	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	2.5	21
52	Pleiotropy of genetic variants on obesity and smoking phenotypes: Results from the Oncoarray Project of The International Lung Cancer Consortium. <i>PLoS ONE</i> , 2017, 12, e0185660.	2.5	11
53	High blood glucose levels are associated with higher risk of colon cancer in men: a cohort study. <i>BMC Cancer</i> , 2017, 17, 842.	2.6	31
54	Determinants for patient satisfaction regarding aesthetic outcome and skin sensitivity after breast-conserving surgery. <i>World Journal of Surgical Oncology</i> , 2016, 14, 303.	1.9	37

#	ARTICLE	IF	CITATIONS
55	Vitamin D, PTH, and calcium in relation to survival following prostate cancer. <i>Cancer Causes and Control</i> , 2016, 27, 669-677.	1.8	28
56	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , 2016, 22, 4664-4675.	7.0	80
57	Physical inactivity during leisure time and irregular meals are associated with functional gastrointestinal complaints in middle-aged and elder subjects. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1299-1307.	1.5	27
58	Smoking is associated with several functional gastrointestinal symptoms. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 914-922.	1.5	23
59	Vitamin D, PTH, and calcium and tumor aggressiveness in prostate cancer: a prospective nested case-control study. <i>Cancer Causes and Control</i> , 2016, 27, 69-80.	1.8	11
60	Germline genetics of cancer of unknown primary (CUP) and its specific subtypes. <i>Oncotarget</i> , 2016, 7, 22140-22149.	1.8	12
61	Fibre intake and incident colorectal cancer depending on fibre source, sex, tumour location and Tumour, Node, Metastasis stage. <i>British Journal of Nutrition</i> , 2015, 114, 959-969.	2.3	23
62	The Sweden Cancerome Analysis Network - Breast (SCAN-B) Initiative: a large-scale multicenter infrastructure towards implementation of breast cancer genomic analyses in the clinical routine. <i>Genome Medicine</i> , 2015, 7, 20.	8.2	129
63	Age at diagnosis in relation to survival following breast cancer: a cohort study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 33.	1.9	109
64	Stable Peptide of the Endogenous Opioid Enkephalin Precursor and Breast Cancer Risk. <i>Journal of Clinical Oncology</i> , 2015, 33, 2632-2638.	1.6	15
65	Anthropometric Measures at Multiple Times Throughout Life and Prostate Cancer Diagnosis, Metastasis, and Death. <i>European Urology</i> , 2015, 68, 1076-1082.	1.9	12
66	Metabolic risk score and cancer risk: pooled analysis of seven cohorts. <i>International Journal of Epidemiology</i> , 2015, 44, 1353-1363.	1.9	110
67	A Prospective Study on Metabolic Risk Factors and Gallbladder Cancer in the Metabolic Syndrome and Cancer (Me-Can) Collaborative Study. <i>PLoS ONE</i> , 2014, 9, e89368.	2.5	37
68	Systematic Pathway Enrichment Analysis of a Genome-Wide Association Study on Breast Cancer Survival Reveals an Influence of Genes Involved in Cell Adhesion and Calcium Signaling on the Patients' Clinical Outcome. <i>PLoS ONE</i> , 2014, 9, e98229.	2.5	16
69	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	2.5	34
70	Inter-observer reliability of clinical measurement of suprasternal notch-nipple distance and breast ptosis. <i>Indian Journal of Plastic Surgery</i> , 2014, 47, 61-64.	0.5	5
71	Surgical strategy, methods of reconstruction, surgical margins and postoperative complications in oncoplastic breast surgery. <i>European Journal of Plastic Surgery</i> , 2014, 37, 205-214.	0.6	40
72	Validation of Plasma Proneurotensin as a Novel Biomarker for the Prediction of Incident Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1672-1676.	2.5	18

#	ARTICLE	IF	CITATIONS
73	T3 levels in relation to prognostic factors in breast cancer: a population-based prospective cohort study. <i>BMC Cancer</i> , 2014, 14, 536.	2.6	31
74	Breastfeeding in relation to risk of different breast cancer characteristics. <i>BMC Research Notes</i> , 2014, 7, 216.	1.4	26
75	A feasible computer-based evaluation tool for reduction mammoplasty patients: Indications for operation and monitoring of guidelines. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2014, 67, 927-931.	1.0	1
76	Associations of Anthropometric Factors with KRAS and BRAF Mutation Status of Primary Colorectal Cancer in Men and Women: A Cohort Study. <i>PLoS ONE</i> , 2014, 9, e98964.	2.5	32
77	Serum levels of vitamin D, PTH and calcium and breast cancer risk—a prospective nested case-control study. <i>International Journal of Cancer</i> , 2010, 127, 2159-2168.	5.1	92
78	Breast tumours following combined hormone replacement therapy express favourable prognostic factors. <i>International Journal of Cancer</i> , 2007, 120, 2202-2207.	5.1	51
79	Smoking as a determinant for plasma levels of testosterone, androstenedione, and DHEAs in postmenopausal women. <i>European Journal of Epidemiology</i> , 2005, 20, 331-337.	5.7	26
80	Smoking is associated with postmenopausal breast cancer in women with high levels of estrogens. <i>International Journal of Cancer</i> , 2004, 112, 324-328.	5.1	14
81	Postmenopausal breast cancer risk in relation to sex steroid hormones, prolactin and SHBG (Sweden). <i>Cancer Causes and Control</i> , 2003, 14, 599-607.	1.8	98
82	Validity of self-reported information on cancer: Determinants of under- and over-reporting. <i>European Journal of Epidemiology</i> , 2003, 19, 239-247.	5.7	34
83	Invitation to a population-based cohort study: differences between subjects recruited using various strategies. <i>Scandinavian Journal of Public Health</i> , 2002, 30, 103-112.	2.3	123
84	Smoking associated with hormone receptor negative breast cancer. <i>International Journal of Cancer</i> , 2001, 91, 580-584.	5.1	62
85	Increased incidence of small and well-differentiated breast tumours in post-menopausal women following hormone-replacement therapy. <i>International Journal of Cancer</i> , 2001, 92, 919-922.	5.1	61
86	Breast cancer incidence in relation to smoking cessation. <i>Breast Cancer Research and Treatment</i> , 2000, 61, 121-129.	2.5	23