
Hari Shanker Asthana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3908226/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Right Brain Damage Impairs Recognition of Negative Emotions. Cortex, 1991, 27, 247-253.	2.4	99
2	Visuospatial and affect recognition deficit in depression. Journal of Affective Disorders, 1998, 48, 57-62.	4.1	93
3	Hand Preference in India. International Journal of Psychology, 1992, 27, 433-442.	2.8	81
4	Effects of Lesion Variables and Emotion Type on the Perception of Facial Emotion. Journal of Nervous and Mental Disease, 1999, 187, 603-609.	1.0	69
5	Visual-Field Bias in the Judgment of Facial Expression of Emotion. Journal of General Psychology, 2001, 128, 21-29.	2.8	38
6	Hemifacial Asymmetry in Emotion Expressions. Behavior Modification, 1998, 22, 177-183.	1.6	31
7	Degree of Asymmetry in Lateral Preferences: Eye, Foot, Ear. Journal of Psychology: Interdisciplinary and Applied, 1992, 126, 155-162.	1.6	28
8	Prevalence of Mental Disorders in India and Other South Asian Countries. Asian Journal of Epidemiology, 2017, 10, 45-53.	0.5	19
9	Hemiregional variations in facial expression of emotions. British Journal of Psychology, 1997, 88, 519-525.	2.3	17
10	Cerebral Laterality in Affect and Affective Illness: A Review. Journal of Psychology: Interdisciplinary and Applied, 1996, 130, 447-459.	1.6	14
11	Prevalence of dementia in India: A systematic review and meta-analysis. Indian Journal of Public Health, 2021, 65, 152.	0.6	12
12	Role of Cerebral Hemispheres and Regions in Processing Hemifacial Expression of Emotion: Evidence from Brain-Damage. International Journal of Neuroscience, 1992, 63, 187-195.	1.6	11
13	Right Hemisphere Damage Impairs the Ability to Process Emotional Expressions of Unusual Faces. Behavior Modification, 1998, 22, 167-176.	1.6	11
14	Bilateral transfer deficit in schizophrenia. Comprehensive Psychiatry, 1992, 33, 319-324.	3.1	10
15	Judgment of facial expression of emotion in unilateral brain-damaged patients. Archives of Clinical Neuropsychology, 1993, 8, 171-183.	0.5	9
16	Asymmetry in Emotional Face: Its Role in Intensity of Expression. Journal of Psychology: Interdisciplinary and Applied, 1995, 129, 235-241.	1.6	9
17	Hemifacial display of emotion in the resting state. Behavioural Neurology, 1992, 5, 169-71.	2.1	5
18	Neurocognitive and Affective Sequelae Following Complicated Mild and Moderate Traumatic Brain Injury: A Case Series. Neurology India, 2021, 69, 56.	0.4	4

HARI SHANKER ASTHANA

#	Article	IF	CITATIONS
19	Matching Top–Bottom Parts of Facial Expressions by Brain-Damaged Patients. Behavioural Neurology, 1991, 4, 255-263.	2.1	3
20	Hand Preference in the Deaf. Journal of Developmental and Physical Disabilities, 1999, 11, 265-273.	1.6	3
21	HEMIREGIONAL FACIAL ASYMMETRY IN EXPRESSION OF EMOTION: A CONCEPT NEEDS TO BE VERIFIED. Perceptual and Motor Skills, 2001, 93, 690.	1.3	3
22	Hemiregional Facial Asymmetry in Expression of Emotion: A Concept Needs to Be Verified. Perceptual and Motor Skills, 2001, 93, 690-692.	1.3	2
23	Mirror-reversal of a face is perceived as expressing emotions more intensely. Behavioural Neurology, 1996, 9, 115-7.	2.1	2
24	Hindi Adaptation and Psychometric Validation of the Affiliate Stigma Scale. Indian Journal of Psychological Medicine, 2022, 44, 167-172.	1.5	1
25	Clinical and Affective Correlates of Cognitive Functioning in Complicated Mild and Moderate Traumatic Brain Injury Patients Belonging to Rural Areas. Journal of Neurosciences in Rural Practice, 2021, 12, 177-181.	0.8	1
26	Estimation of premorbid intelligence: Demographical and current neurocognitive functioning based algorithms. Asian Journal of Psychiatry, 2022, 72, 103065.	2.0	0
27	Matching Top-Bottom Parts of Facial Expressions by Brain-damaged Patients. Behavioural Neurology, 1991, 4, 255-63.	2.1	о