

Luigi Naldi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3908806/luigi-naldi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

385
papers

71,086
citations

70
h-index

266
g-index

451
ext. papers

85,220
ext. citations

6.5
avg, IF

7.83
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 385 | Vaccine hesitancy and access to psoriasis care in the COVID-19 pandemic: findings from a global patient-reported cross-sectional survey.. <i>British Journal of Dermatology</i> , 2022 , | 4 | 1 |
| 384 | Efficacy and safety of Dimethyl fumarate in comparison with conventional therapy for psoriasis: an Italian real-world clinical experience.. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 , | 4.6 | 0 |
| 383 | Going global with assessing the acne burden: is the evidence worth the effort?. <i>British Journal of Dermatology</i> , 2022 , 186, 605 | 4 | |
| 382 | Administrative data and scientific evidence: a lesson from France - the safety of systemic treatment for psoriasis during the COVID-19 pandemic. <i>British Journal of Dermatology</i> , 2021 , 186, 7 | 4 | |
| 381 | Insights into Sars-CoV-2 vaccination in patients with chronic plaque psoriasis on systemic treatments. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e361-e362 | 4.6 | 6 |
| 380 | Skin exposure to scented products used in daily life and fragrance contact allergy in the European general population - The EDEN Fragrance Study. <i>Contact Dermatitis</i> , 2021 , 84, 385-394 | 2.7 | 4 |
| 379 | Is SARS-CoV-2 screening test indicated for psoriasis patients candidate to biologic therapy?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e355-e357 | 4.6 | 1 |
| 378 | The skin as a target for SARS-CoV-2 infection: exploiting the web for suitable data. <i>British Journal of Dermatology</i> , 2021 , 184, 793-794 | 4 | 1 |
| 377 | Risk-mitigating behaviours in people with inflammatory skin and joint disease during the COVID-19 pandemic differ by treatment type: a cross-sectional patient survey. <i>British Journal of Dermatology</i> , 2021 , 185, 80-90 | 4 | 17 |
| 376 | Use of fumaric acid derivatives in Italian reference centers for psoriasis. <i>Italian Journal of Dermatology and Venereology</i> , 2021 , 156, | 1.2 | 2 |
| 375 | Systemic pharmacological treatments for chronic plaque psoriasis: a network meta-analysis. <i>The Cochrane Library</i> , 2021 , 4, CD011535 | 5.2 | 11 |
| 374 | Time of Onset of Selected Skin Lesions Associated with COVID-19: A Systematic Review. <i>Dermatology and Therapy</i> , 2021 , 11, 695-705 | 4 | 9 |
| 373 | Validation of questionnaire algorithm based on repeated open application testing with the constituents of fragrance mix II: the EDEN Fragrance Study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1692-1701 | 4.6 | 0 |
| 372 | Preference for Telemedicine Versus In-Person Visit Among Patients with Psoriasis Receiving Biological Drugs. <i>Dermatology and Therapy</i> , 2021 , 11, 1333-1343 | 4 | 4 |
| 371 | Risk of infections in psoriasis. A lesson to learn during the SARS-CoV-2 pandemic. <i>British Journal of Dermatology</i> , 2021 , 184, 6 | 4 | 1 |
| 370 | Psoriasis severity matters when dealing with all-cause mortality in psoriasis patients: a record linkage analysis in Northern Italy. <i>Archives of Dermatological Research</i> , 2021 , 313, 255-261 | 3.3 | |
| 369 | Factors associated with adverse COVID-19 outcomes in patients with psoriasis-insights from a global registry-based study. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 60-71 | 11.5 | 77 |

| | | | |
|-----|--|------|----|
| 368 | Characterization of Hidradenitis Suppurativa Phenotypes: A Multidimensional Latent Class Analysis of the National Italian Registry IRHIS. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1236-1242.e1 | 4.3 | 6 |
| 367 | Incidence rates of hospitalization and death from COVID-19 in patients with psoriasis receiving biological treatment: A Northern Italy experience. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 558-560.e1 | 11.5 | 24 |
| 366 | Prevalence of contact allergies in the population compared to a tertiary referral patch test clinic in Jena/Germany. <i>Contact Dermatitis</i> , 2021 , 85, 563-571 | 2.7 | |
| 365 | Assessing the Risk and Outcome of COVID-19 in Patients with Psoriasis or Psoriatic Arthritis on Biologic Treatment: A Critical Appraisal of the Quality of the Published Evidence. <i>Journal of Investigative Dermatology</i> , 2021 , | 4.3 | 4 |
| 364 | Integrated care pathways and the hub-and-spoke model for the management of non-melanoma skin cancer: A proposal of the Italian Association of Hospital Dermatologists (ADOI). <i>Dermatology Reports</i> , 2021 , 13, 9278 | 0.9 | 0 |
| 363 | Treat-to-Target Approach for the Management of Patients with Moderate-to-Severe Plaque Psoriasis: Consensus Recommendations. <i>Dermatology and Therapy</i> , 2021 , 11, 235-252 | 4 | 11 |
| 362 | Treatment of retronychia: a systematic review and suggested treatment algorithm. <i>Dermatologic Therapy</i> , 2021 , e15251 | 2.2 | 0 |
| 361 | Drug discontinuation in pregnant women with psoriasis: The PSO-MOTHER cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 904-912 | 2.6 | 1 |
| 360 | Cutaneous manifestations of SARS-CoV-2 infection: a clinical update. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2499-2504 | 4.6 | 58 |
| 359 | More on Covid-19 in Immune-Mediated Inflammatory Diseases. <i>New England Journal of Medicine</i> , 2020 , 383, 795-796 | 59.2 | 4 |
| 358 | Sunburn-related variables, secular trends of improved sun protection and short-term impact on sun attitude behavior in Italian primary schoolchildren: Analysis of the educational campaign "Il Sole Amico" ("The sun as a friend"). <i>Medicine (United States)</i> , 2020 , 99, e18078 | 1.8 | 1 |
| 357 | Epidemiology of major chronic inflammatory immune-related skin diseases in 2019. <i>Expert Review of Clinical Immunology</i> , 2020 , 16, 155-166 | 5.1 | 15 |
| 356 | The impact of the COVID-19 pandemic on patients with chronic plaque psoriasis being treated with biological therapy: the Northern Italy experience. <i>British Journal of Dermatology</i> , 2020 , 183, 373-374 | 4 | 83 |
| 355 | Gender differences in genital lichen sclerosus: data from a multicenter Italian study on 729 consecutive cases. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 155-160 | 0.8 | 3 |
| 354 | Optimizing a clinical guidance for diagnosis of atopic dermatitis in adults: joint recommendations of the Italian Society of Dermatology and Venereology (SIDeMaST), Italian Association of Hospital Dermatologists (ADOI), and Italian Society of Allergological, Occupational and Environmental Dermatology (SIDAPA). <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 1-7 | 0.8 | 10 |
| 353 | Biosimilars for the treatment of patients with psoriasis: A consensus statement from the Biosimilar Working Group of the International Psoriasis Council. <i>JAAD International</i> , 2020 , 1, 224-230 | 0.9 | 0 |
| 352 | Association of Vascular Endothelial Growth Factor Subtypes with Melanoma Patients Characteristics and Survival: A Semantic Connectivity Map Analysis. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00019 | 2.2 | 0 |
| 351 | TNF- β inhibitors biosimilars as first line systemic treatment for moderate-to-severe chronic plaque psoriasis. <i>Expert Review of Clinical Immunology</i> , 2020 , 16, 591-598 | 5.1 | 7 |

| | | | |
|-----|--|-----|-----|
| 350 | Systemic pharmacological treatments for chronic plaque psoriasis: a network meta-analysis. <i>The Cochrane Library</i> , 2020 , 1, CD011535 | 5.2 | 46 |
| 349 | Research Techniques Made Simple: Latent Class Analysis. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1676-1680.e1 | 4.3 | 2 |
| 348 | Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1135-1159 | 4.0 | 113 |
| 347 | Identification of cases and estimate of direct costs of unresectable and advanced cutaneous squamous cell carcinoma: real-world data from a large Italian database. <i>British Journal of Dermatology</i> , 2020 , 183, 172-174 | 4 | 4 |
| 346 | The value of case reports in pharmacovigilance. <i>British Journal of Dermatology</i> , 2020 , 183, 795-796 | 4 | 3 |
| 345 | Mortality from cancer is not increased in elderly kidney transplant recipients compared to the general population: a competing risk analysis. <i>Journal of Nephrology</i> , 2020 , 33, 1309-1319 | 4.8 | 1 |
| 344 | Lack of Evidence for an Increased Risk of Severe COVID-19 in Psoriasis Patients on Biologics: A Cohort Study from Northeast Italy. <i>American Journal of Clinical Dermatology</i> , 2020 , 21, 749-751 | 7.1 | 13 |
| 343 | Validation of a questionnaire algorithm based on repeated open application testing with the constituents of fragrance mix I. <i>British Journal of Dermatology</i> , 2020 , 182, 955-964 | 4 | 3 |
| 342 | Markers of microbial exposure lower the incidence of atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 104-115 | 9.3 | 11 |
| 341 | TREatment of ATopic eczema (TREAT) Registry Taskforce: protocol for a European safety study of dupilumab and other systemic therapies in patients with atopic eczema. <i>British Journal of Dermatology</i> , 2020 , 182, 1423-1429 | 4 | 8 |
| 340 | Dermatologists and SARS-CoV-2: the impact of the pandemic on daily practice. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1196-1201 | 4.6 | 60 |
| 339 | Atopic dermatitis in young adult Italian males: persistent and adult-onset varieties did not clinically differ, as for allergological variables. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 724-732 | 9.8 | 1 |
| 338 | Mobile teledermatology for melanoma detection: Assessment of the validity in the framework of a population-based skin cancer awareness campaign in northern Italy. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 257-260 | 4.5 | 8 |
| 337 | PRURITUS CHARACTERISTICS IN A LARGE ITALIAN COHORT OF PSORIATIC PATIENTS. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1316-1324 | 4.6 | 19 |
| 336 | The significance of batch and patch test method in establishing contact allergy to fragrance mix I-EDEN Fragrance Study Group. <i>Contact Dermatitis</i> , 2019 , 81, 104-109 | 2.7 | 8 |
| 335 | Emergency Consultations in Dermatology in a Secondary Referral Hospital in Southern Switzerland: A Prospective Cross-Sectional Analysis. <i>Dermatology</i> , 2019 , 235, 243-249 | 4.4 | 4 |
| 334 | Biosimilars for Psoriasis Experience from Europe. <i>Current Dermatology Reports</i> , 2019 , 8, 26-34 | 1.5 | 6 |
| 333 | An original exploration of genital lichen sclerosus: the semantic connectivity map. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e59-e62 | 4.6 | 3 |

| | | | |
|-----|--|------|----|
| 332 | Reply to: "Comment on Mobile tele dermatology for melanoma detection: Assessment of validity in the framework of a population-based skin cancer awareness campaign in northern Italy". <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, e177 | 4.5 | |
| 331 | Italian guidelines for therapy of atopic dermatitis-Adapted from consensus-based European guidelines for treatment of atopic eczema (atopic dermatitis). <i>Dermatologic Therapy</i> , 2019 , 32, e13121 | 2.2 | 17 |
| 330 | Linkage between patients' characteristics and prescribed systemic treatments for psoriasis: a semantic connectivity map analysis of the Swiss Dermatology Network for Targeted Therapies registry. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 2313-2318 | 4.6 | |
| 329 | Hidradenitis suppurativa epidemiology: from the first Italian registry in 2009 to the most recent epidemiology updates - Italian Registry Hidradenitis Suppurativa project 2. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33 Suppl 6, 4-6 | 4.6 | 6 |
| 328 | Psoriasis Incidence and Lifetime Prevalence: Suggestion for a Higher Mortality Rate in Older Age-classes among Psoriatic Patients Compared to the General Population in Italy. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 400-403 | 2.2 | 15 |
| 327 | Female Patients with Dermatitis Herpetiformis Show a Reduced Diagnostic Delay and Have Higher Sensitivity Rates at Autoantibody Testing for Celiac Disease. <i>BioMed Research International</i> , 2019 , 2019, 6307035 | 3 | 3 |
| 326 | Italy's health performance, 1990-2017: findings from the Global Burden of Disease Study 2017. <i>Lancet Public Health</i> , 2019 , 4, e645-e657 | 22.4 | 28 |
| 325 | The relationship between smoking, psoriasis and psoriatic arthritis. <i>Expert Review of Clinical Immunology</i> , 2019 , 15, 41-48 | 5.1 | 18 |
| 324 | Socioeconomic Status and the Prevalence of Skin and Atopic Diseases in Five European Countries. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 309-314 | 2.2 | 12 |
| 323 | The Role of European Healthcare Databases for Post-Marketing Drug Effectiveness, Safety and Value Evaluation: Where Does Italy Stand?. <i>Drug Safety</i> , 2019 , 42, 347-363 | 5.1 | 38 |
| 322 | Biological treatment for psoriasis and the risk of herpes zoster: results from the Psoriasis Longitudinal Assessment and Registry (PSOLAR). <i>Journal of Dermatological Treatment</i> , 2019 , 30, 534-539 | 2.8 | 13 |
| 321 | Prevalence of contact allergy to metals in the European general population with a focus on nickel and piercings: The EDEN Fragrance Study. <i>Contact Dermatitis</i> , 2018 , 79, 1-9 | 2.7 | 35 |
| 320 | Biologic treatment for psoriasis and cancer: an increased risk for most cancers could not be ruled out. <i>British Journal of Dermatology</i> , 2018 , 178, 19 | 4 | 6 |
| 319 | Back to the Future: Looking at the Skin to Predict Death-A Lesson from Psoriasis. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 20-22 | 4.3 | 2 |
| 318 | Rituximab as first-line adjuvant therapy for pemphigus: Retrospective analysis of long-term outcomes at a single center. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 806-808 | 4.5 | 21 |
| 317 | Perception of ABC (asymmetry, borders, and color) parameters in the screening for melanoma: Model exercise with experienced dermatologists. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 996-998 | 4.5 | 2 |
| 316 | Prevalence of skin disease in a population-based sample of adults from five European countries. <i>British Journal of Dermatology</i> , 2018 , 178, 1111-1118 | 4 | 46 |
| 315 | A multidimensional assessment of the burden of psoriasis: results from a multinational dermatologist and patient survey. <i>British Journal of Dermatology</i> , 2018 , 179, 173-181 | 4 | 38 |

| | | | |
|-----|--|------|------|
| 314 | Cumulative exposure to biological therapy and risk of cancer in patients with psoriasis: a meta-analysis of Psonet studies from Israel, Italy, Spain, the U.K. and Republic of Ireland. <i>British Journal of Dermatology</i> , 2018 , 179, 863-871 | 4 | 10 |
| 313 | Patient-dermatologist agreement in psoriasis severity, symptoms and satisfaction: results from a real-world multinational survey. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1523-1529 | 4.6 | 12 |
| 312 | Patterns of chronic hand eczema: a semantic map analysis of the CARPE registry data. <i>British Journal of Dermatology</i> , 2018 , 178, 229-237 | 4 | 13 |
| 311 | PACE study: real-life Psoriasis Area and Severity Index (PASI) 100 response with biological agents in moderate-severe psoriasis. <i>Journal of Dermatological Treatment</i> , 2018 , 29, 481-486 | 2.8 | 8 |
| 310 | Human papillomavirus and posttransplantation cutaneous squamous cell carcinoma: A multicenter, prospective cohort study. <i>American Journal of Transplantation</i> , 2018 , 18, 1220-1230 | 8.7 | 42 |
| 309 | Biologics combined with conventional systemic agents or phototherapy for the treatment of psoriasis: real-life data from PSONET registries. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 245-253 | 4.6 | 20 |
| 308 | Chronic hand eczema: A prospective analysis of the Swiss CARPE registry focusing on factors associated with clinical and quality of life improvement. <i>Contact Dermatitis</i> , 2018 , 79, 136-148 | 2.7 | 9 |
| 307 | Psoriasis and the risk of acute coronary syndrome in the elderly. <i>International Journal of Cardiology</i> , 2018 , 273, 44-46 | 3.2 | 2 |
| 306 | Cutaneous squamous cell carcinoma. Italian Guidelines by SIDeMaST adapted to and updating EADO/EDF/EORTC guidelines. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018 , 153, 747-762 | 0.8 | 10 |
| 305 | Factors influencing sessions and speakers evaluation: an analysis of seven consecutive European Academy of Dermatology and Venereology congress editions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 2307-2313 | 4.6 | |
| 304 | Validation of a visual-aided questionnaire for the self-assessment of hidradenitis suppurativa. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1993-1998 | 4.6 | 9 |
| 303 | Dermatological Complications After Solid Organ Transplantation. <i>Clinical Reviews in Allergy and Immunology</i> , 2018 , 54, 185-212 | 12.3 | 29 |
| 302 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788 | 40 | 2850 |
| 301 | Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051 | 40 | 189 |
| 300 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858 | 40 | 4524 |
| 299 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138 | 40 | 210 |
| 298 | Clinical use of dimethyl fumarate in moderate-to-severe plaque-type psoriasis: a European expert consensus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32 Suppl 3, 3-14 | 4.6 | 41 |
| 297 | Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 391, 2236-2271 | 40 | 381 |

| | | | |
|-----|--|-----|------|
| 296 | Italian guidelines on the systemic treatments of moderate-to-severe plaque psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 774-790 | 4.6 | 94 |
| 295 | Infections and Psoriasis Treatment: More "Real-World" Data Needed with Critical Appraisal. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 271-274 | 4.3 | 4 |
| 294 | Finding a HOME for outcome measures in atopic dermatitis. <i>British Journal of Dermatology</i> , 2017 , 176, 852-853 | 4 | |
| 293 | Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 231-266 | 4.0 | 352 |
| 292 | The global state of psoriasis disease epidemiology: a workshop report. <i>British Journal of Dermatology</i> , 2017 , 177, e4-e7 | 4 | 70 |
| 291 | Risk factors for recurrence after successful treatment of warts: the role of smoking habits. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 712-716 | 4.6 | 11 |
| 290 | Inequalities in access to biological treatments for psoriasis: results from the Italian Psocare registry. <i>British Journal of Dermatology</i> , 2017 , 176, 1331-1338 | 4 | 11 |
| 289 | No Association between Vitiligo and Obesity: A Case-Control Study. <i>Medical Principles and Practice</i> , 2017 , 26, 421-426 | 2.1 | 4 |
| 288 | Factors Associated with Receiving Biologics or Classic Systemic Therapy for Moderate-to-Severe Psoriasis: Evidence from the PSONET Registries. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 516-518 | 2.2 | 1 |
| 287 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210 | 4.0 | 2542 |
| 286 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259 | 4.0 | 3432 |
| 285 | The association between the clinical diversity of psoriasis and depressive symptoms: the HUNT Study, Norway. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 2062-2068 | 4.6 | 7 |
| 284 | Biosimilars for psoriasis: worldwide overview of regulatory guidelines, uptake and implications for dermatology clinical practice. <i>British Journal of Dermatology</i> , 2017 , 177, 1495-1502 | 4 | 37 |
| 283 | New insights into potential risk factors and associations in genital lichen sclerosus: Data from a multicentre Italian study on 729 consecutive cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 699-704 | 4.6 | 20 |
| 282 | Risk of serious infections, cutaneous bacterial infections, and granulomatous infections in patients with psoriasis treated with anti-tumor necrosis factor agents versus classic therapies: Prospective meta-analysis of Psonet registries. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 299-308.e16 | 4.5 | 59 |
| 281 | Psoriasis, fracture risk and bone mineral density: the HUNT Study, Norway. <i>British Journal of Dermatology</i> , 2017 , 176, 1162-1169 | 4 | 17 |
| 280 | Systemic pharmacological treatments for chronic plaque psoriasis: a network meta-analysis. <i>The Cochrane Library</i> , 2017 , 12, CD011535 | 5.2 | 69 |
| 279 | Validity of Self-Reported Psoriasis in a General Population: The HUNT Study, Norway. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 323-5 | 4.3 | 21 |

| | | | |
|-----|--|-----|-----|
| 278 | Strategies used for measuring long-term control in atopic dermatitis trials: A systematic review. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 1038-1044 | 4.5 | 27 |
| 277 | Adult female acne and associated risk factors: Results of a multicenter case-control study in Italy. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 1134-1141.e1 | 4.5 | 32 |
| 276 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV</i> , 2016 , 3, e361-e387 | 7.8 | 382 |
| 275 | Author's Reply to the Response to the Commentary of Naldi and Cazzaniga Entitled 'Are All Screening Programmes Created Equal? The Case of Melanoma'. <i>Dermatology</i> , 2016 , 232, 384 | 4.4 | |
| 274 | The case-crossover design via penalized regression. <i>BMC Medical Research Methodology</i> , 2016 , 16, 103 | 4.7 | 3 |
| 273 | Psoriasis registries worldwide: systematic overview on registry publications. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1100-6 | 4.6 | 23 |
| 272 | Parental Use and Educational Campaigns on Sunbed Use Among Teenagers and Adolescents. <i>Medicine (United States)</i> , 2016 , 95, e3034 | 1.8 | 10 |
| 271 | Colophony as a marker for fragrance allergy in the general European population. <i>British Journal of Dermatology</i> , 2016 , 174, 695-6 | 4 | 5 |
| 270 | Conflicts of interest among academic dermatologists: freedom or constraint?. <i>British Journal of Dermatology</i> , 2016 , 174, 878-80 | 4 | 0 |
| 269 | The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 96-100 | 4.6 | 30 |
| 268 | Prevalence of Contact Allergy to p-Phenylenediamine in the European General Population. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 409-415 | 4.3 | 51 |
| 267 | Comparative effectiveness of biologic agents for the treatment of psoriasis in a real-world setting: Results from a large, prospective, observational study (Psoriasis Longitudinal Assessment and Registry [PSOLAR]). <i>Journal of the American Academy of Dermatology</i> , 2016 , 74, 851-61.e4 | 4.5 | 59 |
| 266 | Ultraviolet radiation protection and skin cancer awareness in recreational athletes: a survey among participants in a running event. <i>Swiss Medical Weekly</i> , 2016 , 146, w14297 | 3.1 | 11 |
| 265 | Psoriasis and smoking: links and risks. <i>Psoriasis: Targets and Therapy</i> , 2016 , 6, 65-71 | 2.4 | 17 |
| 264 | Prediction of high total naevus count to estimate melanoma risk. We need more, don't we?. <i>British Journal of Dermatology</i> , 2016 , 174, 261-2 | 4 | 0 |
| 263 | Early weaning is beneficial to prevent atopic dermatitis occurrence in young children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 878-88 | 9.3 | 35 |
| 262 | Incidence, causative factors and mortality rates of Stevens-Johnson syndrome (SJS) and toxic epidermal necrolysis (TEN) in northern Italy: data from the REACT registry. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 196-203 | 2.6 | 43 |
| 261 | Prevalence of contact allergy in the general population in different European regions. <i>British Journal of Dermatology</i> , 2016 , 174, 319-29 | 4 | 187 |

| | | | |
|-----|---|-----|------|
| 260 | The Hidradenitis suppurativa patient journey in Italy: current status, unmet needs and opportunities. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1965-1970 | 4.6 | 25 |
| 259 | Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812 | 4.0 | 476 |
| 258 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658 | 4.0 | 1216 |
| 257 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544 | 4.0 | 3525 |
| 256 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850 | 4.0 | 302 |
| 255 | Filaggrin gene loss-of-function variants modify the effect of breast-feeding on eczema risk in early childhood. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1371-3 | 9.3 | 6 |
| 254 | A pilot study on the incidence of severe photosensitivity reactions leading to hospitalization linked to topical ketoprofen and other medications in selected European regions. <i>Pharmacology Research and Perspectives</i> , 2016 , 4, e00225 | 3.1 | 3 |
| 253 | Overweight, diabetes and disease duration influence clinical severity in hidradenitis suppurativa-acne inversa: evidence from the national Italian registry. <i>British Journal of Dermatology</i> , 2016 , 174, 195-7 | 4 | 46 |
| 252 | Systemic pharmacological treatments for chronic plaque psoriasis. <i>The Cochrane Library</i> , 2015 , | 5.2 | 4 |
| 251 | Herpes zoster epidemiology, management, and disease and economic burden in Europe: a multidisciplinary perspective. <i>Therapeutic Advances in Vaccines</i> , 2015 , 3, 109-20 | | 84 |
| 250 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91 | 4.0 | 1203 |
| 249 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323 | 4.0 | 1776 |
| 248 | Treatment of lower extremity telangiectasias in women by foam sclerotherapy vs. Nd:YAG laser: a prospective, comparative, randomized, open-label trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 549-54 | 4.6 | 24 |
| 247 | Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71 | 4.0 | 4599 |
| 246 | Efficacy of topical tacrolimus for oral lichen planus: real-life experience in a retrospective cohort of patients with a review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1107-13 | 4.6 | 12 |
| 245 | Current practice of methotrexate use for psoriasis: results of a worldwide survey among dermatologists. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 224-231 | 4.6 | 25 |
| 244 | Are All Screening Programmes Created Equal? The Case of Melanoma. <i>Dermatology</i> , 2015 , 231, 294-6 | 4.4 | 2 |
| 243 | Prevalence of fragrance contact allergy in the general population of five European countries: a cross-sectional study. <i>British Journal of Dermatology</i> , 2015 , 173, 1411-9 | 4 | 49 |

| | | | |
|-----|---|------|------|
| 242 | Development of a clinical score system for the diagnosis of photoallergic contact dermatitis using a consensus process: item selection and reliability. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1376-81 | 4.6 | 11 |
| 241 | Latent tuberculosis infection in patients with chronic plaque psoriasis: evidence from the Italian Psocare Registry. <i>British Journal of Dermatology</i> , 2015 , 172, 1613-1620 | 4 | 22 |
| 240 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800 | 40 | 3802 |
| 239 | The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015 , 1, 505-27 | 13.4 | 1870 |
| 238 | The global burden of psoriatic skin disease. <i>British Journal of Dermatology</i> , 2015 , 172, 1665-1668 | 4 | 51 |
| 237 | Seborrhoeic dermatitis of the scalp. <i>Clinical Evidence</i> , 2015 , 2015, | | 2 |
| 236 | Safety Surveillance for Ustekinumab and Other Psoriasis Treatments From the Psoriasis Longitudinal Assessment and Registry (PSOLAR). <i>Journal of Drugs in Dermatology</i> , 2015 , 14, 706-14 | 2.2 | 187 |
| 235 | Variables affecting clinical response to treatment of facial port-wine stains by flash lamp-pumped pulsed dye laser: the importance of looking beyond the skin. <i>Lasers in Medical Science</i> , 2014 , 29, 1365-70 ^{3,1} | | 13 |
| 234 | Global mortality from conditions with skin manifestations. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1137-1143.e17 | 4.5 | 18 |
| 233 | Comments on "Diet and psoriasis, Part I: Impact of weight loss interventions". <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 829 | 4.5 | |
| 232 | The global burden of skin disease in 2010: an analysis of the prevalence and impact of skin conditions. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 1527-1534 | 4.3 | 630 |
| 231 | Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70 | 40 | 653 |
| 230 | Diet and physical exercise in psoriasis: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2014 , 170, 634-42 | 4 | 106 |
| 229 | Cost-effective psoriasis management 2014 , 11-17 | | |
| 228 | Melanocytic Nevi 2014 , 313-319 | | |
| 227 | To what extent is quality of life impaired in vitiligo? A multicenter study on Italian patients using the dermatology life quality index. <i>Dermatology</i> , 2014 , 229, 240-7 | 4.4 | 14 |
| 226 | Exanthematic Reactions 2014 , 388-395 | | |
| 225 | Randomized, within-patient, clinical trial comparing fluorine-synthetic fiber socks with standard cotton socks in improving plantar pustulosis. <i>Dermatology</i> , 2014 , 228, 166-71 | 4.4 | 2 |

224 Pityriasis Versicolor **2014**, 345-348

223 Treatment of Psoriasis **2014**, 175-199

1

222 Prevalence of self-reported skin complaints and avoidance of common daily life consumer products in selected European Regions. *JAMA Dermatology*, **2014**, 150, 154-63

5.1 17

221 Comparing cutaneous research funded by the National Institute of Arthritis and Musculoskeletal and Skin Diseases with 2010 Global Burden of Disease results. *PLoS ONE*, **2014**, 9, e102122

3.7 20

220 Acquired Subepidermal Bullous Diseases **2014**, 545-551

219 Treatment of Cutaneous Melanoma **2014**, 231-240

218 Treatment of Squamous Cell Carcinoma **2014**, 241-249

217 Epidemiology and economic aspects **2014**, 1-10

216 Lifestyle intervention should be an essential component of medical care for skin disease: a challenging task. *British Journal of Dermatology*, **2014**, 171, 934-5

4 5

215 Double-blind, within-patient, randomized, clinical trial comparing fluorine-synthetic fiber socks with standard cotton socks in improving plantar psoriasis. *Journal of Dermatological Treatment*, **2014**, 25, 26-9

2.8 4

214 Circulating autoantibodies and autoimmune comorbidities in vitiligo patients: a multicenter Italian study. *Dermatology*, **2014**, 228, 240-9

4.4 23

213 Perinatal factors and the risk of atopic dermatitis: a cohort study. *Pediatric Allergy and Immunology*, **2014**, 25, 43-50

4.2 19

212 Betamethasone valerate dressing is non-inferior to calcipotriol-betamethasone dipropionate ointment in the treatment of patients with mild-to-moderate chronic plaque psoriasis: results of a randomized assessor-blinded multicentre trial. *Journal of the European Academy of Dermatology and Venereology*, **2014**, 28, 1226-34

4.6 5

211 Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis **2014**, 578-585

1

210 Melanoma excision: how deep must we go?. *British Journal of Dermatology*, **2014**, 171, 1291-2

4 1

209 Efficacy of switching between tumor necrosis factor-alfa inhibitors in psoriasis: results from the Italian Psocare registry. *Journal of the American Academy of Dermatology*, **2014**, 70, 257-62.e3

4.5 43

208 Epidemiology of cutaneous drug-induced reactions. *Giornale Italiano Di Dermatologia E Venereologia*, **2014**, 149, 207-18

0.8 9

207 The main organizational changes in dermatological practice in the Lombardy Region, Italy, from 2001 to 2009. *Journal of the European Academy of Dermatology and Venereology*, **2013**, 27, 206-13

4.6 2

| | | | |
|-----|--|------|------|
| 206 | Metabolic abnormalities associated with initiation of systemic treatment for psoriasis: evidence from the Italian Psocare Registry. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, e30-41 | 4.6 | 63 |
| 205 | Knowledge, perceptions and behaviours about skin cancer and sun protection among secondary school students from Central Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 571-9 | 4.6 | 23 |
| 204 | Risk Factors for Psoriasis. <i>Current Dermatology Reports</i> , 2013 , 2, 58-65 | 1.5 | 7 |
| 203 | Systemic psoriasis therapy shows high between-country variation: a sign of unwarranted variation? Cross-sectional analysis of baseline data from the PSONET registries. <i>British Journal of Dermatology</i> , 2013 , 169, 710-4 | 4 | 16 |
| 202 | Longitudinal study of seroprevalence and serostability of 34 human papillomavirus types in European organ transplant recipients. <i>Virology</i> , 2013 , 436, 91-9 | 3.6 | 11 |
| 201 | Double-blind placebo-controlled randomized clinical trial on the efficacy of Aerosal in the treatment of sub-obstructive adenotonsillar hypertrophy and related diseases. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013 , 77, 1818-24 | 1.7 | 2 |
| 200 | Floating numerators on photopatch tests: how to interpret them?. <i>British Journal of Dermatology</i> , 2013 , 169, 1161-2 | 4 | |
| 199 | Longitudinal study of seroprevalence and serostability of the human polyomaviruses JCV and BKV in organ transplant recipients. <i>Journal of Medical Virology</i> , 2013 , 85, 327-35 | 19.7 | 26 |
| 198 | Incidence of primary and second cancers in renal transplant recipients: a multicenter cohort study. <i>American Journal of Transplantation</i> , 2013 , 13, 214-21 | 8.7 | 54 |
| 197 | Drug reaction with eosinophilia and systemic symptoms (DRESS): an original multisystem adverse drug reaction. Results from the prospective RegiSCAR study. <i>British Journal of Dermatology</i> , 2013 , 169, 1071-80 | 4 | 439 |
| 196 | Human papillomavirus load in eyebrow hair follicles and risk of cutaneous squamous cell carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 719-27 | 4 | 69 |
| 195 | Comprehensive survival analysis of a cohort of patients with Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1197-204 | 4.3 | 231 |
| 194 | Impact of STROBE statement publication on quality of observational study reporting: interrupted time series versus before-after analysis. <i>PLoS ONE</i> , 2013 , 8, e64733 | 3.7 | 60 |
| 193 | A framework for improving the quality of care for people with psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26 Suppl 4, 1-16 | 4.6 | 27 |
| 192 | The impact of perioperative transfusion of blood products on survival after pediatric liver transplantation. <i>Pediatric Transplantation</i> , 2012 , 16, 357-66 | 1.8 | 33 |
| 191 | The role of prior corticosteroid use on the clinical course of Stevens-Johnson syndrome and toxic epidermal necrolysis: a case-control analysis of patients selected from the multinational EuroSCAR and RegiSCAR studies. <i>British Journal of Dermatology</i> , 2012 , 167, 555-62 | 4 | 55 |
| 190 | Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2129-43 | 4.0 | 842 |
| 189 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223 | 4.0 | 5768 |

| | | | |
|-----|--|-----|------|
| 188 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128 | 4.0 | 8873 |
| 187 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96 | 4.0 | 4971 |
| 186 | Bullous pemphigoid: simple measures for a complex disease. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1948-50 | 4.3 | 2 |
| 185 | Removal of tattoos by q-switched laser: variables influencing outcome and sequelae in a large cohort of treated patients. <i>Archives of Dermatology</i> , 2012 , 148, 1364-9 | | 29 |
| 184 | Clinical presentation and diagnostic delay in bullous pemphigoid: a prospective nationwide cohort. <i>British Journal of Dermatology</i> , 2012 , 167, 1111-7 | 4 | 62 |
| 183 | Evaluation of the impact of writing exercises interventions on quality of life in patients with psoriasis undergoing systemic treatments. <i>British Journal of Dermatology</i> , 2012 , 167, 1254-64 | 4 | 10 |
| 182 | Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 1129-35 | 4.5 | 111 |
| 181 | The burden of moderate to severe psoriasis: an overview. <i>Pharmacoeconomics</i> , 2012 , 30, 1005-13 | 4.4 | 49 |
| 180 | Beta-papillomavirus DNA loads in hair follicles of immunocompetent people and organ transplant recipients. <i>Medical Microbiology and Immunology</i> , 2012 , 201, 117-25 | 4 | 40 |
| 179 | Poor relevance of a lymphocyte proliferation assay in lamotrigine-induced Stevens-Johnson syndrome or toxic epidermal necrolysis. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 248-54 | 4.1 | 38 |
| 178 | Factors associated with the seroprevalence of 26 cutaneous and two genital human papillomavirus types in organ transplant patients. <i>Journal of General Virology</i> , 2012 , 93, 165-174 | 4.9 | 8 |
| 177 | Mortality rate in bullous pemphigoid: a retrospective monocentric cohort study. <i>Dermatology</i> , 2012 , 225, 320-5 | 4.4 | 24 |
| 176 | Challenges for synthesising data in a network of registries for systemic psoriasis therapies. <i>Dermatology</i> , 2012 , 224, 236-43 | 4.4 | 37 |
| 175 | Efficacy and safety of the Betamethasone valerate 0.1% plaster in mild-to-moderate chronic plaque psoriasis: a randomized, parallel-group, active-controlled, phase III study. <i>American Journal of Clinical Dermatology</i> , 2011 , 12, 191-201 | 7.1 | 13 |
| 174 | Evaluation of SCORTEN on a cohort of patients with Stevens-Johnson syndrome and toxic epidermal necrolysis included in the RegiSCAR study. <i>Journal of Burn Care and Research</i> , 2011 , 32, 237-45 | 0.8 | 57 |
| 173 | Mortality of bullous pemphigoid in Switzerland: a prospective study. <i>British Journal of Dermatology</i> , 2011 , 165, 368-74 | 4 | 59 |
| 172 | Methotrexate, a drug for the years to come. <i>British Journal of Dermatology</i> , 2011 , 165, 230-1 | 4 | |
| 171 | Vitiligo and autoimmunity: an epidemiological study in a representative sample of young Italian males. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 105-9 | 4.6 | 22 |

| | | | |
|-----|---|------|-----|
| 170 | A case-control study of betapapillomavirus infection and cutaneous squamous cell carcinoma in organ transplant recipients. <i>American Journal of Transplantation</i> , 2011 , 11, 1498-508 | 8.7 | 100 |
| 169 | Analysis of the 3'UTR of the prostaglandin synthetase-2 (PTGS-2/COX-2) gene in non-melanoma skin cancer after organ transplantation. <i>Experimental Dermatology</i> , 2011 , 20, 1025-7 | 4 | 2 |
| 168 | Genome-wide association study of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Europe. <i>Orphanet Journal of Rare Diseases</i> , 2011 , 6, 52 | 4.2 | 86 |
| 167 | Etiological Factors in Skin Cancers 2011 , 56-65 | | |
| 166 | Comparators, study duration, outcome measures and sponsorship in therapeutic trials of psoriasis: update of the EDEN Psoriasis Survey 2001-2006. <i>British Journal of Dermatology</i> , 2010 , 162, 384-9 | 4 | 23 |
| 165 | PTCH1 gene haplotype association with basal cell carcinoma after transplantation. <i>British Journal of Dermatology</i> , 2010 , 163, 364-70 | 4 | 10 |
| 164 | Potential role of ustekinumab in the treatment of chronic plaque psoriasis. <i>Biologics: Targets and Therapy</i> , 2010 , 4, 119-29 | 4.4 | 4 |
| 163 | Incidence and clinical predictors of a subsequent nonmelanoma skin cancer in solid organ transplant recipients with a first nonmelanoma skin cancer: a multicenter cohort study. <i>Archives of Dermatology</i> , 2010 , 146, 294-9 | | 61 |
| 162 | An analysis of clustering of betapapillomavirus antibodies. <i>Journal of General Virology</i> , 2010 , 91, 2062-2067 | 4.7 | 6 |
| 161 | Multicenter study of the association between betapapillomavirus infection and cutaneous squamous cell carcinoma. <i>Cancer Research</i> , 2010 , 70, 9777-86 | 10.1 | 108 |
| 160 | Chronic pruritus management: a plea for improvement--can itch clinics be an option?. <i>Dermatology</i> , 2010 , 221, 216-8 | 4.4 | 4 |
| 159 | Design and feasibility of an international study assessing the prevalence of contact allergy to fragrances in the general population: the European Dermato-Epidemiology Network Fragrance Study. <i>Dermatology</i> , 2010 , 221, 267-75 | 4.4 | 25 |
| 158 | Scoring and monitoring the severity of psoriasis. What is the preferred method? What is the ideal method? Is PASI pass? facts and controversies. <i>Clinics in Dermatology</i> , 2010 , 28, 67-72 | 3 | 61 |
| 157 | Malignancy concerns with psoriasis treatments using phototherapy, methotrexate, cyclosporin, and biologics: facts and controversies. <i>Clinics in Dermatology</i> , 2010 , 28, 88-92 | 3 | 57 |
| 156 | Incidence and clinical predictors of primary opportunistic deep cutaneous mycoses in solid organ transplant recipients: a multicenter cohort study. <i>Clinical Transplantation</i> , 2010 , 24, 328-33 | 3.8 | 11 |
| 155 | Epidemiology and economic burden of herpes zoster and post-herpetic neuralgia in Italy: a retrospective, population-based study. <i>BMC Infectious Diseases</i> , 2010 , 10, 230 | 4 | 121 |
| 154 | Epidemiology of comorbidities in psoriasis. <i>Dermatologic Therapy</i> , 2010 , 23, 114-8 | 2.2 | 68 |
| 153 | Should we use body mass index to predict disease onset and severity in psoriasis?. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 452 | 2.2 | 4 |

| | | | |
|-----|---|------|-----|
| 152 | Vitiligo. <i>New England Journal of Medicine</i> , 2009 , 360, 1788; author reply 1788 | 59.2 | 2 |
| 151 | Prevalence and associated factors of betapapillomavirus infections in individuals without cutaneous squamous cell carcinoma. <i>Journal of General Virology</i> , 2009 , 90, 1611-1621 | 4.9 | 84 |
| 150 | The misperception that clinical trial data reflect long-term drug safety: lessons learned from Efalizumab® withdrawal. <i>Archives of Dermatology</i> , 2009 , 145, 1037-9 | | 13 |
| 149 | National registries of systemic treatment for psoriasis and the European EUSONET Initiative. <i>Dermatology</i> , 2009 , 218, 347-56 | 4.4 | 37 |
| 148 | Prediction of clinical response to excimer laser treatment in vitiligo by using neural network models. <i>Dermatology</i> , 2009 , 219, 133-7 | 4.4 | 8 |
| 147 | Antibody responses to 26 skin human papillomavirus types in the Netherlands, Italy and Australia. <i>Journal of General Virology</i> , 2009 , 90, 1986-1998 | 4.9 | 45 |
| 146 | Longitudinal studies of melanocytic nevi in children: a clue to improve understanding of melanoma in adults. <i>Archives of Dermatology</i> , 2009 , 145, 191-3 | | 2 |
| 145 | Does contact dermatitis to fragrances influence the quality of life? A descriptive study measuring and comparing the quality of life and skin involvement in patients with contact dermatitis to fragrances. <i>Flavour and Fragrance Journal</i> , 2009 , 24, 151-154 | 2.5 | 2 |
| 144 | Incidence of bullous pemphigoid and pemphigus in Switzerland: a 2-year prospective study. <i>British Journal of Dermatology</i> , 2009 , 161, 861-8 | 4 | 180 |
| 143 | Smoking and psoriasis: from epidemiology to pathomechanisms. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2741-3 | 4.3 | 33 |
| 142 | European S3-guidelines on the systemic treatment of psoriasis vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23 Suppl 2, 1-70 | 4.6 | 586 |
| 141 | Emerging drugs for psoriasis. <i>Expert Opinion on Emerging Drugs</i> , 2009 , 14, 145-63 | 3.7 | 7 |
| 140 | Introducci3 a la investigaci3 cl3nica en Dermatolog3a. Un nexu entre cl3nica e investigaci3. <i>Actas Dermo-sifiliogr3ficas</i> , 2009 , 100, 749-755 | 0.5 | 2 |
| 139 | Introduction to Clinical Research in Dermatology: The Link Between Clinical Practice and Research. <i>Actas Dermo-sifiliogr3ficas</i> , 2009 , 100, 749-755 | 0.5 | |
| 138 | Clinical practice. Seborrheic dermatitis. <i>New England Journal of Medicine</i> , 2009 , 360, 387-96 | 59.2 | 111 |
| 137 | Registry research in dermatology. <i>Dermatologic Clinics</i> , 2009 , 27, 185-91, vii | 4.2 | 6 |
| 136 | Prevalence of atopic dermatitis in Italian schoolchildren: factors affecting its variation. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 122-5 | 2.2 | 11 |
| 135 | Psoriasis (chronic plaque). <i>Clinical Evidence</i> , 2009 , 2009, | | 1 |

| | | | |
|-----|---|-----|-----|
| 134 | Evaluation of patient education. <i>Cancer Treatment and Research</i> , 2009 , 146, 417-23 | 3.5 | 1 |
| 133 | Stevens-Johnson syndrome and toxic epidermal necrolysis: assessment of medication risks with emphasis on recently marketed drugs. The EuroSCAR-study. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 35-44 | 4.3 | 625 |
| 132 | Distribution of congenital melanocytic naevi and congenital naevus-like naevi in a survey of 3406 Italian schoolchildren. <i>British Journal of Dermatology</i> , 2008 , 159, 433-8 | 4 | 13 |
| 131 | Cosmetovigilance: the BeautifulRisk. <i>Drug Safety</i> , 2008 , 31, 437-9 | 5.1 | 2 |
| 130 | Allopurinol is the most common cause of Stevens-Johnson syndrome and toxic epidermal necrolysis in Europe and Israel. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 25-32 | 4.5 | 312 |
| 129 | The search for effective and safe disease control in psoriasis. <i>Lancet, The</i> , 2008 , 371, 1311-2 | 4.0 | 4 |
| 128 | Medical history, drug exposure and the risk of psoriasis. Evidence from an Italian case-control study. <i>Dermatology</i> , 2008 , 216, 125-30; discussion 130-2 | 4.4 | 37 |
| 127 | Anthropometric measures, medical history and risk of basal cell carcinoma in an Italian case-control study. <i>Dermatology</i> , 2008 , 216, 271-6 | 4.4 | 15 |
| 126 | Reproducibility of dermoscopic features of congenital melanocytic nevi. <i>Dermatology</i> , 2008 , 217, 231-4 | 4.4 | 7 |
| 125 | Treatment patterns and associated costs for genital warts in Italy. <i>Current Medical Research and Opinion</i> , 2008 , 24, 3175-83 | 2.5 | 16 |
| 124 | Impact of body mass index and obesity on clinical response to systemic treatment for psoriasis. Evidence from the Psocare project. <i>Dermatology</i> , 2008 , 217, 365-73 | 4.4 | 167 |
| 123 | A European study of HLA-B in Stevens-Johnson syndrome and toxic epidermal necrolysis related to five high-risk drugs. <i>Pharmacogenetics and Genomics</i> , 2008 , 18, 99-107 | 1.9 | 444 |
| 122 | Randomized controlled trial comparing the effectiveness of 308-nm excimer laser alone or in combination with topical hydrocortisone 17-butyrate cream in the treatment of vitiligo of the face and neck. <i>British Journal of Dermatology</i> , 2008 , 159, 1186-91 | 4 | 54 |
| 121 | The +61 A-G polymorphism of the epidermal growth factor gene is not associated with occurrence of non-melanocytic skin tumors in transplant recipients. <i>Journal of Dermatological Science</i> , 2007 , 46, 147-53 | 4.3 | 2 |
| 120 | Risk factors for histological types and anatomic sites of cutaneous basal-cell carcinoma: an Italian case-control study. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 935-44 | 4.3 | 55 |
| 119 | Keratotic skin lesions and other risk factors are associated with skin cancer in organ-transplant recipients: a case-control study in The Netherlands, United Kingdom, Germany, France, and Italy. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1647-56 | 4.3 | 102 |
| 118 | Improving sun-protection behavior among children: results of a cluster-randomized trial in Italian elementary schools. The "SoleSi SoleNo-GISED" Project. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1871-7 | 4.3 | 26 |
| 117 | Association of functional gene variants in the regulatory regions of COX-2 gene (PTGS2) with nonmelanoma skin cancer after organ transplantation. <i>British Journal of Dermatology</i> , 2007 , 157, 49-57 | 4 | 31 |

| | | | |
|-----|---|-----|-----------------|
| 116 | Risk factors for acute generalized exanthematous pustulosis (AGEP)-results of a multinational case-control study (EuroSCAR). <i>British Journal of Dermatology</i> , 2007 , 157, 989-96 | 4 | 34 ¹ |
| 115 | The EpiEnlistProject: a dermo-epidemiologic study on a representative sample of young Italian males. Prevalence of selected pigmentary lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 1091-6 | 4.6 | 24 |
| 114 | Congenital melanocytic nevus: an epidemiologic study in Italy. <i>Dermatology</i> , 2007 , 214, 227-30 | 4.4 | 34 |
| 113 | Health-related quality of life: from health economics to bedside?. <i>Dermatology</i> , 2007 , 215, 273-6 | 4.4 | 6 |
| 112 | Nevus count on specific anatomic sites as a predictor of total body count: a survey of 3,406 children from Italy. <i>American Journal of Epidemiology</i> , 2007 , 166, 472-8 | 3.8 | 23 |
| 111 | Pheohyphomycotic soft tissue disease caused by <i>Alternaria alternata</i> in a kidney transplant patient: a case report and literature review. <i>Transplantation Proceedings</i> , 2007 , 39, 1655-9 | 1.1 | 17 |
| 110 | The clinical spectrum of psoriasis. <i>Clinics in Dermatology</i> , 2007 , 25, 510-8 | 3 | 114 |
| 109 | Prevalence of actinic keratoses and associated factors in a representative sample of the Italian adult population: Results from the Prevalence of Actinic Keratoses Italian Study, 2003-2004. <i>Archives of Dermatology</i> , 2006 , 142, 722-6 | | 57 |
| 108 | Feasibility of a web-based continuing medical education program in dermatology: the DermoFAD experience in Italy. <i>Dermatology</i> , 2006 , 213, 6-11 | 4.4 | 6 |
| 107 | Conflicts of interest in dermatology. <i>Acta Dermato-Venereologica</i> , 2006 , 86, 485-97 | 2.2 | 16 |
| 106 | Red hairs, number of nevi, and risk of cutaneous malignant melanoma: results from a case-control study in Italy. <i>Archives of Dermatology</i> , 2006 , 142, 935-6 | | 43 |
| 105 | Dermoscopic features of congenital melanocytic nevus and Becker nevus in an adult male population: an analysis with a 10-fold magnification. <i>Dermatology</i> , 2006 , 212, 354-60 | 4.4 | 30 |
| 104 | Anthropometric measures and risk of cutaneous malignant melanoma: a case-control study from Italy. <i>Melanoma Research</i> , 2006 , 16, 83-7 | 3.3 | 49 |
| 103 | Glutathione S-transferase and CYP1A1 gene polymorphisms and non-melanoma skin cancer risk in Italian transplanted patients. <i>Experimental Dermatology</i> , 2006 , 15, 958-65 | 4 | 23 |
| 102 | Response to Cigarette Smoking, Metabolic Gene Polymorphism, and Psoriasis. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 695 | 4.3 | |
| 101 | Assessing the impact of psoriasis and the relevance of qualitative research. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 1438-40 | 4.3 | 27 |
| 100 | Number of nevi at a specific anatomical site and its relation to cutaneous malignant melanoma. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 2106-10 | 4.3 | 20 |
| 99 | A new era in the management of psoriasis? Promises and facts. <i>Dermatology</i> , 2005 , 210, 179-81 | 4.4 | 14 |

| | | | |
|----|---|------|-----|
| 98 | Malignant melanoma in a candidate for heart transplantation. <i>Dermatology</i> , 2005 , 210, 233-6 | 4.4 | 1 |
| 97 | Cutaneous malignant melanoma in women. Phenotypic characteristics, sun exposure, and hormonal factors: a case-control study from Italy. <i>Annals of Epidemiology</i> , 2005 , 15, 545-50 | 6.4 | 59 |
| 96 | Traditional therapies in the management of moderate to severe chronic plaque psoriasis: an assessment of the benefits and risks. <i>British Journal of Dermatology</i> , 2005 , 152, 597-615 | 4 | 146 |
| 95 | Cigarette smoking, body mass index, and stressful life events as risk factors for psoriasis: results from an Italian case-control study. <i>Journal of Investigative Dermatology</i> , 2005 , 125, 61-7 | 4.3 | 412 |
| 94 | Sun exposure, phenotypic characteristics, and cutaneous malignant melanoma. An analysis according to different clinico-pathological variants and anatomic locations (Italy). <i>Cancer Causes and Control</i> , 2005 , 16, 893-9 | 2.8 | 47 |
| 93 | Tobacco and skin disease. <i>Dermatology</i> , 2005 , 211, 81-3 | 4.4 | 15 |
| 92 | Psoriasis. <i>New England Journal of Medicine</i> , 2005 , 353, 848-50; author reply 848-50 | 59.2 | 3 |
| 91 | Epidemiology of psoriasis. <i>Inflammation and Allergy: Drug Targets</i> , 2004 , 3, 121-8 | | 175 |
| 90 | Prevalence and risk factors for superficial fungal infections among Italian Navy Cadets. <i>Dermatology</i> , 2004 , 209, 190-6 | 4.4 | 26 |
| 89 | Overview of studies of treatments for hand eczema-the EDEN hand eczema survey. <i>British Journal of Dermatology</i> , 2004 , 151, 446-51 | 4 | 72 |
| 88 | Study design and preliminary results from the pilot phase of the PraKtis study: self-reported diagnoses of selected skin diseases in a representative sample of the Italian population. <i>Dermatology</i> , 2004 , 208, 38-42 | 4.4 | 56 |
| 87 | Mortality from cutaneous malignant melanoma in Europe. Has the epidemic levelled off?. <i>Melanoma Research</i> , 2004 , 14, 301-9 | 3.3 | 45 |
| 86 | Risk of melanoma and vitamin A, coffee and alcohol: a case-control study from Italy. <i>European Journal of Cancer Prevention</i> , 2004 , 13, 503-8 | 2 | 57 |
| 85 | Frequency of X-linked ichthyosis in coastal southern Italy: a study on a representative sample of a young male population. <i>Dermatology</i> , 2003 , 207, 148-50 | 4.4 | 8 |
| 84 | Improving sun protection behaviour in children: study design and baseline results of a randomized trial in Italian elementary schools. The Sole Si Sole No GISEDQproject. <i>Dermatology</i> , 2003 , 207, 291-7 | 4.4 | 6 |
| 83 | Randomized clinical trials for psoriasis 1977-2000: the EDEN survey. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 738-41 | 4.3 | 90 |
| 82 | Prevalence of pityriasis versicolor in young Italian sailors. <i>British Journal of Dermatology</i> , 2003 , 149, 1270-2 | 4.2 | 20 |
| 81 | X-linked ichthyosis in southern Italy. <i>Journal of the American Academy of Dermatology</i> , 2003 , 49, 962-3 | 4.5 | 3 |

| | | | |
|----|---|-----|-----|
| 80 | A randomized trial of etanercept as monotherapy for psoriasis. <i>Archives of Dermatology</i> , 2003 , 139, 1627-32; discussion 1632 | | 392 |
| 79 | The epidemiology of fragrance allergy: questions and needs. <i>Dermatology</i> , 2002 , 205, 89-97 | 4.4 | 10 |
| 78 | The density of melanocytic nevi correlates with constitutional variables and history of sunburns: a prevalence study among Italian schoolchildren. <i>International Journal of Cancer</i> , 2002 , 101, 375-9 | 7.5 | 67 |
| 77 | Dermoscopy of pigmented seborrheic keratosis: a morphological study. <i>Archives of Dermatology</i> , 2002 , 138, 1556-60 | | 146 |
| 76 | Alefacept for psoriasis: promising drug, open questions. <i>Archives of Dermatology</i> , 2002 , 138, 1238-40 | | 3 |
| 75 | Correlations between clinical patterns and causes of erythema multiforme majus, Stevens-Johnson syndrome, and toxic epidermal necrolysis: results of an international prospective study. <i>Archives of Dermatology</i> , 2002 , 138, 1019-24 | | 400 |
| 74 | A retrospective study of the effect of long-term topical application of retinaldehyde (0.05%) on the development of actinic keratosis. <i>Dermatology</i> , 2002 , 205, 146-52 | 4.4 | 17 |
| 73 | Turner's syndrome, melanocytic nevi and melanoma. <i>Dermatology</i> , 2001 , 203, 275 | 4.4 | 2 |
| 72 | Family history of psoriasis, stressful life events, and recent infectious disease are risk factors for a first episode of acute guttate psoriasis: results of a case-control study. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 433-8 | 4.5 | 110 |
| 71 | Does clinical research help pemphigus patients? Precautions and suggestions. <i>Dermatology</i> , 2001 , 203, 199-200 | 4.4 | |
| 70 | Nevirapine and the risk of Stevens-Johnson syndrome or toxic epidermal necrolysis. <i>Aids</i> , 2001 , 15, 1843-8 | 3.5 | 148 |
| 69 | Sunlamps and sunbeds and the risk of cutaneous melanoma. Italian Group for Epidemiological Research in Dermatology. <i>European Journal of Cancer Prevention</i> , 2000 , 9, 133-4 | 2 | 16 |
| 68 | Risk of nonmelanoma skin cancer in Italian organ transplant recipients. A registry-based study. <i>Transplantation</i> , 2000 , 70, 1479-84 | 1.8 | 80 |
| 67 | Sunscreens and cutaneous malignant melanoma: an Italian case-control study. <i>International Journal of Cancer</i> , 2000 , 86, 879-82 | 7.5 | 18 |
| 66 | Pigmentary traits, modalities of sun reaction, history of sunburns, and melanocytic nevi as risk factors for cutaneous malignant melanoma in the Italian population: results of a collaborative case-control study. <i>Cancer</i> , 2000 , 88, 2703-10 | 6.4 | 112 |
| 65 | Paecilomyces marquandii cellulitis in a kidney transplant patient. <i>British Journal of Dermatology</i> , 2000 , 143, 647-9 | 4 | 7 |
| 64 | Prevalence and awareness of tinea pedis in Italian sailors. <i>Dermatology</i> , 2000 , 201, 349-50 | 4.4 | 9 |
| 63 | Exploring the causes of cutaneous B-cell lymphoma: we should learn from the Lyme disease experience. <i>Dermatology</i> , 2000 , 201, 353-5 | 4.4 | 0 |

| | | | |
|----|--|-----|-----|
| 62 | Host-related and environmental risk factors for cutaneous basal cell carcinoma: evidence from an Italian case-control study. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 446-52 | 4.5 | 62 |
| 61 | Cutaneous reactions to drugs. An analysis of spontaneous reports in four Italian regions. <i>British Journal of Clinical Pharmacology</i> , 1999 , 48, 839-46 | 3.8 | 108 |
| 60 | Risk of Stevens-Johnson syndrome and toxic epidermal necrolysis during first weeks of antiepileptic therapy: a case-control study. Study Group of the International Case Control Study on Severe Cutaneous Adverse Reactions. <i>Lancet, The</i> , 1999 , 353, 2190-4 | 4.0 | 285 |
| 59 | Association of early-stage psoriasis with smoking and male alcohol consumption: evidence from an Italian case-control study. <i>Archives of Dermatology</i> , 1999 , 135, 1479-84 | | 74 |
| 58 | Cigarette smoking and psoriasis. <i>Clinics in Dermatology</i> , 1998 , 16, 571-4 | 3 | 38 |
| 57 | Doctorline: a private toll-free telephone medical information service. Five years of activity: old problems and new perspectives. <i>Annals of Pharmacotherapy</i> , 1998 , 32, 120-5 | 2.9 | 6 |
| 56 | The Cochrane Skin Group. Preparing, maintaining, and disseminating systematic reviews of clinical interventions in dermatology. <i>Archives of Dermatology</i> , 1998 , 134, 1620-6 | | 26 |
| 55 | Consensus workshop on the toxic effects of long-term PUVA therapy. <i>Archives of Dermatology</i> , 1998 , 134, 595-8 | | 98 |
| 54 | Reliability and inter-observer agreement of dermoscopic diagnosis of melanoma and melanocytic naevi. Dermoscopy Panel. <i>European Journal of Cancer Prevention</i> , 1998 , 7, 397-402 | 2 | 55 |
| 53 | The diagnosis of psoriasis: diagnostic criteria. <i>British Journal of Dermatology</i> , 1998 , 138, 917 | 4 | 11 |
| 52 | Psoriasis: latest advances in understanding and novel therapeutic approaches. <i>Expert Opinion on Investigational Drugs</i> , 1997 , 6, 895-8 | 5.9 | |
| 51 | A case of hypopigmented mycosis fungoides in a young Caucasian boy. <i>Pediatric Dermatology</i> , 1997 , 14, 449-52 | 1.9 | 29 |
| 50 | Raynaud® phenomenon and antiphospholipid antibodies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1997 , 8, 164-164 | 4.6 | |
| 49 | Number and distribution of melanocytic nevi in individuals with a history of childhood leukemia. <i>Cancer</i> , 1996 , 77, 1402-8 | 6.4 | 20 |
| 48 | Dietary factors and the risk of psoriasis. Results of an Italian case-control study. <i>British Journal of Dermatology</i> , 1996 , 134, 101-106 | 4 | 8 |
| 47 | Dietary factors and the risk of psoriasis. Results of an Italian case-control study. <i>British Journal of Dermatology</i> , 1996 , 134, 101-106 | 4 | 45 |
| 46 | Nodular lesions on fingertips. Diagnosis: cutaneous sarcoidosis. <i>Archives of Dermatology</i> , 1996 , 132, 460, 463 | | 6 |
| 45 | Dietary factors and the risk of psoriasis. Results of an Italian case-control study. <i>British Journal of Dermatology</i> , 1996 , 134, 101-6 | 4 | 12 |

| | | | |
|----|--|------|------|
| 44 | Number of sexual partners, condom use and risk of human immunodeficiency virus infection. <i>International Journal of Epidemiology</i> , 1995 , 24, 1197-203 | 7.8 | 3 |
| 43 | An international collaborative case-control study of severe cutaneous adverse reactions (SCAR). Design and methods. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 1099-108 | 5.7 | 55 |
| 42 | Medication use and the risk of Stevens-Johnson syndrome or toxic epidermal necrolysis. <i>New England Journal of Medicine</i> , 1995 , 333, 1600-7 | 59.2 | 1110 |
| 41 | Antiphospholipid syndrome associated with immunotherapy for patients with melanoma. <i>Cancer</i> , 1995 , 75, 2784-5 | 6.4 | 9 |
| 40 | Psoriasis. <i>Dermatologic Clinics</i> , 1995 , 13, 635-47 | 4.2 | 3 |
| 39 | Occupational contact dermatitis from propranolol. <i>Contact Dermatitis</i> , 1994 , 30, 177 | 2.7 | 8 |
| 38 | Barrier methods of contraception, spermicides, and sexually transmitted diseases: a review. <i>Sexually Transmitted Infections</i> , 1994 , 70, 410-7 | 2.8 | 2 |
| 37 | Cutaneous malignant melanoma appearing during photochemotherapy of mycosis fungoides. <i>Dermatology</i> , 1994 , 189, 75-7 | 4.4 | 12 |
| 36 | Combined Clark® nevus. <i>American Journal of Dermatopathology</i> , 1994 , 16, 364-71 | 0.9 | 17 |
| 35 | Analytic epidemiology in psoriasis. <i>Journal of Investigative Dermatology</i> , 1994 , 102, 19S-23S | 4.3 | 14 |
| 34 | Cutaneous manifestations associated with antiphospholipid antibodies in patients with suspected primary antiphospholipid syndrome: a case-control study. <i>Annals of the Rheumatic Diseases</i> , 1993 , 52, 219-22 | 2.4 | 34 |
| 33 | Prevalence and awareness of hepatitis B virus carrier status in Italy. <i>Sexually Transmitted Infections</i> , 1993 , 69, 241 | 2.8 | |
| 32 | Painful Distal Erythema and Thrombocytosis. <i>Archives of Dermatology</i> , 1993 , 129, 107 | | |
| 31 | Clinical Classification of Cases of Toxic Epidermal Necrolysis, Stevens-Johnson Syndrome, and Erythema Multiforme. <i>Archives of Dermatology</i> , 1993 , 129, 92 | | 817 |
| 30 | Cutaneous reactions to analgesic-antipyretics and nonsteroidal anti-inflammatory drugs. Analysis of reports to the spontaneous reporting system of the Gruppo Italiano Studi Epidemiologici in Dermatologia. <i>Dermatology</i> , 1993 , 186, 164-9 | 4.4 | 32 |
| 29 | Agminate blue nevus combined with lentigo. A variant of speckled lentiginous nevus?. <i>American Journal of Dermatopathology</i> , 1993 , 15, 162-5 | 0.9 | 23 |
| 28 | Feasibility of a multicentre case-control study of melanoma in Italy. <i>Melanoma Research</i> , 1993 , 3, 58 | 3.3 | 2 |
| 27 | Feasibility of a registry of pemphigus in Italy: two years experience. Gruppo Italiano Studi Epidemiologici in Dermatologia (GISED). <i>International Journal of Dermatology</i> , 1993 , 32, 424-7 | 1.7 | 15 |

| | | | |
|----|--|-----|-----|
| 26 | Clinical classification of cases of toxic epidermal necrolysis, Stevens-Johnson syndrome, and erythema multiforme. <i>Archives of Dermatology</i> , 1993 , 129, 92-6 | | 249 |
| 25 | . <i>Archives of Dermatology</i> , 1993 , 129, 105-105 | | 10 |
| 24 | Painful distal erythema and thrombocytosis. Erythromelalgia secondary to thrombocytosis. <i>Archives of Dermatology</i> , 1993 , 129, 105-6, 109 | | 2 |
| 23 | Determinants of hepatitis B virus surface antigen positivity in adults attending sexually transmitted disease clinics in Italy. <i>Sexually Transmitted Infections</i> , 1992 , 68, 345-6 | 2.8 | |
| 22 | Figurate erythema, photosensitivity, and conjunctival irritation of recent onset. Subacute cutaneous lupus erythematosus (SCLE) and keratoconjunctivitis sicca. <i>Archives of Dermatology</i> , 1992 , 128, 1265, 1268 | | |
| 21 | Antiphospholipid antibodies and melanoma: a link?. <i>Dermatology</i> , 1992 , 184, 156 | 4.4 | 5 |
| 20 | Unusual manifestations of primary cutaneous amyloidosis in association with Raynaud® phenomenon and livedo reticularis. <i>Clinical and Experimental Dermatology</i> , 1992 , 17, 117-20 | 1.8 | 8 |
| 19 | Development of anthralin short-contact therapy in psoriasis: survey of published clinical trials. <i>International Journal of Dermatology</i> , 1992 , 31, 126-30 | 1.7 | 5 |
| 18 | Family history, smoking habits, alcohol consumption and risk of psoriasis. <i>British Journal of Dermatology</i> , 1992 , 127, 212-7 | 4 | 139 |
| 17 | Etretinate therapy and thrombocytopenia. <i>British Journal of Dermatology</i> , 1991 , 124, 395 | 4 | 7 |
| 16 | Risk factors for HIV infection in adults attending sexually transmitted disease clinics in Italy. <i>International Journal of Epidemiology</i> , 1991 , 20, 758-63 | 7.8 | 6 |
| 15 | Multiple Papular and Nodular Lesions in a Tall Woman. <i>Archives of Dermatology</i> , 1991 , 127, 1719 | | |
| 14 | Failure of deflazacort in controlling pemphigus vulgaris. <i>Journal of Dermatological Treatment</i> , 1991 , 2, 121-121 | 2.8 | 1 |
| 13 | . <i>Archives of Dermatology</i> , 1991 , 127, 1717-1717 | | 3 |
| 12 | Multiple papular and nodular lesions in a tall woman. Nevoid basal cell carcinoma syndrome. <i>Archives of Dermatology</i> , 1991 , 127, 1717-8, 1720-1 | | 1 |
| 11 | Antiphospholipid antibodies and necrotizing purpura. <i>Dermatology</i> , 1990 , 180, 272-5 | 4.4 | 13 |
| 10 | About the association of lichen planus and psoriasis. <i>Dermatology</i> , 1990 , 181, 79-80 | 4.4 | 8 |
| 9 | Incidence of toxic epidermal necrolysis in Italy. <i>Archives of Dermatology</i> , 1990 , 126, 1103-4 | | 45 |

| | | | |
|---|--|-----|----|
| 8 | Role of topical immunotherapy in the treatment of alopecia areata. Quality analysis of articles published between January 1977 and January 1988 about three treatments. Reading Group. <i>Journal of the American Academy of Dermatology</i> , 1990 , 22, 654-6 | 4.5 | 13 |
| 7 | Corticosteroids and post-herpetic neuralgia. <i>Lancet, The</i> , 1990 , 336, 947 | 4.0 | 5 |
| 6 | Frequency of HIV infection in patients attending sexually transmitted disease clinics in Italy. <i>International Journal of Epidemiology</i> , 1989 , 18, 999-1000 | 7.8 | 1 |
| 5 | Bronchial asthma due to spiramycin and adipic acid. <i>Clinical and Experimental Allergy</i> , 1984 , 14, 355-61 | 4.1 | 15 |
| 4 | The Field and Its Boundaries ¹⁻⁶ | | |
| 3 | How to Critically Appraise a Randomized Controlled Trial ³⁹⁻⁴⁵ | | |
| 2 | Where Does Qualitative Research Fit Into Evidence-Based Dermatology? ⁷⁵⁻⁷⁸ | | |
| 1 | Assessing and Explaining the Evidence on Harms of Medical Interventions ⁴⁶⁻⁴⁹ | | |