

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3909839/vitor-a-lira-publications-by-citations.pdf>
Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers	6,698 citations	25 h-index	81 g-index
83 ext. papers	8,210 ext. citations	3.5 avg, IF	4.85 L-index

#	Paper	IF	Citations
70	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
69	Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition). <i>Autophagy</i> , 2021 , 17, 1-382	10.2	440
68	Autophagy is required for exercise training-induced skeletal muscle adaptation and improvement of physical performance. <i>FASEB Journal</i> , 2013 , 27, 4184-93	0.9	278
67	PGC-1alpha regulation by exercise training and its influences on muscle function and insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 299, E145-61	6	251
66	Regulation of exercise-induced fiber type transformation, mitochondrial biogenesis, and angiogenesis in skeletal muscle. <i>Journal of Applied Physiology</i> , 2011 , 110, 264-74	3.7	210
65	Ampk phosphorylation of Ulk1 is required for targeting of mitochondria to lysosomes in exercise-induced mitophagy. <i>Nature Communications</i> , 2017 , 8, 548	17.4	203
64	Exercise training-induced regulation of mitochondrial quality. <i>Exercise and Sport Sciences Reviews</i> , 2012 , 40, 159-64	6.7	154
63	Nitric oxide and AMPK cooperatively regulate PGC-1 in skeletal muscle cells. <i>Journal of Physiology</i> , 2010 , 588, 3551-66	3.9	135
62	Nitric oxide increases GLUT4 expression and regulates AMPK signaling in skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 293, E1062-8	6	125
61	p38gamma mitogen-activated protein kinase is a key regulator in skeletal muscle metabolic adaptation in mice. <i>PLoS ONE</i> , 2009 , 4, e7934	3.7	120
60	Mitochondrial Reactive Oxygen Species in Lipotoxic Hearts Induce Post-Translational Modifications of AKAP121, DRP1, and OPA1 That Promote Mitochondrial Fission. <i>Circulation Research</i> , 2018 , 122, 58-73	15.7	118
59	Ibuprofen inhibits skeletal muscle hypertrophy in rats. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 840-6	1.2	77
58	Identification and Small Molecule Inhibition of an Activating Transcription Factor 4 (ATF4)-dependent Pathway to Age-related Skeletal Muscle Weakness and Atrophy. <i>Journal of Biological Chemistry</i> , 2015 , 290, 25497-511	5.4	64
57	In vivo inhibition of nitric oxide synthase impairs upregulation of contractile protein mRNA in overloaded plantaris muscle. <i>Journal of Applied Physiology</i> , 2006 , 100, 258-65	3.7	57
56	Contrasting effects of afferent and efferent vagal nerve stimulation on insulin secretion and blood glucose regulation. <i>Physiological Reports</i> , 2016 , 4, e12718	2.6	49
55	Nitric oxide facilitates NFAT-dependent transcription in mouse myotubes. <i>American Journal of Physiology - Cell Physiology</i> , 2008 , 294, C1088-95	5.4	46
54	Extracellular superoxide dismutase ameliorates skeletal muscle abnormalities, cachexia, and exercise intolerance in mice with congestive heart failure. <i>Circulation: Heart Failure</i> , 2014 , 7, 519-30	7.6	40

53	Nrf2 deficiency in myeloid cells is not sufficient to protect mice from high-fat diet-induced adipose tissue inflammation and insulin resistance. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 1708-15	7.8	37
52	Arginine supplementation induces myoblast fusion via augmentation of nitric oxide production. <i>Journal of Muscle Research and Cell Motility</i> , 2006 , 27, 577-84	3.5	35
51	Cessation of cyclic stretch induces atrophy of C2C12 myotubes. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 434, 316-21	3.4	30
50	HDAC4 regulates muscle fiber type-specific gene expression programs. <i>Molecules and Cells</i> , 2015 , 38, 343-8	3.5	28
49	IFN- γ and TNF- α Pre-licensing Protects Mesenchymal Stromal Cells from the Pro-inflammatory Effects of Palmitate. <i>Molecular Therapy</i> , 2018 , 26, 860-873	11.7	28
48	p62/SQSTM1 and Nrf2 are essential for exercise-mediated enhancement of antioxidant protein expression in oxidative muscle. <i>FASEB Journal</i> , 2019 , 33, 8022-8032	0.9	25
47	Enhanced skeletal muscle expression of extracellular superoxide dismutase mitigates streptozotocin-induced diabetic cardiomyopathy by reducing oxidative stress and aberrant cell signaling. <i>Circulation: Heart Failure</i> , 2015 , 8, 188-97	7.6	25
46	Nitric oxide regulates stretch-induced proliferation in C2C12 myoblasts. <i>Journal of Muscle Research and Cell Motility</i> , 2010 , 31, 215-25	3.5	25
45	Blood pressure assessment during resistance exercise: comparison between auscultation and Finapres. <i>Blood Pressure Monitoring</i> , 2007 , 12, 81-6	1.3	25
44	The unfolded protein response regulates hepatic autophagy by sXBP1-mediated activation of TFEB. <i>Autophagy</i> , 2021 , 17, 1841-1855	10.2	24
43	Exercise leads to unfavourable cardiac remodelling and enhanced metabolic homeostasis in obese mice with cardiac and skeletal muscle autophagy deficiency. <i>Scientific Reports</i> , 2017 , 7, 7894	4.9	22
42	Supplemental nitric oxide augments satellite cell activity on cultured myofibers from aged mice. <i>Experimental Gerontology</i> , 2008 , 43, 1094-101	4.5	22
41	Nitric oxide reverses prednisolone-induced inactivation of muscle satellite cells. <i>Muscle and Nerve</i> , 2008 , 37, 203-9	3.4	18
40	Cervical vagal nerve stimulation impairs glucose tolerance and suppresses insulin release in conscious rats. <i>Physiological Reports</i> , 2018 , 6, e13953	2.6	15
39	Muscle-derived extracellular superoxide dismutase inhibits endothelial activation and protects against multiple organ dysfunction syndrome in mice. <i>Free Radical Biology and Medicine</i> , 2017 , 113, 212-223	7.8	14
38	ULK2 is essential for degradation of ubiquitinated protein aggregates and homeostasis in skeletal muscle. <i>FASEB Journal</i> , 2019 , 33, 11735-11745	0.9	14
37	Endothelial nitric oxide synthase is involved in calcium-induced Akt signaling in mouse skeletal muscle. <i>Nitric Oxide - Biology and Chemistry</i> , 2009 , 21, 192-200	5	13
36	Corticosterone accelerates atherosclerosis in the apolipoprotein E-deficient mouse. <i>Atherosclerosis</i> , 2014 , 232, 414-9	3.1	12

35	Ovarian Hormone Deprivation Reduces Oxytocin Expression in Paraventricular Nucleus Preautonomic Neurons and Correlates with Baroreflex Impairment in Rats. <i>Frontiers in Physiology</i> , 2016 , 7, 461	4.6	11
34	Fidedignidade entre peso e estatura reportados e medidos e a influência do histórico de atividade física em indivíduos que procuram a prática supervisionada de exercícios. <i>Revista Brasileira De Medicina Do Esporte</i> , 2005 , 11, 141-145	0.5	8
33	Forced exercise increases muscle mass in EAE despite early onset of disability. <i>Physiological Research</i> , 2016 , 65, 1013-1017	2.1	8
32	Assessment of Cardiorespiratory Fitness without Exercise in Elderly Men with Chronic Cardiovascular and Metabolic Diseases. <i>Journal of Aging Research</i> , 2012 , 2012, 518045	2.3	6
31	As ações de sentar e levantar do solo são prejudicadas por excesso de peso. <i>Revista Brasileira De Medicina Do Esporte</i> , 2000 , 6, 241-248	0.5	6
30	Involvement of mTOR in Type 2 CRF Receptor Inhibition of Insulin Signaling in Muscle Cells. <i>Molecular Endocrinology</i> , 2015 , 29, 831-41		5
29	The effects of diet composition and chronic obesity on muscle growth and function. <i>Journal of Applied Physiology</i> , 2021 , 130, 124-138	3.7	5
28	Muscle-derived SDF-1/CXCL12 modulates endothelial cell proliferation but not exercise training-induced angiogenesis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019 , 317, R770-R779	3.2	4
27	Discontinuous sets of knee extensions induce higher cardiovascular responses in comparison to continuous ones. <i>Arquivos Brasileiros De Cardiologia</i> , 2008 , 90, 350-5	1.2	4
26	Insulin and IGF-1 receptors regulate complex I-dependent mitochondrial bioenergetics and supercomplexes via FoxOs in muscle. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	4
25	Atg6 deficiency exacerbates glucose intolerance in mice on high-fat diet. <i>FASEB Journal</i> , 2012 , 26, 869.18.9		3
24	Regular exercise stimulates endothelium autophagy via IL-1 signaling in ApoE deficient mice. <i>FASEB Journal</i> , 2021 , 35, e21698	0.9	3
23	Perinatal versus adult loss of ULK1 and ULK2 distinctly influences cardiac autophagy and function.. <i>Autophagy</i> , 2022 , 1-17	10.2	1
22	ADH5-mediated NO bioactivity maintains metabolic homeostasis in brown adipose tissue. <i>Cell Reports</i> , 2021 , 37, 110003	10.6	1
21	NOS inhibition prevents AMPK induction of GLUT4, citrate synthase and F1ATP synthase mRNA in L6 myotubes. <i>FASEB Journal</i> , 2006 , 20, A820	0.9	1
20	Embryonic versus adult cardiomyocyte loss of ULK1 and ULK2 uncover temporally distinct effects on autophagy and cardiac function. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	1
19	Loss of Ulk1 in skeletal muscle and heart prevents exercise protection against diet-induced insulin resistance. <i>FASEB Journal</i> , 2015 , 29, 821.6	0.9	1
18	Higher Muscle Damage Triggered by Shorter Inter-Set Rest Periods in Volume-Equated Resistance Exercise.. <i>Frontiers in Physiology</i> , 2022 , 13, 827847	4.6	1

17	Skeletal Muscle ULK1 and ULK2 Jointly Couple Muscle Mass with Force and Are Required for Survival Under Low Nutrient Availability. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	0
16	Skeletal muscle type-specific mitochondrial adaptation to high-fat diet relies on differential autophagy modulation. <i>FASEB Journal</i> , 2021 , 35, e21933	0.9	0
15	Purification of Insoluble Protein Aggregates from Skeletal Muscle Using a Pre-Clinical Model of Huntington's Disease. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
14	Arginine supplementation induces myoblast fusion via augmentation of nitric oxide production. <i>FASEB Journal</i> , 2006 , 20, A29	0.9	
13	Overexpression of CuZnSOD or MnSOD protects satellite cells from doxorubicin-induced apoptosis. <i>FASEB Journal</i> , 2007 , 21, A449	0.9	
12	ULK2 Regulates p62- and NBR1-Dependent Selective Autophagy In Skeletal Muscle. <i>FASEB Journal</i> , 2018 , 32, 615.1	0.9	
11	Patterns of Suppressed Mitochondrial Respiration in Isolated Muscle Fibers from Type 2 Diabetics. <i>FASEB Journal</i> , 2018 , 32, 618.26	0.9	
10	Muscle-derived SDF-1/CXCL12 modulates endothelial cell proliferation but is not required for exercise training-induced angiogenesis. <i>FASEB Journal</i> , 2019 , 33, lb433	0.9	
9	Muscle contractile activity-mediated regulation of antioxidant enzymes in oxidative muscle requires p62/SQSTM1 phosphorylation-induced Nrf2 activation. <i>FASEB Journal</i> , 2019 , 33, lb438	0.9	
8	299-OR: Loss of Insulin and IGF1 Receptors in Muscle Impairs Complex-I Dependent Mitochondrial Bioenergetics and Supercomplex Formation via Foxo Transcription Factors. <i>Diabetes</i> , 2020 , 69, 299-OR	0.9	
7	42-OR: The Impact of GSNOR-Mediated Nitroso-Redox Signaling on Immuno-Metabolic Interaction in the Brown Adipose Tissue. <i>Diabetes</i> , 2020 , 69, 42-OR	0.9	
6	1722-P: Loss of Foxos in Muscle Maintains Strength and Mitochondrial Function during Aging, but Does Not Alter Glucose or Insulin Tolerance. <i>Diabetes</i> , 2020 , 69, 1722-P	0.9	
5	Ulk1 is Required for Lysosome Targeting to Damaged Mitochondria Following Acute Exercise. <i>FASEB Journal</i> , 2015 , 29, 821.9	0.9	
4	Genetic ablation of cyclophilin D, a component of the mitochondrial permeability transition pore, improves insulin sensitivity in high-fat fed mice. <i>FASEB Journal</i> , 2010 , 24, lb626	0.9	
3	A functional role of superoxide dismutase 3 in nitric oxide-mediated protection against catabolic wasting in skeletal muscle. <i>FASEB Journal</i> , 2010 , 24, lb672	0.9	
2	Increased contractile activity induces autophagy in skeletal muscle. <i>FASEB Journal</i> , 2010 , 24, lb646	0.9	
1	Muscle-specific deletion of p38/JMAPK improves glucose tolerance and reduces body fat but impairs exercise capacity. <i>FASEB Journal</i> , 2013 , 27, 1152.22	0.9	