

# T M EggebÅ,

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3910123/publications.pdf>

Version: 2024-02-01

51  
papers

1,135  
citations

471061

17  
h-index

377514

34  
g-index

53  
all docs

53  
docs citations

53  
times ranked

513  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of labor and delivery by transperineal ultrasound in pregnancies with prelabor rupture of membranes at term. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 387-391.	0.9	175
2	Comparison between ultrasound parameters and clinical examination to assess fetal head station in labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 425-429.	0.9	115
3	Prediction of delivery mode with transperineal ultrasound in women with prolonged first stage of labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 702-708.	0.9	108
4	Ultrasound assessment of fetal head-perineum distance before induction of labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 199-204.	0.9	100
5	Sonographic prediction of vaginal delivery in prolonged labor: a two-center study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 195-201.	0.9	73
6	A model to predict vaginal delivery in nulliparous women based on maternal characteristics and intrapartum ultrasound. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 362.e1-362.e6.	0.7	54
7	Occiput posterior position diagnosis: vaginal examination or intrapartum sonography? A clinical review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 520-526.	0.7	51
8	Simple two-dimensional ultrasound technique to assess intrapartum cervical dilatation: a pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 413-418.	0.9	50
9	Prediction of delivery mode by ultrasound-assessed fetal position in nulliparous women with prolonged first stage of labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 606-610.	0.9	41
10	Agreement between two- and three-dimensional transperineal ultrasound methods in assessing fetal head descent in the first stage of labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 310-315.	0.9	38
11	Judicious use of oxytocin augmentation for the management of prolonged labor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 355-361.	1.3	33
12	Prediction of Labour and Delivery by Ascertaining the Fetal Head Position with Transabdominal Ultrasound in Pregnancies with Prelabour Rupture of Membranes after 37 weeks. <i>Ultraschall in Der Medizin</i> , 2008, 29, 179-183.	0.8	29
13	Descent of fetal head during active pushing: secondary analysis of prospective cohort study investigating ultrasound examination before operative vaginal delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 524-529.	0.9	29
14	Agreement between transperineal ultrasound measurements and digital examinations of cervical dilatation during labor. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 273.	0.9	28
15	Ultrasound is the future diagnostic tool in active labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 361-363.	0.9	26
16	Fetal rotation during vacuum extractions for prolonged labor: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 998-1005.	1.3	26
17	Duration of the active phase of labor in spontaneous and induced labors. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 120-127.	1.3	20
18	Maternal body mass index and risk of obstetric, maternal and neonatal outcomes: A cohort study of nulliparous women with spontaneous onset of labor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 521-530.	1.3	17

#	ARTICLE	IF	CITATIONS
19	Reproducibility and acceptability of ultrasound measurements of headâ€perineum distance. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 97-103.	1.3	16
20	Ultrasound in labor: clinical practice guideline and recommendation by the WAPM-World Association of Perinatal Medicine and the PMF-Perinatal Medicine Foundation. Journal of Perinatal Medicine, 2022, 50, 1007-1029.	0.6	13
21	The Labor Progression Study: The use of oxytocin augmentation during labor following Zhang's guideline and the <scp>WHO</scp> partograph in a cluster randomized trial. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1187-1194.	1.3	11
22	Face presentation and persistent deep mentum transverse position diagnosed with threeâ€dimensional ultrasound. Ultrasound in Obstetrics and Gynecology, 2015, 45, 490-491.	0.9	10
23	Increased diagnostic accuracy of fetal head station by use of transabdominal ultrasound. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 805-806.	1.3	10
24	Induction of labor in breech presentations â€a retrospective cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1336-1344.	1.3	9
25	Estimation of fetal weight in pregnancies past term. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 183-189.	1.3	7
26	Put your weight behind itâ€Effect of body mass index on the active second stage of labour: A retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 2166-2174.	1.1	7
27	Ultrasound assessment of fetal head position. Ultrasound in Obstetrics and Gynecology, 2010, 36, 128-129.	0.9	6
28	Structured clinical examinations in labor: rekindling the craft of obstetrics. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 1963-1969.	0.7	6
29	Descent of the presenting part assessed with ultrasound. American Journal of Obstetrics and Gynecology, 2024, 230, S901-S912.	0.7	6
30	Re: Narrow subpubic arch angle is associated with higher risk of persistent occiput posterior position at delivery. T. Chi, A. Youssef, F. Martelli, F. Bellussi, E. Aiello, G. Pilu, N. Rizzo, T. Frusca, D. Arduini and G. Rizzo. <i>Ultrasound Obstet Gynecol</i> 2016; 48: 511â€515.. Ultrasound in Obstetrics and Gynecology, 2016, 48, 425-425.	0.9	5
31	Fetal head descent assessed by transabdominal ultrasound: a prospective observational study. American Journal of Obstetrics and Gynecology, 2022, 226, 112.e1-112.e10.	0.7	5
32	There are 4, not 7, cardinal movements in labor. American Journal of Obstetrics & Gynecology MFM, 2021, 3, 100436.	1.3	3
33	OC191: Ultrasound measurements of fetal head-engagement and cervical length as predictive factors of labor outcome in women with induced labor. Ultrasound in Obstetrics and Gynecology, 2007, 30, 425-426.	0.9	2
34	Umbilical vein vasomotion detected <i>in vivo</i> by serial three-dimensional pixelwise spatially angle-corrected volume flow measurements. Ultrasound in Obstetrics and Gynecology, 2016, 47, 623-628.	0.9	2
35	OC01: A new population-based term prediction method-evaluation of the FL-based predictions. Ultrasound in Obstetrics and Gynecology, 2007, 30, 367-367.	0.9	1
36	OP08.02: A new population-based term prediction method-evaluation of the BPD-based predictions. Ultrasound in Obstetrics and Gynecology, 2007, 30, 478-479.	0.9	1

#	ARTICLE	IF	CITATIONS
37	â€œGravida eight, para six, alive twoâ€™. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 870-872.	1.3	1
38	An easy way to determine fetal heart laterality. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 159-160.	1.3	1
39	P11.11: Position of the fetal head evaluated by transabdominal ultrasound in pregnancies with prelabor rupture of membranes. Ultrasound in Obstetrics and Gynecology, 2005, 26, 452-453.	0.9	0
40	P04.25: An easy way to determine fetal heart laterality. Ultrasound in Obstetrics and Gynecology, 2006, 28, 558-558.	0.9	0
41	OC140: Ultrasound measurements or Bishop score before induction of labor?. Ultrasound in Obstetrics and Gynecology, 2008, 32, 288-288.	0.9	0
42	P06.13: Arteriovenous malformation as a consequence of a scar pregnancy. Ultrasound in Obstetrics and Gynecology, 2009, 34, 200-201.	0.9	0
43	OP32.07: Comparison of ultrasound methods assessing fetal head descent during labour. Ultrasound in Obstetrics and Gynecology, 2010, 36, 146-146.	0.9	0
44	OP32.08: Agreement between 2D and 3D acquisitions assessing fetal head descent. Ultrasound in Obstetrics and Gynecology, 2010, 36, 146-146.	0.9	0
45	P32.01: Transperineal or transabdominal ultrasound assessing fetal head position. Ultrasound in Obstetrics and Gynecology, 2010, 36, 290-290.	0.9	0
46	OP35.06: Detection of major fetal heart defects with routine use of colour Doppler. Ultrasound in Obstetrics and Gynecology, 2011, 38, 156-157.	0.9	0
47	Reply: The dreams of the future are better than the history of the past. Ultrasound in Obstetrics and Gynecology, 2013, 42, 243-244.	0.9	0
48	Venous blood flow in maternal kidneys in third trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 2246-2252.	0.7	0
49	Induction of labor in breechâ€presenting fetuses. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1158-1158.	1.3	0
50	Why does fetal head rotation occur in spontaneous labor?: reply. American Journal of Obstetrics and Gynecology, 2021, 225, 589-590.	0.7	0
51	Ultrasound in labor: clinical practice guideline recommendation by the World Association of Perinatal Medicine (WAPM) and the Perinatal Medicine Foundation (PMF). Perinatal Journal, 2022, 30, 103-127.	0.0	0