

# Tim Storr

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3910449/tim-storr-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108  
papers

3,493  
citations

35  
h-index

56  
g-index

116  
ext. papers

3,879  
ext. citations

6.7  
avg, IF

5.36  
L-index

#	Paper	IF	Citations
108	Design of targeting ligands in medicinal inorganic chemistry. <i>Chemical Society Reviews</i> , <b>2006</b> , 35, 534-44	58.5	255
107	Defining the electronic and geometric structure of one-electron oxidized copper-bis-phenoxide complexes. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 15448-59	16.4	145
106	The geometric and electronic structure of a one-electron-oxidized nickel(II) bis(salicylidene)diamine complex. <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 5198-201	16.4	145
105	Synthesis, characterization, and metal coordinating ability of multifunctional carbohydrate-containing compounds for Alzheimer's therapy. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 7453-63	16.4	122
104	Synthesis and characterization of dual function vanadyl, gallium and indium curcumin complexes for medicinal applications. <i>Journal of Inorganic Biochemistry</i> , <b>2005</b> , 99, 2217-25	4.2	115
103	The chemistry and applications of multimetallic salen complexes. <i>Dalton Transactions</i> , <b>2014</b> , 43, 9380-91	4.3	110
102	Detailed evaluation of the geometric and electronic structures of one-electron oxidized group 10 (Ni, Pd, and Pt) metal(II)-(disalicylidene)diamine complexes. <i>Inorganic Chemistry</i> , <b>2009</b> , 48, 8383-92	5.1	108
101	Combating Alzheimer's disease with multifunctional molecules designed for metal passivation. <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 1716-8	16.4	102
100	Influence of the chelate effect on the electronic structure of one-electron oxidized group 10 metal(II)-(disalicylidene)diamine complexes. <i>Dalton Transactions</i> , <b>2011</b> , 40, 2469-79	4.3	84
99	Carbohydrate conjugates for molecular imaging and radiotherapy: 99mTc(I) and 186Re(I) tricarbonyl complexes of N-(2'-Hydroxybenzyl)-2-amino-2-deoxy-D-glucose. <i>Bioconjugate Chemistry</i> , <b>2004</b> , 15, 923-6	6.3	76
98	Carbohydrate-appended 2,2'-dipicolylamine metal complexes as potential imaging agents. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 2698-705	5.1	69
97	8-Hydroxyquinoline Schiff-base compounds as antioxidants and modulators of copper-mediated A $\beta$ peptide aggregation. <i>Journal of Inorganic Biochemistry</i> , <b>2014</b> , 139, 106-16	4.2	68
96	Radical localization in a series of symmetric Ni(II) complexes with oxidized salen ligands. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 14117-27	4.8	67
95	Multi-target-directed phenol-triazole ligands as therapeutic agents for Alzheimer's disease. <i>Chemical Science</i> , <b>2017</b> , 8, 5636-5643	9.4	66
94	N-Aryl-substituted 3-( $\beta$ -D-glucopyranosyloxy)-2-methyl-4(1H)-pyridinones as agents for Alzheimer's therapy. <i>Chemical Science</i> , <b>2011</b> , 2, 642-648	9.4	64
93	New insights into the electronic structure and reactivity of one-electron oxidized copper(II)-(disalicylidene)diamine complexes. <i>Inorganic Chemistry</i> , <b>2012</b> , 51, 12450-61	5.1	62
92	Ligand radical localization in a nonsymmetric one-electron oxidized Ni(II) bis-phenoxide complex. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 8980-3	4.8	61

91	A glucosamine-dipicolylamine conjugate of $^{99m}\text{Tc}(\text{I})$ and $^{186}\text{Re}(\text{I})$ for use in imaging and therapy. <i>Dalton Transactions</i> , <b>2005</b> , 654-5	4.3	61
90	Electronic structure elucidation in oxidized metal-salen complexes. <i>Coordination Chemistry Reviews</i> , <b>2017</b> , 352, 67-82	23.2	60
89	Sulfanyl stabilization of copper-bonded phenoxyls in model complexes and galactose oxidase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 18600-5	11.5	60
88	Phthalocyanine as a chemically inert, redox-active ligand: structural and electronic properties of a Nb(IV)-oxo complex incorporating a highly reduced phthalocyanine(4-) anion. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 3343-50	5.1	58
87	Novel carbohydrate-appended metal complexes for potential use in molecular imaging. <i>Chemistry - A European Journal</i> , <b>2004</b> , 11, 195-203	4.8	58
86	Influence of Electron-Withdrawing Substituents on the Electronic Structure of Oxidized Ni and Cu Salen Complexes. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 5970-80	5.1	56
85	Sulfonyl fluoride-based prosthetic compounds as potential $^{18}\text{F}$ labelling agents. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 11079-87	4.8	55
84	Dual-function triazole-pyridine derivatives as inhibitors of metal-induced amyloid- $\beta$ aggregation. <i>Metallomics</i> , <b>2012</b> , 4, 910-20	4.5	53
83	Tuning ligand electronics and peripheral substitution on cobalt salen complexes: structure and polymerisation activity. <i>Dalton Transactions</i> , <b>2014</b> , 43, 4295-304	4.3	52
82	Carbohydrate-appended 3-hydroxy-4-pyridinone complexes of the $[\text{M}(\text{CO})_3]^+$ core (M = Re, $^{99m}\text{Tc}$ , $^{186}\text{Re}$ ). <i>Bioconjugate Chemistry</i> , <b>2006</b> , 17, 1321-9	6.3	51
81	Ligand-centered redox activity in cobalt(II) and nickel(II) bis(phenolate)-dipyrrin complexes. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 14590-3	4.8	45
80	In vitro studies of 3-hydroxy-4-pyridinones and their glycosylated derivatives as potential agents for Alzheimer's disease. <i>Dalton Transactions</i> , <b>2010</b> , 39, 1604-15	4.3	45
79	Tuning Electronic Structure To Control Manganese Nitride Activation. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 15299-15302	16.4	43
78	Synthesis, characterization and catalytic activity of copper(II) complexes containing a redox-active benzoxazole iminosemiquinone ligand. <i>Dalton Transactions</i> , <b>2013</b> , 42, 6829-39	4.3	43
77	Non-innocent ligand behavior of a bimetallic Ni Schiff-base complex containing a bridging catecholate. <i>Inorganic Chemistry</i> , <b>2011</b> , 50, 6746-55	5.1	41
76	Glycosylated tetrahydrosalens as multifunctional molecules for Alzheimer's therapy. <i>Dalton Transactions</i> , <b>2009</b> , 3034-43	4.3	38
75	Vanadyl-thiazolidinedione combination agents for diabetes therapy. <i>Bioconjugate Chemistry</i> , <b>2003</b> , 14, 212-21	6.3	37
74	A Copper Complex of a Noninnocent Iminophenol-Amidopyridine Hybrid Ligand: Synthesis, Characterization, and Aerobic Alcohol Oxidation. <i>European Journal of Inorganic Chemistry</i> , <b>2014</b> , 2014, 6066-6074	2.3	35

73	Controlled Radical Polymerization of Vinyl Acetate Mediated by a Bis(imino)pyridine Vanadium Complex. <i>Macromolecules</i> , <b>2011</b> , 44, 4072-4081	5.5	32
72	The Geometric and Electronic Structure of a One-Electron-Oxidized Nickel(II) Bis(salicylidene)diamine Complex. <i>Angewandte Chemie</i> , <b>2007</b> , 119, 5290-5293	3.6	31
71	Influence of ligand flexibility on the electronic structure of oxidized Ni(III)-phenoxide complexes. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 10195-202	5.1	29
70	Preface for the Forum on Applications of Metal Complexes with Ligand-Centered Radicals. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 9577-9579	5.1	28
69	Double oxidation localizes spin in a Ni bis-phenoxyl radical complex. <i>Dalton Transactions</i> , <b>2013</b> , 42, 3950-3953	4.3	27
68	Labeling of an antisense oligonucleotide with [(18)F]FPy5yne. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , <b>2009</b> , 28, 1131-43	1.4	27
67	Synthesis and evaluation of benzothiazole-triazole and benzothiadiazole-triazole scaffolds as potential molecular probes for amyloid- $\beta$ aggregation. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 1566-1573	3.6	26
66	A catalytic antioxidant for limiting amyloid-beta peptide aggregation and reactive oxygen species generation. <i>Chemical Science</i> , <b>2019</b> , 10, 1634-1643	9.4	26
65	Class III delocalization and exciton coupling in a bimetallic bis-ligand radical complex. <i>Chemistry - A European Journal</i> , <b>2013</b> , 19, 9606-18	4.8	26
64	Electronic Structure Description of a Doubly Oxidized Bimetallic Cobalt Complex with Proradical Ligands. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 762-74	5.1	25
63	Mn(IV) and Mn(V)-radical species supported by the redox non-innocent bis(2-amino-3,5-di-tert-butylphenyl)amine pincer ligand. <i>Chemical Communications</i> , <b>2017</b> , 53, 2764-2767	5.8	24
62	Modulation of the A $\beta$ peptide aggregation pathway by KP1019 limits A $\beta$ -associated neurotoxicity. <i>Metallomics</i> , <b>2015</b> , 7, 129-35	4.5	24
61	Metal complexes that bind to the amyloid- $\beta$ peptide of relevance to Alzheimer's disease. <i>Coordination Chemistry Reviews</i> , <b>2020</b> , 412, 213255	23.2	24
60	Synthesis and electronic structure determination of uranium(VI) ligand radical complexes. <i>Dalton Transactions</i> , <b>2016</b> , 45, 12576-86	4.3	23
59	Ru(II) Complexes of Edta and Dtpa Polyaminocarboxylate Analogues and Their Use as Nitric Oxide Scavengers. <i>European Journal of Inorganic Chemistry</i> , <b>2005</b> , 2005, 2685-2697	2.3	22
58	Multifunctional ligands in medicinal inorganic chemistry--current trends and future directions. <i>Current Topics in Medicinal Chemistry</i> , <b>2012</b> , 12, 122-44	3	21
57	Electronic Structure and Reactivity of One-Electron-Oxidized Copper(II) Bis(phenolate)-Dipyrrin Complexes. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 9708-9719	5.1	20
56	The structure of a one-electron oxidized Mn(III)-bis(phenolate)dipyrrin radical complex and oxidation catalysis control via ligand-centered redox activity. <i>Dalton Transactions</i> , <b>2016</b> , 45, 16325-16334	4.3	20

55	Multifunctional quinoline-triazole derivatives as potential modulators of amyloid- $\beta$ peptide aggregation. <i>Journal of Inorganic Biochemistry</i> , <b>2016</b> , 158, 131-138	4.2	20
54	Effect of Distortions on the Geometric and Electronic Structures of One-Electron Oxidized Vanadium(IV), Copper(II), and Cobalt(II)/(III) Salen Complexes. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 5133-5148	5.1	18
53	Evaluation of Tc-sulfonamide and sulfocoumarin derivatives for imaging carbonic anhydrase IX expression. <i>Journal of Inorganic Biochemistry</i> , <b>2018</b> , 185, 63-70	4.2	18
52	Cationic technetium and rhenium complexes with pendant carbohydrates. <i>Applied Radiation and Isotopes</i> , <b>2010</b> , 68, 1087-93	1.7	18
51	Synthesis of neutral spin-delocalized electron acceptors for multifunctional materials. <i>Organic Letters</i> , <b>2007</b> , 9, 4781-3	6.2	18
50	Synthesis, characterization, and biological studies of emissive rhenium-glutamine conjugates. <i>Journal of Biological Inorganic Chemistry</i> , <b>2013</b> , 18, 831-44	3.7	17
49	Detailed Geometric and Electronic Structures of a One-Electron-Oxidized Ni Salophen Complex and Its Amido Derivatives. <i>European Journal of Inorganic Chemistry</i> , <b>2014</b> , 2014, 3479-3487	2.3	17
48	Synthesis and solution studies of the complexes of trivalent lanthanides with the tetraazamacrocyclic TETA-(PO)(2). <i>Inorganic Chemistry</i> , <b>2002</b> , 41, 685-92	5.1	17
47	A balancing act: using small molecules for therapeutic intervention of the p53 pathway in cancer. <i>Chemical Society Reviews</i> , <b>2020</b> , 49, 6995-7014	58.5	17
46	Cobalt(III) complexes with 2-acetylpyridine-derived Schiff bases: Studies investigating ligand release upon reduction. <i>Polyhedron</i> , <b>2017</b> , 124, 86-95	2.7	16
45	Combating Alzheimer's Disease With Multifunctional Molecules Designed for Metal Passivation. <i>Angewandte Chemie</i> , <b>2007</b> , 119, 1746-1748	3.6	15
44	Merging the chemistry of electron-rich olefins with imidazolium ionic liquids: radicals and hydrogen-atom adducts. <i>Chemical Science</i> , <b>2011</b> , 2, 2173	9.4	14
43	2-Fluoropyridine prosthetic compounds for the $^{18}\text{F}$ labeling of bombesin analogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2013</b> , 23, 3920-6	2.9	13
42	Fe(III) bipyrrrolidine phenoxide complexes and their oxidized analogues. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 5810-9	5.1	12
41	Cyclopentadienyl chromium diimine and pyridine-imine complexes: ligand-based radicals and metal-based redox chemistry. <i>Dalton Transactions</i> , <b>2012</b> , 41, 7920-30	4.3	12
40	Non-innocent ligand behaviour of a bimetallic Cu complex employing a bridging catecholate. <i>Dalton Transactions</i> , <b>2012</b> , 41, 7905-14	4.3	12
39	Electronic Structure Evaluation of an Oxidized Tris(methoxy)-Substituted Ni Salen Complex. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 49-55	2.3	12
38	Bifunctional ligand design for modulating mutant p53 aggregation in cancer. <i>Chemical Science</i> , <b>2019</b> , 10, 10802-10814	9.4	12

37	Multifunctional Compounds for Activation of the p53-Y220C Mutant in Cancer. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 17734-17742	4.8	12
36	Synthesis of Rhenium(I) Tricarbonyl Complexes with Carbohydrate-Pendant Tridentate Ligands and Their Cellular Uptake. <i>European Journal of Inorganic Chemistry</i> , <b>2012</b> , 2012, 217-225	2.3	10
35	Exploiting exciton coupling of ligand radical intervalence charge transfer transitions to tune NIR absorption. <i>Chemical Science</i> , <b>2018</b> , 9, 1610-1620	9.4	8
34	Pyridonate-Supported Titanium(III). Benzylamine as an Easy-To-Use Reductant. <i>Organometallics</i> , <b>2015</b> , 34, 4941-4945	3.8	8
33	Electronic Structure and Reactivity Studies of a Nonsymmetric One-Electron Oxidized Cu Bis-phenoxide Complex. <i>Inorganica Chimica Acta</i> , <b>2018</b> , 481, 151-158	2.7	7
32	Therapeutic Gold Compounds <b>2014</b> , 227-256		7
31	Modification of A $\beta$ Peptide Aggregation via Covalent Binding of a Series of Ru(III) Complexes. <i>Frontiers in Chemistry</i> , <b>2019</b> , 7, 838	5	7
30	The Interaction of Metal Compounds with Protein Targets: New Tools in Medicinal Chemistry and Chemical Biology <b>2017</b> , 1-13		6
29	Coordination-driven assembly of a supramolecular square and oxidation to a tetra-ligand radical species. <i>Chemical Communications</i> , <b>2019</b> , 55, 6082-6085	5.8	6
28	Platinum-Based Anticancer Agents <b>2014</b> , 9-45		6
27	Stabilization of different redox levels of a tridentate benzoxazole amidophenoxide ligand when bound to Co(III) or V(V). <i>Dalton Transactions</i> , <b>2019</b> , 48, 13326-13336	4.3	5
26	Rational Design of Copper and Iron Chelators to Treat Wilson's Disease and Hemochromatosis <b>2014</b> , 287-319		5
25	Ligand Design to Target and Modulate Metal-Protein Interactions in Neurodegenerative Diseases <b>2014</b> , 257-286		5
24	Metalloprotein Inhibitors <b>2014</b> , 375-403		5
23	A small bifunctional chelator that modulates A $\beta$ 2 aggregation. <i>Canadian Journal of Chemistry</i> , <b>2018</b> , 96, 78-82	0.9	5
22	Octahedral Co(III) salen complexes: the role of peripheral ligand electronics on axial ligand release upon reduction. <i>Canadian Journal of Chemistry</i> , <b>2018</b> , 96, 110-118	0.9	4
21	Coordination Chemistry and Ligand Design in the Development of Metal Based Radiopharmaceuticals <b>2014</b> , 47-79		4
20	Ruthenium Anticancer Compounds with Biologically-derived Ligands <b>2014</b> , 405-437		4

19	Metal Complexes of Carbohydrate-targeted Ligands in Medicinal Inorganic Chemistry <b>2014</b> , 145-173		4
18	MRI Contrast Agents <b>2014</b> , 321-354		4
17	Distorted copper(ii) radicals with sterically hindered salens: electronic structure and aerobic oxidation of alcohols. <i>Dalton Transactions</i> , <b>2020</b> , 49, 12990-13002	4-3	4
16	Multifunctional compounds for the treatment of Alzheimer's disease. <i>Canadian Journal of Chemistry</i> , <b>2021</b> , 99, 1-9	0.9	4
15	Introduction to Ligand Design in Medicinal Inorganic Chemistry <b>2014</b> , 1-8		3
14	Partial conversion of thioamide into nitrile in a copper(II) complex of 2,6-diacetylpyridine bis(thiosemicarbazone), a drug prototype for Alzheimer's disease. <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2015</b> , 71, 430-4	0.8	3
13	Synthesis, Characterization and Copper Chemistry of a Non-symmetric Ligand: 2-Methyl-9-(3,5-dimethyl-N-pyrazolylmethyl)-1,10-phenanthroline. <i>Inorganica Chimica Acta</i> , <b>2008</b> , 361, 1142-1148	2.7	3
12	Modification of amyloid-beta peptide aggregation photoactivation of strained Ru(ii) polypyridyl complexes. <i>Chemical Science</i> , <b>2021</b> , 12, 7510-7520	9.4	3
11	Disentangling the 1MLCT transition of [Ru(bpy)3]2+ by Stark absorption spectroscopy. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2018</b> , 353, 618-624	4.7	2
10	Photoactivatable Metal Complexes and Their Use in Biology and Medicine <b>2014</b> , 355-374		2
9	Luminescent Lanthanoid Probes <b>2014</b> , 113-143		1
8	Ligand Design in d-Block Optical Imaging Agents and Sensors <b>2014</b> , 81-111		1
7	Metal-based Antimalarial Agents <b>2014</b> , 205-225		1
6	Elaboration on the Electronics of Salen Manganese Nitrides: Investigations into Alkoxy-Substituted Ligand Scaffolds. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 16895-16905	5.1	1
5	Low energy cyclotron production and cyclometalation chemistry of iridium-192. <i>Applied Radiation and Isotopes</i> , <b>2016</b> , 115, 81-86	1.7	0
4	A role for bioinorganic chemistry in the reactivation of mutant p53 in cancer.. <i>Journal of Biological Inorganic Chemistry</i> , <b>2022</b> , 1	3.7	0
3	A sheet structured MOF magnet: Poly[(1,10-phenanthroline)tetrakis(imidazolato)diiron(II)]. <i>Polyhedron</i> , <b>2016</b> , 108, 80-86	2.7	
2	Design of Schiff Base-derived Ligands: Applications in Therapeutics and Medical Diagnosis <b>2014</b> , 175-204		

- 1 Exciton Coupling in Redox-Active Salen based Self-Assembled Metallacycles. *Chemistry - A European Journal*, **2021**, 27, 16161-16172

4.8