

Woojun Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3911693/woojun-park-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

3,171
citations

32
h-index

47
g-index

148
ext. papers

4,051
ext. citations

4
avg, IF

5.82
L-index

#	Paper	IF	Citations
137	<i>Polaromonas naphthalenivorans</i> sp. nov., a naphthalene-degrading bacterium from naphthalene-contaminated sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 93-97	2.2	133
136	Role of Glyoxylate Shunt in Oxidative Stress Response. <i>Journal of Biological Chemistry</i> , 2016 , 291, 11928-34	5.8	110
135	Change in gene abundance in the nitrogen biogeochemical cycle with temperature and nitrogen addition in Antarctic soils. <i>Research in Microbiology</i> , 2011 , 162, 1018-26	4	105
134	<i>Acinetobacter</i> species as model microorganisms in environmental microbiology: current state and perspectives. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 2533-48	5.7	92
133	Iron homeostasis affects antibiotic-mediated cell death in <i>Pseudomonas</i> species. <i>Journal of Biological Chemistry</i> , 2010 , 285, 22689-95	5.4	87
132	Oxidative stress response in <i>Pseudomonas putida</i> . <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 6933-46	5.7	77
131	Comparative genomics reveals adaptation by <i>Alteromonas</i> sp. SN2 to marine tidal-flat conditions: cold tolerance and aromatic hydrocarbon metabolism. <i>PLoS ONE</i> , 2012 , 7, e35784	3.7	77
130	Current challenges and future directions for bacterial self-healing concrete. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 3059-3070	5.7	74
129	Metagenomic and functional analyses of the consequences of reduction of bacterial diversity on soil functions and bioremediation in diesel-contaminated microcosms. <i>Scientific Reports</i> , 2016 , 6, 23012	4.9	71
128	Indole: a signaling molecule or a mere metabolic byproduct that alters bacterial physiology at a high concentration?. <i>Journal of Microbiology</i> , 2015 , 53, 421-8	3	67
127	Antipathogenic properties of green tea polyphenol epigallocatechin gallate at concentrations below the MIC against enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Food Protection</i> , 2009 , 72, 325-31	2.5	63
126	The role of periplasmic antioxidant enzymes (superoxide dismutase and thiol peroxidase) of the Shiga toxin-producing <i>Escherichia coli</i> O157:H7 in the formation of biofilms. <i>Proteomics</i> , 2006 , 6, 6181-93	4.8	63
125	Regulation of superoxide stress in <i>Pseudomonas putida</i> KT2440 is different from the SoxR paradigm in <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 2006 , 341, 51-6	3.4	58
124	Complete genome sequence of the diesel-degrading <i>Acinetobacter</i> sp. strain DR1. <i>Journal of Bacteriology</i> , 2010 , 192, 4794-5	3.5	51
123	<i>Acinetobacter oleivorans</i> sp. nov. is capable of adhering to and growing on diesel-oil. <i>Journal of Microbiology</i> , 2011 , 49, 29-34	3	49
122	Trade-off between antibiotic resistance and biological fitness in <i>Acinetobacter</i> sp. strain DR1. <i>Environmental Microbiology</i> , 2010 , 12, 1304-18	5.2	49
121	<i>Simplicispira limi</i> sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 31-34	2.2	48

120	Polyhydroxyalkanoate (PHA) production using waste vegetable oil by <i>Pseudomonas</i> sp. strain DR2. <i>Journal of Microbiology and Biotechnology</i> , 2008 , 18, 1408-15	3.3	48
119	Dual regulation of zwf-1 by both 2-keto-3-deoxy-6-phosphogluconate and oxidative stress in <i>Pseudomonas putida</i> . <i>Microbiology (United Kingdom)</i> , 2008 , 154, 3905-3916	2.9	47
118	Protection against diesel oil toxicity by sodium chloride-induced exopolysaccharides in <i>Acinetobacter</i> sp. strain DR1. <i>Journal of Bioscience and Bioengineering</i> , 2010 , 109, 118-23	3.3	45
117	Indole inhibits bacterial quorum sensing signal transmission by interfering with quorum sensing regulator folding. <i>Microbiology (United Kingdom)</i> , 2013 , 159, 2616-2625	2.9	43
116	Endogenous hydrogen peroxide increases biofilm formation by inducing exopolysaccharide production in <i>Acinetobacter oleivorans</i> DR1. <i>Scientific Reports</i> , 2016 , 6, 21121	4.9	41
115	<i>Litorimonas taeaanensis</i> gen. nov., sp. nov., isolated from a sandy beach. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 1534-1538	2.2	39
114	Gut microbiota of <i>Tenebrio molitor</i> and their response to environmental change. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 888-97	3.3	37
113	Overexpressing antioxidant enzymes enhances naphthalene biodegradation in <i>Pseudomonas</i> sp. strain As1. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 3246-3254	2.9	36
112	Calcium Carbonate Precipitation by <i>Bacillus</i> and <i>Sporosarcina</i> Strains Isolated from Concrete and Analysis of the Bacterial Community of Concrete. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 540-8	3.3	36
111	<i>Methylobacterium platani</i> sp. nov., isolated from a leaf of the tree <i>Platanus orientalis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 2849-2853	2.2	35
110	Seasonal changes in nitrogen-cycle gene abundances and in bacterial communities in acidic forest soils. <i>Journal of Microbiology</i> , 2012 , 50, 365-73	3	33
109	Indole toxicity involves the inhibition of adenosine triphosphate production and protein folding in <i>Pseudomonas putida</i> . <i>FEMS Microbiology Letters</i> , 2013 , 343, 89-99	2.9	33
108	<i>Flavobacterium croceum</i> sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006 , 56, 2443-2447	2.2	33
107	Expression analysis of the <i>fpr</i> (ferredoxin-NADP+ reductase) gene in <i>Pseudomonas putida</i> KT2440. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 339, 1246-54	3.4	33
106	Ferredoxin-NADP+ reductase from <i>Pseudomonas putida</i> functions as a ferric reductase. <i>Journal of Bacteriology</i> , 2009 , 191, 1472-9	3.5	32
105	<i>nahR</i> , encoding a LysR-type transcriptional regulator, is highly conserved among naphthalene-degrading bacteria isolated from a coal tar waste-contaminated site and in extracted community DNA. <i>Microbiology (United Kingdom)</i> , 2002 , 148, 2319-2329	2.9	31
104	<i>Aestuariibaculum suncheonense</i> gen. nov., sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from a tidal flat and emended descriptions of the genera <i>Gaetbulibacter</i> and <i>Tamlana</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 332-338	2.2	30
103	The role of disulfide bond isomerase A (DsbA) of <i>Escherichia coli</i> O157:H7 in biofilm formation and virulence. <i>FEMS Microbiology Letters</i> , 2008 , 278, 213-22	2.9	30

102	Survival and Energy Producing Strategies of Alkane Degraders Under Extreme Conditions and Their Biotechnological Potential. <i>Frontiers in Microbiology</i> , 2018 , 9, 1081	5.7	29
101	Flavobacterium filum sp. nov., isolated from a wastewater treatment plant in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 2026-2030	2.2	28
100	Antibiotic resistance of pathogenic Acinetobacter species and emerging combination therapy. <i>Journal of Microbiology</i> , 2017 , 55, 837-849	3	27
99	Global transcriptome and physiological responses of Acinetobacter oleivorans DR1 exposed to distinct classes of antibiotics. <i>PLoS ONE</i> , 2014 , 9, e110215	3.7	27
98	Hwanghaeicola aestuarii gen. nov., sp. nov., a moderately halophilic bacterium isolated from a tidal flat of the Yellow Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 2877-2881	2.2	26
97	Culture-independent and culture-dependent analyses of the bacterial community in the phycosphere of cyanobloom-forming Microcystis aeruginosa. <i>Scientific Reports</i> , 2019 , 9, 20416	4.9	26
96	Non-ureolytic calcium carbonate precipitation by Lysinibacillus sp. YS11 isolated from the rhizosphere of Miscanthus sacchariflorus. <i>Journal of Microbiology</i> , 2017 , 55, 440-447	3	25
95	Interaction of NahR, a LysR-type transcriptional regulator, with the alpha subunit of RNA polymerase in the naphthalene degrading bacterium, Pseudomonas putida NCIB 9816-4. <i>FEMS Microbiology Letters</i> , 2002 , 213, 159-65	2.9	25
94	Luteimonas lutimaris sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 2729-2733	2.2	24
93	Runella limosa sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006 , 56, 2757-2760	2.2	24
92	Physiological and metabolic responses for hexadecane degradation in Acinetobacter oleivorans DR1. <i>Journal of Microbiology</i> , 2011 , 49, 208-15	3	23
91	Effectiveness of expanded clay as a bacteria carrier for self-healing concrete. <i>Applied Biological Chemistry</i> , 2019 , 62,	2.9	22
90	Comparative genomic analysis of Acinetobacter oleivorans DR1 to determine strain-specific genomic regions and gentisate biodegradation. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 7418-24	4.8	22
89	Metabolic and stress responses of Acinetobacter oleivorans DR1 during long-chain alkane degradation. <i>Microbial Biotechnology</i> , 2017 , 10, 1809-1823	6.3	21
88	Biochemical characterization of L-asparaginase in NaCl-tolerant Staphylococcus sp. OJ82 isolated from fermented seafood. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 1096-104	3.3	21
87	Effects of nutritional input and diesel contamination on soil enzyme activities and microbial communities in Antarctic soils. <i>Journal of Microbiology</i> , 2012 , 50, 916-24	3	20
86	Identification and characterization of the conjugal transfer region of the pCg1 plasmid from naphthalene-degrading Pseudomonas putida Cg1. <i>Applied and Environmental Microbiology</i> , 2003 , 69, 3263-71	4.8	20
85	Functional switching of a novel prokaryotic 2-Cys peroxiredoxin (PpPrx) under oxidative stress. <i>Cell Stress and Chaperones</i> , 2011 , 16, 317-28	4	19

84	Inactivation of the <i>Pseudomonas putida</i> KT2440 dsbA gene promotes extracellular matrix production and biofilm formation. <i>FEMS Microbiology Letters</i> , 2009 , 297, 38-48	2.9	19
83	<i>Pusillimonas harenae</i> sp. nov., isolated from a sandy beach, and emended description of the genus <i>Pusillimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 2901-2906	2.2	19
82	Effect of sodium hydroxide treatment of bacterial cellulose on cellulase activity. <i>Cellulose</i> , 2008 , 15, 465-471	5.5	19
81	AFM probing the mechanism of synergistic effects of the green tea polyphenol (-)-epigallocatechin-3-gallate (EGCG) with cefotaxime against extended-spectrum beta-lactamase (ESBL)-producing <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2012 , 7, e48880	3.7	18
80	Synergistic Effect of Oleanolic Acid on Aminoglycoside Antibiotics against <i>Acinetobacter baumannii</i> . <i>PLoS ONE</i> , 2015 , 10, e0137751	3.7	18
79	Primers for amplification of nitrous oxide reductase genes associated with Firmicutes and Bacteroidetes in organic-compound-rich soils. <i>Microbiology (United Kingdom)</i> , 2013 , 159, 307-315	2.9	17
78	Comparative genomic and transcriptomic analyses of NaCl-tolerant <i>Staphylococcus</i> sp. OJ82 isolated from fermented seafood. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 807-22	5.7	17
77	Amentoflavone, a novel cyanobacterial killing agent from <i>Selaginella tamariscina</i> . <i>Journal of Hazardous Materials</i> , 2020 , 384, 121312	12.8	17
76	Zoonotic Diseases and Phytochemical Medicines for Microbial Infections in Veterinary Science: Current State and Future Perspective. <i>Frontiers in Veterinary Science</i> , 2018 , 5, 166	3.1	17
75	Enhanced calcium carbonate-biofilm complex formation by alkali-generating <i>Lysinibacillus boronitolerans</i> YS11 and alkaliphilic <i>Bacillus</i> sp. AK13. <i>AMB Express</i> , 2019 , 9, 49	4.1	16
74	Seasonal dynamics of the bacterial communities associated with cyanobacterial blooms in the Han River. <i>Environmental Pollution</i> , 2020 , 266, 115198	9.3	16
73	Modulation of calcium carbonate precipitation by exopolysaccharide in <i>Bacillus</i> sp. JH7. <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 6551-6561	5.7	15
72	Molecular mechanism involved in the response to hydrogen peroxide stress in <i>Acinetobacter oleivorans</i> DR1. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 10611-26	5.7	15
71	Plasmid-encoded tetracycline efflux pump protein alters bacterial stress responses and ecological fitness of <i>Acinetobacter oleivorans</i> . <i>PLoS ONE</i> , 2014 , 9, e107716	3.7	15
70	Complexity of cell-cell interactions between <i>Pseudomonas</i> sp. AS1 and <i>Acinetobacter oleivorans</i> DR1: metabolic commensalism, biofilm formation and quorum quenching. <i>Research in Microbiology</i> , 2012 , 163, 173-81	4	15
69	Molecular characterization of FinR, a novel redox-sensing transcriptional regulator in <i>Pseudomonas putida</i> KT2440. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 1487-1496	2.9	15
68	In vitro and in vivo interactions of ferredoxin-NADP ⁺ reductases in <i>Pseudomonas putida</i> . <i>Journal of Biochemistry</i> , 2009 , 145, 481-91	3.1	15
67	NtrC-sensed nitrogen availability is important for oxidative stress defense in <i>Pseudomonas putida</i> KT2440. <i>Journal of Microbiology</i> , 2010 , 48, 153-9	3	15

66	Lack of glyoxylate shunt dysregulates iron homeostasis in <i>Pseudomonas aeruginosa</i> . <i>Microbiology (United Kingdom)</i> , 2018 , 164, 587-599	2.9	15
65	Effect of red clay on diesel bioremediation and soil bacterial community. <i>Microbial Ecology</i> , 2014 , 68, 314-23	4.4	14
64	Indole-Induced Activities of β -Lactamase and Efflux Pump Confer Ampicillin Resistance in KT2440. <i>Frontiers in Microbiology</i> , 2017 , 8, 433	5.7	14
63	<i>Flavobacterium fluvii</i> sp. nov., isolated from stream sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 353-357	2.2	14
62	Ribosome Display and Dip-Pen Nanolithography for the Fabrication of Protein Nanoarrays. <i>Advanced Materials</i> , 2008 , 20, 3349-3353	2.4	14
61	Pyrosequencing-based analysis of the bacterial community in Korean traditional seafood, ojingeo jeotgal. <i>Journal of Microbiology and Biotechnology</i> , 2013 , 23, 1428-33	3.3	14
60	Identification and characterization of genes regulated by AqsR, a LuxR-type regulator in <i>Acinetobacter oleivorans</i> DR1. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 6967-78	5.7	13
59	Intracellular 2-keto-3-deoxy-6-phosphogluconate is the signal for carbon catabolite repression of phenylacetic acid metabolism in <i>Pseudomonas putida</i> KT2440. <i>Microbiology (United Kingdom)</i> , 2009 , 155, 2420-2428	2.9	13
58	Genome sequence of extracellular-protease-producing <i>Alishewanella jeotgali</i> isolated from traditional Korean fermented seafood. <i>Journal of Bacteriology</i> , 2012 , 194, 2097	3.5	13
57	Short-term effect of elevated temperature on the abundance and diversity of bacterial and archaeal amoA genes in Antarctic Soils. <i>Journal of Microbiology and Biotechnology</i> , 2013 , 23, 1187-96	3.3	13
56	Insight into norfloxacin resistance of <i>Acinetobacter oleivorans</i> DR1: target gene mutation, persister, and RNA-Seq analyses. <i>Journal of Microbiology and Biotechnology</i> , 2013 , 23, 1293-303	3.3	13
55	Lineage-specific SoxR-mediated Regulation of an Endoribonuclease Protects Non-enteric Bacteria from Redox-active Compounds. <i>Journal of Biological Chemistry</i> , 2017 , 292, 121-133	5.4	12
54	Inhibitory Effect of Taurine on Biofilm Formation During Alkane Degradation in <i>Acinetobacter oleivorans</i> DR1. <i>Microbial Ecology</i> , 2017 , 74, 821-831	4.4	12
53	Effects of spray-dried co-cultured bacteria on cement mortar. <i>Construction and Building Materials</i> , 2020 , 243, 118206	6.7	12
52	Phenotypic and physiological changes in <i>Acinetobacter</i> sp. strain DR1 with exogenous plasmid. <i>Current Microbiology</i> , 2011 , 62, 249-54	2.4	12
51	ATP-dependent RecG helicase is required for the transcriptional regulator OxyR function in <i>Pseudomonas</i> species. <i>Journal of Biological Chemistry</i> , 2012 , 287, 24492-504	5.4	12
50	Molecular Mechanisms of Enhanced Bacterial Growth on Hexadecane with Red Clay. <i>Microbial Ecology</i> , 2015 , 70, 912-21	4.4	11
49	4-Hydroxybenzaldehyde sensitizes <i>Acinetobacter baumannii</i> to amphenicols. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 2323-2335	5.7	11

48	Previously undescribed plasmids recovered from activated sludge confer tetracycline resistance and phenotypic changes to <i>Acinetobacter oleivorans</i> DR1. <i>Microbial Ecology</i> , 2014 , 67, 369-79	4.4	11
47	Effects of non-ionic solute stresses on biofilm formation and lipopolysaccharide production in <i>Escherichia coli</i> O157:H7. <i>Research in Microbiology</i> , 2012 , 163, 258-67	4	11
46	YkgM and ZinT proteins are required for maintaining intracellular zinc concentration and producing curli in enterohemorrhagic <i>Escherichia coli</i> (EHEC) O157:H7 under zinc deficient conditions. <i>International Journal of Food Microbiology</i> , 2011 , 149, 159-70	5.8	11
45	Phenotypic and physiological alterations by heterologous acylhomoserine lactone synthase expression in <i>Pseudomonas putida</i> . <i>Microbiology (United Kingdom)</i> , 2010 , 156, 3762-3772	2.9	11
44	<i>Methylobacterium currus</i> sp. nov., isolated from a car air conditioning system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 3621-3626	2.2	11
43	TetR repressor-based bioreporters for the detection of doxycycline using <i>Escherichia coli</i> and <i>Acinetobacter oleivorans</i> . <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 5039-50	5.7	10
42	Comparative genomic and transcriptomic analyses reveal habitat differentiation and different transcriptional responses during pectin metabolism in <i>Alishewanella</i> species. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 6351-61	4.8	10
41	Molecular characterization of <i>fprB</i> (ferredoxin-NADP+ reductase) in <i>Pseudomonas putida</i> KT2440. <i>Journal of Microbiology and Biotechnology</i> , 2007 , 17, 1504-12	3.3	10
40	Recovery of plasmid pEMB1, whose toxin-antitoxin system stabilizes an ampicillin resistance-conferring β -lactamase gene in <i>Escherichia coli</i> , from natural environments. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 40-7	4.8	9
39	Optimization of bacterial sporulation using economic nutrient for self-healing concrete. <i>Journal of Microbiology</i> , 2020 , 58, 288-296	3	8
38	Pyrosequencing-based analysis of bacterial community and metabolites profiles in Korean traditional seafood fermentation: a flatfish-fermented seafood. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014 , 78, 908-10	2.1	8
37	The effect of toxic malachite green on the bacterial community in Antarctic soil and the physiology of malachite green-degrading <i>Pseudomonas</i> sp. MGO. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 4511-21	5.7	8
36	Genome sequence of pectin-degrading <i>Alishewanella agri</i> , isolated from landfill soil. <i>Journal of Bacteriology</i> , 2012 , 194, 5135-6	3.5	8
35	Biochemical characterization of ferredoxin-NADP(+) reductase interaction with flavodoxin in <i>Pseudomonas putida</i> . <i>BMB Reports</i> , 2012 , 45, 476-81	5.5	8
34	Genomic and phenotypic analyses of multidrug-resistant NCCP 16007 isolated from a patient with a urinary tract infection. <i>Virulence</i> , 2021 , 12, 150-164	4.7	8
33	<i>Muriicola jejuensis</i> gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 1644-1648	2.2	7
32	sp. nov., an alkaliphilic bacterium from the rhizosphere of. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1843-1849	2.2	7
31	Pleiotropic effects of the <i>mioC</i> mutation on the physiology of <i>Pseudomonas aeruginosa</i> PAO1. <i>FEMS Microbiology Letters</i> , 2012 , 335, 47-57	2.9	6

30	Genome sequence of pectin-degrading <i>Alishewanella aestuarii</i> strain B11(T), isolated from tidal flat sediment. <i>Journal of Bacteriology</i> , 2012 , 194, 5476	3.5	6
29	Gain and loss of antibiotic resistant genes in multidrug resistant bacteria: One Health perspective. <i>Journal of Microbiology</i> , 2021 , 59, 535-545	3	6
28	Agricultural by-products and oyster shell as alternative nutrient sources for microbial sealing of early age cracks in mortar. <i>AMB Express</i> , 2021 , 11, 11	4.1	6
27	Molecular characterization of the extracellular matrix in a <i>Pseudomonas putida</i> dsbA mutant: implications for acidic stress defense and plant growth promotion. <i>Research in Microbiology</i> , 2011 , 162, 302-10	4	5
26	Genome sequence of the halotolerant <i>Staphylococcus</i> sp. strain OJ82, isolated from Korean traditional salt-fermented seafood. <i>Journal of Bacteriology</i> , 2012 , 194, 6353-4	3.5	5
25	Genome Analysis of Naphthalene-Degrading sp. AS1 Harboring the Megaplasmid pAS1. <i>Journal of Microbiology and Biotechnology</i> , 2018 , 28, 330-337	3.3	5
24	Complete Genome and Calcium Carbonate Precipitation of sp. AK13 for Self-Healing Concrete. <i>Journal of Microbiology and Biotechnology</i> , 2020 , 30, 404-416	3.3	5
23	Bacterial Self-Healing Performance of Coated Expanded Clay in Concrete. <i>Journal of Environmental Engineering, ASCE</i> , 2020 , 146, 04020072	2	5
22	Stress responses linked to antimicrobial resistance in <i>Acinetobacter</i> species. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 1423-1435	5.7	5
21	Protective Role of Bacterial Alkanesulfonate Monooxygenase under Oxidative Stress. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	4
20	Alternative fate of glyoxylate during acetate and hexadecane metabolism in <i>Acinetobacter oleivorans</i> DR1. <i>Scientific Reports</i> , 2019 , 9, 14402	4.9	4
19	Sterilization efficiency of pathogen-contaminated cottons in a laundry machine. <i>Journal of Microbiology</i> , 2020 , 58, 30-38	3	4
18	Expression and deletion analyses of cspE encoding cold-shock protein E in <i>Acinetobacter oleivorans</i> DR1. <i>Research in Microbiology</i> , 2018 , 169, 244-253	4	3
17	<i>Pedobacter jeongneungensis</i> sp. nov., isolated from forest soil. <i>Journal of Microbiology</i> , 2012 , 50, 660-4	3	3
16	High Concentration of Red Clay as an Alternative for Antibiotics in Aquaculture. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 130-8	3.3	3
15	Low-cost cultivation and sporulation of alkaliphilic sp. strain AK13 for self-healing concrete. <i>Journal of Microbiology and Biotechnology</i> , 2019 , 29, 1982-1992	3.3	3
14	sp. nov., a cold-adapted bacterium isolated from Antarctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6106-6114	2.2	3
13	A novel decoy strategy for polymyxin resistance in. <i>ELife</i> , 2021 , 10,	8.9	3

12	OxyR-controlled surface polysaccharide production and biofilm formation in <i>Acinetobacter oleivorans</i> DR1. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 1259-1271	5.7	2
11	Raman spectroscopy reveals alteration of spore compositions under different nutritional conditions in <i>Lysinibacillus boronitolerans</i> YS11. <i>Journal of Microbiology</i> , 2021 , 59, 491-499	3	2
10	Detection of genetically modified microorganisms in soil using the most-probable-number method with multiplex PCR and DNA dot blot. <i>Research in Microbiology</i> , 2011 , 162, 807-16	4	1
9	Erratum for Park et al., Protective Role of Bacterial Alkanesulfonate Monooxygenase under Oxidative Stress. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	1
8	Occurrence of antibiotic resistance genes and multidrug-resistant bacteria during wastewater treatment processes.. <i>Science of the Total Environment</i> , 2021 , 811, 152331	10.2	1
7	Draft Genome Sequences of Two Ureolytic Bacteria Isolated from Concrete Block Waste. <i>Genome Announcements</i> , 2016 , 4,		1
6	Killing effect of deinoxanthins on cyanobloom-forming <i>Microcystis aeruginosa</i> : Eco-friendly production and specific activity of deinoxanthins. <i>Environmental Research</i> , 2021 , 200, 111455	7.9	1
5	sp. nov., isolated from a culture sample.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021 , 71,	2.2	1
4	Linkage between bacterial community-mediated hydrogen peroxide detoxification and the growth of <i>Microcystis aeruginosa</i> . <i>Water Research</i> , 2021 , 207, 117784	12.5	0
3	sp. nov. isolated from the Hapcheon-Changnyeong barrage area in the Nakdong river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6091-6097	2.2	0
2	Development of a novel compressed tablet-based bacterial agent for self-healing cementitious material. <i>Cement and Concrete Composites</i> , 2022 , 129, 104514	8.6	0
1	Expression of the mexA Gene Requires the DNA Helicase RecG in <i>Pseudomonas aeruginosa</i> PAO1. <i>Journal of Microbiology and Biotechnology</i> , 2015 , 25, 492-5	3.3	