

# Whady Hueb

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3911920/publications.pdf>

Version: 2024-02-01

137  
papers

9,279  
citations

117453

34  
h-index

39575

94  
g-index

174  
all docs

174  
docs citations

174  
times ranked

7099  
citing authors

#	ARTICLE	IF	CITATIONS
1	Death and Myocardial Infarction Following Initial Revascularization Versus Optimal Medical Therapy in Chronic Coronary Syndromes With Myocardial Ischemia: A Systematic Review and Meta-Analysis of Contemporary Randomized Controlled Trials. <i>Journal of the American Heart Association</i> , 2021, 10, e019114.	1.6	15
2	Surgical and percutaneous revascularization outcomes based on SYNTAX I, II, and residual scores: a long-term follow-up study. <i>Journal of Cardiothoracic Surgery</i> , 2021, 16, 248.	0.4	1
3	Long-term outcomes of patients with stable coronary disease and chronic kidney dysfunction: 10-year follow-up of the Medicine, Angioplasty, or Surgery Study II Trial. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1369-1376.	0.4	13
4	Lipid transfer to HDL, CETP and HDL composition in coronary artery disease patients with or without type 2 diabetes mellitus. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2223-2225.	0.8	0
5	Stress Testing and Risk Prediction in People With Known Symptomatic Multivessel Coronary Artery Disease—Reply. <i>JAMA Internal Medicine</i> , 2020, 180, 166.	2.6	0
6	EFFECT OF MYOCARDIAL ISCHEMIA IN DIABETIC AND NON-DIABETIC PATIENTS: LONG-TERM FOLLOW-UP OF MASS REGISTRY. <i>Journal of the American College of Cardiology</i> , 2020, 75, 109.	1.2	0
7	Long-term prognostic value of late gadolinium enhancement and periprocedural myocardial infarction after uncomplicated revascularization: MASS-V follow-up. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, , .	0.5	2
8	Initial Invasive or Conservative Strategy for Stable Coronary Disease. <i>New England Journal of Medicine</i> , 2020, 382, 1395-1407.	13.9	1,508
9	Significant association of SYNTAX score on release of cardiac biomarkers in uncomplicated post-revascularization procedures among patients with stable multivessel disease. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Ove</i>	0.8	14
10	Association of Longitudinal Values of Glycated Hemoglobin With Cardiovascular Events in Patients With Type 2 Diabetes and Multivessel Coronary Artery Disease. <i>JAMA Network Open</i> , 2020, 3, e1919666.	2.8	14
11	Hypotheses, rationale, design, and methods for prognostic evaluation of a randomized comparison between patients with coronary artery disease associated with ischemic cardiomyopathy who undergo medical or surgical treatment: MASS-VI (HF). <i>Trials</i> , 2020, 21, 337.	0.7	2
12	Abstract 13660: Initial Revascularization in Chronic Coronary Syndromes With Myocardial Ischemia. <i>Circulation</i> , 2020, 142, .	1.6	0
13	APPLICATION OF SYNTAX SCORE I, II AND RESIDUAL SYNTAX AS PREDICTORS OF LONG-TERM CLINICAL OUTCOMES AFTER CORONARY ARTERY BYPASS GRAFTING. <i>Journal of the American College of Cardiology</i> , 2019, 73, 174.	1.2	0
14	Association Between Stress Testing-Induced Myocardial Ischemia and Clinical Events in Patients With Multivessel Coronary Artery Disease. <i>JAMA Internal Medicine</i> , 2019, 179, 1345.	2.6	24
15	VERY LONG-TERM FOLLOW-UP OF DIABETIC PATIENTS WITH CORONARY ARTERY DISEASE UNDERGOING ANGIOPLASTY WITH CONVENTIONAL AND DRUG-ELUTING STENTS. <i>Journal of the American College of Cardiology</i> , 2019, 73, 137.	1.2	0
16	Clinical significance of chronic myocardial ischemia in coronary artery disease patients. <i>Journal of Thoracic Disease</i> , 2019, 11, 1005-1015.	0.6	34
17	Effect of ischemic preconditioning on cardiovascular outcomes in patients with symptomatic coronary artery disease. <i>Coronary Artery Disease</i> , 2019, 30, 536-541.	0.3	0
18	Long-Term Survival Following Multivessel Revascularization in Patients With Diabetes. <i>Journal of the American College of Cardiology</i> , 2019, 73, 629-638.	1.2	190

#	ARTICLE	IF	CITATIONS
19	Ten-Year Follow-Up of Off-Pump and On-Pump Multivessel Coronary Artery Bypass Grafting: MASS III. <i>Angiology</i> , 2019, 70, 337-344.	0.8	11
20	Mortality after coronary artery bypass grafting versus percutaneous coronary intervention with stenting for coronary artery disease: a pooled analysis of individual patient data. <i>Lancet</i> , The, 2018, 391, 939-948.	6.3	506
21	Chronic Kidney Disease and Coronary Artery Disease. , 2018, , .		2
22	Comparative cost-effectiveness of surgery, angioplasty, or medical therapy in patients with multivessel coronary artery disease: MASS II trial. <i>Cost Effectiveness and Resource Allocation</i> , 2018, 16, 55.	0.6	10
23	SYNTAX Score in Patients With Diabetes Undergoing Coronary Revascularization in the FREEDOM Trial. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2826-2837.	1.2	42
24	Stroke Rates Following Surgical Versus Percutaneous Coronary Revascularization. <i>Journal of the American College of Cardiology</i> , 2018, 72, 386-398.	1.2	89
25	Cost-effectiveness of on-pump and off-pump coronary artery bypass grafting for patients with coronary artery disease: Results from the MASS III trial. <i>International Journal of Cardiology</i> , 2018, 273, 63-68.	0.8	5
26	Better Technology, More Spending, Worse Outcomes. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 110, 331-332.	0.3	0
27	Large Bilateral Coronary Artery Fistula: 10-year follow-up in Clinical Treatment. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 211-213.	0.3	0
28	Single Photon Computed Tomography-Myocardial Perfusion Scintigraphy. Diagnostic Tool Anticipating the Disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 129.	0.3	1
29	Behavior of Ultrasensitive C-Reactive Protein in Myocardial Revascularization with and without Cardiopulmonary Bypass. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2018, 33, 535-541.	0.2	0
30	SYNTAX Score and Long-Term Outcomes. <i>Journal of the American College of Cardiology</i> , 2017, 69, 395-403.	1.2	54
31	Biomarker release after percutaneous coronary intervention in patients without established myocardial infarction as assessed by cardiac magnetic resonance with late gadolinium enhancement. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 90, 87-93.	0.7	5
32	COST-EFFECTIVENESS ANALYSIS AND QUALITY OF LIFE OF ON-PUMP AND OFF-PUMP STABLE MULTIVESSEL CORONARY ARTERY BYPASS GRAFTING: MASS III TRIAL 5-YEAR FOLLOW-UP. <i>Journal of the American College of Cardiology</i> , 2017, 69, 100.	1.2	0
33	Differences in lipid transfers to HDL between patients with coronary arterial disease with or without type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2017, 263, e217.	0.4	0
34	Significant elevation of biomarkers of myocardial necrosis after coronary artery bypass grafting without myocardial infarction established assessed by cardiac magnetic resonance. <i>Medicine (United States)</i> , 2017, 96, e9113.	0.4	11
35	Utility and quality-adjusted life-years in coronary artery disease. <i>Medicine (United States)</i> , 2017, 96, e9113.	0.4	11
36	Abnormal elevation of myocardial necrosis biomarkers after coronary artery bypass grafting without established myocardial infarction assessed by cardiac magnetic resonance. <i>Journal of Cardiothoracic Surgery</i> , 2017, 12, 122.	0.4	4

#	ARTICLE	IF	CITATIONS
37	Myocardial injury in diabetic patients with multivessel coronary artery disease after revascularization interventions. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 92.	1.2	5
38	The Influence of Diabetes Mellitus in Myocardial Ischemic Preconditioning. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-6.	1.0	2
39	Reduced risk of myocardial infarct and revascularization following coronary artery bypass grafting compared with percutaneous coronary intervention in patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 411-421.	2.6	38
40	Impact of Chronic Kidney Disease on Long-Term Outcomes in Type 2 Diabetic Patients With Coronary Artery Disease on Surgical, Angioplasty, or Medical Treatment. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1735-1744.	0.7	16
41	Accuracy of Myocardial Biomarkers in the Diagnosis of Myocardial Infarction After Revascularization as Assessed by Cardiac Resonance: The Medicine, Angioplasty, Surgery Study V (MASS-V) Trial. <i>Annals of Thoracic Surgery</i> , 2016, 101, 2202-2208.	0.7	20
42	Interventional therapies in ischemic ventricular dysfunction: facts and versions!. <i>Annals of Translational Medicine</i> , 2016, 4, S27-S27.	0.7	2
43	The challenge of treating elderly coronary artery disease patients. <i>Journal of Thoracic Disease</i> , 2016, 8, 1434-1436.	0.6	3
44	Role of Trimetazidine in Ischemic Preconditioning in Patients With Symptomatic Coronary Artery Disease. <i>Medicine (United States)</i> , 2015, 94, e1161.	0.4	5
45	Alterations in lipid transfers to HDL associated with the presence of coronary artery disease in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2015, 14, 107.	2.7	26
46	Type 2 diabetes mellitus and myocardial ischemic preconditioning in symptomatic coronary artery disease patients. <i>Cardiovascular Diabetology</i> , 2015, 14, 66.	2.7	17
47	Effects of Glycemic Control upon Serum Lipids and Lipid Transfers to HDL in Patients with Type 2 Diabetes Mellitus: Novel Findings in Unesterified Cholesterol Status. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 232-239.	0.6	12
48	Recurrent Angina Caused by Coronary Subclavian Steal Syndrome Confirmed by Positron Emission Tomography. <i>Annals of Thoracic Surgery</i> , 2015, 99, e111-e114.	0.7	2
49	Troponin in diabetic patients with and without chronic coronary artery disease. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 72.	0.7	34
50	Comparison between off-pump and on-pump coronary artery bypass grafting in patients with severe lesions at the circumflex artery territory: 5-year follow-up of the MASS III trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2015, 47, 455-458.	0.6	7
51	Conservative strategy for treatment of stable coronary artery disease. <i>World Journal of Clinical Cases</i> , 2015, 3, 163.	0.3	4
52	On-pump versus off-pump coronary artery bypass surgery in patients older than 60 years: five-year follow-up of MASS III trial. <i>Journal of Cardiothoracic Surgery</i> , 2014, 9, 127.	0.4	5
53	A case of mid-apical obstructive hypertrophic cardiomyopathy treated with a transapical myectomy approach: a case report. <i>Journal of Medical Case Reports</i> , 2014, 8, 364.	0.4	2
54	The cost-effectiveness of strategies in coronary artery disease. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2014, 14, 805-813.	0.7	5

#	ARTICLE	IF	CITATIONS
55	Percutaneous Coronary Intervention Outcomes in Patients With Stable Obstructive Coronary Artery Disease and Myocardial Ischemia. <i>JAMA Internal Medicine</i> , 2014, 174, 232.	2.6	245
56	Long-term follow-up of a randomized, controlled clinical trial of three therapeutic strategies for multivessel stable coronary artery disease in women. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 19, 997-1001.	0.5	1
57	On-pump versus off-pump coronary artery bypass surgery in patients older than 60 years: five-year follow-up of MASS III trial. <i>Journal of Cardiothoracic Surgery</i> , 2014, 9, .	0.4	3
58	Impact of hypoglycemic agents on myocardial ischemic preconditioning. <i>World Journal of Diabetes</i> , 2014, 5, 258.	1.3	11
59	Balloon Aortic Valvoplasty in Patient With Severe Calcific Aortic Stenosis and Cardiogenic Shock. <i>Journal of Medical Cases</i> , 2014, 5, 583-586.	0.4	0
60	Association between UCP2A55V polymorphism and risk of cardiovascular events in patients with multi-vessel coronary arterial disease. <i>BMC Medical Genetics</i> , 2013, 14, 40.	2.1	13
61	Impact of diabetes on 10-year outcomes of patients with multivessel coronary artery disease in the Medicine, Angioplasty, or Surgery Study II (MASS II) trial. <i>American Heart Journal</i> , 2013, 166, 250-257.	1.2	54
62	Ten-year outcomes of patients randomized to surgery, angioplasty, or medical treatment for stable multivessel coronary disease: Effect of age in the Medicine, Angioplasty, or Surgery Study II trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 146, 1105-1112.	0.4	12
63	Hypotheses, rationale, design, and methods for evaluation of ischemic preconditioning assessed by sequential exercise tests in diabetic and non-diabetic patients with stable coronary artery disease – a prospective study. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 117.	0.7	4
64	Long-term analysis of left ventricular ejection fraction in patients with stable multivessel coronary disease undergoing medicine, angioplasty or surgery: 10-year follow-up of the MASS II trial. <i>European Heart Journal</i> , 2013, 34, 3370-3377.	1.0	16
65	Effect of Hypoglycemic Agents on Ischemic Preconditioning in Patients With Type 2 Diabetes and Symptomatic Coronary Artery Disease. <i>Diabetes Care</i> , 2013, 36, 1654-1659.	4.3	29
66	Cost-Effectiveness Analysis for Surgical, Angioplasty, or Medical Therapeutics for Coronary Artery Disease. <i>Circulation</i> , 2012, 126, S145-50.	1.6	33
67	Cancer-related deaths among different treatment options in chronic coronary artery disease. <i>Coronary Artery Disease</i> , 2012, 23, 79-84.	0.3	24
68	Effect of Complete Revascularization on 10-Year Survival of Patients With Stable Multivessel Coronary Artery Disease. <i>Circulation</i> , 2012, 126, S158-63.	1.6	56
69	Higher incidence of death in multi-vessel coronary artery disease patients associated with polymorphisms in chromosome 9p21. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 61.	0.7	16
70	Hypotheses, rationale, design, and methods for prognostic evaluation of cardiac biomarker elevation after percutaneous and surgical revascularization in the absence of manifest myocardial infarction. A comparative analysis of biomarkers and cardiac magnetic resonance. The MASS-V Trial. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 65.	0.7	10
71	Strategies for Multivessel Revascularization in Patients with Diabetes. <i>New England Journal of Medicine</i> , 2012, 367, 2375-2384.	13.9	1,573
72	The Future REvascularization Evaluation in patients with Diabetes mellitus: Optimal management of Multivessel disease (FREEDOM) trial: Clinical and angiographic profile at study entry. <i>American Heart Journal</i> , 2012, 164, 591-599.	1.2	34

#	ARTICLE	IF	CITATIONS
73	The Effect of Age on Outcomes of Coronary Artery Bypass Surgery Compared With Balloon Angioplasty or Bare-Metal Stent Implantation Among Patients With Multivessel Coronary Disease. <i>Journal of the American College of Cardiology</i> , 2012, 60, 2150-2157.	1.2	44
74	Coronary to bronchial artery fistula: are we treating it right?. <i>Journal of Invasive Cardiology</i> , 2012, 24, E303-4.	0.4	3
75	Avaliaço prognstica da doena coronria estvel atravs de um novo escore. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 411-419.	0.3	1
76	Genetic Variants of Diabetes Risk and Incident Cardiovascular Events in Chronic Coronary Artery Disease. <i>PLoS ONE</i> , 2011, 6, e16341.	1.1	7
77	The effect of internal thoracic artery grafts on long-term clinical outcomes after coronary bypass surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 142, 829-835.	0.4	16
78	Teratoma of the mediastinum: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 193.	0.4	5
79	Effects of Optimal Medical Treatment With or Without Coronary Revascularization on Angina and Subsequent Revascularizations in Patients With Type 2 Diabetes Mellitus and Stable Ischemic Heart Disease. <i>Circulation</i> , 2011, 123, 1492-1500.	1.6	108
80	Preoperative B-type natriuretic peptide, and not the inflammation status, predicts an adverse outcome for patients undergoing heart surgery. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011, 12, 778-783.	0.5	12
81	Reduced expression of systemic proinflammatory and myocardial biomarkers after off-pump versus on-pump coronary artery bypass surgery: A prospective randomized study. <i>Journal of Critical Care</i> , 2010, 25, 305-312.	1.0	50
82	Hypotheses, rationale, design, and methods for prognostic evaluation in type 2 diabetic patients with angiographically normal coronary arteries. The MASS IV-DM Trial. <i>BMC Cardiovascular Disorders</i> , 2010, 10, 47.	0.7	0
83	Efficacy of aneurysmectomy in patients with severe left ventricular dysfunction: favorable short-and long-term results in ischemic cardiomyopathy. <i>Clinics</i> , 2010, 65, 947-952.	0.6	6
84	Five-Year Follow-Up of a Randomized Comparison Between Off-Pump and On-Pump Stable Multivessel Coronary Artery Bypass Grafting. The MASS III Trial. <i>Circulation</i> , 2010, 122, S48-S52.	1.6	105
85	Five-year follow-up of angiographic disease progression after medicine, angioplasty, or surgery. <i>Journal of Cardiothoracic Surgery</i> , 2010, 5, 91.	0.4	32
86	Association between ADAMTS13 polymorphisms and risk of cardiovascular events in chronic coronary disease. <i>Thrombosis Research</i> , 2010, 125, 61-66.	0.8	28
87	Ten-Year Follow-Up Survival of the Medicine, Angioplasty, or Surgery Study (MASS II). <i>Circulation</i> , 2010, 122, 949-957.	1.6	284
88	Grande fstula bilateral da artria coronria: a escolha do tratamento clnico. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 93, e48-9.	0.3	6
89	TCF7L2 Polymorphism rs7903146 Is Associated with Coronary Artery Disease Severity and Mortality. <i>PLoS ONE</i> , 2009, 4, e7697.	1.1	56
90	Mild chronic kidney dysfunction and treatment strategies for stable coronary artery disease. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 137, 1443-1449.	0.4	21

#	ARTICLE	IF	CITATIONS
91	In Vitro Simultaneous Transfer of Lipids to HDL in Coronary Artery Disease and in Statin Treatment. <i>Lipids</i> , 2009, 44, 917-24.	0.7	52
92	Factors Related to the Selection of Surgical Versus Percutaneous Revascularization in Diabetic Patients With Multivessel Coronary Artery Disease in the BARI 2D (Bypass Angioplasty) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,702 Td (Revascularization) Study. <i>Journal of the American College of Cardiology</i> , 2009, 53, 384-392.	1.1	37
93	Coronary artery bypass surgery compared with percutaneous coronary interventions for multivessel disease: a collaborative analysis of individual patient data from ten randomised trials. <i>Lancet</i> , The, 2009, 373, 1190-1197.	6.3	649
94	Hemostatic changes and clinical sequelae after on-pump compared with off-pump coronary artery bypass surgery: a prospective randomized study. <i>Coronary Artery Disease</i> , 2009, 20, 100-105.	0.3	16
95	TCF7L2 variant genotypes and type 2 diabetes risk in Brazil: significant association, but not a significant tool for risk stratification in the general population. <i>BMC Medical Genetics</i> , 2008, 9, 106.	2.1	32
96	A randomized comparative study of patients undergoing myocardial revascularization with or without cardiopulmonary bypass surgery: The MASS III Trial. <i>Trials</i> , 2008, 9, 52.	0.7	9
97	Long-Term Safety and Efficacy of Percutaneous Coronary Intervention With Stenting and Coronary Artery Bypass Surgery for Multivessel Coronary Artery Disease. <i>Circulation</i> , 2008, 118, 1146-1154.	1.6	266
98	Impact of number of vessels disease on outcome of patients with stable coronary artery disease: 5-year follow-up of the Medical, Angioplasty, and bypass Surgery Study (MASS). <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 33, 349-354.	0.6	34
99	Reply to Athappan and Subramanian. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 703-703.	0.6	0
100	Impact of metabolic syndrome on the outcome of patients with stable coronary artery disease: 2-year follow-up of the MASS II study. <i>Coronary Artery Disease</i> , 2008, 19, 383-388.	0.3	12
101	Qualidade de vida apÃ³s revascularizaÃ§Ã£o cirÃºrgica do miocÃ¡rdio com e sem circulaÃ§Ã£o extracorpÃ³rea. <i>Arquivos Brasileiros De Cardiologia</i> , 2008, 91, 217-22, 238-44.	0.3	18
102	Custos comparativos entre a revascularizaÃ§Ã£o miocÃ¡rdica com e sem circulaÃ§Ã£o extracorpÃ³rea. <i>Arquivos Brasileiros De Cardiologia</i> , 2008, 91, 369-376.	0.3	11
103	Five-Year Follow-Up of the Medicine, Angioplasty, or Surgery Study (MASS II). <i>Circulation</i> , 2007, 115, 1082-1089.	1.6	392
104	Effect of a hypoglycemic agent on ischemic preconditioning in patients with type 2 diabetes and stable angina pectoris. <i>Coronary Artery Disease</i> , 2007, 18, 55-59.	0.3	24
105	Dynamic regulation of MTHFR mRNA expression and C677T genotype modulate mortality in coronary artery disease patients after revascularization. <i>Thrombosis Research</i> , 2007, 121, 25-32.	0.8	20
106	Impact of Diabetes on Five-Year Outcomes of Patients With Multivessel Coronary Artery Disease. <i>Annals of Thoracic Surgery</i> , 2007, 83, 93-99.	0.7	39
107	Quality of life in patients with symptomatic multivessel coronary artery disease: A comparative post hoc analyses of medical, angioplasty or surgical strategies-MASS II trial. <i>International Journal of Cardiology</i> , 2007, 116, 364-370.	0.8	70
108	Efeitos do uso da adrenalina na anestesia local odontolÃ³gica em portador de coronariopatia. <i>Arquivos Brasileiros De Cardiologia</i> , 2007, 88, 545-551.	0.3	33



#	ARTICLE	IF	CITATIONS
109	Qualidade de vida após revascularização cirúrgica do miocárdio, angioplastia ou tratamento clínico. Arquivos Brasileiros De Cardiologia, 2007, 88, 537-44.	0.3	17
110	Clinical Judgment and Treatment Options in Stable Multivessel Coronary Artery Disease. Journal of the American College of Cardiology, 2006, 48, 948-953.	1.2	35
111	Association between platelet P2Y12 haplotype and risk of cardiovascular events in chronic coronary disease. Thrombosis Research, 2006, 118, 679-683.	0.8	21
112	Coronary Revascularization (Surgical or Percutaneous) Decreases Mortality After the First Year in Diabetic Subjects but not in Nondiabetic Subjects With Multivessel Disease: An Analysis From the Medicine, Angioplasty, or Surgery Study (MASS II). Circulation, 2006, 114, I-420-I-424.	1.6	43
113	Revascularização miocárdica completa, incompleta ou nenhuma. Arquivos Brasileiros De Cardiologia, 2006, 87, e144-e146.	0.3	2
114	Exercise stress testing before and after successful multivessel percutaneous transluminal coronary angioplasty. Brazilian Journal of Medical and Biological Research, 2006, 39, 475-482.	0.7	3
115	The Effects of Glibenclamide, a KATP Channel Blocker, on the Warm-Up Phenomenon. Annals of Noninvasive Electrocardiology, 2005, 10, 356-362.	0.5	18
116	One-year outcomes of coronary artery bypass graft surgery versus percutaneous coronary intervention with multiple stenting for multivessel disease: A meta-analysis of individual patient data from randomized clinical trials. Journal of Thoracic and Cardiovascular Surgery, 2005, 130, 512-519.	0.4	148
117	Commentary. Evidence-based Cardiovascular Medicine, 2005, 9, 54.	0.0	0
118	Effect of glycoprotein IIIa PIA2 polymorphism on outcome of patients with stable coronary artery disease and effect of smoking. American Journal of Cardiology, 2004, 93, 1469-1472.	0.7	21
119	The medicine, angioplasty, or surgery study (MASS-II): a randomized, controlled clinical trial of three therapeutic strategies for multivessel coronary artery disease. Journal of the American College of Cardiology, 2004, 43, 1743-1751.	1.2	347
120	Impaired intravascular triglyceride lipolysis constitutes a marker of clinical outcome in patients with stable angina undergoing secondary prevention treatment. Journal of the American College of Cardiology, 2004, 43, 2225-2232.	1.2	30
121	Detection of retained surgical sponge by transthoracic and transesophageal echocardiography. Journal of the American Society of Echocardiography, 2003, 16, 1191-1193.	1.2	13
122	Plasma kinetics of a cholesterol-rich emulsion in subjects with or without coronary artery disease. Journal of Lipid Research, 2003, 44, 464-469.	2.0	29
123	Relative Cost Comparison of Treatments for Coronary Artery Disease: The First Year Follow-Up of MASS II Study. Circulation, 2003, 108, 2111-23.	1.6	24
124	Coronary heart disease clinical manifestation and risk factors in Japanese immigrants and their descendents in the city of São Paulo. Arquivos Brasileiros De Cardiologia, 2003, 81, 234-238.	0.3	7
125	LDL concentration is correlated with the removal from the plasma of a chylomicron-like emulsion in subjects with coronary artery disease. Atherosclerosis, 2002, 161, 447-453.	0.4	17
126	Acute pleuropulmonary complications detected by computed tomography following myocardial revascularization. Revista Do Hospital Das Clinicas, 2002, 57, 135-142.	0.5	22



#	ARTICLE	IF	CITATIONS
127	Five-Year Follow-Up of the Medicine, Angioplasty, or Surgery Study (MASS) : A Prospective, Randomized Trial of Medical Therapy, Balloon Angioplasty, or Bypass Surgery for Single Proximal Left Anterior Descending Coronary Artery Stenosis. <i>Circulation</i> , 1999, 100, II-107-II-113.	1.6	70
128	Pulmonary function after coronary artery bypass surgery. <i>Respiratory Medicine</i> , 1997, 91, 629-633.	1.3	64
129	VATS for complete dissection of LIMA in minimally invasive coronary artery bypass grafting. <i>Annals of Thoracic Surgery</i> , 1997, 63, S110-S113.	0.7	17
130	The Medicine, Angioplasty or Surgery Study (MASS): A prospective, randomized trial of medical therapy, balloon angioplasty or bypass surgery for single proximal left anterior descending artery stenoses. <i>Journal of the American College of Cardiology</i> , 1995, 26, 1600-1605.	1.2	282
131	Meta-analysis of randomised trials comparing coronary angioplasty with bypass surgery. <i>Lancet</i> , The, 1995, 346, 1184-1189.	6.3	463
132	Relationship Between Pleural Effusion and Pericardial Involvement After Myocardial Revascularization. <i>Chest</i> , 1994, 105, 1748-1752.	0.4	51
133	Influence of Atelectasis on Pulmonary Function After Coronary Artery Bypass Grafting. <i>Chest</i> , 1993, 104, 434-437.	0.4	33
134	Ventricular Arrhythmias Induced by Programmed Ventricular Stimulation After Uncomplicated Myocardial Infarction. <i>Angiology</i> , 1992, 43, 578-584.	0.8	0
135	Relationship Between Pleural Changes after Myocardial Revascularization and Pulmonary Mechanics. <i>Chest</i> , 1992, 102, 1333-1336.	0.4	48
136	Two- to eight-year survival rates in patients who refused coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 1989, 63, 155-159.	0.7	11
137	Coronary Bypass Surgery for Patients with Renal Transplantation. <i>Cardiology</i> , 1986, 73, 151-155.	0.6	4