

# HCWillems

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3911960/hcwillems-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22

papers

278

citations

10

h-index

16

g-index

24

ext. papers

406

ext. citations

4.2

avg, IF

3.27

L-index

#	Paper	IF	Citations
22	Posterolateral or direct lateral approach for hemiarthroplasty after femoral neck fractures: a systematic review. <i>HIP International</i> , <b>2021</b> , 31, 154-165	1.7	1
21	The association between hyperkyphosis and fall incidence among community-dwelling older adults. <i>Osteoporosis International</i> , <b>2021</b> , 1	5.3	1
20	Endovascular treatment in older adults with acute ischemic stroke in the MR CLEAN Registry. <i>Neurology</i> , <b>2020</b> , 95, e131-e139	6.5	15
19	The Clinical Relevance of Hyperkyphosis: A Narrative Review. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 5	5.7	7
18	The prevalence and incidence of vertebral fractures in end-stage renal disease and the role of parathyroid hormone. <i>Osteoporosis International</i> , <b>2020</b> , 31, 515-524	5.3	5
17	The association between chronic kidney disease, falls, and fractures: a systematic review and meta-analysis. <i>Osteoporosis International</i> , <b>2020</b> , 31, 13-29	5.3	26
16	Prognosis of nonoperative treatment in elderly patients with a hip fracture: A systematic review and meta-analysis. <i>Injury</i> , <b>2020</b> , 51, 2407-2413	2.5	10
15	Thoracic vertebral fractures and hyperkyphosis in elderly patients with end-stage kidney disease; do these patients have different clinical outcomes?. <i>Bone</i> , <b>2019</b> , 127, 181-187	4.7	4
14	Association of Initiation of Maintenance Dialysis with Functional Status and Caregiver Burden. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 1039-1047	6.9	16
13	The value of nonoperative versus operative treatment of frail institutionalized elderly patients with a proximal femoral fracture in the shade of life (FRAIL-HIP); protocol for a multicenter observational cohort study. <i>BMC Geriatrics</i> , <b>2019</b> , 19, 301	4.1	6
12	Geriatric Assessment in Elderly Patients with End-Stage Kidney Disease. <i>Nephron</i> , <b>2019</b> , 141, 41-48	3.3	21
11	Accidental falling in community-dwelling elderly with chronic kidney disease. <i>International Urology and Nephrology</i> , <b>2019</b> , 51, 119-127	2.3	5
10	Estimating the Time to Benefit for Preventive Drugs with the Statistical Process Control Method: An Example with Alendronate. <i>Drugs and Aging</i> , <b>2016</b> , 33, 347-53	4.7	19
9	Associations between vertebral fractures, increased thoracic kyphosis, a flexed posture and falls in older adults: a prospective cohort study. <i>BMC Geriatrics</i> , <b>2015</b> , 15, 34	4.1	43
8	A flexed posture in elderly patients is associated with impairments in postural control during walking. <i>Gait and Posture</i> , <b>2014</b> , 39, 767-72	2.6	49
7	Diagnosis of vertebral fractures on lateral chest X-ray: intraobserver agreement of semi-quantitative vertebral fracture assessment. <i>European Journal of Radiology</i> , <b>2014</b> , 83, 2177-2180	4.7	5
6	Mechanical bowel obstruction due to occlusion with a biliary calculus: a case of a 91-year-old woman with nausea and vomiting. <i>Journal of the American Geriatrics Society</i> , <b>2014</b> , 62, 1612-3	5.6	

5	Geriatricians should screen for vertebral fractures in all individuals by performing X-rays of the thoracic spine. <i>Journal of the American Geriatrics Society</i> , <b>2014</b> , 62, 2027-9	5.6	1
4	Vertebral fractures in elderly adults: atypical presentation rather than asymptomatic. <i>Journal of the American Geriatrics Society</i> , <b>2013</b> , 61, 2047-8	5.6	3
3	Mortality and incident vertebral fractures after 3 years of follow-up among geriatric patients. <i>Osteoporosis International</i> , <b>2013</b> , 24, 1713-9	5.3	12
2	Testing postural control among various osteoporotic patient groups: a literature review. <i>Geriatrics and Gerontology International</i> , <b>2012</b> , 12, 573-85	2.9	13
1	Why do geriatric outpatients have so many moderate and severe vertebral fractures? Exploring prevalence and risk factors. <i>Age and Ageing</i> , <b>2012</b> , 41, 200-6	3	15