

Serge Hercberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3912640/publications.pdf>

Version: 2024-02-01

774
papers

55,108
citations

1799

103
h-index

2280

200
g-index

820
all docs

820
docs citations

820
times ranked

55374
citing authors

#	ARTICLE	IF	CITATIONS
1	Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INÃS trial. <i>Public Health Nutrition</i> , 2023, 26, 96-105.	2.2	0
2	Key Findings of the French BioNutriNet Project on Organic Foodâ€Based Diets: Description, Determinants, and Relationships to Health and the Environment. <i>Advances in Nutrition</i> , 2022, 13, 208-224.	6.4	16
3	Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-SantÃ©. <i>British Journal of Nutrition</i> , 2022, 127, 752-762.	2.3	6
4	Are foods â€healthyâ€™ or â€healthierâ€™? Front-of-pack labelling and the concept of healthiness applied to foods. <i>British Journal of Nutrition</i> , 2022, 127, 948-952.	2.3	20
5	The Nutri-Score nutrition label. <i>International Journal for Vitamin and Nutrition Research</i> , 2022, 92, 147-157.	1.5	34
6	Are recent dietary changes observed in the NutriNet-SantÃ© participants healthier and more sustainable?. <i>European Journal of Nutrition</i> , 2022, 61, 141-155.	3.9	9
7	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-SantÃ© cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 250-264.	1.9	5
8	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-SantÃ© Cohort. <i>Journal of Nutrition</i> , 2022, 152, 1059-1069.	2.9	2
9	Impairment of gut microbial biotin metabolism and host biotin status in severe obesity: effect of biotin and probiotic supplementation on improved metabolism. <i>Gut</i> , 2022, 71, 2463-2480.	12.1	53
10	Polish Consumersâ€™ Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. <i>Foods</i> , 2022, 11, 134.	4.3	10
11	Dairy product consumption and risk of cancer: A short report from the <scp>NutriNetâ€™SantÃ©</scp> prospective cohort study. <i>International Journal of Cancer</i> , 2022, 150, 1978-1986.	5.1	2
12	Resilience Is Associated with Less Eating Disorder Symptoms in the NutriNet-SantÃ© Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1471.	2.6	4
13	Association between positive psychological traits and changes in dietary behaviour related to first COVID-19 lockdown: A general population-based study. <i>Appetite</i> , 2022, 171, 105885.	3.7	1
14	Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-SantÃ© cohort. <i>Cancer Research</i> , 2022, 82, P1-09-01-P1-09-01.	0.9	2
15	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-SantÃ© cohort. <i>Cancer Research</i> , 2022, 82, P1-09-02-P1-09-02.	0.9	0
16	Microbiome and metabolome features of the cardiometabolic disease spectrum. <i>Nature Medicine</i> , 2022, 28, 303-314.	30.7	102
17	Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-SantÃ© cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 1106-1119.	1.9	27
18	Caffeine Intake and Its Sex-Specific Association with General Anxiety: A Cross-Sectional Analysis among General Population Adults. <i>Nutrients</i> , 2022, 14, 1242.	4.1	6

#	ARTICLE	IF	CITATIONS
19	Artificial sweeteners and cancer risk: Results from the NutriNet-Sant� population-based cohort study. PLoS Medicine, 2022, 19, e1003950.	8.4	108
20	Nutri-Score in tug-of-war between public health and economic interests in the European Union. Nature Food, 2022, 3, 181-181.	14.0	3
21	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	3.7	3
22	Do individual sustainable food purchase motives translate into an individual shift towards a more sustainable diet? A longitudinal analysis in the NutriNet-Sant� cohort. Cleaner and Responsible Consumption, 2022, 5, 100062.	3.0	6
23	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Nutrients 2022, 14, 771. Nutrients, 2022, 14, 2165.	4.1	2
24	Mastery Is Associated With Weight Status, Food Intake, Snacking, and Eating Disorder Symptoms in the NutriNet-Sant� Cohort Study. Frontiers in Nutrition, 2022, 9, .	3.7	1
25	Prospective association between dietary pesticide exposure profiles and type 2 diabetes risk in the NutriNet-Sant� cohort. Environmental Health, 2022, 21, .	4.0	9
26	Associations between Resilience and Food Intake Are Mediated by Emotional Eating in the NutriNet-Sant� Study. Journal of Nutrition, 2022, 152, 1907-1915.	2.9	2
27	A population-based study of macronutrient intake according to mental health status with a focus on pure and comorbid anxiety and eating disorders. European Journal of Nutrition, 2022, 61, 3685-3696.	3.9	2
28	Exposome Profiles and Asthma among French Adults. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 1208-1219.	5.6	10
29	Immune Profiling Enables Stratification of Patients With Active Tuberculosis Disease or Mycobacterium tuberculosis Infection. Clinical Infectious Diseases, 2021, 73, e3398-e3408.	5.8	18
30	Young children formula consumption and iron deficiency at 24 months in the general population: A national-level study. Clinical Nutrition, 2021, 40, 166-173.	5.0	8
31	Depressive symptoms, fruit and vegetables consumption and urinary 3-indoxylsulfate concentration: a nested case-control study in the French Nutrinet-Sante cohort. European Journal of Nutrition, 2021, 60, 1059-1069.	3.9	6
32	Dietary Patterns, Ultra-processed Food, and the Risk of Inflammatory Bowel Diseases in the NutriNet-Sant� Cohort. Inflammatory Bowel Diseases, 2021, 27, 65-73.	1.9	38
33	Estimated dietary pesticide exposure from plant-based foods using NMF-derived profiles in a large sample of French adults. European Journal of Nutrition, 2021, 60, 1475-1488.	3.9	13
34	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. Journal of Nutrition, 2021, 151, 120-131.	2.9	100
35	Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. Nutrition, 2021, 84, 111107.	2.4	5
36	Le comportement alimentaire, ses d�terminants et son lien avec la sant� bucco-dentaire: r�sultats �pid�miologiques chez les seniors inscrits � la cohorte NutriNet-Sant�. Cahiers De Nutrition Et De Dietetique, 2021, 56, 111-116.	0.3	0

#	ARTICLE	IF	CITATIONS
37	The Gift of Data: Industry-Led Food Reformulation and the Obesity Crisis in Europe. <i>Journal of Public Policy and Marketing</i> , 2021, 40, 389-402.	3.4	4
38	Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk: results from the French NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2021, 125, 902-914.	2.3	22
39	Organic food consumption and gluten-free diet, is there a link? Results in French adults without coeliac disease. <i>British Journal of Nutrition</i> , 2021, 125, 1067-1078.	2.3	5
40	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-Sant� cohort. <i>European Journal of Nutrition</i> , 2021, 60, 1887-1896.	3.9	4
41	Alcoholic beverage consumption, smoking habits, and periodontitis: A cross-sectional investigation of the NutriNet-Sant� study. <i>Journal of Periodontology</i> , 2021, 92, 727-737.	3.4	8
42	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. <i>BMJ Open</i> , 2021, 11, e041196.	1.9	15
43	Abstract GS2-07: Glycemic index, glycemic load and breast cancer risk: Results from the prospective NutriNet-Sant� cohort. , 2021, , .		0
44	Consumption of Ultra-Processed Food and Its Association with Sociodemographic Characteristics and Diet Quality in a Representative Sample of French Adults. <i>Nutrients</i> , 2021, 13, 682.	4.1	38
45	Modelling the number of avoidable new cancer cases in France attributable to alcohol consumption by following official recommendations: a simulation study. <i>Addiction</i> , 2021, 116, 2316-2325.	3.3	2
46	Prospective association between dietary pesticide exposure profiles and postmenopausal breast-cancer risk in the NutriNet-Sant� cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1184-1198.	1.9	18
47	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 38.	4.6	22
48	Relation between Mood and the Host-Microbiome Co-Metabolite 3-Indoxylsulfate: Results from the Observational Prospective NutriNet-Sant� Study. <i>Microorganisms</i> , 2021, 9, 716.	3.6	15
49	Perceptions of the environment moderate the effects of objectively-measured built environment attributes on active transport. An ACTI-Cit�s study. <i>Journal of Transport and Health</i> , 2021, 20, 100972.	2.2	4
50	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. <i>Central European Journal of Public Health</i> , 2021, 29, 76-79.	1.1	20
51	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March-May 2020): results from the French NutriNet-Sant� cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 924-938.	4.7	284
52	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. <i>European Journal of Nutrition</i> , 2021, 60, 3669-3678.	3.9	3
53	NMR metabolomic profiles associated with long-term risk of prostate cancer. <i>Metabolomics</i> , 2021, 17, 32.	3.0	8
54	Conservative to disruptive diets for optimizing nutrition, environmental impacts and cost in French adults from the NutriNet-Sant� cohort. <i>Nature Food</i> , 2021, 2, 174-182.	14.0	10

#	ARTICLE	IF	CITATIONS
55	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Sant� Study. <i>Nutrients</i> , 2021, 13, 1526.	4.1	9
56	Environmental and nutritional analysis of the EAT-Lancet diet at the individual level: insights from the NutriNet-Sant� study. <i>Journal of Cleaner Production</i> , 2021, 296, 126555.	9.3	29
57	Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2021, , 1-11.	2.3	8
58	Plasma Metabolomics for Discovery of Early Metabolic Markers of Prostate Cancer Based on Ultra-High-Performance Liquid Chromatography-High Resolution Mass Spectrometry. <i>Cancers</i> , 2021, 13, 3140.	3.7	10
59	FODMAP Consumption by Adults from the French Population-Based NutriNet-Sant� Cohort. <i>Journal of Nutrition</i> , 2021, 151, 3180-3186.	2.9	3
60	Estimated dietary exposure to pesticide residues based on organic and conventional data in omnivores, pesco-vegetarians, vegetarians and vegans. <i>Food and Chemical Toxicology</i> , 2021, 153, 112179.	3.6	15
61	Self-reported periodontal health and incident hypertension: longitudinal evidence from the NutriNet-Sant� e-cohort. <i>Journal of Hypertension</i> , 2021, 39, 2422-2430.	0.5	6
62	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Sant� cohort. <i>International Breastfeeding Journal</i> , 2021, 16, 50.	2.6	6
63	Public health potential of guidelines-based dietary scores for non-communicable diseases mortality prevention: simulation study using the Preventable Risk Integrated Model (PRIME) model. <i>Public Health Nutrition</i> , 2021, 24, 5539-5549.	2.2	4
64	Clinical Prediction of Iron Deficiency at Age 2 Years: A National Cross-sectional Study in France. <i>Journal of Pediatrics</i> , 2021, 235, 212-219.	1.8	1
65	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. <i>Nutrition Journal</i> , 2021, 20, 78.	3.4	5
66	Is FOP Nutrition Label Nutri-Score Well Understood by Consumers When Comparing the Nutritional Quality of Added Fats, and Does It Negatively Impact the Image of Olive Oil?. <i>Foods</i> , 2021, 10, 2209.	4.3	11
67	Halving food-related greenhouse gas emissions can be achieved by redistributing meat consumption: Progressive optimization results of the NutriNet-Sant� cohort. <i>Science of the Total Environment</i> , 2021, 789, 147901.	8.0	12
68	Development and evaluation of a new dietary index assessing nutrient security by aggregating probabilistic estimates of the risk of nutrient deficiency in two French adult populations. <i>British Journal of Nutrition</i> , 2021, 126, 1225-1236.	2.3	12
69	Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Sant� cohort. <i>Scientific Reports</i> , 2021, 11, 19680.	3.3	37
70	Aliments ultra-transform�s, maladies chroniques, et mortalit�: r�sultats de la cohorte prospective NutriNet-Sant�. <i>Cahiers De Nutrition Et De Dietetique</i> , 2021, , .	0.3	0
71	Exposure of French Children and Adolescents to Advertising for Foods High in Fat, Sugar or Salt. <i>Nutrients</i> , 2021, 13, 3741.	4.1	8
72	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Sant� cohort. <i>BMC Medicine</i> , 2021, 19, 290.	5.5	26

#	ARTICLE	IF	CITATIONS
73	Nutri-Score: The Most Efficient Front-of-Pack Nutrition Label to Inform Portuguese Consumers on the Nutritional Quality of Foods and Help Them Identify Healthier Options in Purchasing Situations. <i>Nutrients</i> , 2021, 13, 4335.	4.1	17
74	Association between Self-Reported Gluten Avoidance and Irritable Bowel Syndrome: Findings of the NutriNet-Sant� Study. <i>Nutrients</i> , 2021, 13, 4147.	4.1	3
75	Nutri�Score vs NutriInform Battery front�of�pack labelling systems: weight of scientific evidence matters. <i>Eating and Weight Disorders</i> , 2021, , 1.	2.5	1
76	Combinatorial, additive and dose-dependent drug�microbiome associations. <i>Nature</i> , 2021, 600, 500-505.	27.8	102
77	�tat des lieux des in�galit�s de sant� li�es � l'alimentation�: analyse quantitative. <i>Vie Sociale</i> , 2021, n� 36, 37-48.	0.2	0
78	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. <i>Nutrients</i> , 2021, 13, 4530.	4.1	15
79	Fermentable Oligo-, Di-, and Mono-Saccharides and Polyols (FODMAPs) Consumption and Irritable Bowel Syndrome in the French NutriNet-Sant� Cohort. <i>Nutrients</i> , 2021, 13, 4513.	4.1	4
80	Proof of concept and development of a couple-based machine learning model to stratify infertile patients with idiopathic infertility. <i>Scientific Reports</i> , 2021, 11, 24003.	3.3	6
81	Relationship between sensory liking for fat, sweet or salt and cardiometabolic diseases: mediating effects of diet and weight status. <i>European Journal of Nutrition</i> , 2020, 59, 249-261.	3.9	5
82	Association between processed meat intake and asthma symptoms in the French NutriNet-Sant� cohort. <i>European Journal of Nutrition</i> , 2020, 59, 1553-1562.	3.9	10
83	Association between sustainable dietary patterns and body weight, overweight, and obesity risk in the NutriNet-Sant� prospective cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 138-149.	4.7	19
84	Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Sant� Prospective Cohort. <i>JAMA Internal Medicine</i> , 2020, 180, 283.	5.1	257
85	The consumption of ultra-processed foods by fish-eaters, vegetarians and vegans is associated with the duration and commencing age of diet. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	1.0	6
86	Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices: an online experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 146.	4.6	48
87	Prospective association between organic food consumption and the risk of type 2 diabetes: findings from the NutriNet-Sant� cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 136.	4.6	21
88	Ultra-processed food intake and risk of type 2 diabetes in a French cohort of middle-aged adults. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	1.0	0
89	Dispositional optimism is associated with weight status, eating behavior, and eating disorders in a general population�based study. <i>International Journal of Eating Disorders</i> , 2020, 53, 1696-1708.	4.0	6
90	Absence of association between inflammatory dietary pattern and low trauma fractures: Results of the French cohort NutriNet-Sant�. <i>Joint Bone Spine</i> , 2020, 87, 632-639.	1.6	2

#	ARTICLE	IF	CITATIONS
91	Association between Neu5Gc carbohydrate and serum antibodies against it provides the molecular link to cancer: French NutriNet-Sant� study. BMC Medicine, 2020, 18, 262.	5.5	28
92	Effectiveness of Different Front-of-Pack Nutrition Labels among Italian Consumers: Results from an Online Randomized Controlled Trial. Nutrients, 2020, 12, 2307.	4.1	34
93	Dietary Zinc Intake and Inflammatory Bowel Disease in the French NutriNet-Sant� Cohort. American Journal of Gastroenterology, 2020, 115, 1293-1297.	0.4	9
94	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Sant� cohort. PLoS Medicine, 2020, 17, e1003256.	8.4	140
95	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Sant� cohort. American Journal of Clinical Nutrition, 2020, 112, 1267-1279.	4.7	59
96	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	6.0	54
97	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Int�rieur population of healthy adults. British Journal of Nutrition, 2020, 126, 1-11.	2.3	4
98	Consumption of dairy products and cardiovascular disease risk: results from the French prospective cohort NutriNet-Sant�. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
99	Adherence to the new French dietary guidelines and risk of overweight and obesity. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
100	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. Nutrients, 2020, 12, 1303.	4.1	63
101	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Sant� cohort. American Journal of Clinical Nutrition, 2020, 112, 195-207.	4.7	60
102	Consumption of ultra-processed foods and the risk of overweight and obesity, and weight trajectories in the French cohort NutriNet-Sant�. Proceedings of the Nutrition Society, 2020, 79, .	1.0	3
103	Prospective associations between the nutritional quality of foods consumed (graded by the FSA-m-NPS) and the risk of overweight and obesity in the French cohort NutriNet-Sant�. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
104	Understanding of different front-of-package labels by the Spanish population: Results of a comparative study. Endocrinolog�a Diabetes Y Nutrici�n (English Ed), 2020, 67, 122-129.	0.2	2
105	Bulgarian consumers' objective understanding of front-of-package nutrition labels: a comparative, randomized study. Archives of Public Health, 2020, 78, 35.	2.4	17
106	Association Between Adult Acne and Dietary Behaviors. JAMA Dermatology, 2020, 156, 854.	4.1	45
107	Greenhouse gas emissions, energy demand and land use associated with omnivorous, pesco-vegetarian, vegetarian, and vegan diets accounting for farming practices. Sustainable Production and Consumption, 2020, 22, 138-146.	11.0	48
108	Sustainability analysis of French dietary guidelines using multiple criteria. Nature Sustainability, 2020, 3, 377-385.	23.7	36

#	ARTICLE	IF	CITATIONS
109	Food additives: distribution and co-occurrence in 126,000 food products of the French market. <i>Scientific Reports</i> , 2020, 10, 3980.	3.3	89
110	Prospective associations between sustainable dietary pattern assessed with the Sustainable Diet Index (SDI) and risk of cancer and cardiovascular diseases in the French NutriNet-Sant� cohort. <i>European Journal of Epidemiology</i> , 2020, 35, 471-481.	5.7	11
111	Compared to other front-of-pack nutrition labels, the Nutri-Score emerged as the most efficient to inform Swiss consumers on the nutritional quality of food products. <i>PLoS ONE</i> , 2020, 15, e0228179.	2.5	47
112	The genetic history of France. <i>European Journal of Human Genetics</i> , 2020, 28, 853-865.	2.8	15
113	Untargeted plasma metabolomic profiles associated with overall diet in women from the SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2020, 59, 3425-3439.	3.9	10
114	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. <i>Nutrition Journal</i> , 2020, 19, 6.	3.4	9
115	Diet-Related Metabolomic Signature of Long-Term Breast Cancer Risk Using Penalized Regression: An Exploratory Study in the SU.VI.MAX Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 396-405.	2.5	18
116	Consumers' food choices, understanding and perceptions in response to different front-of-pack nutrition labelling systems in Belgium: results from an online experimental study. <i>Archives of Public Health</i> , 2020, 78, 30.	2.4	27
117	Comprensi3n de diferentes etiquetados frontales de los envases en poblaci3n espa�ola: resultados de un estudio comparativo. <i>Endocrinologia, Diabetes Y Nutrici3n</i> , 2020, 67, 122-129.	0.3	7
118	Title is missing!. , 2020, 17, e1003256.		0
119	Title is missing!. , 2020, 17, e1003256.		0
120	Title is missing!. , 2020, 17, e1003256.		0
121	Title is missing!. , 2020, 17, e1003256.		0
122	Title is missing!. , 2020, 17, e1003256.		0
123	Title is missing!. , 2020, 17, e1003256.		0
124	Individual characteristics associated with changes in the contribution of plant foods to dietary intake in a French prospective cohort. <i>European Journal of Nutrition</i> , 2019, 58, 1991-2002.	3.9	5
125	Consumers' Responses to Front-of-Pack Nutrition Labelling: Results from a Sample from The Netherlands. <i>Nutrients</i> , 2019, 11, 1817.	4.1	49
126	Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 56.	4.6	59

#	ARTICLE	IF	CITATIONS
127	Ability of the Nutri-Score front-of-pack nutrition label to discriminate the nutritional quality of foods in the German food market and consistency with nutritional recommendations. Archives of Public Health, 2019, 77, 28.	2.4	57
128	Sugary drink consumption and risk of cancer: results from NutriNet-Sant� prospective cohort. BMJ: British Medical Journal, 2019, 366, l2408.	2.3	129
129	Programme National Nutrition Sant� " guidelines score 2 (PNNS-GS2): development and validation of a diet quality score reflecting the 2017 French dietary guidelines. British Journal of Nutrition, 2019, 122, 331-342.	2.3	55
130	Association between dietary fibre intake and asthma (symptoms and control): results from the French national e-cohort NutriNet-Sant�. British Journal of Nutrition, 2019, 122, 1040-1051.	2.3	22
131	Combination of Healthy Lifestyle Factors on the Risk of Hypertension in a Large Cohort of French Adults. Nutrients, 2019, 11, 1687.	4.1	23
132	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 1122-1129.	2.7	34
133	Cognitive Restraint and History of Dieting Are Negatively Associated with Organic Food Consumption in a Large Population-Based Sample of Organic Food Consumers. Nutrients, 2019, 11, 2468.	4.1	5
134	Food Choice Under Five Front-of-Package Nutrition Label Conditions: An Experimental Study Across 12 Countries. American Journal of Public Health, 2019, 109, 1770-1775.	2.7	49
135	Association of the Dietary Index Underpinning the Nutri-Score Label with Oral Health: Preliminary Evidence from a Large, Population-Based Sample. Nutrients, 2019, 11, 1998.	4.1	13
136	Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. American Heart Journal, 2019, 217, 1-12.	2.7	21
137	Consumers' Perceptions of Five Front-of-Package Nutrition Labels: An Experimental Study Across 12 Countries. Nutrients, 2019, 11, 1934.	4.1	63
138	Prospective association between adherence to the MIND diet and subjective memory complaints in the French NutriNet-Sant� cohort. Journal of Neurology, 2019, 266, 942-952.	3.6	22
139	Gluten-free diet in French adults without coeliac disease: sociodemographic characteristics, motives and dietary profile. British Journal of Nutrition, 2019, 122, 231-239.	2.3	27
140	Association of diet quality and physical activity with healthy ageing in the French NutriNet-Sant� cohort. British Journal of Nutrition, 2019, 122, 93-102.	2.3	3
141	Plasma Metabolomic Signatures Associated with Long-term Breast Cancer Risk in the SU.VI.MAX Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1300-1307.	2.5	30
142	Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Sant�). BMJ: British Medical Journal, 2019, 365, l1451.	2.3	512
143	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. Journal of Nutrition, 2019, 149, 1198-1207.	2.9	19
144	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Sant� cohort. BMC Medicine, 2019, 17, 78.	5.5	113

#	ARTICLE	IF	CITATIONS
145	Estimating sodium intake from spot urine samples at population level: a validation and application study in French adults. <i>British Journal of Nutrition</i> , 2019, 122, 186-194.	2.3	3
146	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1472-1483.	4.7	66
147	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF1, IGF2, IGFBP1, IGFBP2 and IGFBP3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019, 145, 3244-3256.	5.1	14
148	Improvement of diet sustainability with increased level of organic food in the diet: findings from the BioNutriNet cohort. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1173-1188.	4.7	45
149	Development and validation of an individual sustainable diet index in the NutriNet-Santé study cohort. <i>British Journal of Nutrition</i> , 2019, 121, 1166-1177.	2.3	38
150	Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. <i>British Journal of Nutrition</i> , 2019, 122, 63-70.	2.3	13
151	Nutri-Score: A Public Health Tool to Improve Eating Habits in Portugal. <i>Acta Medica Portuguesa</i> , 2019, 32, 175-178.	0.4	13
152	Association Between Ultraprocessed Food Consumption and Risk of Mortality Among Middle-aged Adults in France. <i>JAMA Internal Medicine</i> , 2019, 179, 490.	5.1	246
153	The association between physical and mental chronic conditions and napping. <i>Scientific Reports</i> , 2019, 9, 1795.	3.3	17
154	Six-year survival study after myocardial infarction: The EOLE prospective cohort study. Long-term survival after MI. <i>Thérapie</i> , 2019, 74, 459-468.	1.0	5
155	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. <i>PLoS Medicine</i> , 2019, 16, e1003007.	8.4	10
156	Association Between Adherence To The French Dietary Guidelines And Lower Resting Heart Rate, Longer Diastole Duration, And Lower Myocardial Oxygen Consumption. The NUTRIVASC Study. <i>Vascular Health and Risk Management</i> , 2019, Volume 15, 463-475.	2.3	6
157	Urinary pesticide concentrations in French adults with low and high organic food consumption: results from the general population-based NutriNet-Santé. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 366-378.	3.9	44
158	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 117-126.	4.7	40
159	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.9	25
160	Some Differences in Nutritional Biomarkers are Detected Between Consumers and Nonconsumers of Organic Foods: Findings from the BioNutriNet Project. <i>Current Developments in Nutrition</i> , 2019, 3, nzy090.	0.3	11
161	Sociodemographic correlates of eating disorder subtypes among men and women in France, with a focus on age. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 56-64.	3.7	13
162	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. <i>European Journal of Nutrition</i> , 2019, 58, 2679-2692.	3.9	10

#	ARTICLE	IF	CITATIONS
163	Saturated, mono- and polyunsaturated fatty acid intake and cancer risk: results from the French prospective cohort NutriNet-Sant�. European Journal of Nutrition, 2019, 58, 1515-1527.	3.9	31
164	Hepcidin, Soluble Transferrin Receptor, and Other Biomarkers of Iron Status Distributions in Healthy 2 Years Old Infants from a National Ambulatory Study in France. Blood, 2019, 134, 4809-4809.	1.4	0
165	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
166	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
167	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
168	Comparing nutritional, economic, and environmental performances of diets according to their levels of greenhouse gas emissions. Climatic Change, 2018, 148, 155-172.	3.6	42
169	Front-of-pack Nutri-Score labelling in France: an evidence-based policy. Lancet Public Health, The, 2018, 3, e164.	10.0	87
170	Food consumption and dietary intakes in 36,448 adults and their association with irritable bowel syndrome: Nutrinet-Sant� study. Therapeutic Advances in Gastroenterology, 2018, 11, 1756283X1774662.	3.2	35
171	Big Food�s Opposition to the French Nutri-Score Front-of-Pack Labeling Warrants a Global Reaction. American Journal of Public Health, 2018, 108, 318-320.	2.7	19
172	NMR metabolomic signatures reveal predictive plasma metabolites associated with long-term risk of developing breast cancer. International Journal of Epidemiology, 2018, 47, 484-494.	1.9	47
173	Distinctive roles of age, sex, and genetics in shaping transcriptional variation of human immune responses to microbial challenges. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E488-E497.	7.1	181
174	Energy, nutrient and food content of snacks in French adults. Nutrition Journal, 2018, 17, 33.	3.4	24
175	Socio-economic and demographic factors associated with snacking behavior in a large sample of French adults. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 25.	4.6	21
176	Consumption of ultra-processed foods and cancer risk: results from NutriNet-Sant� prospective cohort. BMJ: British Medical Journal, 2018, 360, k322.	2.3	605
177	The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. Journal of Nutrition, 2018, 148, 437-444.	2.9	17
178	Association Between Adherence to the Mediterranean Diet at Midlife and Healthy Aging in a Cohort of French Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 347-354.	3.6	28
179	Very low prevalence of iron deficiency among young French children: A national cross-sectional hospital-based survey. Maternal and Child Nutrition, 2018, 14, .	3.0	10
180	Prospective association between adherence to the Mediterranean diet and risk of depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2018, 57, 1225-1235.	3.9	45

#	ARTICLE	IF	CITATIONS
181	Déterminants et corrélats de la consommation d'aliments issus de l'agriculture biologique. Résultats du projet BioNutriNet. Cahiers De Nutrition Et De Dietetique, 2018, 53, 43-52.	0.3	8
182	Contribution of ultra-processed foods in the diet of adults from the French NutriNet-Santé study. Public Health Nutrition, 2018, 21, 27-37.	2.2	163
183	Total and specific dietary polyphenol intakes and 6-year anthropometric changes in a middle-aged general population cohort. International Journal of Obesity, 2018, 42, 310-317.	3.4	20
184	Red and processed meat intake and cancer risk: Results from the prospective NutriNet-Santé cohort study. International Journal of Cancer, 2018, 142, 230-237.	5.1	96
185	Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-Santé study. European Journal of Nutrition, 2018, 57, 2477-2488.	3.9	44
186	Influence of food preparation behaviors on 5-year weight change and obesity risk in a French prospective cohort. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 120.	4.6	15
187	Recruitment of precarious families in an interventional study: Lessons from the French "Fruits and vegetables at home" (FLAM) trial. Contemporary Clinical Trials Communications, 2018, 12, 161-168.	1.1	2
188	Unsaturated Fatty Acid Intakes During Midlife Are Positively Associated with Later Cognitive Function in Older Adults with Modulating Effects of Antioxidant Supplementation. Journal of Nutrition, 2018, 148, 1938-1945.	2.9	23
189	Macronutrient Intake in Relation to Migraine and Non-Migraine Headaches. Nutrients, 2018, 10, 1309.	4.1	12
190	Prospective Association between Total and Specific Dietary Polyphenol Intakes and Cardiovascular Disease Risk in the NutriNet-Santé French Cohort. Nutrients, 2018, 10, 1587.	4.1	44
191	Objective Understanding of Front-of-Package Nutrition Labels: An International Comparative Experimental Study across 12 Countries. Nutrients, 2018, 10, 1542.	4.1	160
192	Association of Frequency of Organic Food Consumption With Cancer Risk. JAMA Internal Medicine, 2018, 178, 1597.	5.1	119
193	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. Nutrients, 2018, 10, 1268.	4.1	30
194	Nutritional quality of food as represented by the FSAM-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
195	How Healthy Lifestyle Factors at Midlife Relate to Healthy Aging. Nutrients, 2018, 10, 854.	4.1	50
196	Impulsivity and consideration of future consequences as moderators of the association between emotional eating and body weight status. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 84.	4.6	23
197	Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects: Comparisons with other format labels. PLoS ONE, 2018, 13, e0202095.	2.5	84
198	Fruits and vegetables at home (FLAM): a randomized controlled trial of the impact of fruits and vegetables vouchers in children from low-income families in an urban district of France. BMC Public Health, 2018, 18, 1065.	2.9	14

#	ARTICLE	IF	CITATIONS
199	Adherence to the French Eating Model is inversely associated with overweight and obesity: results from a large sample of French adults. <i>British Journal of Nutrition</i> , 2018, 120, 231-239.	2.3	17
200	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Santé cohort. <i>British Journal of Nutrition</i> , 2018, 120, 290-300.	2.3	19
201	Fasting and weight-loss restrictive diet practices among 2,700 cancer survivors: results from the NutriNet-Santé cohort. <i>International Journal of Cancer</i> , 2018, 143, 2687-2697.	5.1	11
202	Differential Associations of Walking and Cycling with Body Weight, Body Fat and Fat Distribution - the ACTI-Cités Project. <i>Obesity Facts</i> , 2018, 11, 221-231.	3.4	6
203	Cancer-Specific and General Nutritional Scores and Cancer Risk: Results from the Prospective NutriNet-Santé Cohort. <i>Cancer Research</i> , 2018, 78, 4427-4435.	0.9	52
204	Association Between Mediterranean Anti-inflammatory Dietary Profile and Severity of Psoriasis. <i>JAMA Dermatology</i> , 2018, 154, 1017.	4.1	70
205	Environmental Impacts of Plant-Based Diets: How Does Organic Food Consumption Contribute to Environmental Sustainability?. <i>Frontiers in Nutrition</i> , 2018, 5, 8.	3.7	63
206	Eating Patterns in Patients with Compensated Cirrhosis: A Case-Control Study. <i>Nutrients</i> , 2018, 10, 60.	4.1	8
207	Mindfulness Is Associated with the Metabolic Syndrome among Individuals with a Depressive Symptomatology. <i>Nutrients</i> , 2018, 10, 232.	4.1	2
208	The Mediating Role of Overweight and Obesity in the Prospective Association between Overall Dietary Quality and Healthy Aging. <i>Nutrients</i> , 2018, 10, 515.	4.1	9
209	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. <i>Nutrients</i> , 2018, 10, 527.	4.1	12
210	Associations between dietary scores with asthma symptoms and asthma control in adults. <i>European Respiratory Journal</i> , 2018, 52, 1702572.	6.7	43
211	Association between a pro plant-based dietary score and cancer risk in the prospective NutriNet-Santé cohort. <i>International Journal of Cancer</i> , 2018, 143, 2168-2176.	5.1	29
212	Association between time perspective and organic food consumption in a large sample of adults. <i>Nutrition Journal</i> , 2018, 17, 1.	3.4	78
213	Circadian nutritional behaviours and cancer risk: New insights from the NutriNet-Santé prospective cohort study: Disclaimers. <i>International Journal of Cancer</i> , 2018, 143, 2369-2379.	5.1	64
214	Association Between Alexithymia and Risk of Incident Cardiovascular Diseases in the Supplementation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) Cohort. <i>Psychosomatic Medicine</i> , 2018, 80, 460-467.	2.0	4
215	MTHFR 677C > T genotype modulates the effect of a 5-year supplementation with B-vitamins on homocysteine concentration: The SU.FOL.OM3 randomized controlled trial. <i>PLoS ONE</i> , 2018, 13, e0193352.	2.5	12
216	Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Santé Cohort. <i>American Journal of Gastroenterology</i> , 2018, 113, 1217-1228.	0.4	106

#	ARTICLE	IF	CITATIONS
217	Obesity and Migraine: Effect Modification by Gender and Perceived Stress. <i>Neuroepidemiology</i> , 2018, 51, 25-32.	2.3	10
218	Identification of sustainable dietary patterns by a multicriteria approach in the NutriNet-Sant� cohort. <i>Journal of Cleaner Production</i> , 2018, 196, 1256-1265.	9.3	10
219	Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Sant� cohort. <i>Journal of Affective Disorders</i> , 2018, 238, 554-562.	4.1	32
220	Nutri-score�saga in France: how food industry actors tried to influence public health policies and public opinion. <i>World Nutrition</i> , 2018, 9, 109-120.	0.3	44
221	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. <i>European Journal of Nutrition</i> , 2017, 56, 1647-1655.	3.9	72
222	Major Change in Body Weight over 5�Years and Total Sleep Time: Investigation of Effect Modification by Sex and Obesity in a Large e-Cohort. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 493-500.	1.7	9
223	Growth Trajectories of Body Mass Index during Childhood: Associated Factors and Health Outcome at Adulthood. <i>Journal of Pediatrics</i> , 2017, 186, 64-71.e1.	1.8	56
224	Long-term associations between inflammatory dietary scores in relation to long-term C-reactive protein status measured 12 years later: findings from the Suppl�mentation en Vitamines et Min�raux Antioxydants (SU.VI.MAX) cohort. <i>British Journal of Nutrition</i> , 2017, 117, 306-314.	2.3	42
225	Prospective association between consumption frequency of organic food and body weight change, risk of overweight or obesity: results from the NutriNet-Sant� Study. <i>British Journal of Nutrition</i> , 2017, 117, 325-334.	2.3	47
226	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. <i>International Journal of Cardiology</i> , 2017, 234, 22-27.	1.7	47
227	Associations between motives for dish choice during home-meal preparation and diet quality in French adults: findings from the NutriNet-Sant� study. <i>British Journal of Nutrition</i> , 2017, 117, 851-861.	2.3	4
228	Prospective association between body mass index at midlife and healthy aging among French adults. <i>Obesity</i> , 2017, 25, 1254-1262.	3.0	9
229	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. <i>BMJ Open</i> , 2017, 7, e013718.	1.9	31
230	Dyslipidemia as a potential moderator of the association between hearing loss and depressive symptoms. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 1291-1298.	3.3	4
231	Body mass index growth trajectories associated with the different parameters of the metabolic syndrome at adulthood. <i>International Journal of Obesity</i> , 2017, 41, 1518-1525.	3.4	18
232	Meal planning is associated with food variety, diet quality and body weight status in a large sample of French adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 12.	4.6	64
233	Modifications in dietary and alcohol intakes between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Sant� cohort. <i>International Journal of Cancer</i> , 2017, 141, 457-470.	5.1	27
234	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. <i>Journal of Nutrition</i> , 2017, 147, 879-887.	2.9	60

#	ARTICLE	IF	CITATIONS
235	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Sant� Cohort Study. <i>Public Health Nutrition</i> , 2017, 20, 638-648.	2.2	42
236	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Sant� cohort participants. <i>BMJ Open</i> , 2017, 7, e016108.	1.9	62
237	Antioxidant intake from diet and supplements and risk of digestive cancers in middle-aged adults: results from the prospective NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2017, 118, 541-549.	2.3	18
238	Exposure to contaminants and nutritional intakes in a French vegetarian population. <i>Food and Chemical Toxicology</i> , 2017, 109, 218-229.	3.6	16
239	Individual and Combined Effects of Dietary Factors on Risk of Incident Hypertension. <i>Hypertension</i> , 2017, 70, 712-720.	2.7	54
240	Is organic food consumption associated with life satisfaction? A cross-sectional analysis from the NutriNet-Sant� study. <i>Preventive Medicine Reports</i> , 2017, 8, 190-196.	1.8	9
241	Neighborhood educational disparities in active commuting among women: the effect of distance between the place of residence and the place of work/study (an ACTI-Cit�s study). <i>BMC Public Health</i> , 2017, 17, 569.	2.9	4
242	Associations between transition to retirement and changes in dietary intakes in French adults (NutriNet-Sant� cohort study). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 71.	4.6	9
243	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population�Based NutriNet-Sant� Study. <i>Journal of Nutrition</i> , 2017, 147, 61-69.	2.9	37
244	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2017, 56, 2289-2298.	3.9	11
245	Dilemma between health and environmental motives when purchasing animal food products: sociodemographic and nutritional characteristics of consumers. <i>BMC Public Health</i> , 2017, 17, 876.	2.9	17
246	Sex-specific associations of different anthropometric indices with acute and chronic insomnia. <i>European Journal of Public Health</i> , 2017, 27, 1026-1031.	0.3	9
247	Assessment of the Sustainability of the Mediterranean Diet Combined with Organic Food Consumption: An Individual Behaviour Approach. <i>Nutrients</i> , 2017, 9, 61.	4.1	42
248	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Sant� Cohort Study). <i>Nutrients</i> , 2017, 9, 88.	4.1	93
249	Association between Impulsivity and Weight Status in a General Population. <i>Nutrients</i> , 2017, 9, 217.	4.1	55
250	B-Vitamin Intake from Diet and Supplements and Breast Cancer Risk in Middle-Aged Women: Results from the Prospective NutriNet-Sant� Cohort. <i>Nutrients</i> , 2017, 9, 488.	4.1	19
251	Compliance with Nutritional and Lifestyle Recommendations in 13,000 Patients with a Cardiometabolic Disease from the Nutrinet-Sant� Study. <i>Nutrients</i> , 2017, 9, 546.	4.1	18
252	Western Dietary Pattern Is Associated with Irritable Bowel Syndrome in the French NutriNet Cohort. <i>Nutrients</i> , 2017, 9, 986.	4.1	33

#	ARTICLE	IF	CITATIONS
253	Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Sant� Study. <i>Nutrients</i> , 2017, 9, 1023.	4.1	203
254	Relative Influence of Socioeconomic, Psychological and Sensory Characteristics, Physical Activity and Diet on 5-Year Weight Gain in French Adults. <i>Nutrients</i> , 2017, 9, 1179.	4.1	9
255	Individual, Social, and Environmental Correlates of Active Transportation Patterns in French Women. <i>BioMed Research International</i> , 2017, 2017, 1-11.	1.9	6
256	Association between self-reported vegetarian diet and the irritable bowel syndrome in the French NutriNet cohort. <i>PLoS ONE</i> , 2017, 12, e0183039.	2.5	12
257	Social disparities in food preparation behaviours: a DEDIPAC study. <i>Nutrition Journal</i> , 2017, 16, 62.	3.4	32
258	Occupational Asbestos Exposure and Incidence of Colon and Rectal Cancers in French Men: The Asbestos-Related Diseases Cohort (ARDCo-Nut). <i>Environmental Health Perspectives</i> , 2017, 125, 409-415.	6.0	31
259	Sociodemographic and economic factors are associated with weight gain between before and after cancer diagnosis: results from the prospective population-based NutriNet-Sant� cohort. <i>Oncotarget</i> , 2017, 8, 54640-54653.	1.8	11
260	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. <i>Journal of Nutrition</i> , 2016, 146, 785-791.	2.9	44
261	Sex-Specific Sociodemographic Correlates of Dietary Patterns in a Large Sample of French Elderly Individuals. <i>Nutrients</i> , 2016, 8, 484.	4.1	24
262	Dietary iron intake and breast cancer risk: modulation by an antioxidant supplementation. <i>Oncotarget</i> , 2016, 7, 79008-79016.	1.8	29
263	Socioeconomic Indicators Are Independently Associated with Nutrient Intake in French Adults: A DEDIPAC Study. <i>Nutrients</i> , 2016, 8, 158.	4.1	47
264	Association between Motives for Dish Choices during Home Meal Preparation and Weight Status in the NutriNet-Sant� Study. <i>Nutrients</i> , 2016, 8, 413.	4.1	8
265	What Do People Know and Believe about Vitamin D?. <i>Nutrients</i> , 2016, 8, 718.	4.1	30
266	Promoting physical activity in a low-income neighborhood of the Paris suburb of Saint-Denis: effects of a community-based intervention to increase physical activity. <i>BMC Public Health</i> , 2016, 16, 667.	2.9	14
267	Associations between liking for fat, sweet or salt and obesity risk in French adults: a prospective cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 74.	4.6	60
268	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. <i>PLoS ONE</i> , 2016, 11, e0157545.	2.5	18
269	A genome-wide association study in Caucasian women suggests the involvement of <i>HLA</i> genes in the severity of facial solar lentigines. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 550-558.	3.3	15
270	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw153.	6.3	37

#	ARTICLE	IF	CITATIONS
271	Intuitive eating is inversely associated with body weight status in the general population—based NutriNet-Sant� study. <i>Obesity</i> , 2016, 24, 1154-1161.	3.0	63
272	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Sant� cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 700-709.	2.3	36
273	Associations between fruit, vegetable and legume intakes and prostate cancer risk: results from the prospective Suppl�mentation en Vitamines et Min�raux Antioxydants (SU.VI.MAX) cohort. <i>British Journal of Nutrition</i> , 2016, 115, 1579-1585.	2.3	34
274	Socio-economic indicators are independently associated with intake of animal foods in French adults. <i>Public Health Nutrition</i> , 2016, 19, 3146-3157.	2.2	19
275	Dietary scores at midlife and healthy ageing in a French prospective cohort. <i>British Journal of Nutrition</i> , 2016, 116, 666-676.	2.3	20
276	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 101.	4.6	64
277	Seeking health- and nutrition-related information on the Internet in a large population of French adults: results of the NutriNet-Sant� study. <i>British Journal of Nutrition</i> , 2016, 115, 2039-2046.	2.3	29
278	Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the Suppl�mentation en Vitamines et Min�raux Antioxydants (SU.VI.MAX) Cohort. <i>Journal of the American Heart Association</i> , 2016, 5, e002735.	3.7	62
279	Determining the association between types of sedentary behaviours and cardiometabolic risk factors: A 6-year longitudinal study of French adults. <i>Diabetes and Metabolism</i> , 2016, 42, 112-121.	2.9	8
280	A prospective study of plasma 25-hydroxyvitamin D concentration and prostate cancer risk. <i>British Journal of Nutrition</i> , 2016, 115, 305-314.	2.3	30
281	Quick and Easy Screening for Vitamin D Insufficiency in Adults. <i>Medicine (United States)</i> , 2016, 95, e2783.	1.0	29
282	10-year cumulative and bidirectional associations of domain-specific physical activity and sedentary behaviour with health-related quality of life in French adults: Results from the SU.VI.MAX studies. <i>Preventive Medicine</i> , 2016, 88, 66-72.	3.4	23
283	Age at adiposity rebound: determinants and association with nutritional status and the metabolic syndrome at adulthood. <i>International Journal of Obesity</i> , 2016, 40, 1150-1156.	3.4	56
284	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2016, 91, 335-343.	3.4	8
285	Standardized Whole-Blood Transcriptional Profiling Enables the Deconvolution of Complex Induced Immune Responses. <i>Cell Reports</i> , 2016, 16, 2777-2791.	6.4	84
286	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	21.4	362
287	Comparison of Dietary Intakes Between a Large Online Cohort Study (Etude NutriNet-Sant�) and a Nationally Representative Cross-Sectional Study (Etude Nationale Nutrition Sant�) in France: Addressing the Issue of Generalizability in E-Epidemiology. <i>American Journal of Epidemiology</i> , 2016, 184, 660-669.	3.4	84
288	Research and lobbying conflicting on the issue of a front-of-pack nutrition labelling in France. <i>Archives of Public Health</i> , 2016, 74, 51.	2.4	31

#	ARTICLE	IF	CITATIONS
289	Association between dietary polyphenols intake and an oxidative stress biomarker: interest of multiple imputation for handling missing covariates and outcomes. <i>BMC Nutrition</i> , 2016, 2, .	1.6	2
290	Variations of physical activity and sedentary behavior between before and after cancer diagnosis. <i>Medicine (United States)</i> , 2016, 95, e4629.	1.0	69
291	Cluster analysis of polyphenol intake in a French middle-aged population (aged 35â€“64 years). <i>Journal of Nutritional Science</i> , 2016, 5, e28.	1.9	7
292	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1669-1676.	1.8	62
293	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions. <i>American Journal of Preventive Medicine</i> , 2016, 50, 627-636.	3.0	150
294	Mindâ€™Body Practice and Body Weight Status in a Large Population-Based Sample of Adults. <i>American Journal of Preventive Medicine</i> , 2016, 50, e101-e109.	3.0	4
295	Association Between Blood Pressure and Adherence to French Dietary Guidelines. <i>American Journal of Hypertension</i> , 2016, 29, 948-958.	2.0	12
296	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 878-885.	4.7	40
297	Weight Status and Alcohol Intake Modify the Association between Vitamin D and Breast Cancer Risk. <i>Journal of Nutrition</i> , 2016, 146, 576-585.	2.9	19
298	Built environment in local relation with walking: Why here and not there?. <i>Journal of Transport and Health</i> , 2016, 3, 500-512.	2.2	35
299	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , 2016, 76, 2288-2300.	0.9	117
300	Television viewing duration and blood pressure among 18â€“74-year-old adults. The French nutrition and health survey (ENNS, 2006â€“2007). <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 738-743.	1.3	1
301	Correlations between Fruit, Vegetables, Fish, Vitamins, and Fatty Acids Estimated by Web-Based Nonconsecutive Dietary Records and Respective Biomarkers of Nutritional Status. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 427-438.e5.	0.8	121
302	Leisure-Time Physical Activity and Sedentary Behavior and Their Cross-Sectional Associations with Excessive Daytime Sleepiness in the French SU.VI.MAX-2 Study. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 143-152.	1.7	10
303	Consumption of dairy products and cognitive functioning: Findings from the SU.VI.MAX 2 study. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 128-137.	3.3	27
304	Validation of the FSA nutrient profiling system dietary index in French adultsâ€™ findings from SUVIMAX study. <i>European Journal of Nutrition</i> , 2016, 55, 1901-1910.	3.9	39
305	Effect of Multimorbidity on Health-Related Quality of Life in Adults Aged 55 Years or Older: Results from the SU.VI.MAX 2 Cohort. <i>PLoS ONE</i> , 2016, 11, e0169282.	2.5	40
306	Comparison Between a Self-Administered and Supervised Version of a Web-Based Cognitive Test Battery: Results From the NutriNet-SantÃ© Cohort Study. <i>Journal of Medical Internet Research</i> , 2016, 18, e68.	4.3	22

#	ARTICLE	IF	CITATIONS
307	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	2.6	13
308	Cholesterol and breast cancer risk: a systematic review and meta-analysis of prospective studies. British Journal of Nutrition, 2015, 114, 347-357.	2.3	118
309	Public perception and characteristics related to acceptance of the sugar-sweetened beverage taxation launched in France in 2012. Public Health Nutrition, 2015, 18, 2679-2688.	2.2	57
310	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. British Journal of Nutrition, 2015, 113, 1628-1637.	2.3	13
311	Association between sustainable food choice motives during purchasing and dietary patterns in French adults. Proceedings of the Nutrition Society, 2015, 74, .	1.0	2
312	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. British Journal of Nutrition, 2015, 114, 1702-1710.	2.3	52
313	Health and dietary traits of organic food consumers: results from the NutriNet-Sant� study. British Journal of Nutrition, 2015, 114, 2064-2073.	2.3	39
314	Walking and cycling for commuting, leisure and errands: relations with individual characteristics and leisure-time physical activity in a cross-sectional survey (the ACTI-Cit�s project). International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 150.	4.6	46
315	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. Nutrition Journal, 2015, 14, 100.	3.4	47
316	Motives for dish choices during home meal preparation: results from a large sample of the NutriNet-Sant� study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 120.	4.6	21
317	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. Nutrients, 2015, 7, 7106-7125.	4.1	80
318	Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Sant�) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	4.1	73
319	Is the Relationship between Common Mental Disorder and Adiposity Bidirectional? Prospective Analyses of a UK General Population-Based Study. PLoS ONE, 2015, 10, e0119970.	2.5	9
320	Association between Mindfulness and Weight Status in a General Population from the NutriNet-Sant� Study. PLoS ONE, 2015, 10, e0127447.	2.5	33
321	Salivary Composition Is Associated with Liking and Usual Nutrient Intake. PLoS ONE, 2015, 10, e0137473.	2.5	60
322	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Sant� Cohort Study. PLoS ONE, 2015, 10, e0140898.	2.5	85
323	Prospective association between alcohol intake and hormone-dependent cancer risk: modulation by dietary fiber intake. American Journal of Clinical Nutrition, 2015, 102, 182-189.	4.7	25
324	Sociodemographic, Psychological, and Lifestyle Characteristics Are Associated with a Liking for Salty and Sweet Tastes in French Adults, . Journal of Nutrition, 2015, 145, 587-594.	2.9	53

#	ARTICLE	IF	CITATIONS
325	Comparison of the sociodemographic characteristics of the large NutriNet-Santé e-cohort with French Census data: the issue of volunteer bias revisited. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 893-898.	3.7	145
326	Spatial heterogeneity of the relationships between environmental characteristics and active commuting: towards a locally varying social ecological model. <i>International Journal of Health Geographics</i> , 2015, 14, 12.	2.5	64
327	Contribution of the low-frequency, loss-of-function p.R270H mutation in <i>FFAR4</i> (<i>GPR120</i>) to increased fasting plasma glucose levels. <i>Journal of Medical Genetics</i> , 2015, 52, 595-598.	3.2	29
328	Slight chronic elevation of C-reactive protein is associated with lower aerobic fitness but does not impair meal-induced stimulation of muscle protein metabolism in healthy old men. <i>Journal of Physiology</i> , 2015, 593, 1259-1272.	2.9	12
329	Validity of a questionnaire measuring motives for choosing foods including sustainable concerns. <i>Appetite</i> , 2015, 87, 90-97.	3.7	82
330	Association Between Arterial Stiffness and Skin Microvascular Function: The SUVIMAX2 Study and The Maastricht Study. <i>American Journal of Hypertension</i> , 2015, 28, 868-876.	2.0	27
331	Determinants of Vitamin D Status in Caucasian Adults: Influence of Sun Exposure, Dietary Intake, Sociodemographic, Lifestyle, Anthropometric, and Genetic Factors. <i>Journal of Investigative Dermatology</i> , 2015, 135, 378-388.	0.7	119
332	Unemployment is associated with high cardiovascular event rate and increased all-cause mortality in middle-aged socially privileged individuals. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 707-716.	2.3	55
333	The Milieu Intérieur study – An integrative approach for study of human immunological variance. <i>Clinical Immunology</i> , 2015, 157, 277-293.	3.2	71
334	Blood pressure variability: cardiovascular risk integrator or independent risk factor?. <i>Journal of Human Hypertension</i> , 2015, 29, 122-126.	2.2	25
335	Application aux produits disponibles sur le marché français du profil nutritionnel associé au système 5 Couleurs (5-C): cohérence avec les repères de consommation du PNNS. <i>Cahiers De Nutrition Et De Diététique</i> , 2015, 50, 189-201.	0.3	4
336	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. <i>Age and Ageing</i> , 2015, 44, 648-654.	1.6	24
337	Associations between weight status and liking scores for sweet, salt and fat according to the gender in adults (The NutriNet-Santé study). <i>European Journal of Clinical Nutrition</i> , 2015, 69, 40-46.	2.9	65
338	Prospective association between dietary folate intake and skin cancer risk: results from the Supplémentation en Vitamines et Minéraux Antioxydants cohort. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 471-478.	4.7	16
339	Performance of a five category front-of-pack labelling system – the 5-colour nutrition label – to differentiate nutritional quality of breakfast cereals in France. <i>BMC Public Health</i> , 2015, 15, 179.	2.9	43
340	Descriptive study of sedentary behaviours in 35,444 French working adults: cross-sectional findings from the ACTI-Cités study. <i>BMC Public Health</i> , 2015, 15, 379.	2.9	72
341	Genome-Wide Meta-Analyses of Plasma Renin Activity and Concentration Reveal Association With the Kininogen 1 and Prekallikrein Genes. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 131-140.	5.1	24
342	Dietary supplement use among cancer survivors of the NutriNet-Santé cohort study. <i>British Journal of Nutrition</i> , 2015, 113, 1319-1329.	2.3	27

#	ARTICLE	IF	CITATIONS
343	Functional gastrointestinal disorders in 35,447 adults and their association with body mass index. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 41, 758-767.	3.7	83
344	Healthy Aging 5 Years After a Period of Daily Supplementation With Antioxidant Nutrients: A Post Hoc Analysis of the French Randomized Trial SU.VI.MAX. <i>American Journal of Epidemiology</i> , 2015, 182, 694-704.	3.4	23
345	Validation of a Web-based, self-administered, non-consecutive-day dietary record tool against urinary biomarkers. <i>British Journal of Nutrition</i> , 2015, 113, 953-962.	2.3	134
346	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. <i>Atherosclerosis</i> , 2015, 243, 286-292.	0.8	6
347	Prospective association between the dietary inflammatory index and metabolic syndrome: Findings from the SU.VI.MAX study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 988-996.	2.6	106
348	A Healthy Dietary Pattern at Midlife, Combined with a Regulated Energy Intake, Is Related to Increased Odds for Healthy Aging. <i>Journal of Nutrition</i> , 2015, 145, 2139-2145.	2.9	35
349	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. <i>Journal of Nutrition</i> , 2015, 145, 2355-2361.	2.9	54
350	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1142-1157.	4.7	107
351	Genetic association analyses highlight biological pathways underlying mitral valve prolapse. <i>Nature Genetics</i> , 2015, 47, 1206-1211.	21.4	103
352	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2015, 81, 189-194.	3.4	59
353	Prospective associations between vitamin D status, vitamin D-related gene polymorphisms, and risk of tobacco-related cancers. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1207-1215.	4.7	12
354	Relationship Between Nutrition and Blood Pressure: A Cross-Sectional Analysis from the NutriNet-Sante Study, a French Web-based Cohort Study. <i>American Journal of Hypertension</i> , 2015, 28, 362-371.	2.0	44
355	Overall and abdominal adiposity in midlife and subsequent cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 183-189.	3.3	25
356	Cross-cultural validity of the Intuitive Eating Scale-2. Psychometric evaluation in a sample of the general French population. <i>Appetite</i> , 2015, 84, 34-42.	3.7	80
357	How Computer Literacy and Socioeconomic Status Affect Attitudes Toward a Web-Based Cohort: Results From the NutriNet-Santé Study. <i>Journal of Medical Internet Research</i> , 2015, 17, e34.	4.3	12
358	Abstract P1-09-25: Determinants of weight gain after breast cancer diagnosis: Results from the prospective SU.VI.MAX cohort. , 2015, , .		0
359	B Vitamin and/or n-3 Fatty Acid Supplementation and Health-Related Quality of Life: Ancillary Findings from the SU.FOL.OM3 Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e84844.	2.5	16
360	Dietary Quality and 6-Year Anthropometric Changes in a Sample of French Middle-Aged Overweight and Obese Adults. <i>PLoS ONE</i> , 2014, 9, e87083.	2.5	15

#	ARTICLE	IF	CITATIONS
361	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk – Modulation by Antioxidants: A Nested Case-Control Study. PLoS ONE, 2014, 9, e90442.	2.5	34
362	Association of Perception of Front-of-Pack Labels with Dietary, Lifestyle and Health Characteristics. PLoS ONE, 2014, 9, e90971.	2.5	23
363	New Biomarkers of Coffee Consumption Identified by the Non-Targeted Metabolomic Profiling of Cohort Study Subjects. PLoS ONE, 2014, 9, e93474.	2.5	108
364	Plasma Carotenoids and Retinol and Overall and Breast Cancer Risk: A Nested Case-Control Study. Nutrition and Cancer, 2014, 66, 980-988.	2.0	38
365	Alcohol Drinking and Second Primary Cancer Risk in Patients with Upper Aerodigestive Tract Cancers: A Systematic Review and Meta-analysis of Observational Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 324-331.	2.5	65
366	Application of the British Food Standards Agency nutrient profiling system in a French food composition database. British Journal of Nutrition, 2014, 112, 1699-1705.	2.3	69
367	Dietary Total and Insoluble Fiber Intakes Are Inversely Associated with Prostate Cancer Risk. Journal of Nutrition, 2014, 144, 504-510.	2.9	52
368	Associations Between Dietary Patterns and Skin Microcirculation in Healthy Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 463-469.	2.4	10
369	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. International Journal of Cancer, 2014, 134, 445-459.	5.1	28
370	Antioxidant Status and the Risk of Elevated C-Reactive Protein 12 Years Later. Annals of Nutrition and Metabolism, 2014, 65, 289-298.	1.9	6
371	Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context. Journal of Nutrition, 2014, 144, 2009-2017.	2.9	63
372	Liking for fat is associated with sociodemographic, psychological, lifestyle and health characteristics. British Journal of Nutrition, 2014, 112, 1353-1363.	2.3	29
373	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. British Journal of Nutrition, 2014, 111, 915-923.	2.3	75
374	Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. American Journal of Epidemiology, 2014, 179, 910-916.	3.4	12
375	Starchy Food Consumption in French Adults: A Cross-Sectional Analysis of the Profile of Consumers and Contribution to Nutritional Intake in a Web-Based Prospective Cohort. Annals of Nutrition and Metabolism, 2014, 64, 28-37.	1.9	2
376	Breastfeeding, Early Nutrition, and Adult Body Fat. Journal of Pediatrics, 2014, 164, 1363-1368.	1.8	22
377	Prospective associations between serum biomarkers of lipid metabolism and overall, breast and prostate cancer risk. European Journal of Epidemiology, 2014, 29, 119-132.	5.7	108
378	Interpretation of Plasma PTH Concentrations According to 25OHD Status, Gender, Age, Weight Status, and Calcium Intake: Importance of the Reference Values. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 1196-1203.	3.6	63

#	ARTICLE	IF	CITATIONS
379	<scp>MC</scp>1R major variants are a risk factor of sleep lines in Caucasian women. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 805-809.	2.4	4
380	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. American Journal of Human Genetics, 2014, 95, 24-38.	6.2	109
381	Effects of Long-Term Averaging of Quantitative Blood Pressure Traits on the Detection of Genetic Associations. American Journal of Human Genetics, 2014, 95, 49-65.	6.2	73
382	Association between melanocortin-4 receptor mutations and eating behaviors in obese patients: a caseâ€“control study. International Journal of Obesity, 2014, 38, 883-885.	3.4	11
383	Midlife Dietary Vitamin D Intake and Subsequent Performance in Different Cognitive Domains. Annals of Nutrition and Metabolism, 2014, 65, 81-89.	1.9	12
384	Prospective association between red and processed meat intakes and breast cancer risk: modulation by an antioxidant supplementation in the SU.VI.MAX randomized controlled trial. International Journal of Epidemiology, 2014, 43, 1583-1592.	1.9	27
385	Association between intake of nutrients and food groups and liking for fat (The Nutrinet-SantÃ©) Tj ETQq1 1 0.784314 rgBT/Overload	3.7	26
386	Functional Analysis via Standardized Whole-Blood Stimulation Systems Defines the Boundaries of a Healthy Immune Response to Complex Stimuli. Immunity, 2014, 40, 436-450.	14.3	192
387	Food insecurity in French patients with diabetes. Diabetes and Metabolism, 2014, 40, 314-316.	2.9	3
388	The Associations between Emotional Eating and Consumption of Energy-Dense Snack Foods Are Modified by Sex and Depressive Symptomatology. Journal of Nutrition, 2014, 144, 1264-1273.	2.9	127
389	Weight-Loss Strategies Used by the General Population: How Are They Perceived?. PLoS ONE, 2014, 9, e97834.	2.5	47
390	Clustering of Midlife Lifestyle Behaviors and Subsequent Cognitive Function: A Longitudinal Study. American Journal of Public Health, 2014, 104, e170-e177.	2.7	44
391	Baseline Plasma Fatty Acids Profile and Incident Cardiovascular Events in the SU.FOL.OM3 Trial: The Evidence Revisited. PLoS ONE, 2014, 9, e92548.	2.5	18
392	Changes in Sedentary Behaviours and Associations with Physical Activity through Retirement: A 6-Year Longitudinal Study. PLoS ONE, 2014, 9, e106850.	2.5	23
393	Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-SantÃ© Cohort Study. Journal of Medical Internet Research, 2014, 16, e189.	4.3	34
394	Pour une politique nutritionnelle Ã la hauteur des enjeux de SantÃ© PubliqueÃ!. Sante Publique, 2014, Vol. 26, 281-282.	0.1	12
395	Cardiovascular effects of B-vitamins and/or N-3 fatty acids: The Su.Fol.Om3 trial. International Journal of Cardiology, 2013, 167, 508-513.	1.7	32
396	Reassessment of the putative role of BLK-p.A71T loss-of-function mutation in MODY and type 2 diabetes. Diabetologia, 2013, 56, 492-496.	6.3	32

#	ARTICLE	IF	CITATIONS
397	Prognostic value of multiple emerging biomarkers in cardiovascular risk prediction in patients with stable cardiovascular disease. <i>Atherosclerosis</i> , 2013, 228, 478-484.	0.8	33
398	Does Compliance with Nutrition Guidelines Lead to Healthy Aging? A Quality-of-Life Approach. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013, 113, 228-240.e2.	0.8	17
399	A Genome-Wide Association Study in Caucasian Women Points Out a Putative Role of the STXBP5L Gene in Facial Photoaging. <i>Journal of Investigative Dermatology</i> , 2013, 133, 929-935.	0.7	43
400	Intakes of PUFAs Were Inversely Associated with Plasma C-Reactive Protein 12 Years Later in a Middle-Aged Population with Vitamin E Intake as an Effect Modifier. <i>Journal of Nutrition</i> , 2013, 143, 1760-1766.	2.9	28
401	Metabolic syndrome and socioeconomic status in France: The French Nutrition and Health Survey (ENNS, 2006-2007). <i>International Journal of Public Health</i> , 2013, 58, 855-864.	2.3	61
402	BMI in relation to sperm count: an updated systematic review and collaborative meta-analysis. <i>Human Reproduction Update</i> , 2013, 19, 221-231.	10.8	507
403	Freckles and solar lentigines have different risk factors in Caucasian women. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, e345-56.	2.4	44
404	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 225-236.	2.5	43
405	Eating behaviour in obese patients with melanocortin-4 receptor mutations: a literature review. <i>International Journal of Obesity</i> , 2013, 37, 1027-1035.	3.4	45
406	Adherence to Mediterranean diet reduces the risk of metabolic syndrome: A 6-year prospective study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 677-683.	2.6	166
407	Sociodemographic profiles regarding bitter food consumption. Cross-sectional evidence from a general French population. <i>Appetite</i> , 2013, 67, 53-60.	3.7	11
408	Association between dietary intake of n-3 polyunsaturated fatty acids and severity of skin photoaging in a middle-aged Caucasian population. <i>Journal of Dermatological Science</i> , 2013, 72, 233-239.	1.9	22
409	Differential association between adherence to nutritional recommendations and body weight status across educational levels: a cross-sectional study. <i>Preventive Medicine</i> , 2013, 57, 488-493.	3.4	16
410	Aortic and brachial blood pressures and blood pressure amplification in relation to novel and conventional cardiovascular risk factors: The SU.VI.MAX study. <i>International Journal of Cardiology</i> , 2013, 168, 4419-4420.	1.7	0
411	Dietary patterns, inflammation and the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2013, 39, 99-110.	2.9	216
412	Overweight and Obesity Prevention for Adolescents. <i>American Journal of Preventive Medicine</i> , 2013, 44, 30-39.	3.0	61
413	Mass Spectrometry-based Metabolomics for the Discovery of Biomarkers of Fruit and Vegetable Intake: Citrus Fruit as a Case Study. <i>Journal of Proteome Research</i> , 2013, 12, 1645-1659.	3.7	147
414	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Sant� cohort study. <i>British Journal of Nutrition</i> , 2013, 110, 1480-1491.	2.3	61

#	ARTICLE	IF	CITATIONS
415	Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. <i>British Journal of Nutrition</i> , 2013, 110, 747-754.	2.3	41
416	Distinctive unhealthy eating pattern in free-living middle-aged hypertensives when compared with dyslipidemic or overweight patients. <i>Journal of Hypertension</i> , 2013, 31, 1554-1563.	0.5	3
417	Reply to T Aalbers et al. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1412-1413.	4.7	3
418	Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. <i>Journal of Nutrition</i> , 2013, 143, 1974-1981.	2.9	9
419	Mediterranean diet and cognitive function: a French study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 369-376.	4.7	125
420	CD36 and SR-BI Are Involved in Cellular Uptake of Provitamin A Carotenoids by Caco-2 and HEK Cells, and Some of Their Genetic Variants Are Associated with Plasma Concentrations of These Micronutrients in Humans. <i>Journal of Nutrition</i> , 2013, 143, 448-456.	2.9	109
421	Sex and dieting modify the association between emotional eating and weight status. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1307-1313.	4.7	122
422	Association Between Prediagnostic Biomarkers of Inflammation and Endothelial Function and Cancer Risk: A Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2013, 177, 3-13.	3.4	100
423	Perception of front-of-pack labels according to social characteristics, nutritional knowledge and food purchasing habits. <i>Public Health Nutrition</i> , 2013, 16, 392-402.	2.2	64
424	Consumer acceptability and understanding of front-of-pack nutrition labels. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 494-503.	2.5	61
425	Association of nutrition in early life with body fat and serum leptin at adult age. <i>International Journal of Obesity</i> , 2013, 37, 1116-1122.	3.4	63
426	Effect of type of TAG fatty acids on lutein and zeaxanthin bioavailability. <i>British Journal of Nutrition</i> , 2013, 110, 1-10.	2.3	117
427	Intake of specific nutrients and foods and hearing level measured 13 years later. <i>British Journal of Nutrition</i> , 2013, 109, 2079-2088.	2.3	31
428	Obesity and the Microvasculature: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e52708.	2.5	77
429	What Is the Contribution of Two Genetic Variants Regulating VEGF Levels to Type 2 Diabetes Risk and to Microvascular Complications?. <i>PLoS ONE</i> , 2013, 8, e55921.	2.5	35
430	Socioeconomic, Lifestyle and Dietary Factors Associated with Dietary Supplement Use during Pregnancy. <i>PLoS ONE</i> , 2013, 8, e70733.	2.5	49
431	Prospective Association between Dietary Fiber Intake and Breast Cancer Risk. <i>PLoS ONE</i> , 2013, 8, e79718.	2.5	28
432	Profiles of Organic Food Consumers in a Large Sample of French Adults: Results from the Nutrinet-Santé Cohort Study. <i>PLoS ONE</i> , 2013, 8, e76998.	2.5	119

#	ARTICLE	IF	CITATIONS
433	Association between Adherence to Nutritional Guidelines, the Metabolic Syndrome and Adiposity Markers in a French Adult General Population. PLoS ONE, 2013, 8, e76349.	2.5	33
434	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-SantÉ© Study. Journal of Medical Internet Research, 2013, 15, e205.	4.3	42
435	Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-SantÉ© Study. Journal of Medical Internet Research, 2013, 15, e152.	4.3	198
436	Abstract P6-06-14: Weight gain and educational level are strongly associated with breast cancer prognosis. Findings from the prospective SU.VI.MAX study. , 2013, , .		0
437	L'É©ducation thÉ©rapeutique du patient (ETP), une piÉ©ce maÉ©tresse pour rÉ©pondre aux nouveaux besoins de lamÉ©decine. Bulletin De L'Academie Nationale De Medecine, 2013, 197, 1747-1781.	0.0	4
438	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. American Journal of Clinical Nutrition, 2012, 95, 944-950.	4.7	7
439	Supplementation with B vitamins or n-3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOLate, vitamins B-6 and B-12 and/or OMege-3 fatty acids (SU.FOL.OM3) randomized trial. American Journal of Clinical Nutrition, 2012, 96, 208-214.	4.7	41
440	Total and Specific Polyphenol Intakes in Midlife Are Associated with Cognitive Function Measured 13 Years Later. Journal of Nutrition, 2012, 142, 76-83.	2.9	131
441	Effect of B-vitamins and n-3 PUFA supplementation for 5 years on blood pressure in patients with CVD. British Journal of Nutrition, 2012, 107, 921-927.	2.3	22
442	Impact of fruit and vegetable vouchers and dietary advice on fruit and vegetable intake in a low-income population. European Journal of Clinical Nutrition, 2012, 66, 369-375.	2.9	44
443	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. Nature Genetics, 2012, 44, 991-1005.	21.4	746
444	A Healthy Dietary Pattern at Midlife Is Associated with Subsequent Cognitive Performance. Journal of Nutrition, 2012, 142, 909-915.	2.9	95
445	Physical activity patterns in the French 18-74-year-old population: French Nutrition and Health Survey (Etude Nationale Nutrition SantÉ©, ENNS) 2006-2007. Public Health Nutrition, 2012, 15, 2054-2059.	2.2	16
446	Determinants of blood pressure treatment and control in obese people. Journal of Hypertension, 2012, 30, 2338-2344.	0.5	25
447	Diet and blood pressure in 18-74-year-old adults. Journal of Hypertension, 2012, 30, 1920-1927.	0.5	30
448	Cross-Sectional but Not Longitudinal Association Between n-3 Fatty Acid Intake and Depressive Symptoms: Results From the SU.VI.MAX 2 Study. American Journal of Epidemiology, 2012, 175, 979-987.	3.4	28
449	Excess body weight and second primary cancer risk after breast cancer: a systematic review and meta-analysis of prospective studies. Breast Cancer Research and Treatment, 2012, 135, 647-654.	2.5	102
450	Dietary fat, abdominal obesity and smoking modulate the relationship between plasma complement component 3 concentrations and metabolic syndrome risk. Atherosclerosis, 2012, 220, 513-519.	0.8	40

#	ARTICLE	IF	CITATIONS
451	Web-based studies: The future in nutritional epidemiology (and overarching epidemiology) for the benefit of public health?. Preventive Medicine, 2012, 55, 544-545.	3.4	14
452	High Dietary Saturated Fat Intake Accentuates Obesity Risk Associated with the Fat Mass and Obesity-Associated Gene in Adults. Journal of Nutrition, 2012, 142, 824-831.	2.9	124
453	Development of a questionnaire to assay recalled liking for salt, sweet and fat. Food Quality and Preference, 2012, 23, 110-124.	4.6	41
454	Identifying built environmental patterns using cluster analysis and GIS: Relationships with walking, cycling and body mass index in French adults. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 59.	4.6	52
455	Impact of Common Variation in Bone-Related Genes on Type 2 Diabetes and Related Traits. Diabetes, 2012, 61, 2176-2186.	0.6	31
456	B Vitamin and/or ω -3 Fatty Acid Supplementation and Cancer. Archives of Internal Medicine, 2012, 172, 540.	3.8	34
457	Rare MTNR1B variants impairing melatonin receptor 1B function contribute to type 2 diabetes. Nature Genetics, 2012, 44, 297-301.	21.4	319
458	Association between dietary scores and 13-year weight change and obesity risk in a French prospective cohort. International Journal of Obesity, 2012, 36, 1455-1462.	3.4	78
459	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. PLoS ONE, 2012, 7, e29202.	2.5	197
460	Alcohol Consumption in Midlife and Cognitive Performance Assessed 13 Years Later in the SU.VI.MAX 2 Cohort. PLoS ONE, 2012, 7, e52311.	2.5	16
461	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. Nature Genetics, 2012, 44, 659-669.	21.4	762
462	Dietary saturated fat, gender and genetic variation at the TCF7L2 locus predict the development of metabolic syndrome. Journal of Nutritional Biochemistry, 2012, 23, 239-244.	4.2	55
463	Dietary Monounsaturated Fatty Acids Intake and Risk of Skin Photoaging. PLoS ONE, 2012, 7, e44490.	2.5	29
464	Cross-Sectional and Longitudinal Associations of Different Sedentary Behaviors with Cognitive Performance in Older Adults. PLoS ONE, 2012, 7, e47831.	2.5	130
465	Pre-diagnostic levels of adiponectin and soluble vascular cell adhesion molecule-1 are associated with colorectal cancer risk. World Journal of Gastroenterology, 2012, 18, 2805.	3.3	21
466	Meta-Analyses of Vitamin D Intake, 25-Hydroxyvitamin D Status, Vitamin D Receptor Polymorphisms, and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1003-1016.	2.5	177
467	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. Nature, 2011, 478, 103-109.	27.8	1,855
468	Fortification of Vitamin B12 to Flour and the Metabolic Response. , 2011, , 437-449.		2

#	ARTICLE	IF	CITATIONS
469	Gene-nutrient interactions and gender may modulate the association between ApoA1 and ApoB gene polymorphisms and metabolic syndrome risk. <i>Atherosclerosis</i> , 2011, 214, 408-414.	0.8	43
470	Comment passer du niveau de preuve aux recommandations de sant� publique? <i>Oleagineux Corps Gras Lipides</i> , 2011, 18, 359-362.	0.2	1
471	Socio-economic, demographic, lifestyle and health characteristics associated with consumption of fatty-sweetened and fatty-salted foods in middle-aged French adults. <i>British Journal of Nutrition</i> , 2011, 105, 776-786.	2.3	22
472	Obesity is associated with higher risk of intensive care unit admission and death in influenza A (H1N1) patients: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2011, 12, 653-659.	6.5	194
473	Sociodemographic and economic characteristics associated with dairy intake vary across genders. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 74-85.	2.5	9
474	Dietary behaviour and nutritional status in underprivileged people using food aid (ABENA study). <i>Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 5</i>	2.5	34
475	Higher adherence to French dietary guidelines and chronic diseases in the prospective SU.VI.MAX cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 887-894.	2.9	25
476	Correlates of sedentary behavior in 7 to 9-year-old French children are dependent on maternal weight status. <i>International Journal of Obesity</i> , 2011, 35, 907-915.	3.4	2
477	Body size and growth from birth to 2 years and risk of overweight at 7-9 years. <i>Pediatric Obesity</i> , 2011, 6, e162-e169.	3.2	28
478	Agreement between web-based and paper versions of a socio-demographic questionnaire in the NutriNet-Sant� study. <i>International Journal of Public Health</i> , 2011, 56, 407-417.	2.3	139
479	Thirteen-year prospective study between fish consumption, long-chain N-3 fatty acids intakes and cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 115-120.	3.3	42
480	Comparison between an interactive web-based self-administered 24h dietary record and an interview by a dietitian for large-scale epidemiological studies. <i>British Journal of Nutrition</i> , 2011, 105, 1055-1064.	2.3	241
481	Associations between dietary patterns, physical activity (leisure-time and occupational) and television viewing in middle-aged French adults. <i>British Journal of Nutrition</i> , 2011, 105, 902-910.	2.3	78
482	Dietary intake of 337 polyphenols in French adults. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1220-1228.	4.7	351
483	Alcohol consumption and cancer risk: revisiting guidelines for sensible drinking. <i>Cmaj</i> , 2011, 183, 1861-1865.	2.0	35
484	Adherence to nutritional recommendations and subsequent cognitive performance: findings from the prospective Supplementation with Antioxidant Vitamins and Minerals 2 (SU.VI.MAX 2) study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 200-210.	4.7	59
485	Long-term antioxidant supplementation has no effect on health-related quality of life: The randomized, double-blind, placebo-controlled, primary prevention SU.VI.MAX trial. <i>International Journal of Epidemiology</i> , 2011, 40, 1605-1616.	1.9	21
486	French adults' cognitive performance after daily supplementation with antioxidant vitamins and minerals at nutritional doses: a post hoc analysis of the Supplementation in Vitamins and Mineral Antioxidants (SU.VI.MAX) trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 892-899.	4.7	89

#	ARTICLE	IF	CITATIONS
487	Cognitive function after supplementation with B vitamins and long-chain omega-3 fatty acids: ancillary findings from the SU.FOL.OM3 randomized trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 278-286.	4.7	80
488	Adherence to French Nutritional Guidelines Is Associated with Lower Risk of Metabolic Syndrome. <i>Journal of Nutrition</i> , 2011, 141, 1134-1139.	2.9	18
489	Association between CST3 rs2424577 Polymorphism and Corpulence Related Phenotypes during Lifetime in Populations of European Ancestry. <i>Obesity Facts</i> , 2011, 4, 131-144.	3.4	8
490	Rare melanocortin-3 receptor mutations with in vitro functional consequences are associated with human obesity. <i>Human Molecular Genetics</i> , 2011, 20, 392-399.	2.9	60
491	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1295-1303.	4.7	67
492	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. <i>Nature Genetics</i> , 2011, 43, 1005-1011.	21.4	403
493	P4-12-06: Risk Factors for Relative Weight Gain >10% in Breast Cancer Survivors: Findings from the SU.VI.MAX Cohort.. , 2011, , .		1
494	Impact of 6-year body weight change on cardiac geometry and function in ageing adults: the SUPPLEMENTATION EN VITAMINES ET MINÉRAUX ANTIOXYDANTS -2 (SU.VI.MAX-2) cardiovascular ultrasound substudy. <i>Journal of Hypertension</i> , 2010, 28, 2309-2315.	0.5	3
495	Variations in compliance with starchy food recommendations and consumption of types of starchy foods according to sociodemographic and socioeconomic characteristics. <i>British Journal of Nutrition</i> , 2010, 103, 1485-1492.	2.3	9
496	Microvascular dysfunction in healthy insulin-sensitive overweight individuals. <i>Journal of Hypertension</i> , 2010, 28, 325-332.	0.5	55
497	Control of baseline cardiovascular risk factors in the SU-FOL-OM3 study cohort: does the localization of the arterial event matter?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 541-548.	2.8	10
498	Mode de vie et cancer du sein: quels conseils pour la prise en charge de l'après cancer ?. <i>Oncologie</i> , 2010, 12, 289-297.	0.7	6
499	Comparison between web-based and paper versions of a self-administered anthropometric questionnaire. <i>European Journal of Epidemiology</i> , 2010, 25, 287-296.	5.7	209
500	The Nutrinet-Santé Study: a web-based prospective study on the relationship between nutrition and health and determinants of dietary patterns and nutritional status. <i>BMC Public Health</i> , 2010, 10, 242.	2.9	355
501	Compliance with French Nutrition and Health Program Recommendations Is Strongly Associated with Socioeconomic Characteristics in the General Adult Population. <i>Journal of the American Dietetic Association</i> , 2010, 110, 848-856.	1.1	53
502	Beta-carotene supplementation and cancer risk: a systematic review and metaanalysis of randomized controlled trials. <i>International Journal of Cancer</i> , 2010, 127, 172-184.	5.1	235
503	Incidence of cancers, ischemic cardiovascular diseases and mortality during 5-year follow-up after stopping antioxidant vitamins and minerals supplements: A postintervention follow-up in the SU.VI.MAX Study. <i>International Journal of Cancer</i> , 2010, 127, 1875-1881.	5.1	84
504	PRALIMAP: study protocol for a high school-based, factorial cluster randomised interventional trial of three overweight and obesity prevention strategies. <i>Trials</i> , 2010, 11, 119.	1.6	29

#	ARTICLE	IF	CITATIONS
505	Analysis of the SIM1 Contribution to Polygenic Obesity in the French Population. <i>Obesity</i> , 2010, 18, 1670-1675.	3.0	13
506	Determinants of serum zinc concentrations in a population of French middle-age subjects (SU.VI.MAX). <i>Trends in Microbiology</i> , 2010, 18, 107-114.	2.9	34
507	Multiple Cohort Genetic Association Study Reveals CXCR6 as a New Chemokine Receptor Involved in Long-Term Nonprogression to AIDS. <i>Journal of Infectious Diseases</i> , 2010, 202, 908-915.	4.0	82
508	Low Total and Nonheme Iron Intakes Are Associated with a Greater Risk of Hypertension. <i>Journal of Nutrition</i> , 2010, 140, 75-80.	2.9	26
509	Variations in Compliance with Recommendations and Types of Meat/Seafood/Eggs according to Sociodemographic and Socioeconomic Categories. <i>Annals of Nutrition and Metabolism</i> , 2010, 56, 65-73.	1.9	17
510	Relative Validity and Reproducibility of a Food Frequency Questionnaire Designed for French Adults. <i>Annals of Nutrition and Metabolism</i> , 2010, 57, 153-162.	1.9	82
511	Leptin Receptor Polymorphisms Interact with Polyunsaturated Fatty Acids to Augment Risk of Insulin Resistance and Metabolic Syndrome in Adults. <i>Journal of Nutrition</i> , 2010, 140, 238-244.	2.9	69
512	Antioxidant Supplementation and Risk of Skin Cancers. <i>Archives of Dermatology</i> , 2010, 146, 567-8; author reply 568.	1.4	1
513	Sociodemographic Factors and Attitudes toward Food Affordability and Health Are Associated with Fruit and Vegetable Consumption in a Low-Income French Population. <i>Journal of Nutrition</i> , 2010, 140, 823-830.	2.9	67
514	Maternal Alcohol Consumption during Pregnancy and Risk of Childhood Leukemia: Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1238-1260.	2.5	85
515	Gene-nutrient interactions with dietary fat modulate the association between genetic variation of the ACSL1 gene and metabolic syndrome. <i>Journal of Lipid Research</i> , 2010, 51, 1793-1800.	4.2	53
516	ACC2 gene polymorphisms, metabolic syndrome, and gene-nutrient interactions with dietary fat. <i>Journal of Lipid Research</i> , 2010, 51, 3500-3507.	4.2	27
517	Physical Activity does not Influence the Effect of Antioxidant Supplementation at Nutritional Doses on the Incidence of Impaired Fasting Glucose: A 7.5 Year Post-hoc Analysis from the SU.VI.MAX Study. <i>Hormone and Metabolic Research</i> , 2010, 42, 826-827.	1.5	1
518	Additive Effect of Polymorphisms in the IL-6, LTA, and TNF- α Genes and Plasma Fatty Acid Level Modulate Risk for the Metabolic Syndrome and Its Components. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1386-1394.	3.6	48
519	Determinants of pulse wave velocity in healthy people and in the presence of cardiovascular risk factors: π -establishing normal and reference values π . <i>European Heart Journal</i> , 2010, 31, 2338-2350.	2.2	1,637
520	Malaria prevention behaviour and risk awareness in French adult travellers. <i>Travel Medicine and Infectious Disease</i> , 2010, 8, 13-21.	3.0	17
521	Changes in leisure-time physical activity and sedentary behaviour at retirement: a prospective study in middle-aged French subjects. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 14.	4.6	108
522	Macrovascular and microvascular dysfunction in the metabolic syndrome. <i>Hypertension Research</i> , 2010, 33, 293-297.	2.7	54

#	ARTICLE	IF	CITATIONS
523	Effects of B vitamins and omega 3 fatty acids on cardiovascular diseases: a randomised placebo controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 341, c6273-c6273.	2.3	394
524	Functional MC1R-Gene Variants Are Associated with Increased Risk for Severe Photoaging of Facial Skin. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1107-1115.	0.7	60
525	Antioxidant supplements and their risk of skin cancers. <i>Clinics in Dermatology</i> , 2010, 28, 695-696.	1.6	2
526	Sociodemographic and economic determinants of overweight and obesity in female food-aid users in France (The ABENA study 2004-2005). <i>Preventive Medicine</i> , 2010, 51, 517-518.	3.4	0
527	Nutrition patterns and metabolic syndrome: A need for action in young adults (French Nutrition and) Tj ETQq1 1 0.784314 rgBT /Overlo	3.4	18
528	Incidence of skin cancers during 5-year follow-up after stopping antioxidant vitamins and mineral supplementation. <i>European Journal of Cancer</i> , 2010, 46, 3316-3322.	2.8	40
529	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	21.4	1,982
530	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 718-724.	2.8	63
531	Bases scientifiques de l'Étude SUFOLOM3: essai de prévention secondaire visant à tester l'impact d'une supplémentation en folates, vitamines B6 et B12 et/ou acides gras oméga-3 dans la prévention de la récurrence de pathologies ischémiques. <i>Sang Thrombose Vaisseaux</i> , 2009, 21, 207-213.		8
532	Genomewide Association Study of an AIDS-Nonprogression Cohort Emphasizes the Role Played by HLA Genes (ANRS Genomewide Association Study 02). <i>Journal of Infectious Diseases</i> , 2009, 199, 419-426.	4.0	220
533	The T-381C SNP in BNP gene may be modestly associated with type 2 diabetes: an updated meta-analysis in 49 279 subjects. <i>Human Molecular Genetics</i> , 2009, 18, 2495-2501.	2.9	30
534	Diet Quality Measures and Cardiovascular Risk Factors in France: Applying the Healthy Eating Index to the SU.VI.MAX Study. <i>Journal of the American College of Nutrition</i> , 2009, 28, 22-29.	1.8	56
535	Tell Me What Your Blood Î²-Carotene Level Is, I Will Tell You What Your Health Risk Is! The Viewpoint of the SUVIMAX Researchers. <i>Annals of Nutrition and Metabolism</i> , 2009, 54, 310-312.	1.9	12
536	Dietary Saturated Fat Modulates the Association between STAT3 Polymorphisms and Abdominal Obesity in Adults. <i>Journal of Nutrition</i> , 2009, 139, 2011-2017.	2.9	44
537	Risk factors for stunting among under-fives in Libya. <i>Public Health Nutrition</i> , 2009, 12, 1141-1149.	2.2	61
538	Lifestyle factors related to iodine intakes in French adults. <i>Public Health Nutrition</i> , 2009, 12, 2428-2437.	2.2	23
539	Genomewide Association Study of a Rapid Progression Cohort Identifies New Susceptibility Alleles for AIDS (ANRS Genomewide Association Study 03). <i>Journal of Infectious Diseases</i> , 2009, 200, 1194-1201.	4.0	99
540	Association Between the French Nutritional Guideline-based Score and 6-Year Anthropometric Changes in a French Middle-aged Adult Cohort. <i>American Journal of Epidemiology</i> , 2009, 170, 757-765.	3.4	28

#	ARTICLE	IF	CITATIONS
541	Vitamin C Concentration and Type 2 Diabetes Mellitus. Archives of Internal Medicine, 2009, 169, 633.	3.8	3
542	Serum thyrotropin and free thyroxine reference ranges as defined in a disease-free sample of French middle-aged adults. Clinical Chemistry and Laboratory Medicine, 2009, 47, 1497-505.	2.3	7
543	Effects of long-term antioxidant supplementation and association of serum antioxidant concentrations with risk of metabolic syndrome in adults. American Journal of Clinical Nutrition, 2009, 90, 329-335.	4.7	137
544	Complement component 3 polymorphisms interact with polyunsaturated fatty acids to modulate risk of metabolic syndrome. American Journal of Clinical Nutrition, 2009, 90, 1665-1673.	4.7	59
545	Genetic Variant in HK1 Is Associated With a Proanemic State and A1C but Not Other Glycemic Control-Related Traits. Diabetes, 2009, 58, 2687-2697.	0.6	34
546	Association of socioeconomic status with overall overweight and central obesity in men and women: the French Nutrition and Health Survey 2006. BMC Public Health, 2009, 9, 215.	2.9	74
547	Stabilization of overweight prevalence in French children between 2000 and 2007. Pediatric Obesity, 2009, 4, 66-72.	3.2	117
548	Adherence to the French Programme National Nutrition Santé® Guideline Score Is Associated with Better Nutrient Intake and Nutritional Status. Journal of the American Dietetic Association, 2009, 109, 1031-1041.	1.1	152
549	Evaluating the association of common APOA2 variants with type 2 diabetes. BMC Medical Genetics, 2009, 10, 13.	2.1	14
550	Dietary patterns and their sociodemographic and behavioural correlates in French middle-aged adults from the SU.VI.MAX cohort. European Journal of Clinical Nutrition, 2009, 63, 521-528.	2.9	81
551	Common variants at 30 loci contribute to polygenic dyslipidemia. Nature Genetics, 2009, 41, 56-65.	21.4	1,234
552	Genome-wide association study for early-onset and morbid adult obesity identifies three new risk loci in European populations. Nature Genetics, 2009, 41, 157-159.	21.4	585
553	Genome-wide association study identifies eight loci associated with blood pressure. Nature Genetics, 2009, 41, 666-676.	21.4	1,104
554	<i>MC1R</i> Gene Polymorphism Affects Skin Color and Phenotypic Features Related to Sun Sensitivity in a Population of French Adult Women. Photochemistry and Photobiology, 2009, 85, 1451-1458.	2.5	22
555	Aspects of antioxidant foods and supplements in health and disease. Nutrition Reviews, 2009, 67, S140-S144.	5.8	81
556	Trends in the prevalence of obesity in employed adults in central-western France: A population-based study, 1995-2005. Preventive Medicine, 2009, 48, 262-266.	3.4	30
557	Long-chain n-3 fatty acid levels in baseline serum phospholipids do not predict later occurrence of depressive episodes: A nested case-control study within a cohort of middle-aged French men and women. Prostaglandins Leukotrienes and Essential Fatty Acids, 2009, 81, 265-271.	2.2	19
558	Influence of dietary restraint and environmental factors on meal size in normal-weight women. A laboratory study. Appetite, 2009, 53, 309-313.	3.7	45

#	ARTICLE	IF	CITATIONS
559	Prevalence of overweight in 6- to 15-year-old children in central/western France from 1996 to 2006: trends toward stabilization. <i>International Journal of Obesity</i> , 2009, 33, 401-407.	3.4	87
560	Alcohol and genetic polymorphisms: effect on risk of alcohol-related cancer. <i>Lancet Oncology</i> , The, 2009, 10, 173-180.	10.7	216
561	Energy density and 6-year anthropometric changes in a middle-aged adult cohort. <i>British Journal of Nutrition</i> , 2009, 102, 302-309.	2.3	32
562	Influence of environmental factors on food intake and choice of beverage during meals in teenagers: a laboratory study. <i>British Journal of Nutrition</i> , 2009, 102, 1854-1859.	2.3	53
563	Dietary intake, physical activity and nutritional status in adults: the French nutrition and health survey (ENNS, 2006-2007). <i>British Journal of Nutrition</i> , 2009, 102, 733-743.	2.3	151
564	Differential associations of dietary sodium and potassium intake with blood pressure: a focus on pulse pressure. <i>Journal of Hypertension</i> , 2009, 27, 1158-1164.	0.5	18
565	The French National Nutrition and Health Program: 2001-2006-2010. <i>International Journal of Public Health</i> , 2008, 53, 68-77.	2.6	259
566	Strong association of common variants in the CDKN2A/CDKN2B region with type 2 diabetes in French Europeans. <i>Diabetologia</i> , 2008, 51, 821-826.	6.3	32
567	Evaluating the association of common PBX1 variants with type 2 diabetes. <i>BMC Medical Genetics</i> , 2008, 9, 14.	2.1	8
568	The SU.FOL.OM3 Study: a secondary prevention trial testing the impact of supplementation with folate and B-vitamins and/or Omega-3 PUFA on fatal and non fatal cardiovascular events, design, methods and participants characteristics. <i>Trials</i> , 2008, 9, 35.	1.6	37
569	Socio-economic status and handedness in two large cohorts of French adults. <i>British Journal of Psychology</i> , 2008, 99, 533-554.	2.3	24
570	Investigation of the fine structure of European populations with applications to disease association studies. <i>European Journal of Human Genetics</i> , 2008, 16, 1413-1429.	2.8	147
571	Newly identified loci that influence lipid concentrations and risk of coronary artery disease. <i>Nature Genetics</i> , 2008, 40, 161-169.	21.4	1,488
572	Urinary excretion of 13 dietary flavonoids and phenolic acids in free-living healthy subjects - variability and possible use as biomarkers of polyphenol intake. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 519-525.	2.9	60
573	Plasma n-6 and n-3 polyunsaturated fatty acids as biomarkers of their dietary intakes: a cross-sectional study within a cohort of middle-aged French men and women. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1155-1161.	2.9	71
574	Weight fluctuations and risk for metabolic syndrome in an adult cohort. <i>International Journal of Obesity</i> , 2008, 32, 315-321.	3.4	78
575	Promoter adiponectin polymorphisms and waist/hip ratio variation in a prospective French adults study. <i>International Journal of Obesity</i> , 2008, 32, 669-675.	3.4	27
576	Effects of light to moderate alcohol consumption on thyroid volume and thyroid function. <i>Clinical Endocrinology</i> , 2008, 68, 988-995.	2.4	36

#	ARTICLE	IF	CITATIONS
577	Socioeconomic Differences in Fruit and Vegetable Consumption among Middle-Aged French Adults: Adherence to the 5 A Day Recommendation. <i>Journal of the American Dietetic Association</i> , 2008, 108, 2021-2030.	1.1	65
578	Association of fish and long-chain n-3 polyunsaturated fatty acid intakes with the occurrence of depressive episodes in middle-aged French men and women. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2008, 78, 171-182.	2.2	66
579	Ten-year risk prediction in French men using the Framingham coronary score: Results from the national SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2008, 47, 61-65.	3.4	15
580	Evaluation of the Association of <i>IGF2BP2</i> Variants With Type 2 Diabetes in French Caucasians. <i>Diabetes</i> , 2008, 57, 1992-1996.	0.6	26
581	High incidence of hypertension in middle-aged French adults in the late 1990s. <i>Journal of Human Hypertension</i> , 2008, 22, 211-213.	2.2	2
582	High plasma aldosterone and low renin predict blood pressure increase and hypertension in middle-aged Caucasian populations. <i>Journal of Human Hypertension</i> , 2008, 22, 550-558.	2.2	50
583	Association of folate intake with the occurrence of depressive episodes in middle-aged French men and women. <i>British Journal of Nutrition</i> , 2008, 100, 183-187.	2.3	36
584	Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. <i>British Journal of Nutrition</i> , 2008, 100, 633-641.	2.3	28
585	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1298-1305.	4.7	38
586	The French National Nutrition and Health Program Score Is Associated with Nutritional Status and Risk of Major Chronic Diseases ³ . <i>Journal of Nutrition</i> , 2008, 138, 946-953.	2.9	46
587	Reply to Dr. Schrauzer. <i>Journal of Nutrition</i> , 2008, 138, 821-822.	2.9	0
588	Reply to Dr. Green et al.. <i>Journal of Nutrition</i> , 2008, 138, 979-979.	2.9	1
589	Dairy consumption and 6-y changes in body weight and waist circumference in middle-aged French adults. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1248-55.	4.7	59
590	Genetic Study of the Melanin-Concentrating Hormone Receptor 2 in Childhood and Adulthood Severe Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 4403-4409.	3.6	22
591	Effect of Low Dose Antioxidant Vitamin and Trace Element Supplementation on the Urinary Concentrations of Thromboxane and Prostacyclin Metabolites. <i>Journal of the American College of Nutrition</i> , 2007, 26, 405-411.	1.8	20
592	Dairy Products, Calcium and the Risk of Breast Cancer: Results of the French SU.VI.MAX Prospective Study. <i>Annals of Nutrition and Metabolism</i> , 2007, 51, 139-145.	1.9	49
593	Antioxidant Supplementation Increases the Risk of Skin Cancers in Women but Not in Men. <i>Journal of Nutrition</i> , 2007, 137, 2098-2105.	2.9	140
594	Dietary patterns and blood pressure change over 5-y follow-up in the SU.VI.MAX cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1650-1656.	4.7	116

#	ARTICLE	IF	CITATIONS
595	Association between leisure-time physical activity and health-related quality of life changes over time. <i>Preventive Medicine</i> , 2007, 44, 202-208.	3.4	90
596	Dietary iron intake and serum ferritin in relation to 7.5 years structure and function of large arteries in the SU.VI.M.AX cohort. <i>Diabetes and Metabolism</i> , 2007, 33, 366-371.	2.9	12
597	PO5-112 INTERACTION BETWEEN DIETARY FATTY ACIDS AND GENETIC VARIATION IN THE METABOLIC SYNDROME. <i>Atherosclerosis Supplements</i> , 2007, 8, 45.	1.2	0
598	Travellers to high UV-index countries: Sun-exposure behaviour in 7822 French adults. <i>Travel Medicine and Infectious Disease</i> , 2007, 5, 176-182.	3.0	12
599	Variation in FTO contributes to childhood obesity and severe adult obesity. <i>Nature Genetics</i> , 2007, 39, 724-726.	21.4	1,390
600	Consumption of black, green and herbal tea and iron status in French adults. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 1174-1179.	2.9	37
601	No contribution of angiotensin-converting enzyme (ACE) gene variants to severe obesity: a model for comprehensive case/control and quantitative cladistic analysis of ACE in human diseases. <i>European Journal of Human Genetics</i> , 2007, 15, 320-327.	2.8	10
602	Hypertriglyceridemic waist and 7.5-year prospective risk of cardiovascular disease in asymptomatic middle-aged men. <i>International Journal of Obesity</i> , 2007, 31, 791-796.	3.4	74
603	Epidemiology of orofacial herpes simplex virus infections in the general population in France: results of the HERPIMAX study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 21, 1398-1403.	2.4	21
604	Artificial and natural ultraviolet radiation exposure: beliefs and behaviour of 7200 French adults. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 22, 070712005557019-???	2.4	51
605	Expatriates in High UV Index and Tropical Countries: Sun Exposure and Protection Behavior in 9,416 French Adults. <i>Journal of Travel Medicine</i> , 2007, 14, 85-91.	3.0	13
606	Relationship Between Vitamin D Status and Skin Phototype in General Adult Population. <i>Photochemistry and Photobiology</i> , 2007, 71, 466-469.	2.5	1
607	Single nucleotide polymorphisms in the neuropeptide Y2 receptor (NPY2R) gene and association with severe obesity in French white subjects. <i>Diabetologia</i> , 2007, 50, 574-584.	6.3	36
608	Evaluating the association of common LMNA variants with type 2 diabetes and quantitative metabolic phenotypes in French Europeans. <i>Diabetologia</i> , 2007, 51, 76-81.	6.3	14
609	Relationships between selenium, lipids, iron status and hormonal therapy in women of the SU.VI.M.AX cohort. <i>Journal of Trace Elements in Medicine and Biology</i> , 2007, 21, 66-69.	3.0	13
610	Low iron stores: a risk factor for excessive hair loss in non-menopausal women. <i>European Journal of Dermatology</i> , 2007, 17, 507-12.	0.6	48
611	Melanocortin 4 Receptor Mutations in a Large Cohort of Severely Obese Adults: Prevalence, Functional Classification, Genotype-Phenotype Relationship, and Lack of Association with Binge Eating. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1811-1818.	3.6	217
612	Risk of malaria among French adult travellers. <i>Travel Medicine and Infectious Disease</i> , 2006, 4, 259-269.	3.0	19

#	ARTICLE	IF	CITATIONS
613	Consumption of Antioxidant-Rich Beverages and Risk for Breast Cancer in French Women. <i>Annals of Epidemiology</i> , 2006, 16, 503-508.	1.9	40
614	Homocysteine-lowering trials for prevention of cardiovascular events: A review of the design and power of the large randomized trials. <i>American Heart Journal</i> , 2006, 151, 282-287.	2.7	156
615	Occurrence of coronary artery disease has an adverse impact on health-related quality of life: A longitudinal controlled study. <i>International Journal of Cardiology</i> , 2006, 113, 215-222.	1.7	21
616	Homocysteine is not associated with arterial thickness and stiffness in healthy middle-aged French volunteers. <i>International Journal of Cardiology</i> , 2006, 113, 332-340.	1.7	29
617	Antioxidant supplementation does not affect fasting plasma glucose in the Supplementation with Antioxidant Vitamins and Minerals (SU.VI.MAX) study in France: association with dietary intake and plasma concentrations. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 395-399.	4.7	5
618	Antioxidant supplementation does not affect fasting plasma glucose in the Supplementation with Antioxidant Vitamins and Minerals (SU.VI.MAX) study in France: association with dietary intake and plasma concentrations 1â€“3. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 395-399.	4.7	141
619	Fruit and Vegetable Consumption and Risk of Coronary Heart Disease: A Meta-Analysis of Cohort Studies. <i>Journal of Nutrition</i> , 2006, 136, 2588-2593.	2.9	933
620	Effets biologiques des anti-oxydants: les donnÃ©es de lâ€™Ã©tude SU.VI.MAX. <i>Oleagineux Corps Gras Lipides</i> , 2006, 13, 35-38.	0.2	0
621	Serum selenium determinants in French adults: the SU.VI.M.AX study. <i>British Journal of Nutrition</i> , 2006, 95, 313-320.	2.3	98
622	Dairy products, calcium and phosphorus intake, and the risk of prostate cancer: results of the French prospective SU.VI.MAX (SupplÃ©mentation en Vitamines et MinÃ©raux Antioxydants) study. <i>British Journal of Nutrition</i> , 2006, 95, 539-545.	2.3	64
623	Antioxidant vitamins and minerals in prevention of cancers: lessons from the SU.VI.MAX study. <i>British Journal of Nutrition</i> , 2006, 96, S28-S30.	2.3	36
624	Urinary flavonoids and phenolic acids as biomarkers of intake for polyphenol-rich foods. <i>British Journal of Nutrition</i> , 2006, 96, 191.	2.3	155
625	Serum ferritin, cardiovascular risk factors and ischaemic heart diseases: a prospective analysis in the SU.VI.MAX (SUpplementation en Vitamines et MinÃ©raux AntioXydants) cohort. <i>Public Health Nutrition</i> , 2006, 9, 70-74.	2.2	34
626	Self-reported skin sensitivity in a general adult population in France: data of the SU.VI.MAX cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 380-390.	2.4	63
627	Factors influencing blood concentration of retinol, Î±-tocopherol, vitamin C, and Î²-carotene in the French participants of the SU.VI.MAX trial. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 706-717.	2.9	110
628	Drinking patterns are associated with variations in atherosclerotic risk factors in French men. <i>European Journal of Nutrition</i> , 2006, 45, 79-87.	3.9	7
629	Handedness and reproductive success in two large cohorts of French adults. <i>Evolution and Human Behavior</i> , 2006, 27, 457-472.	2.2	6
630	Parental Longevity, Carotid Atherosclerosis, and Aortic Arterial Stiffness in Adult Offspring. <i>Stroke</i> , 2006, 37, 2702-2707.	2.0	15

#	ARTICLE	IF	CITATIONS
631	Genetic Analysis of ADIPOR1 and ADIPOR2 Candidate Polymorphisms for Type 2 Diabetes in the Caucasian Population. <i>Diabetes</i> , 2006, 55, 856-861.	0.6	72
632	Antioxidant supplementation does not affect fasting plasma glucose in the Supplementation with Antioxidant Vitamins and Minerals (SU.VI.MAX) study in France: association with dietary intake and plasma concentrations. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 395-399.	4.7	121
633	Tanning Devices: Behaviour of French Adults Participating to the SU.VI.MAX Cohort. <i>Epidemiology</i> , 2006, 17, S381.	2.7	0
634	Effect of supplementation with antioxidants upon long-term risk of hypertension in the SU.VI.MAX study: association with plasma antioxidant levels. <i>Journal of Hypertension</i> , 2005, 23, 2013-2018.	0.5	65
635	Antioxidant status and risk of cancer in the SU.VI.MAX study: is the effect of supplementation dependent on baseline levels?. <i>British Journal of Nutrition</i> , 2005, 94, 125-132.	2.3	61
636	Alcohol intake in relation to body mass index and waist-to-hip ratio: the importance of type of alcoholic beverage. <i>Public Health Nutrition</i> , 2005, 8, 315-320.	2.2	99
637	Sedentary Behaviors, Physical Activity, and Metabolic Syndrome in Middle-Aged French Subjects. <i>Obesity</i> , 2005, 13, 936-944.	4.0	201
638	Variants of ENPP1 are associated with childhood and adult obesity and increase the risk of glucose intolerance and type 2 diabetes. <i>Nature Genetics</i> , 2005, 37, 863-867.	21.4	290
639	Serum concentrations of Î²-carotene, vitamins C and E, zinc and selenium are influenced by sex, age, diet, smoking status, alcohol consumption and corpulence in a general French adult population. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1181-1190.	2.9	253
640	Body composition and fat repartition in relation to structure and function of large arteries in middle-aged adults (the SU.VI.MAX study). <i>International Journal of Obesity</i> , 2005, 29, 826-832.	3.4	97
641	Alcohol and Atherosclerotic Vascular Disease Risk Factors in French Men: Relationships Are Linear, J-Shaped, and U-Shaped. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 84-88.	2.4	17
642	Intake of Added Oils and Fats among Middle-Aged French Adults: Relationships with Educational Level and Region of Residence. <i>Journal of the American Dietetic Association</i> , 2005, 105, 1889-1894.	1.1	13
643	Antioxidant vitamin and mineral supplementation and prostate cancer prevention in the SU.VI.MAX trial. <i>International Journal of Cancer</i> , 2005, 116, 182-186.	5.1	212
644	Alterations of the lipid profile after 7.5 years of low-dose antioxidant supplementation in the SU.VI.MAX study. <i>Lipids</i> , 2005, 40, 335-342.	1.7	54
645	Analysis of sequence variability in the CART gene in relation to obesity in a Caucasian population. <i>BMC Genetics</i> , 2005, 6, 19.	2.7	39
646	Dietary fiber intake and risk factors for cardiovascular disease in French adults. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1185-1194.	4.7	257
647	Iron Status and Risk of Cancers in the SU.VI.MAX Cohort. <i>Journal of Nutrition</i> , 2005, 135, 2664-2668.	2.9	25
648	Besoins, apports et disponibilit� du fer. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2005, 189, 1623-1633.	0.0	6

#	ARTICLE	IF	CITATIONS
649	The history of β -carotene and cancers: from observational to intervention studies. What lessons can be drawn for future research on polyphenols?. American Journal of Clinical Nutrition, 2005, 81, 218S-222S.	4.7	24
650	A Prospective Study of the Insulin-Like Growth Factor Axis in Relation with Prostate Cancer in the SU.VI.MAX Trial. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2269-2272.	2.5	18
651	Impact of musculoskeletal disorders on quality of life: an inception cohort study. Annals of the Rheumatic Diseases, 2005, 64, 606-611.	0.9	90
652	Case for Folic Acid and Vitamin B12 Fortification in Europe. Seminars in Vascular Medicine, 2005, 5, 156-162.	2.1	22
653	Role of transcription factor KLF11 and its diabetes-associated gene variants in pancreatic beta cell function. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4807-4812.	7.1	231
654	Common Polymorphisms in the USF1 Gene Are Not Associated With Type 2 Diabetes in French Caucasians. Diabetes, 2005, 54, 3040-3042.	0.6	24
655	Parental Longevity and 7-Year Changes in Blood Pressures in Adult Offspring. Hypertension, 2005, 46, 287-294.	2.7	10
656	A Synonymous Coding Polymorphism in the β 2-Heremans-Schmid Glycoprotein Gene Is Associated With Type 2 Diabetes in French Caucasians. Diabetes, 2005, 54, 2477-2481.	0.6	83
657	Epidemiology of Genital Herpes Simplex Virus Infections in a Community-Based Sample in France: Results of the HERPIMAX Study. Sexually Transmitted Diseases, 2005, 32, 499-505.	1.7	11
658	Consommation d'huiles et matières grasses en France : relations avec le niveau d'étude et la région de résidence dans la cohorte SU.VI.MAX. Cahiers De Nutrition Et De Dietetique, 2005, 40, 254-259.	0.3	0
659	Évolution de la consommation alimentaire dans l'étude SU.VI.MAX (1995-2002). Cahiers De Nutrition Et De Dietetique, 2005, 40, 97-102.	0.3	6
660	Blood lipid and lipoprotein levels: relationships with educational level and region of residence in the French SU.VI.MAX study. Preventive Medicine, 2005, 40, 803-811.	3.4	12
661	Leisure time physical activity and health-related quality of life. Preventive Medicine, 2005, 41, 562-569.	3.4	225
662	Metabolic Syndrome in Relation to Structure and Function of Large Arteries: A Predominant Effect of Blood Pressure A Report From the SU.VI.MAX. Vascular Study. American Journal of Hypertension, 2005, 18, 1154-1160.	2.0	78
663	Sun-reactive Skin Type in 4912 French Adults Participating in the SU.VI.MAX Study. Photochemistry and Photobiology, 2005, 81, 934-940.	2.5	1
664	Sun-reactive Skin Type in 4912 French Adults Participating in the SU.VI.MAX Study. Photochemistry and Photobiology, 2005, 81, 934.	2.5	13
665	Sun-reactive Skin Type in 4912 French adults participating in the SU.VI.MAX study. Photochemistry and Photobiology, 2005, 81, 934-40.	2.5	4
666	Relationship between Serum, Red Cell, Urinary and Dietary Magnesium in a Middle-Aged French Adult Population. International Journal for Vitamin and Nutrition Research, 2004, 74, 123-128.	1.5	4

#	ARTICLE	IF	CITATIONS
667	Consumption of Foods Rich in Flavonoids Is Related to a Decreased Cardiovascular Risk in Apparently Healthy French Women. <i>Journal of Nutrition</i> , 2004, 134, 923-926.	2.9	148
668	Workplace air-conditioning and health services attendance among French middle-aged women: a prospective cohort study. <i>International Journal of Epidemiology</i> , 2004, 33, 1120-1123.	1.9	33
669	The SU.VI.MAX Study. <i>Archives of Internal Medicine</i> , 2004, 164, 2335.	3.8	844
670	Effects of Long-Term Daily Low-Dose Supplementation With Antioxidant Vitamins and Minerals on Structure and Function of Large Arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1485-1491.	2.4	141
671	Evidence for a protective (synergistic?) effect of B-vitamins and omega-3 fatty acids on cardiovascular diseases. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 732-744.	2.9	31
672	Drinking patterns in French adult men. <i>European Journal of Nutrition</i> , 2004, 43, 69-76.	3.9	20
673	Dietary intakes and food sources of n [~] 6 and n [~] 3 PUFA in french adult men and women. <i>Lipids</i> , 2004, 39, 527-535.	1.7	174
674	Antioxidant vitamins and blood pressure. <i>Current Hypertension Reports</i> , 2004, 6, 27-30.	3.5	29
675	Impact of cancer occurrence on health-related quality of life: a longitudinal pre-post assessment. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 4.	2.4	45
676	Indicators of abdominal adiposity in middle-aged participants of the SU.VI.MAX study: relationships with educational level, smoking status and physical inactivity. <i>Diabetes and Metabolism</i> , 2004, 30, 153-159.	2.9	30
677	Comparison of the diet of self-declared diabetics with non-diabetic patients in the SU.VI.MAX study: did the diabetics modify their nutritional behavior?. <i>Diabetes and Metabolism</i> , 2004, 30, 535-542.	2.9	26
678	Sociodemographic and Geographic Correlates of Meeting Current Recommendations for Physical Activity in Middle-Aged French Adults: the Suppl [©] mentation en Vitamines et Min [©] raux Antioxydants (SUVIMAX) Study. <i>American Journal of Public Health</i> , 2004, 94, 1560-1566.	2.7	83
679	Consequences of iron depletion on health in menstruating women. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1169-1175.	2.9	22
680	Contribution of snacks and meals in the diet of French adults: a diet-diary study. <i>Physiology and Behavior</i> , 2003, 79, 183-189.	2.1	103
681	Tea consumption and cardiovascular risk in the SU.VI.MAX Study: Are life-style factors important?. <i>Nutrition Research</i> , 2003, 23, 879-890.	2.9	11
682	Changes in Serum Retinol, $\hat{\pm}$ -Tocopherol, Vitamin C, Carotenoids, Zinc and Selenium after Micronutrient Supplementation during Alcohol Rehabilitation. <i>Journal of the American College of Nutrition</i> , 2003, 22, 303-310.	1.8	33
683	Influence of Centrifugation Temperature on the Plasma Total Homocysteine Concentration. <i>Clinical Chemistry</i> , 2003, 49, 1026-1027.	3.2	1
684	Association of selenium with thyroid volume and echostructure in 35- to 60-year-old French adults. <i>European Journal of Endocrinology</i> , 2003, 148, 309-315.	3.7	119

#	ARTICLE	IF	CITATIONS
685	Dietary fibre intake and clinical indices in the French Supplementation en Vitamines et MinÃ©raux Antioxydants (SU.VI.MAX) adult cohort. Proceedings of the Nutrition Society, 2003, 62, 11-15.	1.0	29
686	Vitamin Supplementation in Elderly Persons. JAMA - Journal of the American Medical Association, 2003, 289, 173.	7.4	3
687	Relation between homocysteine concentrations and the consumption of different types of alcoholic beverages: the French Supplementation with Antioxidant Vitamins and Minerals Study. American Journal of Clinical Nutrition, 2003, 78, 334-338.	4.7	43
688	Relationship Between Soup Consumption, Folate, Beta-Carotene, and Vitamin C Status in a French Adult Population. International Journal for Vitamin and Nutrition Research, 2003, 73, 315-321.	1.5	12
689	Harmonising Local Health Survey Data. , 2003, , 133-154.		0
690	Seroprevalence of HSV-1 and HSV-2 infection in the general French population. Sexually Transmitted Infections, 2002, 78, 201-203.	1.9	83
691	Homocysteine, cardiovascular disease risk factors, and habitual diet in the French Supplementation with Antioxidant Vitamins and Minerals Study. American Journal of Clinical Nutrition, 2002, 76, 1279-1289.	4.7	92
692	Dietary Iron Intake and Iron Status of French Adults Participating in the SU.VI.MAX Cohort. , 2002, , 488-489.		0
693	Intervention Studies on Antioxidant Trace Elements. , 2002, , 453-462.		0
694	Contribution of Mineral Waters to Dietary Calcium and Magnesium Intake in a French Adult Population. Journal of the American Dietetic Association, 2002, 102, 1658-1662.	1.1	70
695	The use of computerised 24h dietary recalls in the French SU.VI.MAX Study: number of recalls required. European Journal of Clinical Nutrition, 2002, 56, 659-665.	2.9	49
696	Relationships between changes in weight and changes in cardiovascular risk factors in middle-aged French subjects: effect of dieting. International Journal of Obesity, 2002, 26, 1138-1143.	3.4	38
697	Body mass index in 7-9-y-old French children: frequency of obesity, overweight and thinness. International Journal of Obesity, 2002, 26, 1610-1616.	3.4	183
698	Benefits and Problems Associated with Iron Supplementation and Fortification. , 2002, , 799-808.		0
699	NUTRITION Les bases de la politique nutritionnelle de santÃ© publique en France : le constat et les recommandations du HCSP. Oleagineux Corps Gras Lipides, 2001, 8, 7-12.	0.2	3
700	Iron deficiency in Europe. Public Health Nutrition, 2001, 4, 537-545.	2.2	188
701	Consumption of soup and nutritional intake in French adults: consequences for nutritional status. Journal of Human Nutrition and Dietetics, 2001, 14, 121-128.	2.5	25
702	Use of 'light' foods and drinks in French adults: biological, anthropometric and nutritional correlates. Journal of Human Nutrition and Dietetics, 2001, 14, 191-206.	2.5	27

#	ARTICLE	IF	CITATIONS
703	Use of multiple correspondence analysis and cluster analysis to study dietary behaviour: food consumption questionnaire in the SU.VI.MAX. cohort. <i>European Journal of Epidemiology</i> , 2001, 17, 505-516.	5.7	42
704	Melanocortin-4 receptor mutations are a frequent and heterogeneous cause of morbid obesity. <i>Journal of Clinical Investigation</i> , 2000, 106, 253-262.	8.2	760
705	Self-administered questionnaire compared with interview to assess past-year physical activity. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1119-1124.	0.4	150
706	Determinants of thyroid volume in healthy French adults participating in the SU.VI.MAX cohort. <i>Clinical Endocrinology</i> , 2000, 52, 273-278.	2.4	100
707	Effect of daily iron supplementation on iron status, cell-mediated immunity, and incidence of infections in 6-36 month old Togolese children. <i>European Journal of Clinical Nutrition</i> , 2000, 54, 29-35.	2.9	151
708	Dietary patterns in six European populations: results from EURALIM, a collaborative European data harmonization and information campaign. <i>European Journal of Clinical Nutrition</i> , 2000, 54, 253-262.	2.9	106
709	Factors determining the use of hormone replacement therapy in recent naturally postmenopausal women participating in the French SU.VI.MAX cohort. <i>European Journal of Epidemiology</i> , 2000, 16, 477-482.	5.7	9
710	Obesity and other health determinants across Europe: The EURALIM Project. <i>Journal of Epidemiology and Community Health</i> , 2000, 54, 424-430.	3.7	60
711	Contribution of Ready-to-Eat Cereals to Nutrition Intakes in French Adults and Relations with Corpulence. <i>Annals of Nutrition and Metabolism</i> , 2000, 44, 249-255.	1.9	47
712	Epidemiologic determinants of skin photoaging: Baseline data of the SU.VI.MAX. cohort. <i>Journal of the American Academy of Dermatology</i> , 2000, 42, 47-55.	1.2	47
713	Consequences of Iron Deficiency in Pregnant Women. <i>Clinical Drug Investigation</i> , 2000, 19, 1-7.	2.2	18
714	Relationship Between Vitamin D Status and Skin Phototype in General Adult Population. <i>Photochemistry and Photobiology</i> , 2000, 71, 466.	2.5	54
715	Breakfast Type, Daily Nutrient Intakes and Vitamin and Mineral Status of French Children, Adolescents and Adults. <i>Journal of the American College of Nutrition</i> , 1999, 18, 171-178.	1.8	82
716	Impact of Trace Elements and Vitamin Supplementation on Immunity and Infections in Institutionalized Elderly Patients. <i>Archives of Internal Medicine</i> , 1999, 159, 748.	3.8	263
717	â€œTHE SU.VI.MAX STUDYâ€: A Primary Prevention Trial using Nutritional Doses of Antioxidant Vitamins and Minerals in Cardiovascular Diseases and Cancers. <i>Food and Chemical Toxicology</i> , 1999, 37, 925-930.	3.6	49
718	Iodine deficiency in France. <i>Lancet</i> , The, 1999, 353, 1766-1767.	13.7	65
719	Antioxidant vitamins and cardiovascular disease: Dr Jekyll or Mr Hyde?. <i>American Journal of Public Health</i> , 1999, 89, 289-291.	2.7	11
720	Determining factors in the iron status of adult women in the SU.VI.MAX study. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 383-388.	2.9	121

#	ARTICLE	IF	CITATIONS
721	A Primary Prevention Trial Using Nutritional Doses of Antioxidant Vitamins and Minerals in Cardiovascular Diseases and Cancers in a General Population. <i>Contemporary Clinical Trials</i> , 1998, 19, 336-351.	1.9	332
722	The potential role of antioxidant vitamins in preventing cardiovascular diseases and cancers. <i>Nutrition</i> , 1998, 14, 513-520.	2.4	120
723	Effects of Supplementation with a Combination of Antioxidant Vitamins and Trace Elements, at Nutritional Doses, on Biochemical Indicators and Markers of the Antioxidant System in Adult Subjects. <i>Journal of the American College of Nutrition</i> , 1998, 17, 244-249.	1.8	50
724	Locally based surveys, unite! The EURALIM example. EURALIM Study Group. European Information Campaign on Diet and Nutrition.. <i>American Journal of Public Health</i> , 1998, 88, 1153-1155.	2.7	15
725	Prevalence of Latent Vitamin D Insufficiency in a Middle-Aged Normal Population from SU. VI. MAX Study. , 1998, , 289-297.		0
726	Serum beta-carotene and vitamin C as biomarkers of vegetable and fruit intakes in a community-based sample of French adults. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 1796-1802.	4.7	130
727	Effect of iron supplementation on the iron status of pregnant women: consequences for newborns. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 1178-1182.	4.7	260
728	Bioavailability in infants of iron from infant cereals: effect of dephytinization. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 916-920.	4.7	65
729	Effect of Micronutrient Supplementation on Infection in Institutionalized Elderly Subjects: A Controlled Trial. <i>Annals of Nutrition and Metabolism</i> , 1997, 41, 98-107.	1.9	121
730	The Fatâ€Sucrose Seesaw in Relation to Age and Dietary Variety of French Adults. <i>Obesity</i> , 1997, 5, 511-518.	4.0	22
731	Prevalence of Vitamin D Insufficiency in an Adult Normal Population. <i>Osteoporosis International</i> , 1997, 7, 439-443.	3.1	1,296
732	Dietary Magnesium Intake in French Adult Population. , 1997, , 147-149.		28
733	Assessment of Iron Status in Children and Adolescents with Crohn’s Disease: Value of Basic Red Cell Ferritin. <i>Annals of Nutrition and Metabolism</i> , 1996, 40, 331-335.	1.9	1
734	Diet Quality and Dietary Diversity in France. <i>Journal of the American Dietetic Association</i> , 1996, 96, 663-669.	1.1	142
735	Iron Bioavailability Studied in Infants: The Influence of Phytic Acid and Ascorbic Acid in Infant Formulas Based on Soy Isolate. <i>Pediatric Research</i> , 1994, 36, 816-822.	2.3	125
736	Iron Status of a Healthy French Population: Factors Determining Biochemical Markers. <i>Annals of Nutrition and Metabolism</i> , 1994, 38, 192-202.	1.9	60
737	Intake of â€low-fatâ€™ foods in a representative sample of the Paris area: anthropometric, nutritional and socio-demographic correlates. <i>Journal of Human Nutrition and Dietetics</i> , 1994, 7, 335-346.	2.5	3
738	A double stable isotope technique for measuring iron absorption in infants. <i>British Journal of Nutrition</i> , 1994, 71, 411-424.	2.3	138

#	ARTICLE	IF	CITATIONS
739	The immune response in iron-deficient young children: Effect of iron supplementation on cell-mediated immunity. <i>European Journal of Pediatrics</i> , 1993, 152, 120-124.	2.7	80
740	Effect of Iron Supplementation during Pregnancy on Trace Element (Cu, Se, Zn) Concentrations in Serum and Breast Milk from Nigerian Women. <i>Annals of Nutrition and Metabolism</i> , 1993, 37, 262-271.	1.9	40
741	Iron deficiency, cell-mediated immunity and infection among 6-36 month old children living in rural Togo. <i>Nutrition Research</i> , 1992, 12, 39-49.	2.9	27
742	Iodine intakes assessed by urinary iodine concentrations in healthy children aged ten months, two years, and four years. <i>Biological Trace Element Research</i> , 1992, 32, 259-266.	3.5	8
743	Interleukin 2 production in iron-deficient children. <i>Biological Trace Element Research</i> , 1992, 32, 421-426.	3.5	52
744	Nutritional anaemias. <i>Best Practice and Research: Clinical Haematology</i> , 1992, 5, 143-168.	1.1	51
745	Consequences of <i>Schistosoma Haematobium</i> Infection on the Iron Status of Schoolchildren in Niger. <i>American Journal of Tropical Medicine and Hygiene</i> , 1992, 47, 291-297.	1.4	43
746	Iron absorption from african pearl millet and rice meals. <i>Nutrition Research</i> , 1991, 11, 885-893.	2.9	9
747	Effect of folic acid deficiency upon lymphocyte subsets from lymphoid organs in mice. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1991, 98, 235-240.	0.6	12
748	Iron Bioavailability from African Meals with Rice, Cassava, or Plantain Forming the Staple Food.. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1991, 10, 217-224.	1.4	4
749	Vitamin A Deficiency and Immunity.. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1991, 11, 1-19.	1.4	9
750	Iron and Folate Status in Zairian Mothers and Their Newborns. <i>Annals of Nutrition and Metabolism</i> , 1991, 35, 309-314.	1.9	13
751	Lymphocyte Subpopulations in the Thymus, Lymph Nodes and Spleen of Iron-Deficient and Rehabilitated Mice. <i>Journal of Nutrition</i> , 1991, 121, 1418-1424.	2.9	30
752	Effects of Vitamin A Deficiency on Lymphocyte Subpopulations in the Thymus, Lymph Nodes, and Spleen in Mice.. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1991, 11, 101-110.	1.4	0
753	Iron absorption from typical West African meals containing contaminating Fe. <i>British Journal of Nutrition</i> , 1990, 64, 541-546.	2.3	19
754	Effect of Decreased Food Consumption during Iron Deficiency upon Growth Rate and Iron Status Indicators in the Rat. <i>Annals of Nutrition and Metabolism</i> , 1990, 34, 280-287.	1.9	18
755	Relationship between selenium, immunity and resistance against infection. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1990, 96, 271-280.	0.2	26
756	Effects of iron deficiency upon the antibody response to influenza virus in rats. <i>Journal of Nutritional Biochemistry</i> , 1990, 1, 629-634.	4.2	13

#	ARTICLE	IF	CITATIONS
757	Iron status and food intakes in a representative sample of children and adolescents living in a mediterranean city of Spain. <i>Nutrition Research</i> , 1990, 10, 379-390.	2.9	11
758	Is basic red cell ferritin a more specific indicator than serum ferritin in the assessment of iron stores in the elderly?. <i>Clinica Chimica Acta</i> , 1990, 189, 159-162.	1.1	10
759	Effects of doses and duration of iron supplement on iron deficiency in rats.. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1989, 7, 193-200.	1.4	1
760	Effects of Different Degrees of Iron Deficiency on Cytochrome P450 Complex and Pentose Phosphate Pathway Dehydrogenases in the Rat. <i>Journal of Nutrition</i> , 1989, 119, 40-47.	2.9	50
761	Iron status, immune capacity and resistance to infections. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1989, 94, 11-19.	0.6	48
762	Dietary intake and other determinants of iron and folate status in female adolescents.. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1989, 7, 143-151.	1.4	5
763	Iron and folate status of Algerian pregnant women. <i>Ecology of Food and Nutrition</i> , 1988, 21, 181-187.	1.6	4
764	Prevalence of iron deficiency and iron-deficiency anaemia in Benin. <i>Public Health</i> , 1988, 102, 73-83.	2.9	29
765	Evaluation of the Frequency of Anaemia and Iron-Deficiency Anaemia in a Group of Algerian Menstruating Women by a Mixed Distribution Analysis: Contribution of Folate Deficiency and Inflammatory Processes in the Determination of Anaemia. <i>International Journal of Epidemiology</i> , 1988, 17, 136-141.	1.9	5
766	Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. <i>British Journal of Nutrition</i> , 1987, 57, 185-193.	2.3	27
767	Evaluation of iron-deficiency anemia by an iron supplementation trial in children living at a 2800-m altitude. <i>Clinica Chimica Acta</i> , 1987, 164, 1-6.	1.1	9
768	Effect of Sample Storage on the Assay of Erythrocyte Protoporphyrin by the Hematofluorometer Method. <i>Acta Haematologica</i> , 1987, 78, 57-58.	1.4	6
769	Relationship between Acute Phase Reactants, Visceral Proteins, and Biochemical Indicators of Iron Status in a Free Living Population of Children. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1987, 3, 257-263.	1.4	2
770	Influence of inflammation on laboratory indicators of iron deficiency in the elderly. <i>Nutrition Research</i> , 1986, 6, 1259-1266.	2.9	3
771	Evaluation of the iron status of a rural population in South Benin. <i>Nutrition Research</i> , 1986, 6, 627-634.	2.9	11
772	Effects of Iron Supplementation on Serum Ferritin and Other Hematological Indices of Iron Status in Menstruating Women. <i>Annals of Nutrition and Metabolism</i> , 1985, 29, 232-238.	1.9	5
773	The activity of tissue enzymes in iron-deficient rat and man: An overview. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1984, 77, 647-653.	0.2	20
774	Ultra-processed food consumption and NCD-related dietary nutrient profile in a national sample of French children and adolescents. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.	1.6	0