Lourdes Farré

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3912663/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epigenetic inactivation of the p53-induced long noncoding RNA TP53 target 1 in human cancer. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E7535-E7544.	3.3	140
2	Adult T-Cell Leukemia/Lymphoma in Bahia, Brazil. American Journal of Clinical Pathology, 2007, 128, 875-882.	0.4	90
3	Adult T-cell leukemia/lymphoma (ATL) presenting in the skin: Clinical, histological and immunohistochemical features of 52 cases. Acta Oncológica, 2009, 48, 598-604.	0.8	86
4	Multiple low dose therapy as an effective strategy to treat EGFR inhibitor-resistant NSCLC tumours. Nature Communications, 2020, 11, 3157.	5.8	59
5	Strongyloidiasis and Infective Dermatitis Alter Human T Lymphotropic Virus-1 Clonality in vivo. PLoS Pathogens, 2013, 9, e1003263.	2.1	51
6	Orthotopic Models of Human Pancreatic Cancer. Annals of the New York Academy of Sciences, 1999, 880, 103-109.	1.8	48
7	Infective Dermatitis Associated With Human T-Cell Lymphotropic Virus Type 1: Evaluation of 42 Cases Observed in Bahia, Brazil. Clinical Infectious Diseases, 2012, 54, 1714-1719.	2.9	45
8	Early Sequential Development of Infective Dermatitis, Human T Cell Lymphotropic Virus Type 1-Associated Myelopathy, and Adult T Cell Leukemia/Lymphoma. Clinical Infectious Diseases, 2008, 46, 440-442.	2.9	44
9	Codon 12 and codon 13 mutations at the Kâ€ras gene induce different soft tissue sarcoma types in nude mice. FASEB Journal, 2002, 16, 1642-1644.	0.2	34
10	Celecoxib induces anoikis in human colon carcinoma cells associated with the deregulation of focal adhesions and nuclear translocation of p130Cas. International Journal of Cancer, 2006, 118, 2381-2389.	2.3	34
11	Adult T-cell leukemia/lymphoma triggered by adalimumab. Journal of Clinical Virology, 2013, 58, 494-496.	1.6	33
12	Epigenetic loss of m1A RNA demethylase ALKBH3 in Hodgkin lymphoma targets collagen, conferring poor clinical outcome. Blood, 2021, 137, 994-999.	0.6	30
13	SMARCA4 deficient tumours are vulnerable to KDM6A/UTX and KDM6B/JMJD3 blockade. Nature Communications, 2021, 12, 4319.	5.8	22
14	Simultaneous RNA quantification of human and retroviral genomes reveals intact interferon signaling in HTLV-1-infected CD4+ T cell lines. Virology Journal, 2012, 9, 171.	1.4	21
15	Early Juvenile Human T-cell Lymphotropic Virus Type-1–Associated Myelopathy/Tropical Spastic Paraparesis: Study of 25 Patients. Clinical Infectious Diseases, 2018, 67, 1427-1433.	2.9	21
16	Heterotopic implantation alters the regulation of apoptosis and the cell cycle and generates a new metastatic site in a human pancreatic tumor xenograft model. FASEB Journal, 2002, 16, 975-982.	0.2	19
17	Adult T-cell leukemia/lymphoma. Revista Da Associação Médica Brasileira, 2016, 62, 691-700.	0.3	19
18	Adult T-Cell Leukemia/Lymphoma With a Mixed CD4+ and CD8+ Phenotype and Indolent Course. Journal of Clinical Oncology, 2007, 25, 2480-2482.	0.8	17

Lourdes Farré

#	Article	IF	CITATIONS
19	A Dyshidrosis-Like Variant of Adult T-Cell Leukemia/Lymphoma With Clinicopathological Aspects of Mycosis Fungoides. A Case Report. American Journal of Dermatopathology, 2009, 31, 834-837.	0.3	17
20	A genetic IFN/STAT1/FAS axis determines CD4 T stem cell memory levels and apoptosis in healthy controls and Adult T-cell Leukemia patients. Oncolmmunology, 2018, 7, e1426423.	2.1	17
21	Orthoxenografts of Testicular Germ Cell Tumors Demonstrate Genomic Changes Associated with Cisplatin Resistance and Identify PDMP as a Resensitizing Agent. Clinical Cancer Research, 2018, 24, 3755-3766.	3.2	17
22	Flower cells in patients with infective dermatitis associated with HTLV-1. Journal of Clinical Virology, 2010, 48, 288-290.	1.6	15
23	Analysis of Cutaneous Lymphomas in a Medical Center in Bahia, Brazil. American Journal of Clinical Pathology, 2013, 140, 348-354.	0.4	14
24	Clustering of HTLV-1 associated myelopathy/tropical spastic paraparesis (HAM/TSP) and infective dermatitis associated with HTLV-1 (IDH) in Salvador, Bahia, Brazil. Journal of Clinical Virology, 2013, 58, 482-485.	1.6	14
25	Decreased RORC expression and downstream signaling in HTLVâ€1â€associated adult Tâ€cell lymphoma/leukemia uncovers an antiproliferative IL17 link: A potential target for immunotherapy?. International Journal of Cancer, 2019, 144, 1664-1675.	2.3	13
26	The importance of flower cells for the early diagnosis of acute adult T-cell leukemia/lymphoma with skin involvement. Acta Oncológica, 2010, 49, 265-267.	0.8	12
27	Genetic Evolution in the Metastatic Progression of Human Pancreatic Cancer Studied by CGH. Laboratory Investigation, 2001, 81, 1703-1707.	1.7	11
28	Molecular characterization of HTLV-1 gp46 glycoprotein from health carriers and HAM/TSP infected individuals. Virology Journal, 2013, 10, 75.	1.4	10
29	Double integration band of HTLV-1 in a young patient with infective dermatitis who developed an acute form of adult T-cell leukemia/lymphoma. Journal of Clinical Virology, 2013, 56, 163-166.	1.6	10
30	A case of Adult T-cell leukemia/lymphoma (ATL) with a survival of more than 13 years. Acta Oncológica, 2008, 47, 981-983.	0.8	8
31	Leucemia/linfoma de células T do adulto. Anais Brasileiros De Dermatologia, 2008, 83, 351-359.	0.5	8
32	HTLV-1 proviral load in infective dermatitis associated with HTLV-1 does not increase after the development of HTLV-1-associated myelopathy/tropical spastic paraparesis and does not decrease after IDH remission. PLoS Neglected Tropical Diseases, 2019, 13, e0007705.	1.3	7
33	Germinal epimutation of Fragile Histidine Triad (FHIT) gene is associated with progression to acute and chronic adult T-cell leukemia diseases. Molecular Cancer, 2021, 20, 86.	7.9	7
34	T-cell-predominant lymphoid hyperplasia in a tattoo. Anais Brasileiros De Dermatologia, 2014, 89, 1019-1021.	0.5	6
35	Complete genome sequence of human T-cell lymphotropic type 1 from patients with different clinical profiles, including infective dermatitis. Infection, Genetics and Evolution, 2020, 79, 104166.	1.0	6
36	Use of patient derived orthotopic xenograft models for real-time therapy guidance in a pediatric sporadic malignant peripheral nerve sheath tumor. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592092957.	1.4	5

Lourdes Farré

#	Article	IF	CITATIONS
37	Extramedullary multiple myeloma patient derived orthotopic xenograft with high disturbed genome: combined exhaustive molecular and therapeutic studies. DMM Disease Models and Mechanisms, 2021, 14, .	1.2	5
38	Superior antiviral and antiproliferative activity of IFN-beta vs. IFN-alpha in primary ATL cells occurs downstream of STAT1 signaling. Retrovirology, 2014, 11, .	0.9	4
39	Clinicopathological aspects and proviral load of adulthood infective dermatitis associated with HTLV-1: Comparison between juvenile and adulthood forms. PLoS Neglected Tropical Diseases, 2020, 14, e0008241.	1.3	4
40	Point mutations inTP53but not inp15lnk4bandp16lnk4agenes represent poor prognosis factors in acute adult T cell leukemia/lymphoma. Leukemia and Lymphoma, 2015, 56, 3434-3436.	0.6	3
41	Assessment of Genetic Diversity of HTLV-1 ORF-I Sequences Collected from Patients with Different Clinical Profiles. AIDS Research and Human Retroviruses, 2019, 35, 881-884.	0.5	3
42	XPO1 inhibitors represent a novel therapeutic option in Adult T-cell Leukemia, triggering p53-mediated caspase-dependent apoptosis. Blood Cancer Journal, 2021, 11, 27.	2.8	3
43	Microsatellite Alterations Are also Present in the Less Aggressive Types of Adult T-Cell Leukemia-Lymphoma. PLoS Neglected Tropical Diseases, 2015, 9, e0003403.	1.3	2
44	In silico analysis of human T-lymphotropic virus type 1 complete genomes from patients with different clinical outcomes. Future Virology, 0, , .	0.9	1