

Lourdes Farrã©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3912663/publications.pdf>

Version: 2024-02-01

44
papers

1,035
citations

471371

17
h-index

434063

31
g-index

46
all docs

46
docs citations

46
times ranked

1492
citing authors

#	ARTICLE	IF	CITATIONS
1	Epigenetic loss of m1A RNA demethylase ALKBH3 in Hodgkin lymphoma targets collagen, conferring poor clinical outcome. <i>Blood</i> , 2021, 137, 994-999.	0.6	30
2	XPO1 inhibitors represent a novel therapeutic option in Adult T-cell Leukemia, triggering p53-mediated caspase-dependent apoptosis. <i>Blood Cancer Journal</i> , 2021, 11, 27.	2.8	3
3	Extramedullary multiple myeloma patient derived orthotopic xenograft with high disturbed genome: combined exhaustive molecular and therapeutic studies. <i>DMM Disease Models and Mechanisms</i> , 2021, 14, .	1.2	5
4	Germinal epimutation of Fragile Histidine Triad (FHIT) gene is associated with progression to acute and chronic adult T-cell leukemia diseases. <i>Molecular Cancer</i> , 2021, 20, 86.	7.9	7
5	SMARCA4 deficient tumours are vulnerable to KDM6A/UTX and KDM6B/JMJD3 blockade. <i>Nature Communications</i> , 2021, 12, 4319.	5.8	22
6	Complete genome sequence of human T-cell lymphotropic type 1 from patients with different clinical profiles, including infective dermatitis. <i>Infection, Genetics and Evolution</i> , 2020, 79, 104166.	1.0	6
7	Use of patient derived orthotopic xenograft models for real-time therapy guidance in a pediatric sporadic malignant peripheral nerve sheath tumor. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592092957.	1.4	5
8	Multiple low dose therapy as an effective strategy to treat EGFR inhibitor-resistant NSCLC tumours. <i>Nature Communications</i> , 2020, 11, 3157.	5.8	59
9	Clinicopathological aspects and proviral load of adulthood infective dermatitis associated with HTLV-1: Comparison between juvenile and adulthood forms. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008241.	1.3	4
10	Assessment of Genetic Diversity of HTLV-1 ORF-I Sequences Collected from Patients with Different Clinical Profiles. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 881-884.	0.5	3
11	HTLV-1 proviral load in infective dermatitis associated with HTLV-1 does not increase after the development of HTLV-1-associated myelopathy/tropical spastic paraparesis and does not decrease after IDH remission. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007705.	1.3	7
12	Decreased RORC expression and downstream signaling in HTLV-1-associated adult T-cell lymphoma/leukemia uncovers an antiproliferative IL17 link: A potential target for immunotherapy?. <i>International Journal of Cancer</i> , 2019, 144, 1664-1675.	2.3	13
13	A genetic IFN/STAT1/FAS axis determines CD4 T stem cell memory levels and apoptosis in healthy controls and Adult T-cell Leukemia patients. <i>Oncolmmunology</i> , 2018, 7, e1426423.	2.1	17
14	Orthoxenografts of Testicular Germ Cell Tumors Demonstrate Genomic Changes Associated with Cisplatin Resistance and Identify PDMP as a Resensitizing Agent. <i>Clinical Cancer Research</i> , 2018, 24, 3755-3766.	3.2	17
15	Early Juvenile Human T-cell Lymphotropic Virus Type-1-associated Myelopathy/Tropical Spastic Paraparesis: Study of 25 Patients. <i>Clinical Infectious Diseases</i> , 2018, 67, 1427-1433.	2.9	21
16	Adult T-cell leukemia/lymphoma. <i>Revista Da Associação Médica Brasileira</i> , 2016, 62, 691-700.	0.3	19
17	Epigenetic inactivation of the p53-induced long noncoding RNA TP53 target 1 in human cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E7535-E7544.	3.3	140
18	Point mutations in TP53 but not in p15Ink4band p16Ink4a genes represent poor prognosis factors in acute adult T cell leukemia/lymphoma. <i>Leukemia and Lymphoma</i> , 2015, 56, 3434-3436.	0.6	3

#	ARTICLE	IF	CITATIONS
19	Microsatellite Alterations Are also Present in the Less Aggressive Types of Adult T-Cell Leukemia-Lymphoma. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003403.	1.3	2
20	T-cell-predominant lymphoid hyperplasia in a tattoo. <i>Anais Brasileiros De Dermatologia</i> , 2014, 89, 1019-1021.	0.5	6
21	Superior antiviral and antiproliferative activity of IFN-beta vs. IFN-alpha in primary ATL cells occurs downstream of STAT1 signaling. <i>Retrovirology</i> , 2014, 11, .	0.9	4
22	Molecular characterization of HTLV-1 gp46 glycoprotein from health carriers and HAM/TSP infected individuals. <i>Virology Journal</i> , 2013, 10, 75.	1.4	10
23	Adult T-cell leukemia/lymphoma triggered by adalimumab. <i>Journal of Clinical Virology</i> , 2013, 58, 494-496.	1.6	33
24	Analysis of Cutaneous Lymphomas in a Medical Center in Bahia, Brazil. <i>American Journal of Clinical Pathology</i> , 2013, 140, 348-354.	0.4	14
25	Clustering of HTLV-1 associated myelopathy/tropical spastic paraparesis (HAM/TSP) and infective dermatitis associated with HTLV-1 (IDH) in Salvador, Bahia, Brazil. <i>Journal of Clinical Virology</i> , 2013, 58, 482-485.	1.6	14
26	Double integration band of HTLV-1 in a young patient with infective dermatitis who developed an acute form of adult T-cell leukemia/lymphoma. <i>Journal of Clinical Virology</i> , 2013, 56, 163-166.	1.6	10
27	Strongyloidiasis and Infective Dermatitis Alter Human T Lymphotropic Virus-1 Clonality in vivo. <i>PLoS Pathogens</i> , 2013, 9, e1003263.	2.1	51
28	Infective Dermatitis Associated With Human T-Cell Lymphotropic Virus Type 1: Evaluation of 42 Cases Observed in Bahia, Brazil. <i>Clinical Infectious Diseases</i> , 2012, 54, 1714-1719.	2.9	45
29	Simultaneous RNA quantification of human and retroviral genomes reveals intact interferon signaling in HTLV-1-infected CD4+ T cell lines. <i>Virology Journal</i> , 2012, 9, 171.	1.4	21
30	Flower cells in patients with infective dermatitis associated with HTLV-1. <i>Journal of Clinical Virology</i> , 2010, 48, 288-290.	1.6	15
31	The importance of flower cells for the early diagnosis of acute adult T-cell leukemia/lymphoma with skin involvement. <i>Acta OncolÃ³gica</i> , 2010, 49, 265-267.	0.8	12
32	Adult T-cell leukemia/lymphoma (ATL) presenting in the skin: Clinical, histological and immunohistochemical features of 52 cases. <i>Acta OncolÃ³gica</i> , 2009, 48, 598-604.	0.8	86
33	A Dyshidrosis-Like Variant of Adult T-Cell Leukemia/Lymphoma With Clinicopathological Aspects of Mycosis Fungoides. A Case Report. <i>American Journal of Dermatopathology</i> , 2009, 31, 834-837.	0.3	17
34	A case of Adult T-cell leukemia/lymphoma (ATL) with a survival of more than 13 years. <i>Acta OncolÃ³gica</i> , 2008, 47, 981-983.	0.8	8
35	Early Sequential Development of Infective Dermatitis, Human T Cell Lymphotropic Virus Type 1-Associated Myelopathy, and Adult T Cell Leukemia/Lymphoma. <i>Clinical Infectious Diseases</i> , 2008, 46, 440-442.	2.9	44
36	Leucemia/linfoma de cÃ©lulas T do adulto. <i>Anais Brasileiros De Dermatologia</i> , 2008, 83, 351-359.	0.5	8

#	ARTICLE	IF	CITATIONS
37	Adult T-Cell Leukemia/Lymphoma With a Mixed CD4+ and CD8+ Phenotype and Indolent Course. <i>Journal of Clinical Oncology</i> , 2007, 25, 2480-2482.	0.8	17
38	Adult T-Cell Leukemia/Lymphoma in Bahia, Brazil. <i>American Journal of Clinical Pathology</i> , 2007, 128, 875-882.	0.4	90
39	Celecoxib induces anoikis in human colon carcinoma cells associated with the deregulation of focal adhesions and nuclear translocation of p130Cas. <i>International Journal of Cancer</i> , 2006, 118, 2381-2389.	2.3	34
40	Codon 12 and codon 13 mutations at the Kâ€ras gene induce different soft tissue sarcoma types in nude mice. <i>FASEB Journal</i> , 2002, 16, 1642-1644.	0.2	34
41	Heterotopic implantation alters the regulation of apoptosis and the cell cycle and generates a new metastatic site in a human pancreatic tumor xenograft model. <i>FASEB Journal</i> , 2002, 16, 975-982.	0.2	19
42	Genetic Evolution in the Metastatic Progression of Human Pancreatic Cancer Studied by CGH. <i>Laboratory Investigation</i> , 2001, 81, 1703-1707.	1.7	11
43	Orthotopic Models of Human Pancreatic Cancer. <i>Annals of the New York Academy of Sciences</i> , 1999, 880, 103-109.	1.8	48
44	In silico analysis of human T-lymphotropic virus type 1 complete genomes from patients with different clinical outcomes. <i>Future Virology</i> , 0, , .	0.9	1