

in-hye Ham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3912835/publications.pdf>

Version: 2024-02-01

25
papers

936
citations

471509

17
h-index

713466

21
g-index

25
all docs

25
docs citations

25
times ranked

1540
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting interleukin-6 as a strategy to overcome stroma-induced resistance to chemotherapy in gastric cancer. <i>Molecular Cancer</i> , 2019, 18, 68.	19.2	169
2	Expression of pyruvate dehydrogenase kinase-1 in gastric cancer as a potential therapeutic target. <i>International Journal of Oncology</i> , 2013, 42, 44-54.	3.3	111
3	Dichloroacetate attenuates hypoxia-induced resistance to 5-fluorouracil in gastric cancer through the regulation of glucose metabolism. <i>Experimental Cell Research</i> , 2014, 321, 219-230.	2.6	70
4	Role of Cancer-Associated Fibroblast in Gastric Cancer Progression and Resistance to Treatments. <i>Journal of Oncology</i> , 2019, 2019, 1-11.	1.3	69
5	Intratumor stromal proportion predicts aggressive phenotype of gastric signet ring cell carcinomas. <i>Gastric Cancer</i> , 2017, 20, 591-601.	5.3	58
6	Spatially Distinct Reprogramming of the Tumor Microenvironment Based On Tumor Invasion in Diffuse-Type Gastric Cancers. <i>Clinical Cancer Research</i> , 2021, 27, 6529-6542.	7.0	50
7	Discoidin domain receptor 1 activity drives an aggressive phenotype in gastric carcinoma. <i>BMC Cancer</i> , 2017, 17, 87.	2.6	48
8	Gastrokine 1 protein is a potential theragnostic target for gastric cancer. <i>Gastric Cancer</i> , 2018, 21, 956-967.	5.3	46
9	Quantitative Measurement of Organic Acids in Tissues from Gastric Cancer Patients Indicates Increased Glucose Metabolism in Gastric Cancer. <i>PLoS ONE</i> , 2014, 9, e98581.	2.5	42
10	AKT inhibition is an effective treatment strategy in ARID1A-deficient gastric cancer cells. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 4153-4159.	2.0	39
11	Inhibition of Discoidin Domain Receptor 1 Prevents Stroma-Induced Peritoneal Metastasis in Gastric Carcinoma. <i>Molecular Cancer Research</i> , 2018, 16, 1590-1600.	3.4	38
12	Loss of ACS2 expression predicts poor prognosis in patients with gastric cancer. <i>Journal of Surgical Oncology</i> , 2015, 112, 585-591.	1.7	32
13	Cancer-Associated Fibroblast-Induced Resistance to Chemotherapy and Radiotherapy in Gastrointestinal Cancers. <i>Cancers</i> , 2021, 13, 1172.	3.7	31
14	Curcumin inhibits the cancer-associated fibroblast-derived chemoresistance of gastric cancer through the suppression of the JAK/STAT3 signaling pathway. <i>International Journal of Oncology</i> , 2022, 61, .	3.3	27
15	Various ARID1A expression patterns and their clinical significance in gastric cancers. <i>Human Pathology</i> , 2016, 49, 61-70.	2.0	25
16	Inhibiting the GAS6/AXL axis suppresses tumor progression by blocking the interaction between cancer-associated fibroblasts and cancer cells in gastric carcinoma. <i>Gastric Cancer</i> , 2020, 23, 824-836.	5.3	25
17	Antioxidative compounds from <i>Quercus salicina</i> Blume Stem. <i>Archives of Pharmacal Research</i> , 2008, 31, 274-278.	6.3	21
18	Preoperative serum levels of insulin-like growth factor-binding protein 2 predict prognosis of gastric cancer patients. <i>Oncotarget</i> , 2017, 8, 10994-11003.	1.8	14

#	ARTICLE	IF	CITATIONS
19	HVC1 ameliorates hyperlipidemia and inflammation in LDLR ^{-/-} mice. BMC Complementary and Alternative Medicine, 2017, 17, 222.	3.7	12
20	Clinicopathological Implication of Insulin-like Growth Factor-II mRNA-Binding Protein 3 (IMP3) Expression in Gastric Cancer. Anticancer Research, 2017, 37, 135-142.	1.1	6
21	Scaffold-Assisted Ectopic Transplantation of Internal Organs and Patient-Derived Tumors. ACS Biomaterials Science and Engineering, 2019, 5, 6667-6678.	5.2	3
22	Abstract B14: Discoidin domain receptor 1 activity drives an aggressive phenotype in gastric adenocarcinoma. , 2016, , .		0
23	Abstract LB-216: Stroma-induced up-regulation of discoidin domain receptor 1 enhances peritoneal metastasis of gastric carcinomas. , 2017, , .		0
24	Abstract 4334: Interleukin-6 is a key player in stroma-induced resistance to chemotherapy for gastric carcinomas. , 2017, , .		0
25	Abstract 2030: Inhibiting the GAS6/AXL axis suppresses tumor progression by blocking the interaction between cancer-associated fibroblasts and cancer cells in gastric carcinoma. , 2019, , .		0