

Jennifer M Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3914062/jennifer-m-wu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

6,085
citations

33
h-index

77
g-index

118
ext. papers

7,039
ext. citations

2.6
avg, IF

5.73
L-index

#	Paper	IF	Citations
112	Prevalence of symptomatic pelvic floor disorders in US women. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1311-6	27.4	1125
111	Lifetime risk of stress urinary incontinence or pelvic organ prolapse surgery. <i>Obstetrics and Gynecology</i> , 2014 , 123, 1201-1206	4.9	577
110	Hysterectomy rates in the United States, 2003. <i>Obstetrics and Gynecology</i> , 2007 , 110, 1091-5	4.9	446
109	Forecasting the prevalence of pelvic floor disorders in U.S. Women: 2010 to 2050. <i>Obstetrics and Gynecology</i> , 2009 , 114, 1278-1283	4.9	440
108	Prevalence and trends of symptomatic pelvic floor disorders in U.S. women. <i>Obstetrics and Gynecology</i> , 2014 , 123, 141-148	4.9	397
107	Short-term outcomes of robotic sacrocolpopexy compared with abdominal sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2008 , 112, 1201-1206	4.9	219
106	Predicting the number of women who will undergo incontinence and prolapse surgery, 2010 to 2050. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, 230.e1-5	6.4	212
105	Cost comparison among robotic, laparoscopic, and open hysterectomy for endometrial cancer. <i>Obstetrics and Gynecology</i> , 2010 , 116, 685-693	4.9	135
104	Cesarean delivery on maternal request: maternal and neonatal outcomes. <i>Obstetrics and Gynecology</i> , 2006 , 108, 1517-29	4.9	107
103	Trends in the surgical management of stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 2012 , 119, 845-51	4.9	104
102	Epidemiological trends and future care needs for pelvic floor disorders. <i>Current Opinion in Obstetrics and Gynecology</i> , 2015 , 27, 380-4	2.4	89
101	Efficacy and adverse events of sacral nerve stimulation for overactive bladder: A systematic review. <i>Neurourology and Urodynamics</i> , 2010 , 29 Suppl 1, S18-23	2.3	87
100	Mesh erosion in abdominal sacral colpopexy with and without concomitant hysterectomy. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1418-22	6.4	86
99	A comparison of perineometer to brink score for assessment of pelvic floor muscle strength. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1583-91	6.4	80
98	Cost-minimization analysis of robotic-assisted, laparoscopic, and abdominal sacrocolpopexy. <i>Journal of Minimally Invasive Gynecology</i> , 2010 , 17, 493-9	2.2	77
97	Laparoscopic hysterectomy with morcellation vs abdominal hysterectomy for presumed fibroid tumors in premenopausal women: a decision analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 591.e1-8	6.4	74
96	Management of Bartholin duct cysts and abscesses: a systematic review. <i>Obstetrical and Gynecological Survey</i> , 2009 , 64, 395-404	2.4	74

95	Trends in use of surgical mesh for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 79.e1-7	6.4	73
94	The impact of occiput posterior fetal head position on the risk of anal sphincter injury in forceps-assisted vaginal deliveries. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1702-6	6.4	61
93	"A secret club": focus groups about women's toileting behaviors. <i>BMC Womens Health</i> , 2019 , 19, 44	2.9	60
92	Sling revision/removal for mesh erosion and urinary retention: long-term risk and predictors. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 73.e1-7	6.4	60
91	Leiomyoma-related hospitalization and surgery: prevalence and predicted growth based on population trends. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, 492.e1-5	6.4	59
90	Maternal outcomes associated with planned vaginal versus planned primary cesarean delivery. <i>American Journal of Perinatology</i> , 2010 , 27, 675-83	3.3	59
89	Urinary, fecal, and dual incontinence in older U.S. Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 947-53	5.6	53
88	Long-term outcomes after stress urinary incontinence surgery. <i>Obstetrics and Gynecology</i> , 2012 , 120, 83-90	4.9	53
87	Cost-effectiveness of sacral neuromodulation versus intravesical botulinum A toxin for treatment of refractory urge incontinence. <i>Journal of Urology</i> , 2009 , 182, 2799-804	2.5	52
86	Prolapse and continence surgery in countries of the Organization for Economic Cooperation and Development in 2012. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 755.e1-755.e27	6.4	51
85	Cost analysis of abdominal, laparoscopic, and robotic-assisted myomectomies. <i>Journal of Minimally Invasive Gynecology</i> , 2012 , 19, 52-7	2.2	47
84	Elective primary cesarean delivery: attitudes of urogynecology and maternal-fetal medicine specialists. <i>Obstetrics and Gynecology</i> , 2005 , 105, 301-6	4.9	45
83	Genetic epidemiology of pelvic organ prolapse: a systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 326-35	6.4	43
82	Cost-effectiveness of botulinum toxin a versus anticholinergic medications for idiopathic urge incontinence. <i>Journal of Urology</i> , 2009 , 181, 2181-6	2.5	41
81	Occiput posterior fetal head position increases the risk of anal sphincter injury in vacuum-assisted deliveries. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 525-8; discussion 528-9	6.4	41
80	Early vs late midline sling lysis results in greater improvement in lower urinary tract symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 564.e1-5	6.4	35
79	Trends in inpatient urinary incontinence surgery in the USA, 1998-2007. <i>International Urogynecology Journal</i> , 2011 , 22, 1437-43	2	33
78	Long-term outcomes of vaginal mesh versus native tissue repair for anterior vaginal wall prolapse. <i>International Urogynecology Journal</i> , 2013 , 24, 1279-85	2	32

77	Incontinence pessaries: size, POPQ measures, and successful fitting. <i>International Urogynecology Journal</i> , 2009 , 20, 1023-8	2	32
76	A randomized controlled trial of clean intermittent self-catheterization versus suprapubic catheterization after urogynecologic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 72.e1-4	6.4	31
75	Patient preferences for different severities of and treatments for overactive bladder. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 184-9	1.9	30
74	The efficacy of posterior tibial nerve stimulation for the treatment of overactive bladder in women: a systematic review. <i>International Urogynecology Journal</i> , 2012 , 23, 1591-7	2	29
73	Predictors of success and satisfaction of nonsurgical therapy for stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 2012 , 120, 91-7	4.9	26
72	Objective structured assessment of technical skills for repair of fourth-degree perineal lacerations. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 676.e1-6	6.4	25
71	Effect of Trosipium Chloride on Cognitive Function in Women Aged 50 and Older: A Randomized Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 118-123	1.9	24
70	Validation of telephone administration of 2 condition-specific quality-of-life questionnaires. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 632.e1-4	6.4	24
69	Do urodynamic parameters predict persistent postoperative stress incontinence after midurethral sling? A systematic review. <i>International Urogynecology Journal</i> , 2012 , 23, 813-22	2	23
68	Changing trends in surgery for stress urinary incontinence. <i>Current Opinion in Obstetrics and Gynecology</i> , 2013 , 25, 404-9	2.4	23
67	Matrix metalloproteinase-9 genetic polymorphisms and the risk for advanced pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2012 , 120, 587-93	4.9	23
66	Posterior tibial nerve stimulation for the treatment of fecal incontinence: a systematic evidence review. <i>Obstetrical and Gynecological Survey</i> , 2015 , 70, 329-41	2.4	22
65	Shifts in national rates of inpatient prolapse surgery emphasize current coding inadequacies. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 204-8	1.9	22
64	Urinary Incontinence and Health-Seeking Behavior Among White, Black, and Latina Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 340-5	1.9	21
63	Is Burch colposuspension ever cost-effective compared with tension-free vaginal tape for stress incontinence?. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 62.e1-5	6.4	21
62	Do racial differences in knowledge about urogynecologic issues exist?. <i>International Urogynecology Journal</i> , 2008 , 19, 1371-8	2	21
61	Cumulative Incidence of a Subsequent Surgery After Stress Urinary Incontinence and Pelvic Organ Prolapse Procedure. <i>Obstetrics and Gynecology</i> , 2017 , 129, 1124-1130	4.9	20
60	Lifetime risk of surgery for stress urinary incontinence or pelvic organ prolapse. <i>Minerva Obstetrics and Gynecology</i> , 2017 , 69, 171-177		19

59	Prevalence of pelvic floor disorders in women with suspected gynecological malignancy: a survey-based study. <i>International Urogynecology Journal</i> , 2016 , 27, 1409-14	2	18
58	Anticholinergic medication use for female overactive bladder in the ambulatory setting in the United States. <i>International Urogynecology Journal</i> , 2014 , 25, 479-84	2	18
57	The Effect of Age on Postoperative Morbidity in Women Undergoing Urogynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 236-40	1.9	18
56	Vaginal prolapse recurrence after uterosacral ligament suspension in normal-weight compared with overweight and obese women. <i>Obstetrics and Gynecology</i> , 2013 , 121, 554-559	4.9	18
55	Self-reported toileting behaviors in employed women: Are they associated with lower urinary tract symptoms?. <i>Neurourology and Urodynamics</i> , 2018 , 37, 735-743	2.3	17
54	Perioperative anticholinergic medications and risk of catheterization after urogynecologic surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 163-7	1.9	16
53	Genetic Determinants of Pelvic Organ Prolapse among African American and Hispanic Women in the Women's Health Initiative. <i>PLoS ONE</i> , 2015 , 10, e0141647	3.7	15
52	Comprehensive analysis of LAMC1 genetic variants in advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 447.e1-6	6.4	15
51	Permanent Compared With Absorbable Suture for Vaginal Mesh Fixation During Total Hysterectomy and Sacrocolpopexy: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2020 , 136, 355-364	4.9	13
50	Cost-Effectiveness of Laparoscopic Hysterectomy With Morcellation Compared With Abdominal Hysterectomy for Presumed Myomas. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 223-33	2.2	12
49	Triplets after cloacal malformation repair. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2003 , 16, 43-42		12
48	Persistent Opioid Use After Hysterectomy in the United States, 2005-2015. <i>Obstetrics and Gynecology</i> , 2020 , 135, 123-132	4.9	12
47	Lead migration after sacral neuromodulation: surgical revision in fascial versus tined anchoring systems. <i>International Urogynecology Journal</i> , 2011 , 22, 419-23	2	11
46	Sexual function after vaginal versus nonvaginal prolapse surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 239-42	1.9	11
45	Does obesity impact the success of an InterStim test phase for the treatment of refractory urge urinary incontinence in female patients?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 243-6	1.9	11
44	A 12-Month Clinical Durability of Effectiveness and Safety Evaluation of a Vaginal Bowel Control System for the Nonsurgical Treatment of Fecal Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019 , 25, 113-119	1.9	11
43	Phenotyping clinical disorders: lessons learned from pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 360-5	6.4	10
42	Prevalence and incidence of urinary incontinence in a diverse population of women with noncancerous gynecologic conditions. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 284-289	1.9	10

41	Microscopic hematuria as a predictive factor for detecting bladder cancer at cystoscopy in women with irritative voiding symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1423-6	6.4	10
40	Characterizing the phenotype of advanced pelvic organ prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 299-302	1.9	9
39	Workforce Analysis of Female Pelvic Medicine and Reconstructive Surgery, 2015 to 2045. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 385-9	1.9	8
38	Incidence of opioid-managed pelvic pain after hysteroscopic sterilization versus laparoscopic sterilization, US 2005-2012. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 875-84	2.6	8
37	Factors associated with fecal incontinence in a nationally representative sample of diabetic women. <i>International Urogynecology Journal</i> , 2015 , 26, 1483-8	2	8
36	Adequacy of urine cytology specimens: an assessment of collection techniques. <i>International Urogynecology Journal</i> , 2007 , 18, 997-1001	2	8
35	Two techniques for assessing postoperative voiding function, a randomized trial. <i>International Urogynecology Journal</i> , 2017 , 28, 1567-1572	2	7
34	Impact of anticholinergic load on bladder function. <i>International Urogynecology Journal</i> , 2015 , 26, 545-9	2	7
33	Catheter burden following urogynecologic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 507.e1-507.e7	6.4	7
32	Perioperative sexual interest in women with suspected gynecologic malignancies. <i>Gynecologic Oncology</i> , 2017 , 146, 109-113	4.9	7
31	Trends and patterns of urodynamic studies in U.S. women, 2000-2012. <i>Obstetrics and Gynecology</i> , 2015 , 125, 559-565	4.9	6
30	Comparing the risk of urethrolisis for the treatment of voiding dysfunction between two retropubic mesh slings: a case-control study. <i>International Urogynecology Journal</i> , 2013 , 24, 589-94	2	6
29	Computer modeling informs study design: vaginal estrogen to prevent mesh erosion after different routes of prolapse surgery. <i>International Urogynecology Journal</i> , 2013 , 24, 441-5	2	6
28	A conceptual framework for future research on mode of delivery. <i>Maternal and Child Health Journal</i> , 2012 , 16, 1447-54	2.4	6
27	The Evaluation of Baseline Physical Function and Cognition in Women Undergoing Pelvic Floor Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 51-4	1.9	6
26	Trends in Pharmacotherapy for Bladder Dysfunction Among Children in the United States, 2000 to 2013. <i>Clinical Pediatrics</i> , 2017 , 56, 55-64	1.2	5
25	Impact of New Medications and \$4 Generic Programs on Overactive Bladder Treatment Among Older Adults in the United States, 2000-2015. <i>Medical Care</i> , 2018 , 56, 162-170	3.1	5
24	Urinary incontinence and hydration: A population-based analysis. <i>Neurourology and Urodynamics</i> , 2018 , 37, 200-205	2.3	4

23	Health Literacy in Women Presenting to a Urogynecology Practice. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 435-439	1.9	4
22	Internet Use Among Urogynecology Patients in North Carolina. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 269-72	1.9	4
21	Is postoperative bowel function related to posterior compartment prolapse repair?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 90-4	1.9	4
20	Stress Incontinence in Women. <i>New England Journal of Medicine</i> , 2021 , 384, 2428-2436	59.2	4
19	Endocrine therapy and urogenital outcomes among women with a breast cancer diagnosis. <i>Cancer Causes and Control</i> , 2016 , 27, 1325-1332	2.8	4
18	Predictors of Opioid Administration in the Acute Postoperative Period. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019 , 25, 347-350	1.9	4
17	Role of β adrenergic receptor polymorphism in overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1261-1265	2.3	3
16	Polyethylene Glycol 3350 and Docusate Sodium Compared With Docusate Sodium Alone After Urogynecologic Surgery: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2016 , 128, 543-9	4.9	3
15	Sexual Health Before Treatment in Women with Suspected Gynecologic Malignancy. <i>Journal of Womens Health</i> , 2017 , 26, 1326-1332	3	3
14	Is a Postvoid Residual Necessary? A Randomized Trial of Two Postoperative Voiding Protocols. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021 , 27, e256-e260	1.9	3
13	Reply to: Predictors of Opioid Administration in the Acute Postoperative Period. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 454	1.9	3
12	Admixture mapping of pelvic organ prolapse in African Americans from the Women's Health Initiative Hormone Therapy trial. <i>PLoS ONE</i> , 2017 , 12, e0178839	3.7	2
11	Trends and Patterns of Urodynamic Studies in U.S. Males, 2000-2012. <i>PLoS ONE</i> , 2015 , 10, e0133657	3.7	2
10	Perioperative opioid prescriptions associated with stress incontinence and pelvic organ prolapse surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 894.e1-894.e9	6.4	2
9	The Utility of Preoperative Laboratory Testing Before Urogynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 105-108	1.9	1
8	Moving On: How Many Women Opt for Surgery After Pessary Use for Prolapse?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 387-390	1.9	1
7	Transfusion Rates and the Utility of Type and Screen for Pelvic Organ Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 51-55	1.9	1
6	Sexual Function after Minimally Invasive Total Hysterectomy and Sacrocolpopexy. <i>Journal of Minimally Invasive Gynecology</i> , 2021 , 28, 1603-1609	2.2	1

5	Pain after permanent versus delayed absorbable monofilament suture for vaginal graft attachment during minimally invasive total hysterectomy and sacrocolpopexy. <i>International Urogynecology Journal</i> , 2020 , 31, 2035-2041	2	0
4	Randomized Clinical Trial of Gabapentin Versus Placebo for Pain After Sacrospinous Ligament Fixation.. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022 , 28, 65-71	1.9	0
3	Characterizing the Bladder Response to Onabotulinum Toxin Type A Using a Rat Model. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 467-471	1.9	
2	Impact of staged InterStim implantation on the postoperative activities of daily living and pain. <i>International Urogynecology Journal</i> , 2013 , 24, 1205-13	2	
1	Association of Anticholinergic Risk Score With Functional Status in Patients Preparing for Pelvic Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019 , 25, 453-456	1.9	