## Yanliang Tan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3915025/publications.pdf Version: 2024-02-01



ΥΔΝΙΙΔΝΟ ΤΑΝ

#	Article	IF	CITATIONS
1	Development prospects of metal-based two-dimensional nanomaterials in lithium-sulfur batteries. Chinese Chemical Letters, 2023, 34, 107130.	9.0	15
2	Developing a radon monitor with less influence of humidity based on electrostatic collection method and CR-39 detector. Radiation Measurements, 2022, 155, 106787.	1.4	3
3	Research on the conversion coefficient for measuring radon concentration in water based on bubbling method. Radiation Measurements, 2022, 155, 106808.	1.4	1
4	No flow meter method for measuring radon exhalation from the medium surface with a ventilation chamber. Applied Radiation and Isotopes, 2020, 166, 109328.	1.5	5
5	A model comparison of diffusion-controlled radon exhalation from solid and cavity walls with application to high background radiation areas. Environmental Science and Pollution Research, 2020, 27, 43389-43395.	5.3	4
6	A simple design concept for elimination of the impact of humidity on radon measurements using electrostatic collection. Stochastic Environmental Research and Risk Assessment, 2016, 30, 2303-2308.	4.0	0
7	Improving the quality of the "ventilation chamber―technique for surveying the radon exhalation rate continuously. Stochastic Environmental Research and Risk Assessment, 2015, 29, 2101-2106.	4.0	4
8	Research on the perturbation phenomenon while tracing the radon concentration in real time. Stochastic Environmental Research and Risk Assessment, 2015, 29, 755-760.	4.0	7
9	Novel method for estimation of the indoor-to-outdoor airborne radioactivity ratio following the Fukushima Daiichi Nuclear Power Plant accident. Science of the Total Environment, 2015, 536, 25-30.	8.0	1
10	On the calibration of a radon exhalation monitor based on the electrostatic collection method and accumulation chamber. Journal of Environmental Radioactivity, 2015, 144, 9-14.	1.7	5
11	A proposal to evaluate radioactivity of cement containing coal fly ash from China national standard: "Limits of radionuclides in building materials― Journal of Radioanalytical and Nuclear Chemistry, 2015, 306, 277-281.	1.5	4
12	Analysis of the Saturation Phenomena of the Neutralization Rate of Positively Charged 218Po in Water Vapor. Health Physics, 2014, 107, 255-260.	0.5	4
13	A method to simultaneously and continuously measure the <sup>222</sup> Rn and <sup>220</sup> Rn exhalation rates of soil in an open loop. Isotopes in Environmental and Health Studies, 2014, 50, 531-537.	1.0	5
14	A theoretical approach to the study of saturation phenomena of electrostatic collection efficiency of 218Po. Radiation Physics and Chemistry, 2014, 100, 70-73.	2.8	7
15	A simple model for automatically measuring radon exhalation rate from medium surface. Radiation Measurements, 2014, 64, 44-47.	1.4	6
16	Measurement of the radon exhalation rate from the medium surface by tracing the radon concentration. Journal of Radioanalytical and Nuclear Chemistry, 2013, 295, 2295-2299.	1.5	5
17	A novel method to measure the radon exhalation rate in only one measurement cycle. Analytical Methods, 2013, 5, 805-808.	2.7	7
18	Measuring radon exhalation rate by tracing the radon concentration of ventilation-type accumulation chamber. Radiation Measurements, 2013, 58, 33-36.	1.4	10

YANLIANG TAN

#	ARTICLE	IF	CITATIONS
19	Measuring radon exhalation rate in two cycles avoiding the effects of back-diffusion and chamber leakage. Environmental Monitoring and Assessment, 2013, 185, 8759-8765.	2.7	5
20	The method for recalibration of thoron concentration reading of RAD7 and obtaining the thoron exhalation rate from soil surface. Nuclear Technology and Radiation Protection, 2013, 28, 92-96.	0.8	3
21	Revision for Measuring the Radon Exhalation Rate From the Medium Surface. IEEE Transactions on Nuclear Science, 2011, 58, 209-213.	2.0	25
22	A novel algorithm for quick and continuous tracing the change of radon concentration in environment. Review of Scientific Instruments, 2011, 82, 043503.	1.3	24