

Aly Youssef

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3916866/publications.pdf>

Version: 2024-02-01

137
papers

2,527
citations

201385

27
h-index

253896

43
g-index

194
all docs

194
docs citations

194
times ranked

1600
citing authors

#	ARTICLE	IF	CITATIONS
1	ISUOG Practice Guidelines: intrapartum ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 128-139.	0.9	194
2	Risk factors associated with adverse fetal outcomes in pregnancies affected by Coronavirus disease 2019 (COVID-19): a secondary analysis of the WAPM study on COVID-19. <i>Journal of Perinatal Medicine</i> , 2020, 48, 950-958.	0.6	107
3	Fetal head "symphysis distance: a simple and reliable ultrasound index of fetal head station in labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 419-424.	0.9	98
4	Prenatal diagnosis and outcome of partial agenesis and hypoplasia of the corpus callosum. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 35-41.	0.9	84
5	Sonographic prediction of outcome of vacuum deliveries: a multicenter, prospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 69.e1-69.e10.	0.7	82
6	Intrapartum transperineal ultrasound assessment of fetal head progression in active second stage of labor and mode of delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 430-435.	0.9	70
7	The use of intrapartum ultrasound to diagnose malpositions and cephalic malpresentations. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 633-641.	0.7	68
8	Uterine artery Doppler and biochemical markers (PAPP-A, PlGF, sFlt-1, P-selectin, NGAL) at 11 to 13 weeks in the prediction of late (>34 weeks) pre-eclampsia. <i>Prenatal Diagnosis</i> , 2011, 31, 1141-1146.	1.1	62
9	Sonographic pattern of fetal head descent: relationship with duration of active second stage of labor and occiput position at delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 82-89.	0.9	62
10	Maternal cardiac function in normal twin pregnancy: a longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 575-580.	0.9	58
11	Fundal pressure in second stage of labor (Kristeller maneuver) is associated with increased risk of levator ani muscle avulsion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 95-100.	0.9	50
12	How to perform ultrasound in labor: assessment of fetal occiput position. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 476-478.	0.9	49
13	The "occiput" spine angle: a new sonographic index of fetal head deflexion during the first stage of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 84.e1-84.e7.	0.7	43
14	Intrapartum sonographic imaging of fetal head asynclitism. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 238-240.	0.9	42
15	Reliability of new three-dimensional ultrasound technique for pelvic hiatal area measurement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 629-635.	0.9	42
16	Pelvic floor muscle dysfunction on 3D/4D transperineal ultrasound in patients with deep infiltrating endometriosis: a pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 527-532.	0.9	41
17	Persistence of increased uterine artery resistance in the third trimester and pregnancy outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 577-581.	0.9	39
18	A New Simple Technique for 3-Dimensional Sonographic Assessment of the Pelvic Floor Muscles. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 65-72.	0.8	39

#	ARTICLE	IF	CITATIONS
19	Narrow subpubic arch angle is associated with higher risk of persistent occiput posterior position at delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 511-515.	0.9	38
20	Pelvic floor muscle assessment on three- and four-dimensional transperineal ultrasound in women with ovarian endometriosis with or without retroperitoneal infiltration: a step towards complete functional assessment. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 265-268.	0.9	37
21	Levator ani muscle coactivation at term is associated with longer second stage of labor in nulliparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 686-692.	0.9	36
22	The pregnancy outcome in women with incidental diagnosis of septate uterus at first trimester scan. <i>Human Reproduction</i> , 2012, 27, 2671-2675.	0.4	35
23	Maternal and perinatal outcomes in high compared to low risk pregnancies complicated by severe acute respiratory syndrome coronavirus 2 infection (phase 2): the World Association of Perinatal Medicine working group on coronavirus disease 2019. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100329.	1.3	32
24	Contraction of the levator ani muscle during Valsalva maneuver (coactivation) is associated with a longer active second stage of labor in nulliparous women undergoing induction of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 189.e1-189.e8.	0.7	30
25	Fetal head-symphysis distance and mode of delivery in the second stage of labor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 1011-1017.	1.3	29
26	Agreement between two- and three-dimensional transperineal ultrasound methods for assessment of fetal head-symphysis distance in active labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 183-188.	0.9	29
27	Descent of fetal head during active pushing: secondary analysis of prospective cohort study investigating ultrasound examination before operative vaginal delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 524-529.	0.9	29
28	The prognostic role of uterine artery Doppler studies in patients with late-onset preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 36.e1-36.e5.	0.7	28
29	Intrapartum Ultrasound to Differentiate Flexion and Deflexion in Occipitoposterior Rotation. <i>Fetal Diagnosis and Therapy</i> , 2017, 42, 249-256.	0.6	27
30	Ultrasound in labor: a caregiver's perspective. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 469-470.	0.9	26
31	Fetal rotation during vacuum extractions for prolonged labor: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 998-1005.	1.3	26
32	Mode of delivery in the preterm gestation and maternal and neonatal outcome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1424-1428.	0.7	24
33	Intrapartum three-dimensional ultrasonographic imaging of face presentations: report of two cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 117-118.	0.9	24
34	Outcome of Fetuses with Supratentorial Extra-Axial Intracranial Cysts: A Systematic Review. <i>Fetal Diagnosis and Therapy</i> , 2016, 40, 1-12.	0.6	24
35	Automated Measurement of the Angle of Progression in Labor: A Feasibility and Reliability Study. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 293-299.	0.6	24
36	Three-dimensional/four-dimensional transperineal ultrasound: clinical utility and future prospects. <i>International Journal of Women's Health</i> , 2017, Volume 9, 643-656.	1.1	24

#	ARTICLE	IF	CITATIONS
37	Post-partum evaluation of maternal cardiac function after severe preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 696-701.	0.7	23
38	Subpubic Arch Angle and Mode of Delivery in Low-Risk Nulliparous Women. <i>Fetal Diagnosis and Therapy</i> , 2016, 40, 150-155.	0.6	23
39	Normal morphometry of fetal posterior fossa at midtrimester: brainstem-tentorium angle and brainstem-vermis angle. <i>Prenatal Diagnosis</i> , 2012, 32, 440-443.	1.1	22
40	How to image the fetal corpus callosum. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 718-720.	0.9	22
41	Maternal cardiac evaluation during uncomplicated twin pregnancy with emphasis on the diastolic function. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 376.e1-376.e8.	0.7	22
42	Increased rate of ruptured ectopic pregnancy in COVID-19 pandemic: analysis from the North of Italy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 289-289.	0.9	21
43	Predicting cesarean delivery for failure to progress as an outcome of labor induction in term singleton pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 609.e1-609.e11.	0.7	21
44	Diagnosis of Severe Fetomaternal Hemorrhage with Fetal Cerebral Doppler: Case Series and Systematic Review. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 1-7.	0.6	19
45	The Effect of Chorionicity on Maternal Cardiac Adaptation to Uncomplicated Twin Pregnancy: A Prospective Longitudinal Study. <i>Fetal Diagnosis and Therapy</i> , 2019, 45, 394-402.	0.6	19
46	Ultrasound in labor: is it time for a more simplified approach?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 710-711.	0.9	18
47	Accuracy of fetal gender determination in the first trimester using three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 557-561.	0.9	17
48	Maternal cardiac function in complicated twin pregnancy: a longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 581-585.	0.9	17
49	A New Method to Measure the Subpubic Arch Angle Using 3-D Ultrasound. <i>Fetal Diagnosis and Therapy</i> , 2015, 38, 195-199.	0.6	17
50	Risk of adverse pregnancy outcomes by pre-pregnancy Body Mass Index among Italian population: a retrospective population-based cohort study on 27,807 deliveries. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 983-991.	0.8	17
51	Transperineal Ultrasound Visual Feedback Assisted Pelvic Floor Muscle Physiotherapy in Women With Deep Infiltrating Endometriosis and Dyspareunia: A Pilot Study. <i>Journal of Sex and Marital Therapy</i> , 2020, 46, 603-611.	1.0	17
52	Assessment of levator hiatus area using 3D/4D transperineal ultrasound in women with deep infiltrating endometriosis and superficial dyspareunia treated with pelvic floor muscle physiotherapy: randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 726-732.	0.9	17
53	Increased uterine artery pulsatility index at 34 weeks and outcome of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 395-399.	0.9	16
54	Transperineal ultrasound assessment of maternal pelvic floor at term and fetal head engagement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 921-927.	0.9	15

#	ARTICLE	IF	CITATIONS
55	Dynamic changes of fetal head descent at term before the onset of labor correlate with labor outcome and can be improved by ultrasound visual feedback. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1847-1854.	0.7	15
56	Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 153, 143-147.	0.5	14
57	Demonstration of the Pericallosal Artery at 11-13 Weeks of Gestation Using 3D Ultrasound. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 305-309.	0.6	13
58	Is curved three-dimensional ultrasound reconstruction needed to assess the warped pelvic floor plane?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 388-394.	0.9	13
59	Cost analysis of minimally invasive hysterectomy vs open approach performed by a single surgeon in an Italian center. <i>Journal of Robotic Surgery</i> , 2017, 11, 115-121.	1.0	13
60	Lung ultrasound in the coronavirus disease 2019 pandemic: a practical guide for obstetricians and gynecologists. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 128-131.	0.7	13
61	Automated 3D ultrasound measurement of the angle of progression in labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 141-149.	0.7	12
62	How reliable is fetal occiput and spine position assessment prior to induction of labor?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 535-540.	0.9	12
63	The maternal pelvic floor and labor outcome. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100452.	1.3	12
64	Sonographic assessment of fetal occiput position during the second stage of labor: how reliable is the transperineal approach?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1985-1988.	0.7	11
65	Knowledge, understanding and fetal occiput position. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 523-524.	0.9	11
66	Agreement between two 3D ultrasound techniques for the assessment of the subpubic arch angle. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 466-470.	0.7	10
67	Reliability of transperineal ultrasound for the assessment of the angle of progression in labor using parasagittal approach versus midsagittal approach. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 3175-3180.	0.7	10
68	Ultrasound in labor: impact of a theoretical and practical course on caregiver's perspective and accuracy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 3163-3169.	0.7	10
69	Prenatal diagnosis of congenital heart defects and voluntary termination of pregnancy. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100207.	1.3	10
70	Does ultrasound determination of fetal occiput position improve labour outcome?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1312-1312.	1.1	9
71	The dynamic change of the anteroposterior diameter of the levator hiatus under Valsalva maneuver at term and labor outcome. <i>Neurourology and Urodynamics</i> , 2020, 39, 2353-2360.	0.8	9
72	The role of the angle of progression in the prediction of the outcome of occiput posterior position in the second stage of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 81.e1-81.e9.	0.7	9

#	ARTICLE	IF	CITATIONS
73	Neonatal hypoxic-ischemic encephalopathy in apparently low risk pregnancies: Retrospective analysis of the last five years at the University of Bologna. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 516-521.	0.7	8
74	The descent of the fetal head is not modified by mobile epidural analgesia: a controlled sonographic study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 512-516.	1.3	8
75	Catheter-related Complications of Subcutaneous Implantable Venous Access Devices in Breast Cancer Patients. <i>In Vivo</i> , 2018, 32, 1275-1281.	0.6	8
76	A simple sonographic finding is associated with a successful vacuum application: the fetal occiput or forehead sign. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2019, 1, 148-155.	1.3	8
77	The role of a new three-dimensional ultrasound technique in the diagnosis of levator ani muscle avulsion. <i>Neurourology and Urodynamics</i> , 2020, 39, 455-463.	0.8	8
78	Fetal head progression and regression on maternal pushing at term and labor outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 105-110.	0.9	8
79	Sequential analysis of the normal fetal fissures with three-dimensional ultrasound: a longitudinal study. <i>Prenatal Diagnosis</i> , 2015, 35, 493-499.	1.1	7
80	Prenatal and Postnatal Imaging of Multiple Intracranial Lipomas: Report of a Case. <i>Fetal Diagnosis and Therapy</i> , 2011, 30, 160-162.	0.6	6
81	Three-dimensional ultrasound is an accurate and reproducible technique for fetal crown-rump length measurement. <i>Prenatal Diagnosis</i> , 2012, 32, 220-227.	1.1	6
82	Cyst of the filum terminale: two cases detected on prenatal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 363-364.	0.9	6
83	Occurrence of Septic Shock in a Patient Submitted to Emergency Cerclage following a Negative Amniocentesis: Report of a Case. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 265-267.	0.6	6
84	Prenatal Diagnosis of Open Spina Bifida in Emilia-Romagna. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 301-304.	0.6	6
85	Prenatal ultrasonographic features of mature cystic teratoma in undescended testicle. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 527-529.	0.9	6
86	The use of ultrasound in the evaluation of postpartum paravaginal hematomas. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2019, 1, 82-88.	1.3	6
87	Three-dimensional ultrasound assessment of pelvic floor: impact of theoretical and practical course on caregiver accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 554-556.	0.9	6
88	The usefulness of ultrasound before induction of labor. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100423.	1.3	6
89	Horizontal stomach: a new sonographic clue to the antenatal diagnosis of right-sided congenital diaphragmatic hernia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 340-341.	0.9	5
90	Cost analysis of minimally invasive radical hysterectomy for cervical cancer performed by a single surgeon in an Italian center: an update in gynecologic oncological field. <i>Updates in Surgery</i> , 2017, 69, 517-522.	0.9	5

#	ARTICLE	IF	CITATIONS
91	Dynamic 2-dimensional transperineal ultrasound evaluation in labor room as a screening tool for anal sphincter injuries and anal incontinence in primiparous women. American Journal of Obstetrics & Gynecology MFM, 2019, 1, 100037.	1.3	5
92	Fundal pressure in the second stage of labor: time to face the invisible enemy. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 3094-3095.	0.7	5
93	Longitudinal Changes of Subpubic Arch Angle throughout Pregnancy. Gynecologic and Obstetric Investigation, 2020, 85, 100-106.	0.7	5
94	The use of lung ultrasound during the COVID-19 pandemic. Canadian Journal of Clinical Pharmacology, 2020, 27, e64-e75.	1.1	5
95	Pelvic floor dysfunction at transperineal ultrasound and chronic constipation in women with endometriosis. International Journal of Gynecology and Obstetrics, 2022, , .	1.0	5
96	Three-dimensional sonograph of a monochorionic diamniotic triplet pregnancy. Journal of Clinical Ultrasound, 2012, 40, 227-230.	0.4	4
97	Prenatal diagnosis of isolated butterfly vertebra. Ultrasound in Obstetrics and Gynecology, 2014, 44, 725-726.	0.9	4
98	Caregiver's satisfaction with a video tutorial for shoulder dystocia management algorithm. Journal of Obstetrics and Gynaecology, 2015, 35, 461-464.	0.4	4
99	The impact of assisted reproductive technology and chorionicity in twin pregnancies complicated by obstetric cholestasis. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1481-1484.	0.7	4
100	Diagnosis and management of a rare case of fetal mediastinal teratoma without non-immunological hydrops. Journal of Obstetrics and Gynaecology, 2016, 36, 390-392.	0.4	4
101	Pregnancy in a woman with sacral agenesis from prenatal counseling to delivery: A case report. Journal of Obstetrics and Gynaecology Research, 2020, 46, 784-786.	0.6	4
102	Maternal hemodynamic assessment by USCOM [®] device in the first trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 5580-5586.	0.7	4
103	Breech progression angle: new feasible and reliable transperineal ultrasound parameter for assessment of fetal breech descent in birth canal. Ultrasound in Obstetrics and Gynecology, 2021, 58, 609-615.	0.9	4
104	Fundal pressure in the second stage of labor (Kristeller maneuver) and levator ani avulsion. International Urogynecology Journal, 2021, 32, 471-472.	0.7	3
105	Usefulness of USCOM [®] evaluation in women with chronic hypertension who developed severe preeclampsia with low platelets and elevated liver enzymes. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 4942-4945.	0.7	3
106	Obstetric anal sphincter injuries: strategies for prevention, diagnosis, and management. Minerva Obstetrics and Gynecology, 2021, 73, .	0.5	3
107	Fetal speckle-tracking echocardiography: a comparison between two-dimensional and electronic spatio-temporal image correlation (e-STIC) technique. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-7.	0.7	3
108	The correlation between transperineal ultrasound assessment of the levator ani muscle and postpartum urinary incontinence. Neurourology and Urodynamics, 2021, 40, 1786-1795.	0.8	3

#	ARTICLE	IF	CITATIONS
109	Sonography of fetal holoprosencephaly: a guide to recognize the lesser varieties. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, , 1-7.	0.7	3
110	Increased nuchal translucency can be ascertained using transverse planes. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 750.e1-750.e6.	0.7	3
111	The First Case Report in Italy of Di George Syndrome Detected by Noninvasive Prenatal Testing. <i>Case Reports in Obstetrics and Gynecology</i> , 2015, 2015, 1-3.	0.2	2
112	Two- and three-dimensional transperineal ultrasound as complementary tool in management of vaginal hematoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 272-273.	0.9	2
113	Three-dimensional color Doppler before and after embolization of postpartum-acquired enhanced myometrial vascularity/arteriovenous malformation. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 925-928.	0.7	2
114	Fundal Pressure During the Second Stage of Labor (Kristeller Maneuver): A Critical Appraisal of Its Potential Role in the Modern Obstetrics. , 2021, , 695-701.		2
115	Isolated Upward Rotation of the Fetal Cerebellar Vermis (Blake's Pouch Cyst) Is a Normal Variant: An Analysis of 111 Cases. <i>Fetal Diagnosis and Therapy</i> , 2021, 48, 485-492.	0.6	2
116	Sylvian fossa sonographic measurements in 18 to 23 weeks fetuses with and without cerebral malformations. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100357.	1.3	2
117	The correlation between levator ani co-activation and fetal head regression on maternal pushing at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 9654-9660.	0.7	2
118	Apparently isolated fetal mesocardia at midtrimester: report of a series. <i>Prenatal Diagnosis</i> , 2009, 29, 889-891.	1.1	1
119	Ultrasonographic Cervical Length and Risk of Hemorrhage in Pregnancies With Placenta Previa. <i>Obstetrics and Gynecology</i> , 2010, 116, 1458.	1.2	1
120	P33. Uterine artery Doppler and biochemical markers (PAPP-A, PlGF, sFlt-1, P-Selectin, NGAL) at 11+0 to 13+6 weeks in the prediction of late (>34 weeks) preeclampsia. <i>Pregnancy Hypertension</i> , 2011, 1, 287-288.	0.6	1
121	Lung Ultrasound Is Not a Useful Screening Tool for Severe Acute Respiratory Syndrome Coronavirus 2 in Pregnant Women: A Pilot Study. <i>Journal of Ultrasound in Medicine</i> , 2021, 40, 215-215.	0.8	1
122	A case of lobar holoprosencephaly: brain and facial typical features. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 446-447.	0.7	1
123	Decidualized endometrioma in a non-pregnant woman. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 781-782.	0.9	1
124	Brain views that benefit from three-dimensional ultrasound. <i>Current Opinion in Obstetrics and Gynecology</i> , 2021, 33, 135-142.	0.9	1
125	Plasma and amniotic fluid concentrations of nitric oxide: Effects on uterine artery and placental vasculature in women who underwent voluntary pregnancy termination and in women with missed and threatened abortion. A pilot study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 105-110.	0.5	1
126	Obstetric anal sphincter injuries: strategies for prevention, diagnosis, and management. <i>Minerva Obstetrics and Gynecology</i> , 2021, 73, 74-81.	0.5	1

#	ARTICLE	IF	CITATIONS
127	Hypertensive disorders and maternal hemodynamic changes in pregnancy: monitoring by USCOMÂ® device. <i>Journal of Medical Ultrasonics (2001)</i> , 2022, 49, 405-413.	0.6	1
128	Invasive diagnosis after first-trimester aneuploidy screening. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 928.	0.7	1
129	Head Rotation in Labor and Intrapartum Sonography Diagnosis with 2D and 3D. , 2012, , 101-108.		0
130	Re: Preoperative assessment of submucous fibroids by three-dimensional saline contrast sonohysterography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 116-117.	0.9	0
131	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 354-355.	0.9	0
132	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 414-415.	0.7	0
133	Sharing knowledge: the White Journal and the power of social networks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 279-280.	0.9	0
134	Effect of chorionic villus sampling on placental volume and vascularization in the first trimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 726-730.	0.7	0
135	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 850-850.	0.9	0
136	Threeâ€Dimensional Ultrasound Evaluation of Pelvic Floor Muscle Contraction in Women Affected by Deep Infiltrating Endometriosis. <i>Journal of Ultrasound in Medicine</i> , 2022, , .	0.8	0
137	A case of prenatal strangulated inguinal hernia. <i>American Journal of Obstetrics and Gynecology</i> , 2022, , .	0.7	0