

John E Casida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3919133/publications.pdf>

Version: 2024-02-01

259
papers

17,529
citations

13068

68
h-index

18075

120
g-index

260
all docs

260
docs citations

260
times ranked

10471
citing authors

#	ARTICLE	IF	CITATIONS
1	NEONICOTINOID INSECTICIDE TOXICOLOGY: Mechanisms of Selective Action. Annual Review of Pharmacology and Toxicology, 2005, 45, 247-268.	4.2	1,306
2	SELECTIVETOXICITY OFNEONICOTINOIDSATTRIBUTABLE TOSPECIFICITY OFINSECT ANDMAMMALIANNICOTINICRECEPTORS. Annual Review of Entomology, 2003, 48, 339-364.	5.7	757
3	Neuroactive Insecticides: Targets, Selectivity, Resistance, and Secondary Effects. Annual Review of Entomology, 2013, 58, 99-117.	5.7	592
4	Golden Age of Insecticide Research: Past, Present, or Future?. Annual Review of Entomology, 1998, 43, 1-16.	5.7	548
5	Organophosphate Toxicology: Safety Aspects of Nonacetylcholinesterase Secondary Targets. Chemical Research in Toxicology, 2004, 17, 983-998.	1.7	465
6	Mixed-function oxidase involvement in the biochemistry of insecticide synergists. Journal of Agricultural and Food Chemistry, 1970, 18, 753-772.	2.4	326
7	Mechanisms for Selective Toxicity of Fipronil Insecticide and Its Sulfone Metabolite and Desulfinyl Photoproduct. Chemical Research in Toxicology, 1998, 11, 1529-1535.	1.7	306
8	The calcium-Ryanodine receptor complex of skeletal and cardiac muscle. Biochemical and Biophysical Research Communications, 1985, 128, 449-456.	1.0	300
9	Pest Toxicology: The Primary Mechanisms of Pesticide Action. Chemical Research in Toxicology, 2009, 22, 609-619.	1.7	281
10	Neonicotinoid Metabolism: Compounds, Substituents, Pathways, Enzymes, Organisms, and Relevance. Journal of Agricultural and Food Chemistry, 2011, 59, 2923-2931.	2.4	265
11	Interaction of 1-Methyl-4-Phenylpyridinium Ion (MPP+) and Its Analogs with the Rotenone/Piericidin Binding Site of NADH Dehydrogenase. Journal of Neurochemistry, 1991, 56, 1184-1190.	2.1	213
12	Neonicotinoid Insecticides: Molecular Features Conferring Selectivity for Insect versus Mammalian Nicotinic Receptors. Journal of Agricultural and Food Chemistry, 2000, 48, 6016-6024.	2.4	204
13	Interactions of lindane, toxaphene and cyclodienes with brain-specific -butylbicycphosphorothionate receptor. Life Sciences, 1984, 35, 171-178.	2.0	194
14	Neonicotinoids and Other Insect Nicotinic Receptor Competitive Modulators: Progress and Prospects. Annual Review of Entomology, 2018, 63, 125-144.	5.7	193
15	Rotenone, Deguelin, Their Metabolites, and the Rat Model of Parkinson's Disease. Chemical Research in Toxicology, 2004, 17, 1540-1548.	1.7	175
16	Interaction of Imidacloprid Metabolites and Analogs with the Nicotinic Acetylcholine Receptor of Mouse Brain in Relation to Toxicity. Pesticide Biochemistry and Physiology, 1997, 58, 77-88.	1.6	170
17	Aldehyde dehydrogenase inhibition as a pathogenic mechanism in Parkinson disease. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 636-641.	3.3	170
18	Loss of neuropathy target esterase in mice links organophosphate exposure to hyperactivity. Nature Genetics, 2003, 33, 477-485.	9.4	164

#	ARTICLE	IF	CITATIONS
19	Neonicotinoid insecticides induce salicylate-associated plant defense responses. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17527-17532.	3.3	163
20	Biological Activity of a Tri-o-Cresyl Phosphate Metabolite. Nature, 1961, 191, 1396-1397.	13.7	158
21	Serine hydrolase targets of organophosphorus toxicants. Chemico-Biological Interactions, 2005, 157-158, 277-283.	1.7	155
22	Atomic interactions of neonicotinoid agonists with AChBP: Molecular recognition of the distinctive electronegative pharmacophore. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 7606-7611.	3.3	155
23	Dichloroacetamide antidotes enhance thiocarbamate sulfoxide detoxification by elevating corn root glutathione content and glutathione S-transferase activity. Pesticide Biochemistry and Physiology, 1976, 6, 442-456.	1.6	153
24	Molecular Recognition of Neonicotinoid Insecticides: The Determinants of Life or Death. Accounts of Chemical Research, 2009, 42, 260-269.	7.6	152
25	Unique and Common Metabolites of Thiamethoxam, Clothianidin, and Dinotefuran in Mice. Chemical Research in Toxicology, 2006, 19, 1549-1556.	1.7	147
26	Structural model for \hat{A} -aminobutyric acid receptor noncompetitive antagonist binding: Widely diverse structures fit the same site. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5185-5190.	3.3	146
27	Comparative Metabolism and Pharmacokinetics of Seven Neonicotinoid Insecticides in Spinach. Journal of Agricultural and Food Chemistry, 2008, 56, 10168-10175.	2.4	145
28	Chloropyridinyl Neonicotinoid Insecticides: \hat{A} Diverse Molecular Substituents Contribute to Facile Metabolism in Mice. Chemical Research in Toxicology, 2006, 19, 944-951.	1.7	144
29	Imidacloprid insecticide metabolism: human cytochrome P450 isozymes differ in selectivity for imidazolidine oxidation versus nitroimine reduction. Toxicology Letters, 2002, 132, 65-70.	0.4	143
30	Novel nicotinic action of the sulfoximine insecticide sulfoxaflor. Insect Biochemistry and Molecular Biology, 2011, 41, 432-439.	1.2	142
31	Insect Nicotinic Acetylcholine Receptor: Conserved Neonicotinoid Specificity of [3H]Imidacloprid Binding Site. Journal of Neurochemistry, 2002, 75, 1294-1303.	2.1	130
32	Insecticide action at the GABA-gated chloride channel: Recognition, progress, and prospects. Archives of Insect Biochemistry and Physiology, 1993, 22, 13-23.	0.6	128
33	Evidence that mouse brain neuropathy target esterase is a lysophospholipase. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 7983-7987.	3.3	125
34	The Neonicotinoid Electronegative Pharmacophore Plays the Crucial Role in the High Affinity and Selectivity for the <i>Drosophila</i> Nicotinic Receptor: \hat{A} An Anomaly for the Nicotinic Cation \hat{A} Interaction Model. Biochemistry, 2003, 42, 7819-7827.	1.2	124
35	Minor structural changes in nicotinoid insecticides confer differential subtype selectivity for mammalian nicotinic acetylcholine receptors. British Journal of Pharmacology, 1999, 127, 115-122.	2.7	123
36	Role of Human GABAA Receptor $\hat{2}$ 3 Subunit in Insecticide Toxicity. Toxicology and Applied Pharmacology, 2001, 172, 233-240.	1.3	115

#	ARTICLE	IF	CITATIONS
37	Potiation and neurotoxicity induced by certain organophosphates. <i>Biochemical Pharmacology</i> , 1963, 12, 73-83.	2.0	113
38	Pesticide Chemical Research in Toxicology: Lessons from Nature. <i>Chemical Research in Toxicology</i> , 2017, 30, 94-104.	1.7	110
39	Structure and diversity of insect nicotinic acetylcholine receptors. <i>Pest Management Science</i> , 2001, 57, 914-922.	1.7	109
40	Activation of the endocannabinoid system by organophosphorus nerve agents. <i>Nature Chemical Biology</i> , 2008, 4, 373-378.	3.9	108
41	Fatty Acid Amide Hydrolase Inhibition by Neurotoxic Organophosphorus Pesticides. <i>Toxicology and Applied Pharmacology</i> , 2001, 173, 48-55.	1.3	102
42	Golden Age of RyR and GABA-R Diamide and Isoxazoline Insecticides: Common Genesis, Serendipity, Surprises, Selectivity, and Safety. <i>Chemical Research in Toxicology</i> , 2015, 28, 560-566.	1.7	102
43	Novel GABA receptor pesticide targets. <i>Pesticide Biochemistry and Physiology</i> , 2015, 121, 22-30.	1.6	101
44	Structure-toxicity relationships of 2,6,7-trioxabicyclo[2.2.2]-octanes and related compounds. <i>Toxicology and Applied Pharmacology</i> , 1976, 36, 261-279.	1.3	100
45	Effects of pyrethroid structure on rates of hydrolysis and oxidation by mouse liver microsomal enzymes. <i>Pesticide Biochemistry and Physiology</i> , 1977, 7, 391-401.	1.6	99
46	t-[³ H]Butylbicycloorthobenzoate: New Radioligand Probe for the γ -Aminobutyric Acid?Regulated Chloride Ionophore. <i>Journal of Neurochemistry</i> , 1985, 45, 798-804.	2.1	99
47	Glutathione <i>S</i> -Transferase Conjugation of Organophosphorus Pesticides Yields <i>S</i> -Phospho-, <i>S</i> -Aryl-, and <i>S</i> -Alkylglutathione Derivatives. <i>Chemical Research in Toxicology</i> , 2007, 20, 1211-1217.	1.7	94
48	Structural aspects of ryanodine action and selectivity. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 710-716.	2.9	90
49	Metabolic chemistry of pyrethroid insecticides. <i>Pest Management Science</i> , 1980, 11, 257-269.	0.7	89
50	GABA-gated chloride channel: Binding site for 4 ϵ^2 -ethynyl-4-n-[2,3- ³ H]propylbicycloorthobenzoate ([³ H]EBOB) in vertebrate brain and insect head. <i>Pesticide Biochemistry and Physiology</i> , 1992, 44, 1-8.	1.6	89
51	Anticholinesterase insecticide retrospective. <i>Chemico-Biological Interactions</i> , 2013, 203, 221-225.	1.7	88
52	Insect pyrethroid-hydrolyzing esterases. <i>Pesticide Biochemistry and Physiology</i> , 1974, 4, 465-472.	1.6	86
53	Polychlorocycloalkane insecticide-induced convulsions in mice in relation to disruption of the GABA-regulated chloride ionophore. <i>Life Sciences</i> , 1986, 39, 1855-1862.	2.0	83
54	New GABA/Glutamate Receptor Target for [³ H]Isoxazoline Insecticide. <i>Chemical Research in Toxicology</i> , 2013, 26, 514-516.	1.7	81

#	ARTICLE	IF	CITATIONS
55	New Bioactive Flavonoids and Stilbenes in CubÃ© Resin Insecticide. <i>Journal of Natural Products</i> , 1999, 62, 205-210.	1.5	80
56	Imidacloprid, Thiacloprid, and Their Imine Derivatives Up-Regulate the $\alpha 4\beta 2$ Nicotinic Acetylcholine Receptor in M10 Cells. <i>Toxicology and Applied Pharmacology</i> , 2000, 169, 114-120.	1.3	78
57	Activity-Based Protein Profiling of Organophosphorus and Thiocarbamate Pesticides Reveals Multiple Serine Hydrolase Targets in Mouse Brain. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2808-2815.	2.4	78
58	Pyrethroid Esterase(s) May Contribute to Natural Pyrethroid Tolerance of Larvae of the Common Green Lacewing 1. <i>Environmental Entomology</i> , 1981, 10, 681-684.	0.7	77
59	Insect Ryanodine Receptor: Distinct but Coupled Insecticide Binding Sites for [<i>N</i> - $C^{3>3}$]Chlorantraniliprole, Flubendiamide, and [$C^{3>3}$]Ryanodine. <i>Chemical Research in Toxicology</i> , 2012, 25, 1571-1573.	1.7	77
60	Identification of Aldehyde Oxidase as the Neonicotinoid Nitroreductase. <i>Chemical Research in Toxicology</i> , 2005, 18, 317-323.	1.7	75
61	Monoacylglycerol lipase regulates 2-arachidonoylglycerol action and arachidonic acid levels. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 5875-5878.	1.0	75
62	Detoxification of α - and β -Thujones (the Active Ingredients of Absinthe): Site Specificity and Species Differences in Cytochrome P450 Oxidation in Vitro and in Vivo. <i>Chemical Research in Toxicology</i> , 2001, 14, 589-595.	1.7	74
63	Monoacylglycerol lipase inhibition by organophosphorus compounds leads to elevation of brain 2-arachidonoylglycerol and the associated hypomotility in mice. <i>Toxicology and Applied Pharmacology</i> , 2006, 211, 78-83.	1.3	74
64	Mapping the elusive neonicotinoid binding site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9075-9080.	3.3	74
65	Metabolic fate of pyrethrin I, pyrethrin II, and allethrin administered orally to rats. <i>Journal of Agricultural and Food Chemistry</i> , 1972, 20, 300-313.	2.4	73
66	Atypical nicotinic agonist bound conformations conferring subtype selectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1728-1732.	3.3	73
67	Enzymes and Inhibitors in Neonicotinoid Insecticide Metabolism. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4861-4866.	2.4	73
68	Uncoupling action of 2,4-dinitrophenols, 2-trifluoromethylbenzimidazoles and certain other pesticide chemicals upon mitochondria from different sources and its relation to toxicity. <i>Biochemical Pharmacology</i> , 1969, 18, 1389-1401.	2.0	71
69	Drosophila GABA-gated chloride channel: Modified [3 H]EBOB binding site associated with Ala α 1' Ser or Gly mutants of Rdl subunit. <i>Life Sciences</i> , 1995, 56, 757-765.	2.0	71
70	Acephate Insecticide Toxicity: Safety Conferred by Inhibition of the Bioactivating Carboxamidase by the Metabolite Methamidophos. <i>Chemical Research in Toxicology</i> , 1997, 10, 64-69.	1.7	70
71	Structure-toxicity relationships of 1-substituted-4-alkyl-2,6,7-trioxabicyclo[2.2.2]octanes. <i>Toxicology and Applied Pharmacology</i> , 1979, 47, 287-293.	1.3	69
72	Oxidative metabolism of pyrethroids in houseflies. <i>Journal of Agricultural and Food Chemistry</i> , 1969, 17, 1227-1236.	2.4	68

#	ARTICLE	IF	CITATIONS
73	Response of hepatic microsomal mixed-function oxidases to various types of insecticide chemical synergists administered to mice. <i>Biochemical Pharmacology</i> , 1971, 20, 1607-1618.	2.0	68
74	House fly brain I^3 -aminobutyric acid-gated chloride channel: target for multiple classes of insecticides. <i>Pesticide Biochemistry and Physiology</i> , 1991, 41, 60-65.	1.6	67
75	Analgesic and Toxic Effects of Neonicotinoid Insecticides in Mice. <i>Toxicology and Applied Pharmacology</i> , 2001, 177, 77-83.	1.3	67
76	Species differences in chlorantraniliprole and flubendiamide insecticide binding sites in the ryanodine receptor. <i>Pesticide Biochemistry and Physiology</i> , 2013, 107, 321-326.	1.6	66
77	Detection and analysis of epoxides with 4-(p-nitrobenzyl)-pyridine. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1974, 12, 759-764.	1.3	65
78	The insecticide target in the PSST subunit of complex I. <i>Pest Management Science</i> , 2001, 57, 932-940.	1.7	65
79	Organophosphorus Xenobiotic Toxicology. <i>Annual Review of Pharmacology and Toxicology</i> , 2017, 57, 309-327.	4.2	62
80	Pesticide Interactions: Mechanisms, Benefits, and Risks. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 4553-4561.	2.4	61
81	Whitefly (Hemiptera: Aleyrodidae) Binding Site for Imidacloprid and Related Insecticides: A Putative Nicotinic Acetylcholine Receptor. <i>Journal of Economic Entomology</i> , 1997, 90, 879-882.	0.8	60
82	Neonicotinoid Insecticides: Reduction and Cleavage of Imidacloprid Nitroimine Substituent by Liver Microsomal and Cytosolic Enzymes. <i>Chemical Research in Toxicology</i> , 2002, 15, 1158-1165.	1.7	60
83	Structural Features of Azidopyridinyl Neonicotinoid Probes Conferring High Affinity and Selectivity for Mammalian I^3 and <i>Drosophila</i> Nicotinic Receptors. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2832-2840.	2.9	60
84	Why Insecticides are More Toxic to Insects than People: The Unique Toxicology of Insects. <i>Journal of Pesticide Sciences</i> , 2004, 29, 81-86.	0.8	60
85	Rotenone photodecomposition. <i>Journal of Agricultural and Food Chemistry</i> , 1972, 20, 850-856.	2.4	59
86	Novel and Potent 6-Chloro-3-pyridinyl Ligands for the I^3 Neuronal Nicotinic Acetylcholine Receptor. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 2227-2234.	2.9	58
87	Insect I^3 -Aminobutyric Acid Receptors and Isoxazoline Insecticides: Toxicological Profiles Relative to the Binding Sites of [³ H]Fluralaner, [³ H]-4-Ethynyl-4-propylbicycloorthobenzoate, and [³ H]Avermectin. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1019-1024.	2.4	57
88	Novel Neonicotinoid Agarose Affinity Column for <i>Drosophila</i> and <i>Musca</i> Nicotinic Acetylcholine Receptors. <i>Journal of Neurochemistry</i> , 1996, 67, 1669-1676.	2.1	56
89	Blood Acylpeptide Hydrolase Activity Is a Sensitive Marker for Exposure to Some Organophosphate Toxicants. <i>Toxicological Sciences</i> , 2005, 86, 291-299.	1.4	56
90	Neonicotinoid metabolic activation and inactivation established with coupled nicotinic receptor-CYP3A4 and -aldehyde oxidase systems. <i>Toxicology Letters</i> , 2006, 161, 108-114.	0.4	55

#	ARTICLE	IF	CITATIONS
91	Benomyl, Aldehyde Dehydrogenase, DOPAL, and the Catecholaldehyde Hypothesis for the Pathogenesis of Parkinson's Disease. <i>Chemical Research in Toxicology</i> , 2014, 27, 1359-1361.	1.7	55
92	Cyclozaprid Insecticide: Nicotinic Acetylcholine Receptor Binding Site and Metabolism. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 7883-7888.	2.4	54
93	Aldehyde Oxidase Importance In Vivo in Xenobiotic Metabolism: Imidacloprid Nitroreduction in Mice. <i>Toxicological Sciences</i> , 2013, 133, 22-28.	1.4	54
94	Structure-biodegradability relationships in pyrethroid insecticides. <i>Archives of Environmental Contamination and Toxicology</i> , 1975, 3, 491-500.	2.1	53
95	Acifluorfen increases the leaf content of phytoalexins and stress metabolites in several crops. <i>Journal of Agricultural and Food Chemistry</i> , 1983, 31, 751-755.	2.4	53
96	Selective Inhibitors of Fatty Acid Amide Hydrolase Relative to Neuropathy Target Esterase and Acetylcholinesterase: Toxicological Implications. <i>Toxicology and Applied Pharmacology</i> , 2002, 179, 57-63.	1.3	53
97	Relation of yolk sac membrane kynurenine formamidase inhibition to certain teratogenic effects of organophosphorus insecticides and of carbaryl and eserine in chicken embryos. <i>Biochemical Pharmacology</i> , 1978, 27, 2611-2615.	2.0	52
98	Fenazaquin Acaricide Specific Binding Sites in NADH: Ubiquinone Oxidoreductase and Apparently the ATP Synthase Stalk. <i>Pesticide Biochemistry and Physiology</i> , 1996, 54, 135-145.	1.6	51
99	Insecticides in Chinese Medicinal Plants: A Survey Leading to Jacaranone, A Neurotoxicant and Glutathione-Reactive Quinol. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 2544-2547.	2.4	51
100	Neonicotinoid Nitroguanidine Insecticide Metabolites: Synthesis and Nicotinic Receptor Potency of Guanidines, Aminoguanidines, and Their Derivatives. <i>Chemical Research in Toxicology</i> , 2005, 18, 1479-1484.	1.7	51
101	GABA _A receptor target of tetramethylenedisulfotetramine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8607-8612.	3.3	51
102	Diamide Insecticide Target Site Specificity in the <i>Heliothis</i> and <i>Musca</i> Ryanodine Receptors Relative to Toxicity. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 4077-4082.	2.4	51
103	Photodecomposition of pyrethrin I, allethrin, phthalthrin, and dimethrin. Modifications in the acid moiety. <i>Journal of Agricultural and Food Chemistry</i> , 1969, 17, 208-215.	2.4	50
104	House fly head GABA-gated chloride channel: Toxicologically relevant binding site for avermectins coupled to site for ethynylbicycloorthobenzoate. <i>Pesticide Biochemistry and Physiology</i> , 1992, 43, 116-122.	1.6	50
105	A brain detoxifying enzyme for organophosphorus nerve poisons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6195-6200.	3.3	49
106	Insect Nicotinic Acetylcholine Receptors: Neonicotinoid Binding Site Specificity Is Usually but Not Always Conserved with Varied Substituents and Species. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 3365-3371.	2.4	49
107	Toxaphene toxicant A. Mixture of 2,2,5-endo,6-exo,8,8,9,10-octachlorobornane and 2,2,5-endo,6-exo,8,9,9,10-octachlorobornane. <i>Journal of Agricultural and Food Chemistry</i> , 1975, 23, 991-994.	2.4	48
108	Toxaphene components and related compounds: preparation and toxicity of some hepta-, octa- and nonachlorobornanes, hexa- and heptachlorobornenes, and a hexachlorobornadiene. <i>Journal of Agricultural and Food Chemistry</i> , 1977, 25, 1394-1401.	2.4	48

#	ARTICLE	IF	CITATIONS
109	The ABCs of pesticide toxicology: amounts, biology, and chemistry. <i>Toxicology Research</i> , 2017, 6, 755-763.	0.9	48
110	Radiosynthesis and metabolism in rats of the 1R isomers of the insecticide permethrin. <i>Journal of Agricultural and Food Chemistry</i> , 1976, 24, 270-276.	2.4	47
111	COLOC-S: A modified COLOC sequence for selective long-range X-H correlation 2D NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 1987, 25, 837-842.	1.1	47
112	The Greening of Pesticideâ€“Environment Interactions: Some Personal Observations. <i>Environmental Health Perspectives</i> , 2012, 120, 487-493.	2.8	47
113	Unique Neonicotinoid Binding Conformations Conferring Selective Receptor Interactions. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2825-2828.	2.4	46
114	Nereistoxin and Cartap Neurotoxicity Attributable to Direct Block of the Insect Nicotinic Receptor/Channel. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 2646-2652.	2.4	45
115	Chicken embryo nad levels lowered by teratogenic organophosphorus and methylcarbamate insecticides. <i>Biochemical Pharmacology</i> , 1976, 25, 757-762.	2.0	44
116	S-methylation as a bioactivation mechanism for mono- and dithiocarbamate pesticides as aldehyde dehydrogenase inhibitors. <i>Chemical Research in Toxicology</i> , 1995, 8, 1063-1069.	1.7	43
117	Mechanism for Benomyl Action as a Mitochondrial Aldehyde Dehydrogenase Inhibitor in Mice. <i>Chemical Research in Toxicology</i> , 1998, 11, 535-543.	1.7	43
118	Herbicide Safener-Binding Protein of Maize1. <i>Plant Physiology</i> , 1998, 116, 1083-1089.	2.3	42
119	Pyrethroid toxicology in the frog. <i>Pesticide Biochemistry and Physiology</i> , 1983, 20, 217-224.	1.6	41
120	9, 21-Didehydroryanodine: a new principal toxic constituent of the botanical insecticide Ryania. <i>Journal of the Chemical Society Chemical Communications</i> , 1984, , 1265.	2.0	41
121	Defining Nicotinic Agonist Binding Surfaces through Photoaffinity Labeling. <i>Biochemistry</i> , 2007, 46, 8798-8806.	1.2	41
122	Neonicotinoid Insecticides: Oxidative Stress in Planta and Metallo-oxidase Inhibition. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 4860-4867.	2.4	41
123	Photosensitizers for the accelerated degradation of chlorinated cyclodienes and other insecticide chemicals exposed to sunlight on bean leaves. <i>Journal of Agricultural and Food Chemistry</i> , 1971, 19, 410-416.	2.4	40
124	Pyrethroid metabolism: microsomal oxidase metabolites of (S)-bioallethrin and the six natural pyrethrins. <i>Journal of Agricultural and Food Chemistry</i> , 1990, 38, 529-537.	2.4	40
125	Substrate Specificity of Rabbit Aldehyde Oxidase for Nitroguanidine and Nitromethylene Neonicotinoid Insecticides. <i>Chemical Research in Toxicology</i> , 2006, 19, 38-43.	1.7	40
126	Metabolism of the cis- and trans-isomers of cypermethrin in mice. <i>Pest Management Science</i> , 1981, 12, 385-398.	0.7	39

#	ARTICLE	IF	CITATIONS
127	Desnitro-imidacloprid Activates the Extracellular Signal-Regulated Kinase Cascade via the Nicotinic Receptor and Intracellular Calcium Mobilization in N1E-115 Cells. <i>Toxicology and Applied Pharmacology</i> , 2002, 184, 180-186.	1.3	39
128	Insect nicotinic receptor interactions in vivo with neonicotinoid, organophosphorus, and methylcarbamate insecticides and a synergist. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17273-17277.	3.3	39
129	Synthesis of a Novel [125I]Neonicotinoid Photoaffinity Probe for the <i>Drosophila</i> Nicotinic Acetylcholine Receptor. <i>Bioconjugate Chemistry</i> , 1997, 8, 7-14.	1.8	38
130	Regional Modification of [3H]Ethynylbicycloorthobenzoate Binding in Mouse Brain GABA _A Receptor by Endosulfan, Fipronil, and Avermectin B1a. <i>Toxicology and Applied Pharmacology</i> , 2000, 163, 188-194.	1.3	38
131	Recognition of tetramethylenedisulfotetramine and related sulfamides by the brain GABA-gated chloride channel and a cyclodiene-sensitive monoclonal antibody. <i>Chemical Research in Toxicology</i> , 1991, 4, 162-167.	1.7	37
132	Organophosphate-sensitive lipases modulate brain lysophospholipids, ether lipids and endocannabinoids. <i>Chemico-Biological Interactions</i> , 2008, 175, 355-364.	1.7	37
133	Cartap Hydrolysis Relative to Its Action at the Insect Nicotinic Channel. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 95-98.	2.4	36
134	Solubilization and Detergent Effects on Interactions of Some Drugs and Insecticides with the t-Butylbicyclophosphorothionate Binding Site Within the γ -Aminobutyric Acid Receptor-Ionophore Complex. <i>Journal of Neurochemistry</i> , 1985, 44, 110-116.	2.1	35
135	Neonicotinoid formaldehyde generators: Possible mechanism of mouse-specific hepatotoxicity/hepatocarcinogenicity of thiamethoxam. <i>Toxicology Letters</i> , 2013, 216, 139-145.	0.4	35
136	Cellular function of neuropathy target esterase in lysophosphatidylcholine action. <i>Toxicology and Applied Pharmacology</i> , 2008, 232, 376-383.	1.3	34
137	5-Azidoimidacloprid and an Acyclic Analogue as Candidate Photoaffinity Probes for Mammalian and Insect Nicotinic Acetylcholine Receptors. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 5003-5009.	2.9	33
138	Glufosinate binds N-methyl-D-aspartate receptors and increases neuronal network activity in vitro. <i>NeuroToxicology</i> , 2014, 45, 38-47.	1.4	33
139	Acute toxicity, bioconcentration, elimination and antioxidant effects of fluralaner in zebrafish, <i>Danio rerio</i> . <i>Environmental Pollution</i> , 2018, 232, 183-190.	3.7	33
140	2-Aryl-5-tert-butyl-1,3-dithianes and their S-oxidation products: structure-activity relationships of potent insecticides acting at the GABA-gated chloride channel. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 497-505.	2.4	32
141	Dialkylquinonimines Validated as in Vivo Metabolites of Alachlor, Acetochlor, and Metolachlor Herbicides in Rats. <i>Chemical Research in Toxicology</i> , 1998, 11, 353-359.	1.7	32
142	Chemical model for phosphine-induced lipid peroxidation. <i>Pest Management Science</i> , 2000, 56, 779-783.	1.7	32
143	Synthesis of a Tritium-Labeled, Fipronil-Based, Highly Potent, Photoaffinity Probe for the GABA Receptor. <i>Journal of Organic Chemistry</i> , 2003, 68, 8075-8079.	1.7	32
144	Profenofos insecticide bioactivation in relation to antidote action and the stereospecificity of acetylcholinesterase inhibition, reactivation, and aging. <i>Toxicology and Applied Pharmacology</i> , 1984, 73, 16-22.	1.3	31

#	ARTICLE	IF	CITATIONS
145	Effects of insecticides and GABAergic agents on a house fly [35S]t-butylbicyclophosphorothionate binding site. <i>Pesticide Biochemistry and Physiology</i> , 1986, 25, 63-72.	1.6	31
146	Three-bond ^{13}C - ^1H coupling constants for chrysanthemic acid and phenothrin metabolites: Detection by two-dimensional long-range ^{13}C - ^1H -resolution spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 1993, 31, 90-93.	1.1	31
147	Curious about Pesticide Action. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2762-2769.	2.4	31
148	Lipases and their inhibitors in health and disease. <i>Chemico-Biological Interactions</i> , 2016, 259, 211-222.	1.7	31
149	[125I]Azidonicotinoid photoaffinity labeling of insecticide-binding subunit of <i>Drosophila</i> nicotinic acetylcholine receptor. <i>Neuroscience Letters</i> , 1997, 237, 61-64.	1.0	30
150	Serine Hydrolase KIAA1363: A Toxicological and Structural Features with Emphasis on Organophosphate Interactions. <i>Chemical Research in Toxicology</i> , 2006, 19, 1142-1150.	1.7	30
151	Why Prodrugs and Propesticides Succeed. <i>Chemical Research in Toxicology</i> , 2017, 30, 1117-1126.	1.7	30
152	Insecticide interactions with γ -aminobutyric acid and nicotinic receptors: predictive aspects of structural models. <i>Journal of Pesticide Sciences</i> , 2008, 33, 4-8.	0.8	30
153	Lysophospholipase inhibition by organophosphorus toxicants. <i>Toxicology and Applied Pharmacology</i> , 2004, 196, 319-326.	1.3	29
154	Dichloroacetamide herbicide antidotes enhance sulfate metabolism in corn roots. <i>Pesticide Biochemistry and Physiology</i> , 1983, 19, 350-360.	1.6	28
155	R-25788 Effects on Chlorsulfuron Injury and Acetohydroxyacid Synthase Activity. <i>Weed Science</i> , 1985, 33, 462-468.	0.8	28
156	NADH: Ubiquinone Oxidoreductase Inhibitors Block Induction of Ornithine Decarboxylase Activity in MCF7 Human Breast Cancer Cells*. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1998, 83, 214-219.	0.0	28
157	1-(4-Ethynylphenyl)-2,6,7-trioxabicyclo[2.2.2]octanes: a new order of potency for insecticides acting at the GABA-gated chloride channel. <i>Journal of Agricultural and Food Chemistry</i> , 1989, 37, 213-216.	2.4	27
158	Insecticidal activity of various 3-acyl and other derivatives of veracevine relative to the veratrum alkaloids veratridine and cevadine. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 1875-1881.	2.4	27
159	Metabolism in rats and mice of the soil fumigants metham, methyl isothiocyanate, and dazomet. <i>Journal of Agricultural and Food Chemistry</i> , 1993, 41, 1497-1502.	2.4	27
160	Structural modifications increase the insecticidal activity of ryanodine. <i>Pest Management Science</i> , 1997, 51, 33-38.	0.7	27
161	Sensitivity of blood-clotting factors and digestive enzymes to inhibition by organophosphorus pesticides. , 2000, 14, 51-56.		27
162	Cannabinoid CB1 Receptor Chemical Affinity Probes: Methods Suitable for Preparation of Isopropyl [11,12- ^3H]Dodecylfluorophosphonate and [11,12- ^3H]Dodecanesulfonyl Fluoride. <i>Synthetic Communications</i> , 2003, 33, 2151-2159.	1.1	27

#	ARTICLE	IF	CITATIONS
163	Lysophosphatidylcholine hydrolases of human erythrocytes, lymphocytes, and brain: Sensitive targets of conserved specificity for organophosphorus delayed neurotoxicants. <i>Toxicology and Applied Pharmacology</i> , 2007, 224, 98-104.	1.3	27
164	Bis-neonicotinoid insecticides: Observed and predicted binding interactions with the nicotinic receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3449-3452.	1.0	27
165	Novel photoproducts of heptachlor epoxide, Trans-chlordane, and Trans-nonachlor. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1972, 7, 376-382.	1.3	26
166	Phosphorylating intermediates in the peracid oxidation of phosphorothionates, phosphorothiolates, and phosphorodithioates. <i>Journal of Agricultural and Food Chemistry</i> , 1988, 36, 610-615.	2.4	26
167	[³ H]imidacloprid: Synthesis of a candidate radioligand for the nicotinic acetylcholine receptor. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1992, 31, 609-613.	0.5	25
168	[6-chloro-3-pyridylmethyl- ³ H] neonicotinoids as high-affinity radioligands for the nicotinic acetylcholine receptor: Preparation using NaB ³ H ₄ and LiB ³ H ₄ . <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1996, 38, 971-978.	0.5	25
169	Significance of branched bridge-head substituent in toxicity of bicyclic phosphate esters. <i>Agricultural and Biological Chemistry</i> , 1976, 40, 2113-2115.	0.3	24
170	Insecticidal 1,3-dithianes. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 147-151.	2.4	24
171	Desnitroimidacloprid and Nicotine Binding Site in Rat Recombinant $\alpha 4\beta 2$ Neuronal Nicotinic Acetylcholine Receptor. <i>Pesticide Biochemistry and Physiology</i> , 1999, 64, 55-61.	1.6	24
172	Chloropicrin dechlorination in relation to toxic action. , 2000, 14, 26-32.		24
173	Drosophila nicotinic receptors: evidence for imidacloprid insecticide and α -bungarotoxin binding to distinct sites. <i>Neuroscience Letters</i> , 2004, 371, 56-59.	1.0	24
174	Nimbolide is the Principal Cytotoxic Component of Neem-Seed Insecticide Preparations. , 1996, 48, 135-140.		23
175	Unexpected Metabolic Reactions and Secondary Targets of Pesticide Action. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 4471-4477.	2.4	23
176	Pyrethroid photochemistry: photooxidation reactions of the chrysanthemates phenothrin and tetramethrin. <i>Journal of Agricultural and Food Chemistry</i> , 1982, 30, 110-115.	2.4	22
177	Synthetic pyrethroids: Toxicity and synergism on dietary exposure of <i>Tribolium castaneum</i> (Herbst) larvae. <i>Pest Management Science</i> , 1983, 14, 367-372.	0.7	22
178	Organophosphorus pesticide-induced butyrylcholinesterase inhibition and potentiation of succinylcholine toxicity in mice. , 1999, 13, 113-118.		22
179	5-Azidoepibatidine: an exceptionally potent photoaffinity ligand for neuronal $\alpha 4\beta 2$ and $\alpha 7$ nicotinic acetylcholine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 525-527.	1.0	22
180	Dual roles of brain serine hydrolase KIAA1363 in ether lipid metabolism and organophosphate detoxification. <i>Toxicology and Applied Pharmacology</i> , 2008, 228, 42-48.	1.3	22

#	ARTICLE	IF	CITATIONS
181	Alachlor and its analogs as metabolic progenitors of formaldehyde: fate of N-methoxymethyl and other N-alkoxyalkyl substituents. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 1342-1350.	2.4	21
182	Major Intermediates in Organophosphate Synthesis (PCl ₃ , POCl ₃ , PSCl ₃ , and Their Diethyl Esters) Are Anticholinesterase Agents Directly or on Activation. <i>Chemical Research in Toxicology</i> , 2003, 16, 350-356.	1.7	21
183	Pesticide Detox by Design. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 9379-9383.	2.4	21
184	Novel photoreactions of an insecticidal nitromethylene heterocycle. <i>Journal of Agricultural and Food Chemistry</i> , 1985, 33, 998-1000.	2.4	20
185	Platelet-activating factor acetylhydrolase: selective inhibition by potent n-alkyl methylphosphonofluoridates. <i>Toxicology and Applied Pharmacology</i> , 2005, 205, 149-156.	1.3	20
186	Nitroso-Imidacloprid Irreversibly Inhibits Rabbit Aldehyde Oxidase. <i>Chemical Research in Toxicology</i> , 2007, 20, 1942-1946.	1.7	20
187	Toxic Hazard from formulating the Insecticide Dimethoate in Methyl Cellosolve™. <i>Nature</i> , 1961, 189, 507-508.	13.7	19
188	House Fly Adenosine Triphosphatases and Their Inhibition by Insecticidal Organotin Compounds1. <i>Journal of Economic Entomology</i> , 1965, 58, 392-400.	0.8	19
189	Oxime ether pyrethroids and hydroxylamine ether propyretroids: photochemistry, biological activity, and metabolism. <i>Journal of Agricultural and Food Chemistry</i> , 1983, 31, 1091-1096.	2.4	19
190	Anomalous Structure-Activity Relationships of 13-homo-13-Oxarotenoids and 13-homo-13-Oxadehydrorotenoids. <i>Chemical Research in Toxicology</i> , 1997, 10, 853-858.	1.7	19
191	Activation of extracellular signal-regulated kinases (ERK 44/42) by chlorpyrifos oxon in Chinese hamster ovary cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2000, 14, 346-353.	1.4	19
192	Photoaffinity labeling of insect nicotinic acetylcholine receptors with a novel [3H]azidoneonicotinoid. <i>Journal of Neurochemistry</i> , 2001, 78, 1359-1366.	2.1	19
193	Ryanodine receptor genes of the rice stem borer, <i>Chilo suppressalis</i> : Molecular cloning, alternative splicing and expression profiling. <i>Pesticide Biochemistry and Physiology</i> , 2017, 135, 69-77.	1.6	19
194	Fiprole insecticide resistance of <i>Laodelphax striatellus</i> : electrophysiological and molecular docking characterization of A2 ² N RDL GABA receptors. <i>Pest Management Science</i> , 2018, 74, 2645-2651.	1.7	19
195	Diphenyl ether herbicides: Effects of acifluorfen on phenylpropanoid biosynthesis and phenylalanine ammonia-lyase activity in spinach. <i>Pesticide Biochemistry and Physiology</i> , 1982, 18, 191-196.	1.6	18
196	Cloning, expression, and catalytic triad of recombinant arylformamidase. <i>Protein Expression and Purification</i> , 2005, 44, 39-44.	0.6	18
197	Michael Elliott's billion dollar crystals and other discoveries in insecticide chemistry. <i>Pest Management Science</i> , 2010, 66, 1163-1170.	1.7	18
198	S-Methylation of O,O-Dialkyl Phosphorodithioic Acids: O,O,S-Trimethyl Phosphorodithioate and Phosphorothiolate as Metabolites of Dimethoate in Mice. <i>Chemical Research in Toxicology</i> , 1996, 9, 1202-1206.	1.7	17

#	ARTICLE	IF	CITATIONS
199	Oxidative Bioactivation of Methamidophos Insecticide: Synthesis of N-Hydroxymethamidophos (A) and Its Fragmentation through a Metaphosphate Analogue. <i>Chemical Research in Toxicology</i> , 1998, 11, 26-34.	1.7	17
200	Insect Muscarinic Acetylcholine Receptor: Pharmacological and Toxicological Profiles of Antagonists and Agonists. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 2276-2281.	2.4	17
201	Nicotinic Agonist Binding Site Mapped by Methionine- and Tyrosine-Scanning Coupled with Azidochloropyridinyl Photoaffinity Labeling. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 3735-3741.	2.9	17
202	Ability of Poplar (<i>Populus</i> spp.) to Detoxify Chloroacetanilide Herbicides. <i>Water, Air and Soil Pollution</i> , 2003, 3, 277-283.	0.8	16
203	Optically pure pyrethroids labeled with deuterium and tritium in the methylcyclopentenonyl ring. <i>Journal of Agricultural and Food Chemistry</i> , 1972, 20, 295-299.	2.4	15
204	Bioorganotin Chemistry: Biological Oxidation of Organotin Compounds. <i>Advances in Chemistry Series</i> , 1976, , 197-203.	0.6	15
205	Heterocyclic Insecticides Acting at the GABA-Gated Chloride Channel: 5-Alkyl-2-arylpyrimidines and -1,3-thiazines. <i>Pest Management Science</i> , 1996, 46, 237-245.	0.7	15
206	Spontaneous Mobility of GABAA Receptor M2 Extracellular Half Relative to Noncompetitive Antagonist Action. <i>Journal of Biological Chemistry</i> , 2006, 281, 38871-38878.	1.6	15
207	Chemical and Biological O-Demethylation of Rotenone Derivatives. <i>Agricultural and Biological Chemistry</i> , 1973, 37, 1937-1944.	0.3	14
208	Significance of Branched Bridge-head Substituent in Toxicity of Bicyclic Phosphate Esters. <i>Agricultural and Biological Chemistry</i> , 1976, 40, 2113-2115.	0.3	14
209	Fipronil-based photoaffinity probe for <i>Drosophila</i> and human γ -GABA receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 2979-2981.	1.0	14
210	Neuropathy Target Esterase of Hen Brain: Active Site Reactions with 4-(4-oxo-1,3,2-oxadiazaphosphorin 2-oxide and 4-(4-oxo-1,3,2-oxadiazaphosphorin 2-oxide)phenyl] Benzodioxaphosphorin 2-oxide. <i>Journal of Neurochemistry</i> , 1995, 64, 1680-1687.	2.1	14
211	Photochemical Reactions of Pyrethroid Insecticides. <i>ACS Symposium Series</i> , 1977, , 137-146.	0.5	13
212	Peracid-mediated -oxidation and rearrangement of dimethylphosphoramides: plausible model for oxidative bioactivation of the carcinogen hexamethylphosphoramide (HMPA). <i>Tetrahedron Letters</i> , 1982, 23, 5107-5110.	0.7	13
213	Reaction of Proposed Phosphorothiolate-S-Oxide Intermediates with Alcohols. <i>Phosphorous and Sulfur and the Related Elements</i> , 1983, 18, 209-212.	0.2	13
214	1-[4-[(Trimethylsilyl)ethynyl]phenyl]-2,6,7-trioxabicyclo[2.2.2]octanes: a novel type of selective proinsecticide. <i>Journal of Agricultural and Food Chemistry</i> , 1990, 38, 1091-1093.	2.4	13
215	Photoaffinity radioligand for NADH:ubiquinone oxidoreductase: [S-C ³ H ₂] (trifluoromethyl)diaziriny-pyridaben. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1998, 41, 191-199.	0.5	13
216	Long-range CH correlation 2D NMR spectroscopy (long-range) modulation of cross-peak intensities. <i>Magnetic Resonance in Chemistry</i> , 1988, 26, 367-372.	1.1	12

#	ARTICLE	IF	CITATIONS
217	Human Protoporphyrinogen Oxidase: Relation between the Herbicide Binding Site and the Flavin Cofactor. <i>Biochemistry</i> , 1998, 37, 6905-6910.	1.2	12
218	GABAA receptor open-state conformation determines non-competitive antagonist binding. <i>Toxicology and Applied Pharmacology</i> , 2011, 250, 221-228.	1.3	12
219	Species-Specificity in Enzymatic Oxidation of Pyrethroid Insecticides. <i>Journal of Pesticide Sciences</i> , 1978, 3, 165-168.	0.8	12
220	Synthesis and insecticidal activity of some pyrethroid-like compounds including ones lacking cyclopropane or ester groupings. <i>Journal of Agricultural and Food Chemistry</i> , 1969, 17, 931-938.	2.4	11
221	Long-range CH correlation 2D NMR spectroscopy $2\hat{\epsilon}$ effect of TANGO and BIRD pulses. <i>Magnetic Resonance in Chemistry</i> , 1988, 26, 362-366.	1.1	11
222	Novel selective catalytic reduction with tritium: Synthesis of the GABAA receptor radioligand 1-(4-ethynylphenyl)-4-[2,3- $^3\text{H}_2$]propyl-2,6,7-trioxabicyclo[2.2.2]octane. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1991, 29, 829-839.	0.5	11
223	Sulfoxidation of the Soil Fumigants Metam, Methyl Isothiocyanate, and Dazomet. <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 2019-2024.	2.4	11
224	STEREOSPECIFIC INTRAMOLECULAR CYCLIZATION FOR ASYMMETRIC SYNTHESIS OF (<i>RP</i>)- AND (<i>SP</i>)-ENANTIOMERS OF 2-OCTYL- AND 2-PHENYL-4- ^1H -1,3,2-BENZODIOXAPHOSPHORIN 2-OXIDES. Phosphorus, Sulfur and Silicon and the Related Elements, 1995, 102, 177-184.	0.8	11
225	Complete spectral assignments of cevadine and veratridine by 2D NMR techniques. <i>Magnetic Resonance in Chemistry</i> , 1988, 26, 980-989.	1.1	10
226	Insecticidal thioureas: preparation of [phenoxy-4- ^3H]diafenthiuron, the corresponding carbodiimide, and related compounds. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 909-913.	2.4	10
227	House fly head GABA-gated chloride channel: [^3H] $\hat{\pm}$ -Endosulfan binding in relation to polychlorocycloalkane insecticide action. <i>Pest Management Science</i> , 1994, 42, 59-63.	0.7	10
228	ASYMMETRIC SYNTHESIS OF (<i>RP</i>)- AND (<i>SP</i>)-2-ETHYL-, (<i>RP</i>)-2-PENTYLOXY-, (<i>SP</i>)-2-PENTYLTHIO- AND (<i>SP</i>)-2-PENTYLAMINO-4H-1,3,2-BENZODIOXAPHOSPHORIN 2-OXIDES. Phosphorus, Sulfur and Silicon and the Related Elements, 1994, 88, 129-137.	0.8	10
229	Role of cerebellar granule cell-specific GABAA receptor subtype in the differential sensitivity of [^3H]ethynylbicycloorthobenzoate binding to GABA mimetics. <i>Neuroscience Letters</i> , 1997, 225, 85-88.	1.0	10
230	Dinitroanilines as photostabilizers for pyrethroids. <i>Journal of Agricultural and Food Chemistry</i> , 1984, 32, 246-250.	2.4	9
231	1,3-dithianes with acid functionalities: potent inhibitors and candidate affinity probes for the gaba-gated chloride channel. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993, 3, 2671-2674.	1.0	9
232	Affinity probes for the GABA-gated chloride channel: 5e-tert-Butyl-2e-[4-(substituted-ethynyl)phenyl]-1,3-dithianes with photoactivatable, fluorescent, biotin, agarose and protein substituents. <i>Bioorganic and Medicinal Chemistry</i> , 1995, 3, 1675-1684.	1.4	9
233	S-Arachidonoyl-2-thioglycerol synthesis and use for fluorimetric and colorimetric assays of monoacylglycerol lipase. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 1942-1947.	1.4	9
234	Radioligand Recognition of Insecticide Targets. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 3277-3290.	2.4	9

#	ARTICLE	IF	CITATIONS
235	Fluorescent Probes for Insect Ryanodine Receptors: Candidate Anthranilic Diamides. <i>Molecules</i> , 2014, 19, 4105-4114.	1.7	8
236	Toxicological Significance of Oxidation and Rearrangement Reactions of S-Chloroallyl Thio- and Dithiocarbamate Herbicides. <i>ACS Symposium Series</i> , 1981, , 65-82.	0.5	7
237	Metabolites of the prototype insecticide (2E,4E)-N-isobutyl-6-phenylhexa-2,4-dienamide. 2. Formation in mouse and rat liver microsomal systems, rat hepatocytes, and houseflies. <i>Journal of Agricultural and Food Chemistry</i> , 1989, 37, 781-786.	2.4	7
238	Non-steroidal analogues of veratridine: Model-based design, synthesis and insecticidal activity. <i>Pest Management Science</i> , 1995, 44, 96-102.	0.7	7
239	Chemical Ionization Mass Spectrometry of Organophosphorus Insecticides. <i>Journal of the Association of Official Analytical Chemists</i> , 1974, 57, 1050-1055.	0.2	6
240	Triflithionin Z, [uracil-5- ³ H,pyridyl-2,4- ³ H ₂]: radiolabeling of a potent inhibitor of fungal and insect chitin synthetase. <i>Journal of Agricultural and Food Chemistry</i> , 1990, 38, 1712-1715.	2.4	6
241	Avermectin chemistry and action: ester- and ether-type candidate photoaffinity probes. <i>Bioorganic and Medicinal Chemistry</i> , 2000, 8, 19-26.	1.4	6
242	Newly Observed Spontaneous Activation of Ethephon as a Butyrylcholinesterase Inhibitor. <i>Chemical Research in Toxicology</i> , 2013, 26, 422-431.	1.7	6
243	Hill Reaction Inhibitors Formed on Oxidative Metabolism of Phenylurea Herbicides. <i>Journal of Pesticide Sciences</i> , 1980, 5, 267-270.	0.8	6
244	Permethrin Metabolism in Rats and Cows and in Bean and Cotton Plants. <i>ACS Symposium Series</i> , 1977, , 186-193.	0.5	5
245	Ryanoid Chemistry and Action. <i>ACS Symposium Series</i> , 1993, , 130-144.	0.5	5
246	(±S, Z, 1R, 3R)-[4- ² ,4- ³ H]cyhalothrin and -[4- ³ ,6- ² ,-3H]4- ³ -fluorocyhalothrin: Synthesis of candidate pyrethroid radioligands for the sodium channel. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1993, 33, 613-625.	0.5	4
247	Insecticide Binding Sites on ³ H-Aminobutyric Acid Receptors of Insects and Mammals. <i>ACS Symposium Series</i> , 1993, , 126-143.	0.5	4
248	Chemical Ionization Mass Spectrometry of N-Methylcarbamate Insecticides, Some of Their Metabolites, and Related Compounds. <i>Journal of the Association of Official Analytical Chemists</i> , 1975, 58, 541-547.	0.2	3
249	Bioorganotin Chemistry: Stereo- and Site Selectivity in the Monooxygenase Enzyme Reactions of Cyclohexyltin Compounds. <i>ACS Symposium Series</i> , 1979, , 82-93.	0.5	3
250	Bicycloorthocarboxylates. <i>ACS Symposium Series</i> , 1987, , 71-82.	0.5	3
251	Long-range CH correlation 2D NMR spectroscopy. Complete spectral assignments of the pesticide metabolite S-(2,3-dihydroxy-1-propyl)glutathione. <i>Magnetic Resonance in Chemistry</i> , 1988, 26, 542-546.	1.1	3
252	Insecticidal isomers of 4-tert-butyl-1-(4-ethynylcyclohexyl)-2,6,7-trioxabicyclo [2.2.2] octane and 5-tert-butyl-2-(4-ethynylcyclohexyl)-1,3-dithiane. <i>Pest Management Science</i> , 1995, 44, 69-74.	0.7	3

#	ARTICLE	IF	CITATIONS
253	JOHN E. CASIDA. , 2009, , 383-431.		3
254	Characterization of the Transient Oxaphosphetane BChE Inhibitor Formed from Spontaneously Activated Ethephon. Chemical Research in Toxicology, 2013, 26, 1320-1322.	1.7	3
255	OXIDATIVELY-INDUCED FORMATION OF DIALKYL HYDROGENPHOSPHONATES FROM PHOSPHOROTHIONATES. Phosphorus, Sulfur and Silicon and the Related Elements, 1990, 54, 221-224.	0.8	2
256	HERBICIDE ANTIDOTES: PROGRESS AND PROSPECTS. , 1978, , 161-164.		2
257	HRGC-MS studies on the microsomal oxidase metabolites of the pyrethroid insecticide S-bioallethrin. Fresenius Zeitschrift für Analytische Chemie, 1989, 333, 743-744.	0.7	1
258	STEREOCHEMISTRY OF OXIDATIVELY-INDUCED TRANSFORMATION OF DIESTER PHOSPHOROTHIOIC ACIDS AND TRIESTER PHOSPHOROTHIONATES TO DIESTER HYDROGENPHOSPHONATES. Phosphorus, Sulfur and Silicon and the Related Elements, 1991, 56, 21-26.	0.8	0
259	Reply to "Association between organophosphate exposure and hyperactivity?" Nature Genetics, 2003, 34, 235-235.	9.4	0