
## Tadashi Nakano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3920317/publications.pdf Version: 2024-02-01



Τλολεμι Νλκλνο

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Long-Term Physiologic Changes of Intraocular PressureA 10-year longitudinal analysis in young and<br>middle-aged Japanese men. Ophthalmology, 2005, 112, 609-616.  | 5.2 | 72        |
| 2  | Performance of glaucoma mass screening with only a visual field test using frequency-doubling technology perimetry. American Journal of Ophthalmology, 2002, 134, 529-537.   | 3.3 | 54        |
| 3  | Laterality of the Performance of Glaucoma Mass Screening Using Frequency-Doubling Technology.<br>Journal of Glaucoma, 2003, 12, 221-225.   | 1.6 | 26        |
| 4  | Possible association between heavy computer users and glaucomatous visual field abnormalities: a<br>cross sectional study in Japanese workers. Journal of Epidemiology and Community Health, 2004, 58,<br>1021-1027.   | 3.7 | 18        |
| 5  | <p>Longitudinal follow-up of two patients with isolated paracentral acute middle<br/>maculopathy</p> . International Medical Case Reports Journal, 2019, Volume 12, 143-149.   | 0.8 | 16        |
| 6  | Travoprost with sofZia® preservative system lowered intraocular pressure of Japanese normal tension glaucoma with minimal side effects. Clinical Ophthalmology, 2014, 8, 347.  | 1.8 | 14        |
| 7  | Effects of Brinzolamide, a Topical Carbonic Anhydrase Inhibitor, on Corneal Endothelial Cells.<br>Advances in Therapy, 2016, 33, 1452-1459.  | 2.9 | 14        |
| 8  | Assessment of physical inactivity and locomotor dysfunction in adults with visual impairment.<br>Scientific Reports, 2018, 8, 12032.   | 3.3 | 14        |
| 9  | FDT Perimetry for Glaucoma Detection in Comprehensive Health Checkup Service. Journal of Ophthalmology, 2020, 2020, 1-6.   | 1.3 | 11        |
| 10 | Fixed Combination of Travoprost and Timolol Maleate Reduces Intraocular Pressure in Japanese<br>Patients with Primary Open-Angle Glaucoma or Ocular Hypertension: A Prospective Multicenter<br>Open-Label Study. Advances in Therapy, 2015, 32, 823-837.     | 2.9 | 10        |
| 11 | Twenty-Four-Hour Variation of Intraocular Pressure in Primary Open-Angle Glaucoma Treated with<br>Triple Eye Drops. Journal of Ophthalmology, 2017, 2017, 1-6.   | 1.3 | 8         |
| 12 | Variants in IL23R-C1orf141 and ADO-ZNF365-EGR2 are associated with susceptibility to Vogt-Koyanagi-Harada disease in Japanese population. PLoS ONE, 2020, 15, e0233464.  | 2.5 | 7         |
| 13 | Association between Information and Communication Technology use and Ocular Axial Length<br>Elongation among Middle-Aged Male Workers. Scientific Reports, 2019, 9, 17489.   | 3.3 | 6         |
| 14 | A new PDE6A missense variant p.Arg544Gln in rod–cone dystrophy. Documenta Ophthalmologica, 2021,<br>143, 107-114.  | 2.2 | 6         |
| 15 | <p>Detection of Glaucoma and Other Vision-Threatening Ocular Diseases in the Population<br/>Recruited at Specific Health Checkups in Japan</p> . Clinical Epidemiology, 2020, Volume 12,<br>1381-1388.   | 3.0 | 6         |
| 16 | The association between legal Japanese visual impairment grades and vision-related quality of life.<br>Japanese Journal of Ophthalmology, 2016, 60, 219-225.   | 1.9 | 5         |
| 17 | Clinical findings of end-stage retinitis pigmentosa with a homozygous PDE6A variant (p.R653X).<br>American Journal of Ophthalmology Case Reports, 2019, 13, 110-115.   | 0.7 | 5         |
| 18 | Differences in Neuroticism Between Patients with Glaucoma Who Have Discontinued Visits to<br>Ophthalmologists and Those Who Make Regular Visits: Implications for Adherence to Topical<br>Glaucoma Medications. Ophthalmology and Therapy, 2016, 5, 207-214. | 2.3 | 4         |

Tadashi Nakano

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The safety and efficacy of phaco-sleeve irrigation-assisted hydrodissection during femtosecond laser-assisted cataract surgery. Clinical Ophthalmology, 2018, Volume 12, 1829-1835.  | 1.8 | 4         |
| 20 | Increased Incidence of Visual Field Abnormalities as Determined by Frequency Doubling Technology<br>Perimetry in High Computer Users Among Japanese Workers: A Retrospective Cohort Study. Journal of<br>Epidemiology, 2018, 28, 214-219.                | 2.4 | 4         |
| 21 | Free radical production by femtosecond laser lens irradiation in porcine eyes. Journal of Cataract and Refractive Surgery, 2019, 45, 1168-1171.  | 1.5 | 4         |
| 22 | <p>Suitability of Different Observational Lenses for Viewing the Macular Area Through<br/>Multifocal Intraocular Lenses in a Model of the Human Eye</p> . Clinical Ophthalmology, 2020,<br>Volume 14, 3279-3284.   | 1.8 | 4         |
| 23 | Combining Optical Coherence Tomography and Fundus Photography to Improve Glaucoma Screening.<br>Diagnostics, 2022, 12, 1100.   | 2.6 | 4         |
| 24 | Association Study of ARMC9 Gene Variants with Vogt-Koyanagi-Harada Disease in Japanese Patients.<br>Ocular Immunology and Inflammation, 2019, 27, 699-705.   | 1.8 | 3         |
| 25 | Factors Determining the Morphology of Peripapillary Retinoschisis. Clinical Ophthalmology, 2021,<br>Volume 15, 1293-1300.  | 1.8 | 3         |
| 26 | Assessment of quality of life in patients with visual impairments using a new visual function questionnaire: the VFQ-J11. Clinical Ophthalmology, 2016, Volume 10, 1939-1944.  | 1.8 | 2         |
| 27 | Influence of epinephrine contained in local anesthetics on upper eyelid height in transconjunctival<br>blepharoptosis surgery. Graefe's Archive for Clinical and Experimental Ophthalmology, 2020, 258,<br>1287-1292.                                    | 1.9 | 2         |
| 28 | Complications of femtosecond laser-assisted cataract surgery combined with vitrectomy.<br>International Ophthalmology, 2020, 40, 943-949.  | 1.4 | 1         |
| 29 | Factors Influencing Threshold Energy in Subthreshold Photocoagulation for Diabetic Macular<br>Edema. Clinical Ophthalmology, 2021, Volume 15, 1827-1830.   | 1.8 | 1         |
| 30 | Age-Specific Prevalence of Glaucoma is Determined by the Presence of Refractive Errors Among<br>Japanese Workers. The Showa University Journal of Medical Sciences, 2010, 22, 229-237.   | 0.1 | 1         |
| 31 | Verification of the effectiveness of visual field testing in general medical checkups, particularly in comparison to non-contact intraocular pressure testing. Health Evaluation and Promotion, 2014, 41, 513-517.                                       | 0.0 | 1         |
| 32 | Fixed combination of travoprost and timolol maleate reduces intraocular pressure in Japanese<br>patients with primary open-angle glaucoma or ocular hypertension: analysis by prostaglandin<br>analogue. Clinical Ophthalmology, 2016, Volume 11, 55-61. | 1.8 | 0         |
| 33 | Surgical Technique for Pars Plana Ahmed Glaucoma Valve Implantation in Advanced Glaucoma: The<br>Upside-Down Technique. Journal of Glaucoma, 2021, 30, 489-496.  | 1.6 | 0         |
| 34 | White matter microstructural properties in glaucoma: multi-contrast magnetic resonance imaging study. Journal of Vision, 2021, 21, 1854.   | 0.3 | 0         |
| 35 | Behavior of Generated Gas during Femtosecond Laser Lens Irradiation in Porcine Cadaver Eyes. Applied<br>Sciences (Switzerland), 2021, 11, 8247.  | 2.5 | 0         |
| 36 | STUDIES ON THE EXPERIMENTAL TYPHOID. The KITAKANTO Medical Journal, 1961, 11, 202-206.   | 0.0 | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Drug-resistance of tSaphylococcus aureus. The KITAKANTO Medical Journal, 1963, 13, 279-289.  | 0.0 | 0         |
| 38 | DRUG-RESISTANCE OF STAPHYLOCOCCI TRANSDUCTION OF TETRACYCLINE RESISTANCE IN STAPHYLOCOCC S<br>A RE S BY TYPING PHAGE 80. The KITAKANTO Medical Journal, 1963, 13, 191-194. | 0.0 | 0         |