

Tadashi Nakano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3920317/publications.pdf>

Version: 2024-02-01

38
papers

330
citations

1039880

9
h-index

887953

17
g-index

40
all docs

40
docs citations

40
times ranked

378
citing authors

#	ARTICLE	IF	CITATIONS
1	Combining Optical Coherence Tomography and Fundus Photography to Improve Glaucoma Screening. <i>Diagnostics</i> , 2022, 12, 1100.	1.3	4
2	Surgical Technique for Pars Plana Ahmed Glaucoma Valve Implantation in Advanced Glaucoma: The Upside-Down Technique. <i>Journal of Glaucoma</i> , 2021, 30, 489-496.	0.8	0
3	A new PDE6A missense variant p.Arg544Gln in rodâ€cone dystrophy. <i>Documenta Ophthalmologica</i> , 2021, 143, 107-114.	1.0	6
4	Factors Determining the Morphology of Peripapillary Retinoschisis. <i>Clinical Ophthalmology</i> , 2021, Volume 15, 1293-1300.	0.9	3
5	Factors Influencing Threshold Energy in Subthreshold Photocoagulation for Diabetic Macular Edema. <i>Clinical Ophthalmology</i> , 2021, Volume 15, 1827-1830.	0.9	1
6	White matter microstructural properties in glaucoma: multi-contrast magnetic resonance imaging study. <i>Journal of Vision</i> , 2021, 21, 1854.	0.1	0
7	Behavior of Generated Gas during Femtosecond Laser Lens Irradiation in Porcine Cadaver Eyes. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8247.	1.3	0
8	<p>Suitability of Different Observational Lenses for Viewing the Macular Area Through Multifocal Intraocular Lenses in a Model of the Human Eye</p>. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 3279-3284.	0.9	4
9	Influence of epinephrine contained in local anesthetics on upper eyelid height in transconjunctival blepharoptosis surgery. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 1287-1292.	1.0	2
10	Complications of femtosecond laser-assisted cataract surgery combined with vitrectomy. <i>International Ophthalmology</i> , 2020, 40, 943-949.	0.6	1
11	FDT Perimetry for Glaucoma Detection in Comprehensive Health Checkup Service. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-6.	0.6	11
12	Variants in IL23R-C1orf141 and ADO-ZNF365-EGR2 are associated with susceptibility to Vogt-Koyanagi-Harada disease in Japanese population. <i>PLoS ONE</i> , 2020, 15, e0233464.	1.1	7
13	<p>Detection of Glaucoma and Other Vision-Threatening Ocular Diseases in the Population Recruited at Specific Health Checkups in Japan</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1381-1388.	1.5	6
14	Free radical production by femtosecond laser lens irradiation in porcine eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 1168-1171.	0.7	4
15	<p>Longitudinal follow-up of two patients with isolated paracentral acute middle maculopathy</p>. <i>International Medical Case Reports Journal</i> , 2019, Volume 12, 143-149.	0.3	16
16	Association between Information and Communication Technology use and Ocular Axial Length Elongation among Middle-Aged Male Workers. <i>Scientific Reports</i> , 2019, 9, 17489.	1.6	6
17	Association Study of ARMC9 Gene Variants with Vogt-Koyanagi-Harada Disease in Japanese Patients. <i>Ocular Immunology and Inflammation</i> , 2019, 27, 699-705.	1.0	3
18	Clinical findings of end-stage retinitis pigmentosa with a homozygous PDE6A variant (p.R653X). <i>American Journal of Ophthalmology Case Reports</i> , 2019, 13, 110-115.	0.4	5

#	ARTICLE	IF	CITATIONS
19	Assessment of physical inactivity and locomotor dysfunction in adults with visual impairment. <i>Scientific Reports</i> , 2018, 8, 12032.	1.6	14
20	The safety and efficacy of phaco-sleeve irrigation-assisted hydrodissection during femtosecond laser-assisted cataract surgery. <i>Clinical Ophthalmology</i> , 2018, Volume 12, 1829-1835.	0.9	4
21	Increased Incidence of Visual Field Abnormalities as Determined by Frequency Doubling Technology Perimetry in High Computer Users Among Japanese Workers: A Retrospective Cohort Study. <i>Journal of Epidemiology</i> , 2018, 28, 214-219.	1.1	4
22	Twenty-Four-Hour Variation of Intraocular Pressure in Primary Open-Angle Glaucoma Treated with Triple Eye Drops. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-6.	0.6	8
23	Fixed combination of travoprost and timolol maleate reduces intraocular pressure in Japanese patients with primary open-angle glaucoma or ocular hypertension: analysis by prostaglandin analogue. <i>Clinical Ophthalmology</i> , 2016, Volume 11, 55-61.	0.9	0
24	Assessment of quality of life in patients with visual impairments using a new visual function questionnaire: the VFQ-J11. <i>Clinical Ophthalmology</i> , 2016, Volume 10, 1939-1944.	0.9	2
25	Differences in Neuroticism Between Patients with Glaucoma Who Have Discontinued Visits to Ophthalmologists and Those Who Make Regular Visits: Implications for Adherence to Topical Glaucoma Medications. <i>Ophthalmology and Therapy</i> , 2016, 5, 207-214.	1.0	4
26	Effects of Brinzolamide, a Topical Carbonic Anhydrase Inhibitor, on Corneal Endothelial Cells. <i>Advances in Therapy</i> , 2016, 33, 1452-1459.	1.3	14
27	The association between legal Japanese visual impairment grades and vision-related quality of life. <i>Japanese Journal of Ophthalmology</i> , 2016, 60, 219-225.	0.9	5
28	Fixed Combination of Travoprost and Timolol Maleate Reduces Intraocular Pressure in Japanese Patients with Primary Open-Angle Glaucoma or Ocular Hypertension: A Prospective Multicenter Open-Label Study. <i>Advances in Therapy</i> , 2015, 32, 823-837.	1.3	10
29	Travoprost with sofZia® preservative system lowered intraocular pressure of Japanese normal tension glaucoma with minimal side effects. <i>Clinical Ophthalmology</i> , 2014, 8, 347.	0.9	14
30	Verification of the effectiveness of visual field testing in general medical checkups, particularly in comparison to non-contact intraocular pressure testing. <i>Health Evaluation and Promotion</i> , 2014, 41, 513-517.	0.0	1
31	Age-Specific Prevalence of Glaucoma is Determined by the Presence of Refractive Errors Among Japanese Workers. <i>The Showa University Journal of Medical Sciences</i> , 2010, 22, 229-237.	0.1	1
32	Long-Term Physiologic Changes of Intraocular Pressure A 10-year longitudinal analysis in young and middle-aged Japanese men. <i>Ophthalmology</i> , 2005, 112, 609-616.	2.5	72
33	Possible association between heavy computer users and glaucomatous visual field abnormalities: a cross sectional study in Japanese workers. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 1021-1027.	2.0	18
34	Laterality of the Performance of Glaucoma Mass Screening Using Frequency-Doubling Technology. <i>Journal of Glaucoma</i> , 2003, 12, 221-225.	0.8	26
35	Performance of glaucoma mass screening with only a visual field test using frequency-doubling technology perimetry. <i>American Journal of Ophthalmology</i> , 2002, 134, 529-537.	1.7	54
36	Drug-resistance of tSaphylococcus aureus. <i>The KITAKANTO Medical Journal</i> , 1963, 13, 279-289.	0.0	0

#	ARTICLE	IF	CITATIONS
37	DRUG-RESISTANCE OF STAPHYLOCOCCI TRANSDUCTION OF TETRACYCLINE RESISTANCE IN STAPHYLOCOCCUS AUREUS BY TYPING PHAGE 80. The KITAKANTO Medical Journal, 1963, 13, 191-194.	0.0	0
38	STUDIES ON THE EXPERIMENTAL TYPHOID. The KITAKANTO Medical Journal, 1961, 11, 202-206.	0.0	0