

Sentaro Okamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3921704/publications.pdf>

Version: 2024-02-01

42
papers

1,451
citations

394421

19
h-index

315739

38
g-index

43
all docs

43
docs citations

43
times ranked

1073
citing authors

#	ARTICLE	IF	CITATIONS
1	6-Halo-2-pyridone as an efficient organocatalyst for ester aminolysis. RSC Advances, 2021, 11, 24588-24593.	3.6	4
2	Dual-mode coupling copolymerization of aryl dialdehyde and alkynylaldehyde monomers via Concurrent McMurry olefination and alkyne [2+2+2] cycloaddition trimerization reactions mediated by a low-valent titanium reagent. Polymer, 2021, 214, 123344.	3.8	3
3	Deuteration of Indole Compounds: Synthesis of Deuterated Auxins, Indole-3-acetic Acid-d5 and Indole-3-butyric Acid-d5. ACS Omega, 2021, 6, 19956-19963.	3.5	4
4	Synthesis of folded H-stacking skipped π -polymers consisting of different 2-substituted trimethylene tethering units and their optical and conductive property. Polymer, 2021, 230, 124037.	3.8	0
5	Synthesis and vitamin D receptor affinity of 16-oxa vitamin D ₃ analogues. Organic and Biomolecular Chemistry, 2019, 17, 10188-10200.	2.8	6
6	Silica-Supported Silver as a Green and Sustainable Catalyst for the [3+2] Cycloaddition Reaction of Azomethine Ylides with α -Hydroxychalcone Derivatives. ChemCatChem, 2018, 10, 2014-2018.	3.7	10
7	Alkyne [2 + 2 + 2] Cyclotrimerization Catalyzed by a Low-Valent Titanium Reagent Derived from CpTiX ₃ (X = Cl, O- <i>i</i> -Pr), Me ₃ SiCl, and Mg or Zn. Organometallics, 2018, 37, 4431-4438.	2.3	17
8	Synthetic Reactions Using Low-valent Titanium Reagents Derived from Ti(OR) ₄ or CpTiX ₃ (X = O- <i>i</i> -Pr or Cl) in the Presence of Me ₃ SiCl and Mg. Chemical Record, 2016, 16, 857-872.	5.8	29
9	Catalytic [2+2] cycloaddition polymerization of diyne nitrile monomers in the presence of CoCl ₂ /H ₂ O/diphosphine/Zn. Journal of Polymer Science Part A, 2016, 54, 345-351.	2.3	9
10	Low-valent titanium-catalyzed deprotection of allyl- and propargyl-carbamates to amines. Tetrahedron Letters, 2016, 57, 2074-2077.	1.4	8
11	Iron-Catalyzed Reductive Metalation Allylation and Metalative Cyclization of 2,3-Disubstituted Oxetanes and Their Stereoselectivity. Synthesis, 2016, 48, 2823-2828.	2.3	1
12	Synthesis and properties of folded π -stacking polymers having J-aggregative, alternative, and staggered assembling structures. Polymer, 2016, 97, 550-558.	3.8	1
13	Preparation of 2-hydroxy A-ring precursors for synthesis of vitamin D3 analogues from lyxose. Tetrahedron Letters, 2015, 56, 2315-2318.	1.4	12
14	Design and synthesis of 2-(1,3-dialkoxy-2-methylpropan-2-yl)-1,3-diarylpropanes as tethering units for folded H-stacking polymers. Tetrahedron Letters, 2014, 55, 2649-2653.	1.4	8
15	Synthesis and properties of through-space conjugated polymers based on π - π stacked 1,3-biarylpropane tethering units. Journal of Polymer Science Part A, 2013, 51, 3412-3419.	2.3	9
16	From the Development of Catalysts for Alkyne and Alkyne-Nitrile [2+2+2] Cycloaddition Reactions to Their Use in Polymerization Reactions. Synlett, 2013, 24, 1044-1060.	1.8	72
17	Generation of a Low-Valent Titanium Species from Titanatrane and its Catalytic Reactions: Radical Ring Opening of Oxetanes. Advanced Synthesis and Catalysis, 2013, 355, 2151-2157.	4.3	25
18	Remarkable Activation of an Alkyne [2+2+2]-Cycloaddition Catalyst, 2-Iminomethylpyridine (dipimp)/CoCl ₂ ·6H ₂ O/Zn, by a Phthalate Additive. Synlett, 2012, 23, 2549-2553.	1.8	15

#	ARTICLE	IF	CITATIONS
19	Synthesis of $[\text{Ti}(\text{CH}_2)_2\text{C}(\text{CO}_2\text{Et})_2\text{CH}_2\text{Ar}]_n$ polymers and their unique optical properties by through-space interactions between Ar and $\text{C}(\text{O})_2$ groups. <i>Journal of Polymer Science Part A</i> , 2012, 50, 1707-1716.	2.3	2
20	$\text{Ti}(\text{O}-i\text{-Pr})_4/\text{Me}_3\text{SiCl}/\text{Mg}$ -Mediated Reductive Cleavage of Sulfonamides and Sulfonates to Amines and Alcohols. <i>Organic Letters</i> , 2011, 13, 2626-2629.	4.6	76
21	Non-Cp titanium alkoxide-based homolytic ring-opening of epoxides by an intramolecular hydrogen abstraction in $\dot{\text{T}}\text{i}$ -titanoxy radical intermediates. <i>Chemical Communications</i> , 2011, 47, 7857.	4.1	26
22	McMurry coupling of aryl aldehydes and imino pinacol coupling mediated by $\text{Ti}(\text{O}-i\text{-Pr})_4/\text{Me}_3\text{SiCl}/\text{Mg}$ reagent. <i>Tetrahedron Letters</i> , 2010, 51, 387-390.	1.4	24
23	Folded H-Stacking Polymers by Conformational Control with 2-Substituted Trimethylene Tethers. <i>Macromolecules</i> , 2010, 43, 6562-6569.	4.8	20
24	Synthesis of Substituted 2,2'-bipyridines and 2,2':6',2''-terpyridines by Cobalt-Catalyzed Cycloaddition Reactions of Nitriles and 1,3-Diynes with Exclusive Regioselectivity. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 143-152.	4.3	67
25	Selective Cleavage of Allyl and Propargyl Ethers to Alcohols Catalyzed by $\text{Ti}(\text{O}-i\text{-Pr})_4/\text{MX}_n/\text{Mg}$. <i>Organic Letters</i> , 2007, 9, 773-776.	4.6	42
26	Efficient Activation of 2-Minomethylpyridine/Cobalt-Based Alkyne [2+2] Cycloaddition Catalyst by Addition of a Silver Salt. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 2368-2374.	4.3	56
27	A Highly Practical Instant Catalyst for Cyclotrimerization of Alkynes to Substituted Benzenes. <i>Organic Letters</i> , 2006, 8, 1439-1442.	4.6	95
28	Stereoselective construction of 3a-methylhydrindanes starting from 2,7-enynol derivatives based on Ti(II)-mediated cyclization and Ru-catalyzed ring-closing metathesis. <i>Tetrahedron Letters</i> , 2006, 47, 5181-5185.	1.4	9
29	New Convergent Synthesis of 1 β ,25-Dihydroxyvitamin D ₃ and Its Analogues by Suzuki-Miyaura Coupling between A-Ring and C,D-Ring Parts. <i>Journal of Organic Chemistry</i> , 2003, 68, 9767-9772.	3.2	16
30	Efficient Convergent Synthesis of 1 β ,25-Dihydroxyvitamin D ₃ and Its Analogues by Suzuki-Miyaura Coupling. <i>Organic Letters</i> , 2003, 5, 523-525.	4.6	22
31	Efficient Convergent Synthesis of 1 β ,25-Dihydroxyvitamin D ₃ and Its Analogues by Suzuki-Miyaura Coupling. <i>Organic Letters</i> , 2003, 5, 3167-3167.	4.6	2
32	An Allyl titanium Derived from Acrolein 1,2-Dicyclohexylethylene Acetal and (1-propene)Ti(O-i-Pr) ₂ as a Chiral Propionaldehyde Homoenolate Equivalent that Reacts with Imines with Excellent Stereoselectivity. An Efficient and Practical Access to Optically Active β -Amino Carbonyl Compounds. <i>Journal of the American Chemical Society</i> , 2001, 123, 3462-3471.	13.7	37
33	Novel Synthetic Approach to 19-nor-1 β ,25-Dihydroxyvitamin D ₃ and Its Derivatives by Suzuki-Miyaura Coupling in Solution and on Solid Support. <i>Organic Letters</i> , 2001, 3, 3975-3977.	4.6	42
34	The Divalent Titanium Complex $\text{Ti}(\text{O}-i\text{-Pr})_4/2i\text{-PrMgX}$ as an Efficient and Practical Reagent for Fine Chemical Synthesis. <i>Advanced Synthesis and Catalysis</i> , 2001, 343, 759-784.	4.3	92
35	Synthesis of Enantio-enriched Axially Chiral Allenyltitaniums and their Reaction with Electrophiles.. Yuki Gosei Kagaku Kyokaiishi/ <i>Journal of Synthetic Organic Chemistry</i> , 2001, 59, 1204-1211.	0.1	5
36	Synthesis of Organotitanium Complexes from Alkenes and Alkynes and Their Synthetic Applications. <i>Chemical Reviews</i> , 2000, 100, 2835-2886.	47.7	358

#	ARTICLE	IF	CITATIONS
37	Titanium-Catalyzed Cycloisomerization of 1,6-Dienes. Regio- and Stereoselective Synthesis of exo-Methylenecycloalkanes. <i>Organometallics</i> , 2000, 19, 1449-1451.	2.3	35
38	Preparation of Titanated Alkoxyallenes from 3-Alkoxy-2-propyn-1-yl Carbonates and (i-2-Propene)Ti(O-i-Pr) ₂ as an Efficient Ester Homoaldol Equivalent. <i>Organic Letters</i> , 2000, 2, 2369-2371.	4.6	27
39	Titanium(IV) Aryloxy Catalyzed Cyclization Reactions of 1,6- and 1,7-Dienes. <i>Journal of the American Chemical Society</i> , 2000, 122, 1223-1224.	13.7	60
40	Prostaglandin Synthesis via Two-Component Coupling Process: The Course of Industry-University Cooperation toward the Production of PGE1 in a Kilogram Scale.. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 1999, 57, 422-428.	0.1	2
41	Synthetic Reactions with Divalent Titanium Complex.. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 1998, 56, 424-432.	0.1	15
42	Efficient and Practical Method for Synthesizing N-Heterocyclic Compounds Using Intramolecular Nucleophilic Acyl Substitution Reactions Mediated by Ti(O-i-Pr) ₄ /2i-PrMgX Reagent. Synthesis of Quinolones, Pyrroles, Indoles, and Optically Active N-Heterocycles Including Allopumiliotoxin Alkaloid 267A. <i>Journal of the American Chemical Society</i> , 1997, 119, 6984-6990.	13.7	86