

Giampaolo Niccoli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3921929/giampaolo-niccoli-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

333 papers	7,858 citations	44 h-index	77 g-index
368 ext. papers	9,599 ext. citations	4.1 avg, IF	5.86 L-index

#	Paper	IF	Citations
333	Long-term outcomes of early-onset myocardial infarction with non-obstructive coronary artery disease (MINOCA).. <i>International Journal of Cardiology</i> , 2022 ,	3.2	1
332	Optical coherence tomography in coronary atherosclerosis assessment and intervention.. <i>Nature Reviews Cardiology</i> , 2022 ,	14.8	8
331	Bridging inflammation. <i>European Heart Journal</i> , 2021 , 42, 3384	9.5	
330	Sodium-Glucose Cotransporter Inhibitors Reduce Mortality and Morbidity in Patients With Heart Failure: Evidence From a Meta-Analysis of Randomized Trials.. <i>American Journal of Therapeutics</i> , 2021 , 29, e199-e204	1	1
329	Air Pollution and Coronary Plaque Vulnerability and Instability: An Optical Coherence Tomography Study. <i>JACC: Cardiovascular Imaging</i> , 2021 , 15, 325-325	8.4	2
328	Role of perilipin 2 in microvascular obstruction in patients with ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 633-642	4.3	1
327	Identification of the haemodynamic environment permissive for plaque erosion. <i>Scientific Reports</i> , 2021 , 11, 7253	4.9	7
326	Recurrent asymptomatic Takotsubo syndrome after 20 years: are we looking at the tip of the iceberg only?. <i>Future Cardiology</i> , 2021 , 17, 309-314	1.3	
325	Prognostic impact of FFR/contrast FFR discordance. <i>International Journal of Cardiology</i> , 2021 , 327, 40-44	3.2	1
324	Interplay Between Myocardial Bridging and Coronary Spasm in Patients With Myocardial Ischemia and Non-Obstructive Coronary Arteries: Pathogenic and Prognostic Implications. <i>Journal of the American Heart Association</i> , 2021 , 10, e020535	6	8
323	Left ventricular end-diastolic pressure predicts in-hospital outcomes in takotsubo syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 661-667	4.3	1
322	Diagnostic work-up and therapeutic implications in MINOCA: need for a personalized approach. <i>Future Cardiology</i> , 2021 , 17, 149-154	1.3	9
321	Human monocyte-derived macrophages: Pathogenetic role in plaque rupture associated to systemic inflammation. <i>International Journal of Cardiology</i> , 2021 , 325, 1-8	3.2	1
320	Brain-derived neurotrophic factor in patients with acute coronary syndrome. <i>Translational Research</i> , 2021 , 231, 39-54	11	1
319	Coronary provocative tests in the catheterization laboratory: Pathophysiological bases, methodological considerations and clinical implications. <i>Atherosclerosis</i> , 2021 , 318, 14-21	3.1	8
318	Netrin-1 in Atherosclerosis: Relationship between Human Macrophage Intracellular Levels and In Vivo Plaque Morphology. <i>Biomedicines</i> , 2021 , 9,	4.8	2
317	Coronary Microvascular Dysfunction Across the Spectrum of Cardiovascular Diseases: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 1352-1371	15.1	31

316	The evolving role of cardiac imaging in patients with myocardial infarction and non-obstructive coronary arteries. <i>Progress in Cardiovascular Diseases</i> , 2021 , 68, 78-87	8.5	3
315	Takotsubo Syndrome in Intensive Cardiac Care Unit: Challenges in Diagnosis and Management.. <i>Current Problems in Cardiology</i> , 2021 , 101084	17.1	1
314	Macrophage infiltrates in coronary plaque erosion and cardiovascular outcome in patients with acute coronary syndrome. <i>Atherosclerosis</i> , 2020 , 311, 158-166	3.1	9
313	Decreased myocardial infarction admissions during COVID times: what can we learn?. <i>Cardiovascular Research</i> , 2020 , 116, e126-e128	9.9	10
312	Myocardial infarction with non-obstructive coronary arteries: what is the prognosis?. <i>European Heart Journal Supplements</i> , 2020 , 22, E40-E45	1.5	16
311	Role of endothelial dysfunction in determining angina after percutaneous coronary intervention: Learning from pathophysiology to optimize treatment. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 233-242	8.5	2
310	Coronary slow flow is associated with a worse clinical outcome in patients with Takotsubo syndrome. <i>Heart</i> , 2020 , 106, 923-930	5.1	21
309	Relationship between coronary plaque morphology of the left anterior descending artery and 12 months clinical outcome: the CLIMA study. <i>European Heart Journal</i> , 2020 , 41, 383-391	9.5	105
308	Myocardial and Microvascular Injury Due to Coronavirus Disease 2019. <i>European Cardiology Review</i> , 2020 , 15, e52	3.9	22
307	Coronary Plaque Types: Thin Cap Fibroatheroma, Healed Plaque, Calcified Plaque 2020 , 67-77		
306	Myocardial Infarction with Non-obstructive Coronary Artery Disease 2020 , 95-118		
305	Rationale, experimental data, and emerging clinical evidence on early and preventive use of levosimendan in patients with ventricular dysfunction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 310-316	6.4	2
304	Characteristics of non-culprit plaques in acute coronary syndrome patients with layered culprit plaque. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 1421-1430	4.1	15
303	Special Article - Emotional versus physical Takotsubo syndrome: Two faces of the same medal or two different syndromes?. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 699-701	8.5	9
302	Management of non-culprit coronary plaques in patients with acute coronary syndrome. <i>European Heart Journal</i> , 2020 , 41, 3579-3586	9.5	10
301	The management of non-culprit coronary lesions in patients with acute coronary syndrome. <i>European Heart Journal Supplements</i> , 2020 , 22, L170-L175	1.5	2
300	Predictors of Mortality in Myocardial Infarction and Nonobstructed Coronary Arteries: A Systematic Review and Meta-Regression. <i>American Journal of Medicine</i> , 2020 , 133, 73-83.e4	2.4	21
299	Relative risk of plaque erosion among different age and sex groups in patients with acute coronary syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2020 , 49, 352-359	5.1	9

298	Clinical, angiographic and echocardiographic correlates of epicardial and microvascular spasm in patients with myocardial ischaemia and non-obstructive coronary arteries. <i>Clinical Research in Cardiology</i> , 2020 , 109, 435-443	6.1	11
297	Optical coherence tomography and C-reactive protein in risk stratification of acute coronary syndromes. <i>International Journal of Cardiology</i> , 2019 , 286, 7-12	3.2	10
296	Clinical Events After Deferral of LAD Revascularization Following Physiological Coronary Assessment. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 444-453	15.1	20
295	Developing LRP1 Agonists into a Therapeutic Strategy in Acute Myocardial Infarction. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	16
294	Biological profile of monocyte-derived macrophages in coronary heart disease patients: implications for plaque morphology. <i>Scientific Reports</i> , 2019 , 9, 8680	4.9	14
293	Long-Term Outcomes of Extent of Revascularization in Complex High Risk and Indicated Patients Undergoing Impella-Protected Percutaneous Coronary Intervention: Report from the Roma-Verona Registry. <i>Journal of Interventional Cardiology</i> , 2019 , 2019, 5243913	1.8	16
292	Activation of Nrf2/HO-1 Pathway and Human Atherosclerotic Plaque Vulnerability:an In Vitro and In Vivo Study. <i>Cells</i> , 2019 , 8,	7.9	13
291	Dual quantitative coronary angiography accurately quantifies intracoronary thrombotic burden in patients with acute coronary syndrome: Comparison with optical coherence tomography imaging. <i>International Journal of Cardiology</i> , 2019 , 292, 25-31	3.2	5
290	Takotsubo syndrome and left ventricular non-compaction cardiomyopathy: Casualty or causality?. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2019 , 218, 64-67	2.4	2
289	Coronary Atherosclerotic Phenotype and Plaque Healing in Patients With Recurrent Acute Coronary Syndromes Compared With Patients With Long-term Clinical Stability: An In Vivo Optical Coherence Tomography Study. <i>JAMA Cardiology</i> , 2019 , 4, 321-329	16.2	55
288	Coronary microvascular dysfunction in patients with acute coronary syndrome and no obstructive coronary artery disease. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1364-1370	6.1	15
287	Hemodynamics and its predictors during Impella-protected PCI in high risk patients with reduced ejection fraction. <i>International Journal of Cardiology</i> , 2019 , 274, 221-225	3.2	10
286	Editor's Choice- Pathophysiology, diagnosis and management of MINOCA: an update. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 54-62	4.3	72
285	Fractional flow reserve in acute coronary syndromes and in stable ischemic heart disease: clinical implications. <i>International Journal of Cardiology</i> , 2019 , 277, 42-46	3.2	6
284	Comparison of Major Adverse Cardiac Events Between Instantaneous Wave-Free Ratio and Fractional Flow Reserve-Guided Strategy in Patients With or Without Type 2 Diabetes: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2019 , 4, 857-864	16.2	11
283	Optimized Treatment of ST-Elevation Myocardial Infarction. <i>Circulation Research</i> , 2019 , 125, 245-258	15.7	62
282	Sex Differences in Instantaneous Wave-Free Ratio or Fractional Flow Reserve-Guided Revascularization Strategy. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 2035-2046	5	13
281	Recurrence of angina after ST-segment elevation myocardial infarction: the role of coronary microvascular obstruction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 2048872619880661 ^{4,3}		

280	Clinical and Laboratory Predictors for Plaque Erosion in Patients With Acute Coronary Syndromes. <i>Journal of the American Heart Association</i> , 2019 , 8, e012322	6	37
279	Novel ultra-long (48 mm) everolimus-eluting stent for diffusely coronary vessels disease. <i>Minerva Cardioangiologica</i> , 2019 , 67, 87-93	1.1	3
278	Stent malapposition, strut coverage and atherothrombotic prolapse after percutaneous coronary interventions in ST-segment elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 122-130	1.9	4
277	Correlation between CD4CD28 T lymphocytes, regulatory T cells and plaque rupture: An Optical Coherence Tomography study in Acute Coronary Syndromes. <i>International Journal of Cardiology</i> , 2019 , 276, 289-292	3.2	14
276	Intracoronary imaging to guide percutaneous coronary intervention: Clinical implications. <i>International Journal of Cardiology</i> , 2019 , 274, 394-401	3.2	2
275	Trends and outcomes of optical coherence tomography use: 877 patients single-center experience. <i>Cardiovascular Revascularization Medicine</i> , 2019 , 20, 303-310	1.6	1
274	Are we ready for a gender-specific approach in interventional cardiology?. <i>International Journal of Cardiology</i> , 2019 , 286, 226-233	3.2	16
273	Neoatherosclerosis after drug-eluting stent implantation: a novel clinical and therapeutic challenge. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2019 , 5, 105-116	6.4	25
272	The 9p21 Rs 1333040 polymorphism is associated with coronary microvascular obstruction in ST-segment elevation myocardial infarction treated by primary angioplasty. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 703-707	4.3	1
271	Angiogenesis y obstrucción microvascular: ¿constituye ya una diana terapéutica?. <i>Revista Española De Cardiología</i> , 2018 , 71, 420-422	1.5	0
270	Correlation between frequency-domain optical coherence tomography and fractional flow reserve in angiographically-intermediate coronary lesions. <i>International Journal of Cardiology</i> , 2018 , 253, 55-60	3.2	16
269	Perilipin 2 levels are increased in patients with in-stent neoatherosclerosis: A clue to mechanisms of accelerated plaque formation after drug-eluting stent implantation. <i>International Journal of Cardiology</i> , 2018 , 258, 55-58	3.2	6
268	Granulocyte colony-stimulating factor for the treatment of cardiovascular diseases: An update with a critical appraisal. <i>Pharmacological Research</i> , 2018 , 127, 67-76	10.2	9
267	Effects of statins on plaque rupture assessed by optical coherence tomography in patients presenting with acute coronary syndromes: insights from the optical coherence tomography (OCT)-FORMIDABLE registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 524-531	4.1	20
266	Culprit plaque characteristics in younger versus older patients with acute coronary syndromes: An optical coherence tomography study from the FORMIDABLE registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, E1-E8	2.7	8
265	Safety of the Deferral of Coronary Revascularization on the Basis of Instantaneous Wave-Free Ratio and Fractional Flow Reserve Measurements in Stable Coronary Artery Disease and Acute Coronary Syndromes. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1437-1449	5	56
264	Epidemiology of Coronary Microvascular Obstruction 2018 , 53-68		
263	Prevention of Coronary Microvascular Obstruction by Addressing the Individual Susceptibility 2018 , 209-236		

262	Prevention of Coronary Microvascular Obstruction by Addressing Ischemia Reperfusion Injury Part A 2018 , 255-276		
261	A Multi Target and Multi Timing Strategy for the Management of Coronary Microvascular Obstruction 2018 , 309-324		
260	Clinical impact of optical coherence tomography findings on culprit plaque in acute coronary syndrome: The OCT-FORMIDABLE study registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, E486-E492	2.7	4
259	Patients with acute myocardial infarction and non-obstructive coronary arteries: safety and prognostic relevance of invasive coronary provocative tests. <i>European Heart Journal</i> , 2018 , 39, 91-98	9.5	116
258	Percutaneous coronary intervention in patients refused from surgery: a different entity?. <i>Minerva Cardioangiologica</i> , 2018 , 66, 562-568	1.1	2
257	Clinical impact of routine angiographic follow-up after percutaneous coronary interventions on unprotected left main. <i>Cardiology Journal</i> , 2018 , 25, 582-588	1.4	3
256	Effect of hemorheological parameters on myocardial injury after primary or elective percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2018 , 29, 638-646	1.4	2
255	Periprocedural Myocardial Injury Predicts Short- and Long-Term Mortality in Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e007106	6	9
254	Role of Allergic Inflammatory Cells in Coronary Artery Disease. <i>Circulation</i> , 2018 , 138, 1736-1748	16.7	30
253	Alterations of Hyaluronan Metabolism in Acute Coronary Syndrome: Implications for Plaque Erosion. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1490-1503	15.1	33
252	The coronary sinus Reducer device for refractory chronic angina: rationale, clinical evidence and future perspectives. <i>Expert Review of Medical Devices</i> , 2018 , 15, 611-613	3.5	
251	Reconsidering aetiologies of type 2 myocardial infarction: when a classification is a simplistic approach for a complex reality. <i>European Heart Journal</i> , 2018 , 39, 3826	9.5	1
250	Endothelial dysfunction as predictor of angina recurrence after successful percutaneous coronary intervention using second generation drug eluting stents. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1360-1370	3.9	7
249	Personalized treatment of myocardial infarction and non-obstructive coronary arteries: an unmet need in a high-risk population. <i>European Heart Journal</i> , 2018 , 39, 3335	9.5	3
248	Cytotoxin-associated gene antigen-positive strains of <i>Helicobacter pylori</i> and recurring acute coronary syndromes. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 535-544	4.3	10
247	The combined use of Drug-eluting balloon and Excimer laser for coronary artery Restenosis In-Stent Treatment: The DERIST study. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 165-168	1.6	8
246	Ivabradine in acute coronary syndromes: Protection beyond heart rate lowering. <i>International Journal of Cardiology</i> , 2017 , 236, 107-112	3.2	6
245	Clinical outcome and correlates of coronary microvascular obstruction in latecomers after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2017 , 236, 30-35	3.2	11

244	Optical coherence tomography compared with fractional flow reserve guided approach in acute coronary syndromes: A propensity matched analysis. <i>International Journal of Cardiology</i> , 2017 , 244, 54-58 ^{3,2}	8
243	Recurrent acute coronary syndrome and mechanisms of plaque instability. <i>International Journal of Cardiology</i> , 2017 , 243, 98-102	3.2 3
242	Temporal Trends in Adverse Events After Everolimus-Eluting Bioresorbable Vascular Scaffold Versus Everolimus-Eluting Metallic Stent Implantation: A Meta-Analysis of Randomized Controlled Trials. <i>Circulation</i> , 2017 , 135, 2145-2154	16.7 36
241	Use of the Instantaneous Wave-free Ratio or Fractional Flow Reserve in PCI. <i>New England Journal of Medicine</i> , 2017 , 376, 1824-1834	59.2 462
240	Not all plaque ruptures are born equal: an optical coherence tomography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 1271-1277	4.1 31
239	Impact of an optical coherence tomography guided approach in acute coronary syndromes: A propensity matched analysis from the international FORMIDABLE-CARDIOGROUP IV and USZ registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 90, E46-E52	2.7 19
238	Relationship between Serum Inflammatory Biomarkers and Thrombus Characteristics in Patients with ST Segment Elevation Myocardial Infarction. <i>Cardiology</i> , 2017 , 137, 27-35	1.6 4
237	Data on optical coherence tomography guidance for the management of angiographically intermediate left main bifurcation lesions. <i>Data in Brief</i> , 2017 , 14, 635-638	1.2
236	Microvascular obstruction is an independent predictor of major adverse cardiovascular events in latecomers after ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2017 , 243, 109	3.2 1
235	Optical coherence tomography guidance for the management of angiographically intermediate left main bifurcation lesions: Early clinical experience. <i>International Journal of Cardiology</i> , 2017 , 248, 108-113 ^{3,2}	13
234	Frequency-domain optical coherence tomography plaque morphology in stable coronary artery disease: sex differences. <i>Coronary Artery Disease</i> , 2017 , 28, 472-477	1.4 3
233	Epicardial collaterals spasm as a cause of ST elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 633-634	1.9
232	Angina after percutaneous coronary intervention: The need for precision medicine. <i>International Journal of Cardiology</i> , 2017 , 248, 14-19	3.2 35
231	Evaluation of intermediate coronary stenoses in acute coronary syndromes using pressure guidewire. <i>Open Heart</i> , 2017 , 4, e000431	3 7
230	A current approach to heart failure in Duchenne muscular dystrophy. <i>Heart</i> , 2017 , 103, 1770-1779	5.1 47
229	Neoatherosclerosis and Late Thrombosis After Percutaneous Coronary Intervention: Translational Cardiology and Comparative Medicine from Bench to Bedside. <i>Yale Journal of Biology and Medicine</i> , 2017 , 90, 463-470	2.4 4
228	Understanding Fractional Flow Reserve 2017 , 195-208	
227	Feasibility and Safety of Right and Left Heart Catheterization Via an Antecubital Fossa Vein and the Radial Artery in Patients With Heart Failure. <i>Journal of Invasive Cardiology</i> , 2017 , 29, 301-308	0.7 2

226	Coronary microvascular obstruction in acute myocardial infarction. <i>European Heart Journal</i> , 2016 , 37, 1024-33	9.5	201
225	Impact of drug-eluting balloon (pre- or post-) dilation on neointima formation in de novo lesions treated by bare-metal stent: the IN-PACT CORO trial. <i>Heart and Vessels</i> , 2016 , 31, 677-86	2.1	11
224	Angiographically intermediate left main bifurcation disease assessment by frequency domain optical coherence tomography (FD-OCT). <i>International Journal of Cardiology</i> , 2016 , 220, 726-8	3.2	5
223	Prognostic role of multiple biomarkers in stable patients undergoing fractional flow reserve-guided coronary angioplasty. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 687-93	1.9	0
222	Lipoprotein (a) is related to coronary atherosclerotic burden and a vulnerable plaque phenotype in angiographically obstructive coronary artery disease. <i>Atherosclerosis</i> , 2016 , 246, 214-20	3.1	17
221	NT-proANP and NT-proBNP circulating levels as predictors of cardiovascular outcome following coronary stent implantation. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 162-8	1.6	4
220	Prevalence and predictors of culprit plaque rupture at OCT in patients with coronary artery disease: a meta-analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 1128-37	4.1	93
219	The Multi-center Evaluation of the Accuracy of the Contrast MEdium INduced Pd/Pa RaTiO in Predicting FFR (MEMENTO-FFR) Study. <i>EuroIntervention</i> , 2016 , 12, 708-15	3.1	33
218	Pathophysiological aspects and management workflow of coronary microvascular obstruction in ST-segment elevation myocardial infarction. <i>Italian Journal of Medicine</i> , 2016 , 10, 10	0.5	
217	Concordance of angiographic and electrocardiographic indexes of microvascular obstruction: myocardial haemorrhage role. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 382-91	1.9	2
216	Impact of Culprit Plaque and Atherothrombotic Components on Incomplete Stent Apposition in Patients With ST-Elevation Myocardial Infarction Treated With Everolimus-Eluting Stents - An OCTAVIA Substudy. <i>Circulation Journal</i> , 2016 , 80, 895-905	2.9	4
215	Data on the lipoprotein (a), coronary atherosclerotic burden and vulnerable plaque phenotype in angiographic obstructive coronary artery disease. <i>Data in Brief</i> , 2016 , 7, 1409-12	1.2	5
214	Competitive Flow and Coronary Artery Bypass Grafts 2016 , 277-284		0
213	The Same Angiographic Factors Predict Venous and Arterial Graft Patency: A Retrospective Study. <i>Medicine (United States)</i> , 2016 , 95, e2068	1.8	1
212	Research update for articles published in EJCI in 2014. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 880-94	4.6	
211	Dual role of circulating endothelial progenitor cells in stent struts endothelialisation and neointimal regrowth: a substudy of the IN-PACT CORO trial. <i>Cardiovascular Revascularization Medicine</i> , 2015 , 16, 20-6	1.6	8
210	Plaque rupture and intact fibrous cap assessed by optical coherence tomography portend different outcomes in patients with acute coronary syndrome. <i>European Heart Journal</i> , 2015 , 36, 1377-84	9.5	161
209	Elevated homocysteine and the risk of contrast-induced nephropathy: a cohort study. <i>Angiology</i> , 2015 , 66, 333-8	2.1	11

208	Coronary in-stent restenosis in patients treated with thoracic external beam radiation for cancer. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 641	5	
207	Optical coherence tomography features of angiographic complex and smooth lesions in acute coronary syndromes. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 927-34	2.5	11
206	A focus on the prognosis and management of ischemic heart disease in patients without evidence of obstructive coronary artery disease. <i>Expert Review of Cardiovascular Therapy</i> , 2015 , 13, 1031-44	2.5	2
205	Response to Letter Regarding Article, "Allergic Inflammation Is Associated With Coronary Instability and a Worse Clinical Outcome After Acute Myocardial Infarction". <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	
204	Allergic Inflammation Is Associated With Coronary Instability and a Worse Clinical Outcome After Acute Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e002554	6	19
203	Management strategies in patients affected by chronic total occlusions: results from the Italian Registry of Chronic Total Occlusions. <i>European Heart Journal</i> , 2015 , 36, 3189-98	9.5	120
202	Acute myocardial infarction with no obstructive coronary atherosclerosis: mechanisms and management. <i>European Heart Journal</i> , 2015 , 36, 475-81	9.5	194
201	Coronary functional tests in the catheterization laboratory - pathophysiological and clinical relevance. <i>Circulation Journal</i> , 2015 , 79, 676-84	2.9	6
200	Clinical and procedural impact of aortic arch anatomic variants in carotid stenting procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 480-9	2.7	27
199	Eroded Versus Ruptured Plaques at the Culprit Site of STEMI: In Vivo Pathophysiological Features and Response to Primary PCI. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 566-575	8.4	71
198	Highly calcific in-stent restenosis as a substrate for sirolimus-eluting stent very late stent thrombosis. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16 Suppl 1, S20-2	1.9	0
197	Hypotestosteronemia is frequent in ST-elevation myocardial infarction patients and is associated with coronary microvascular obstruction. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 855-63	3.9	4
196	Comparison of Right and Left Upper Limb Arterial Variants in Patients Undergoing Bilateral Transradial Procedures. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e002863	6	10
195	Frequency domain optical coherence tomography to assess non-ostial left main coronary artery. <i>EuroIntervention</i> , 2015 , 10, e1-8	3.1	34
194	Three-dimensional quantitative coronary angiography and quantification of jeopardised myocardium to predict functional significance of intermediate coronary artery stenosis. <i>EuroIntervention</i> , 2015 , 11, 308-18	3.1	1
193	Efficacy of contrast medium induced Pd/Pa ratio in predicting functional significance of intermediate coronary artery stenosis assessed by fractional flow reserve: insights from the RINASCI study. <i>EuroIntervention</i> , 2015 , 11, 421-7	3.1	46
192	The central role of conventional 12-lead ECG for the assessment of microvascular obstruction after percutaneous myocardial revascularization. <i>Journal of Electrocardiology</i> , 2014 , 47, 45-51	1.4	12
191	Evolving management of patients treated by drug-eluting stent: prevention of late events. <i>Cardiovascular Revascularization Medicine</i> , 2014 , 15, 100-8	1.6	1

190	Advances in mechanisms, imaging and management of the unstable plaque. <i>Atherosclerosis</i> , 2014 , 233, 467-477	3.1	34
189	Parvovirus B19 at the culprit coronary stenosis predicts outcome after stenting. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 209-18	4.6	4
188	Permanent polymer of drug eluting stents increases eosinophil cationic protein levels following percutaneous coronary intervention independently of C-reactive protein. <i>Atherosclerosis</i> , 2014 , 237, 816-20	3.1	2
187	Mechanisms of atherothrombosis and vascular response to primary percutaneous coronary intervention in women versus men with acute myocardial infarction: results of the OCTAVIA study. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 958-68	5	64
186	Radial artery complications occurring after transradial coronary procedures using long hydrophilic-coated introducer sheath: a frequency domain-optical coherence tomography study. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 21-9	2.5	15
185	Fractional flow reserve or optical coherence tomography guidance to revascularize intermediate coronary stenosis using angioplasty (FORZA) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 140	2.8	12
184	Impact of baseline hemorrhagic risk on the benefit of bivalirudin versus unfractionated heparin in patients treated with coronary angioplasty: a meta-regression analysis of randomized trials. <i>American Heart Journal</i> , 2014 , 167, 401-412.e6	4.9	19
183	Management of Patients Presenting too Late for PTCA 2014 , 137-145		
182	Protective effect of pre-infarction angina on microvascular obstruction after primary percutaneous coronary intervention is blunted in humans by cardiovascular risk factors. <i>Circulation Journal</i> , 2014 , 78, 1935-41	2.9	9
181	Association between inflammatory biomarkers and in-stent restenosis tissue features: an Optical Coherence Tomography Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 917-25	4.1	12
180	Neoatherosclerosis: a novel player in late stent failure. <i>Interventional Cardiology</i> , 2014 , 6, 217-225	3	0
179	Frequency-domain optical coherence tomography findings in patients with bifurcated lesions undergoing provisional stenting. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 547-55	4.1	25
178	Association of baseline C-reactive protein levels with periprocedural myocardial injury in patients undergoing percutaneous bifurcation intervention: a CACTUS study subanalysis. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, E37-44	2.7	7
177	Three-year follow-up of patients with bifurcation lesions treated with sirolimus- or everolimus-eluting stents: SEAside and CORpal cooperative study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 797-803	0.7	3
176	Value of EuroSCORE II in predicting total and cardiac mortality in patients undergoing percutaneous coronary interventions. <i>American Journal of Cardiology</i> , 2014 , 113, 745-6	3	2
175	Morphological-biohumoral correlations in acute coronary syndromes: pathogenetic implications. <i>International Journal of Cardiology</i> , 2014 , 171, 463-6	3.2	25
174	Impact of accuracy of fractional flow reserve to reduction of microvascular resistance after intracoronary adenosine in patients with angina pectoris or non-ST-segment elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2014 , 113, 1461-7	3	12
173	Left ventricular remodeling and 1-year clinical follow-up of the REOPEN-AMI trial. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1454-5	15.1	23

172	Seguimiento de 3 años de pacientes con lesiones de bifurcación tratados con stents liberadores de sirolimus o everolimus: estudio de colaboración de SEAside y CORpal. <i>Revista Española De Cardiología</i> , 2014 , 67, 797-803	1.5	14
171	Excimer Laser LESion modification to expand non-dilatable stents: the ELLEMENT registry. <i>Cardiovascular Revascularization Medicine</i> , 2014 , 15, 8-12	1.6	91
170	Post-procedural renal microvascular perfusion measured using the Quantitative Blush Evaluator (QuBE) predicts improvement in renal function in patients undergoing percutaneous renal artery stenting. <i>International Journal of Cardiology</i> , 2014 , 172, e127-9	3.2	1
169	Trabecular metal screw implanted for avascular necrosis of the femoral head may complicate subsequent arthroplasty surgery. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014 , 24, 931-8	2.2	8
168	Excimer laser for a highly stenotic saphenous vein graft: evidence of debulking by optical coherence tomography. <i>EuroIntervention</i> , 2014 , 9, 1484	3.1	2
167	Endothelial progenitor cells, microvascular obstruction, and left ventricular remodeling in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2013 , 112, 782-91	3	13
166	Are the culprit lesions severely stenotic?. <i>JACC: Cardiovascular Imaging</i> , 2013 , 6, 1108-1114	8.4	24
165	Open-label, randomized, placebo-controlled evaluation of intracoronary adenosine or nitroprusside after thrombus aspiration during primary percutaneous coronary intervention for the prevention of microvascular obstruction in acute myocardial infarction: the REOPEN-AMI study (Intracoronary Nitroprusside Versus Adenosine for Microvascular Obstruction After Thrombus Aspiration) <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1122-31	5	74
164	Effects of drospirenone-ethinylestradiol and/or metformin on CD4(+)CD28(null) T lymphocytes frequency in women with hyperinsulinemia having polycystic ovary syndrome: a randomized clinical trial. <i>Reproductive Sciences</i> , 2013 , 20, 1508-17	3	15
163	Case-control registry of excimer laser coronary angioplasty versus distal protection devices in patients with acute coronary syndromes due to saphenous vein graft disease. <i>American Journal of Cardiology</i> , 2013 , 112, 1586-91	3	24
162	Radial artery intima-media ratio predicts presence of coronary thin-cap fibroatheroma: a frequency domain-optical coherence tomography study. <i>International Journal of Cardiology</i> , 2013 , 168, 1917-22	3.2	9
161	Baseline inflammatory status and long-term changes in renal function after percutaneous renal artery stenting: a prospective study. <i>International Journal of Cardiology</i> , 2013 , 167, 1006-11	3.2	11
160	Frequency-domain optical coherence tomography assessment of kissing-balloon effects in bifurcated coronary artery lesions undergoing provisional stenting. <i>International Journal of Cardiology</i> , 2013 , 168, 4837-9	3.2	1
159	EuroSCORE predicts long-term mortality of unselected patients undergoing percutaneous coronary interventions. <i>International Journal of Cardiology</i> , 2013 , 167, 1232-6	3.2	5
158	Angiographic assessment of myocardial perfusion in Tako-Tsubo syndrome. <i>International Journal of Cardiology</i> , 2013 , 168, 4717-22	3.2	12
157	Management and timing of access-site vascular complications occurring after trans-radial percutaneous coronary procedures. <i>International Journal of Cardiology</i> , 2013 , 167, 1973-8	3.2	23
156	Editorial (No-reflow After Primary Coronary Interventions: How to Prevent and How to Treat it?). <i>Current Vascular Pharmacology</i> , 2013 , 11, 243-244	3.3	
155	Resolute zotarolimus-eluting stent to treat bifurcated lesions according to the provisional technique: a procedural performance comparison with sirolimus- and everolimus-eluting stents. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 122-7	1.6	11

154	No-reflow reversibility: a study based on serial assessment of multiple biomarkers. <i>Journal of Cardiovascular Translational Research</i> , 2013 , 6, 798-807	3.3	8
153	Effects of late REopening of Coronary total Occlusion on micRovascular perfusion and myocarDial function: the RECORD study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 487-94	4.1	4
152	Influence of the amount of myocardium subtended by a stenosis on fractional flow reserve. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 29-36	6	71
151	Patients with microvascular obstruction after primary percutaneous coronary intervention show a gp91phox (NOX2) mediated persistent oxidative stress after reperfusion. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013 , 2, 379-88	4.3	14
150	Methods to investigate coronary microvascular function in clinical practice. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 1-18	1.9	45
149	Serum levels of Eglutamyltransferase and progression of coronary atherosclerosis. <i>Coronary Artery Disease</i> , 2013 , 24, 40-7	1.4	9
148	Severity of coronary atherosclerosis in patients with a first acute coronary event: a diabetes paradox. <i>European Heart Journal</i> , 2013 , 34, 729-41	9.5	78
147	Current interventional coronary applications of excimer laser. <i>Expert Review of Medical Devices</i> , 2013 , 10, 541-9	3.5	10
146	Editorial (No-reflow After Primary Coronary Interventions: How to Prevent and How to Treat it?). <i>Current Vascular Pharmacology</i> , 2013 , 11, 243-244	3.3	
145	Microvascular Obstruction After Primary Percutaneous Coronary Intervention: Pathogenesis, Diagnosis and Prognostic Significance. <i>Current Vascular Pharmacology</i> , 2013 , 11, 245-262	3.3	1
144	One-year outcomes of consecutive patients treated by Endeavor zotarolimus and Resolute zotarolimus stents: the impact of polymer coating in drug-eluting stent technology. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 268-73	2.7	7
143	Colon-like right coronary artery. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 753-4	1.9	
142	Management of the access site after transradial percutaneous procedures: literature overview. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 705-13	1.9	7
141	Multiple coronary plaque ruptures in a patient with a recent ST-elevation acute myocardial infarction causing recurrent coronary instability. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 681-2	1.9	
140	No-reflow: incidence and detection in the cath-lab. <i>Current Pharmaceutical Design</i> , 2013 , 19, 4564-75	3.3	23
139	Inflammatory mechanisms of adverse reactions to drug-eluting stents. <i>Current Vascular Pharmacology</i> , 2013 , 11, 392-8	3.3	14
138	Incidence, time course and predictors of early vs. late target lesion revascularisation after everolimus-eluting stent implantation: a SPIRIT V substudy. <i>EuroIntervention</i> , 2013 , 9, 353-9	3.1	2
137	Stent-related defects in patients presenting with stent thrombosis: differences at optical coherence tomography between subacute and late/very late thrombosis in the Mechanism Of Stent Thrombosis (MOST) study. <i>EuroIntervention</i> , 2013 , 9, 936-44	3.1	43

136	Impact of operator experience and wiring technique on procedural efficacy of trans-radial percutaneous chronic total occlusion recanalization performed by dedicated radialists. <i>Cardiology Journal</i> , 2013 , 20, 560-7	1.4	5
135	Microvascular obstruction after primary percutaneous coronary intervention: pathogenesis, diagnosis and prognostic significance. <i>Current Vascular Pharmacology</i> , 2013 , 11, 245-62	3.3	1
134	Impact of electronegative low-density lipoprotein on angiographic coronary atherosclerotic burden. <i>Atherosclerosis</i> , 2012 , 223, 166-70	3.1	11
133	CD4(+)CD28(null) T lymphocyte frequency, a new marker of cardiovascular risk: relationship with polycystic ovary syndrome phenotypes. <i>Fertility and Sterility</i> , 2012 , 98, 1609-15	4.8	15
132	Eosinophils: a new player in coronary atherosclerotic disease. <i>Hypertension Research</i> , 2012 , 35, 269-71	4.7	9
131	Intracoronary microparticles and microvascular obstruction in patients with ST elevation myocardial infarction undergoing primary percutaneous intervention. <i>European Heart Journal</i> , 2012 , 33, 2928-38	9.5	78
130	Vascular complications and access crossover in 10,676 transradial percutaneous coronary procedures. <i>American Heart Journal</i> , 2012 , 163, 230-8	4.9	103
129	INTimal hyPerplasia evAluated by oCT in de novo CORONary lesions treated by drug-eluting balloon and bare-metal stent (IN-PACT CORO): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 55	2.8	5
128	Maximal hyperemia in the assessment of fractional flow reserve: intracoronary adenosine versus intracoronary sodium nitroprusside versus intravenous adenosine: the NASCI (Nitroprussiato versus Adenosina nelle Stenosi Coronariche Intermedie) study. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 402-8	5	72
127	Late (3 years) follow-up of successful versus unsuccessful revascularization in chronic total coronary occlusions treated by drug eluting stent. <i>American Journal of Cardiology</i> , 2012 , 110, 948-53	3	31
126	Very late stent thrombosis complicating a previously lost and partially crushed stent: demonstration by optical coherence tomography. <i>Cardiovascular Revascularization Medicine</i> , 2012 , 13, 357-9	1.6	2
125	Predictors of thromboxane levels in patients with non-ST-elevation acute coronary syndromes on chronic aspirin therapy. <i>Thrombosis and Haemostasis</i> , 2012 , 108, 133-9	7	3
124	Prospective evaluation of myocardial ischemia related to post-procedural side-branch stenosis in bifurcated lesions treated by provisional approach with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 351-9	2.7	11
123	Early beneficial effects of drug-eluting stents in vein grafts wane during long term follow-up: a case-control study. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 80, 1112-7	2.7	3
122	Impact of radial-to-aorta vascular anatomical variants on risk of failure in trans-radial coronary procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 80, 298-303	2.7	19
121	Impact of microvascular obstruction and infarct size on left ventricular remodeling in reperfused myocardial infarction: a contrast-enhanced cardiac magnetic resonance imaging study. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 835-42	2.5	32
120	Comparison of two- and three-dimensional quantitative coronary angiography to intravascular ultrasound in the assessment of intermediate left main stenosis. <i>American Journal of Cardiology</i> , 2012 , 109, 1600-7	3	13
119	Predictors of periprocedural (type IVa) myocardial infarction, as assessed by frequency-domain optical coherence tomography. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 89-96, S1-6	6	75

118	Impact of gender on clinical outcomes after mTOR-inhibitor drug-eluting stent implantation in patients with first manifestation of ischaemic heart disease. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 914-26	3.9	8
117	Excimer laser coronary angioplasty with manual thrombus aspiration for a case of very late stent thrombosis of sirolimus-eluting stent. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 830-2	1.9	1
116	The HEART study: a real-world experience using the CID Chrono Carbostent in primary and rescue PCI. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 775-82	1.9	1
115	Angiographic and clinical outcome of percutaneous coronary intervention for in-stent restenosis of bifurcated lesions. <i>EuroIntervention</i> , 2012 , 8, 701-7	3.1	3
114	Sodium bicarbonate plus N-acetylcysteine to prevent contrast-induced nephropathy in primary and rescue percutaneous coronary interventions: the BINARIO (Bicarbonato e N-Acetil-cisteina nell'infarto miocardico acuto) study. <i>EuroIntervention</i> , 2012 , 8, 839-47	3.1	11
113	Ticagrelor in ST-elevation myocardial infarction. <i>Current Vascular Pharmacology</i> , 2012 , 10, 458-62	3.3	
112	Quantitative Blush Evaluator accurately quantifies microvascular dysfunction in patients with ST-elevation myocardial infarction: comparison with cardiovascular magnetic resonance. <i>American Heart Journal</i> , 2011 , 162, 372-381.e2	4.9	16
111	CD4+CD28 null T lymphocytes are expanded in young women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2011 , 95, 2651-4	4.8	19
110	Safety and efficacy of G-CSF in patients with ischemic heart failure: the CORNER (Cell Option For Recovery in the Non-Eligible Patients for Revascularization) study. <i>International Journal of Cardiology</i> , 2011 , 150, 75-8	3.2	6
109	Laser for complex coronary lesions: impact of excimer lasers and technical advancements. <i>International Journal of Cardiology</i> , 2011 , 146, 296-9	3.2	15
108	Chlamydia pneumoniae in coronary atherosclerotic plaques and coronary instability. <i>International Journal of Cardiology</i> , 2011 , 147, 176-8	3.2	4
107	A meta-analysis of first-generation drug-eluting vs bare-metal stents for coronary chronic total occlusion: effect of length of follow-up on clinical outcome. <i>International Journal of Cardiology</i> , 2011 , 150, 351-4	3.2	11
106	Predictors of myocardial microvascular obstruction in patients treated by primary percutaneous coronary intervention and a short ischemic time. <i>International Journal of Cardiology</i> , 2011 , 153, 113-5	3.2	3
105	Eosinophil cationic protein and clinical outcome after bare metal stent implantation. <i>Atherosclerosis</i> , 2011 , 215, 166-9	3.1	21
104	Are endothelial progenitor cells mobilized by myocardial ischemia or myocardial necrosis? A cardiac magnetic resonance study. <i>Atherosclerosis</i> , 2011 , 216, 355-8	3.1	20
103	The emerging role of allergic inflammation in adverse reactions after coronary stent implantation. <i>Atherosclerosis</i> , 2011 , 217, 70-1	3.1	5
102	Spontaneous coronary dissection as cause of recurring myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 206-8	1.9	2
101	Outcomes following coronary stenting and a role for eosinophils: evidence from eosinophil cationic protein. <i>Interventional Cardiology</i> , 2011 , 3, 421-423	3	

100	Angiographic patterns of myocardial reperfusion after primary angioplasty and ventricular remodeling. <i>Coronary Artery Disease</i> , 2011 , 22, 507-14	1.4	11
99	Endogenous serum erythropoietin and no-reflow in patients with ST-elevation myocardial infarction. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 1210-9	4.6	10
98	A complex case of angulated and bifurcated lesion facilitated by excimer laser coronary angioplasty. <i>Journal of Interventional Cardiology</i> , 2011 , 24, 514-7	1.8	3
97	Evaluation of the "learning curve" for left and right radial approach during percutaneous coronary procedures. <i>American Journal of Cardiology</i> , 2011 , 108, 185-8	3	36
96	Comparative assessment of mammalian target of rapamycin inhibitor-eluting stents in the treatment of coronary artery bifurcation lesions: the CASTOR-Bifurcation registry. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 503-9	2.7	9
95	Prospective randomized comparison of sirolimus- or everolimus-eluting stent to treat bifurcated lesions by provisional approach. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 327-35	5	57
94	Letter by Niccoli et al regarding article, "intracoronary versus intravenous administration of abciximab in patients with st-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention with thrombus aspiration: the comparison of intracoronary versus intravenous abciximab administration during emergency reperfusion of st-segment elevation myocardial infarction (PACERO) trial". <i>Circulation</i> , 2011 , 124, e230; author reply e231	16.7	
93	Response to Letter Regarding Article, High Levels of Systemic Myeloperoxidase Are Associated With Coronary Plaque Erosion in Patients With Acute Coronary Syndromes: A Clinicopathological Study. <i>Circulation</i> , 2011 , 124,	16.7	1
92	New strategies for the management of no-reflow after primary percutaneous coronary intervention. <i>Expert Review of Cardiovascular Therapy</i> , 2011 , 9, 615-30	2.5	9
91	Filter no-reflow during percutaneous coronary intervention of saphenous vein grafts: incidence, predictors and effect of the type of protection device. <i>EuroIntervention</i> , 2011 , 7, 955-61	3.1	17
90	Baseline C-reactive protein serum levels and in-stent restenosis pattern after m-TOR inhibitors drug-eluting stent implantation. <i>Journal of Invasive Cardiology</i> , 2011 , 23, 16-20	0.7	3
89	Procedural and clinical evaluation of the novel zotarolimus-eluting resolute stent in patients with unselected bifurcated coronary stenosis treated by provisional approach: a multicenter registry. <i>Journal of Invasive Cardiology</i> , 2011 , 23, 50-4	0.7	5
88	Thrombus contribution to very late restenosis of bare-metal stent treated by excimer laser angioplasty: in vivo assessment with optical coherence tomography. <i>Journal of Invasive Cardiology</i> , 2011 , 23, 214-5	0.7	2
87	High levels of systemic myeloperoxidase are associated with coronary plaque erosion in patients with acute coronary syndromes: a clinicopathological study. <i>Circulation</i> , 2010 , 122, 2505-13	16.7	170
86	Images in cardiovascular medicine: Giant abdominal aortic aneurysm. <i>Circulation</i> , 2010 , 122, e392-3	16.7	8
85	Thrombus aspiration in ST elevation myocardial infarction: comparative efficacy in patients treated early and late after onset of symptoms. <i>Heart</i> , 2010 , 96, 1287-90	5.1	21
84	No-reflow: again prevention is better than treatment. <i>European Heart Journal</i> , 2010 , 31, 2449-55	9.5	64
83	Serotonin: another player in the complex pathogenesis of no-reflow phenomenon. <i>Anatolian Journal of Cardiology</i> , 2010 , 10, 260-2		

82	The evolving role of inflammatory biomarkers in risk assessment after stent implantation. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1783-93	15.1	79
81	Coronary bifurcation lesions: to stent one branch or both? A meta-analysis of patients treated with drug eluting stents. <i>International Journal of Cardiology</i> , 2010 , 139, 80-91	3.2	27
80	A case of very late thrombosis of bare metal stent successfully treated with excimer laser coronary angioplasty. <i>International Journal of Cardiology</i> , 2010 , 145, e60-e63	3.2	3
79	Baseline von Willebrand factor plasma levels and no-reflow phenomenon after primary percutaneous coronary intervention for ST segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2010 , 145, 230-232	3.2	6
78	Eosinophil cationic protein: A new biomarker of coronary atherosclerosis. <i>Atherosclerosis</i> , 2010 , 211, 606-11	3.1	44
77	Prevention and treatment of no-reflow. <i>Acute Cardiac Care</i> , 2010 , 12, 81-91		12
76	Coronary atherosclerotic burden in patients with infection by CagA-positive strains of <i>Helicobacter pylori</i> . <i>Coronary Artery Disease</i> , 2010 , 21, 217-21	1.4	34
75	Predictive value of C-reactive protein after drug-eluting stent implantation. <i>Future Cardiology</i> , 2010 , 6, 167-79	1.3	9
74	Myeloperoxidase may help to differentiate coronary plaque erosion from plaque rupture in patients with acute coronary syndromes. <i>Trends in Cardiovascular Medicine</i> , 2010 , 20, 276-81	6.9	4
73	Effect of chronic Aspirin therapy on angiographic thrombotic burden in patients admitted for a first ST-elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2010 , 105, 587-91	3	28
72	Thrombus vaporization by excimer laser angioplasty. <i>Cardiovascular Revascularization Medicine</i> , 2010 , 11, 67-8	1.6	3
71	A case of myocardial infarction effectively treated by emergency coronary stenting soon after a Bentall-De Bono aortic surgery. <i>Cardiovascular Revascularization Medicine</i> , 2010 , 11, 263.e5-9	1.6	14
70	Renal artery stenting in patients with chronic ischemic heart disease. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 76, 26-34	2.7	5
69	Optical coherence tomography follow-up of the subintimal tracking and re-entry technique for chronic total occlusion. <i>EuroIntervention</i> , 2010 , 6, 662-3	3.1	4
68	A case of early drug-eluting stent fracture. <i>Journal of Invasive Cardiology</i> , 2010 , 22, E186-8	0.7	3
67	Different apparent prognostic value of hsCRP in type 2 diabetic and nondiabetic patients with acute coronary syndromes. <i>Clinical Chemistry</i> , 2009 , 55, 365-8	5.5	25
66	Letter by Niccoli et al regarding article, "presence of older thrombus is an independent predictor of long-term mortality in patients with ST-elevation myocardial infarction treated with thrombus aspiration during primary percutaneous coronary intervention". <i>Circulation</i> , 2009 , 120, e4; author reply e5.	16.7	
65	Randomized study of the crush technique versus provisional side-branch stenting in true coronary bifurcations: the CACTUS (Coronary Bifurcations: Application of the Crushing Technique Using Sirolimus-Eluting Stents) Study. <i>Circulation</i> , 2009 , 119, 71-8	16.7	401

64	Response to Letter Regarding Article, Randomized Study of the Crush Technique Versus Provisional Side-Branch Stenting in True Coronary Bifurcations: The CACTUS (Coronary Bifurcations: Application of the Crushing Technique Using Sirolimus-Eluting Stents) Study	16.7	2
63	<i>Circulation</i> , 2009 , 120, Pre-intervention eosinophil cationic protein serum levels predict clinical outcomes following implantation of drug-eluting stents. <i>European Heart Journal</i> , 2009 , 30, 1340-7	9.5	41
62	Comparison of the effects of ramipril versus telmisartan on high-sensitivity C-reactive protein and endothelial progenitor cells after acute coronary syndrome. <i>American Journal of Cardiology</i> , 2009 , 103, 1500-5	3	21
61	Outcome of patients treated by a novel thin-strut cobalt-chromium stent in the drug-eluting stent era: Results of the SKICE (Skylor in real world practice) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 73, 457-65	2.7	11
60	Coronary artery vasospasm causing ventricular fibrillation - an external loop recording. <i>Resuscitation</i> , 2009 , 80, 393-4	4	9
59	Baseline levels of C-reactive protein and no-reflow after primary percutaneous coronary intervention: When the time does matter. <i>International Journal of Cardiology</i> , 2009 , 136, 88-89	3.2	2
58	Myocardial no-reflow in humans. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 281-92	15.1	569
57	CagA antigen of <i>Helicobacter pylori</i> and coronary instability: insight from a clinico-pathological study and a meta-analysis of 4241 cases. <i>Atherosclerosis</i> , 2009 , 202, 535-42	3.1	80
56	Evaluaci3n de una estrategia de implantaci3n de stent 3nico o doble para tratar lesiones bifurcadas basada en la clasificaci3n de Medina. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 606-614	1.5	5
55	Glycoprotein IIB/IIIA inhibitor to reduce postpercutaneous coronary intervention myonecrosis and improve coronary flow in diabetics: the 'OPTIMIZE-IT' pilot randomized study. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 245-51	1.9	16
54	Randomized evaluation of intracoronary nitroprusside vs. adenosine after thrombus aspiration during primary percutaneous coronary intervention for the prevention of no-reflow in acute myocardial infarction: the REOPEN-AMI study protocol. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 585-92	1.9	8
53	Elevated admission cardiac troponin T is associated with microvascular dysfunction in acute myocardial infarction treated with emergency angioplasty. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 664-8	1.9	3
52	EuroSCORE as predictor of in-hospital mortality after percutaneous coronary intervention. <i>Heart</i> , 2009 , 95, 43-8	5.1	81
51	Provisional TAP-stenting strategy to treat bifurcated lesions with drug-eluting stents: one-year clinical results of a prospective registry. <i>Journal of Invasive Cardiology</i> , 2009 , 21, 532-7	0.7	11
50	Effect of low doses of alcohol on the warm-up phenomenon in patients with stable angina pectoris. <i>American Journal of Cardiology</i> , 2008 , 102, 146-9	3	4
49	Association between C-reactive protein and angiographic restenosis after bare metal stents: an updated and comprehensive meta-analysis of 2747 patients. <i>Cardiovascular Revascularization Medicine</i> , 2008 , 9, 156-65	1.6	52
48	Ethanol abolishes ischemic preconditioning in humans. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 271-5	15.1	34
47	Adjunctive devices in primary or rescue PCI: a meta-analysis of randomized trials. <i>International Journal of Cardiology</i> , 2008 , 123, 313-21	3.2	61

46	Different effect of percutaneous and surgical coronary revascularization on cardiac autonomic function and inflammation in patients with stable angina. <i>International Journal of Cardiology</i> , 2008 , 127, 269-70	3.2	5
45	C-reactive protein and coronary instability. <i>International Journal of Cardiology</i> , 2008 , 131, 136-137	3.2	
44	Effect of intensive vs standard statin therapy on endothelial progenitor cells and left ventricular function in patients with acute myocardial infarction: Statins for regeneration after acute myocardial infarction and PCI (STRAP) trial. <i>International Journal of Cardiology</i> , 2008 , 130, 457-62	3.2	65
43	Independent prognostic value of C-reactive protein and coronary artery disease extent in patients affected by unstable angina. <i>Atherosclerosis</i> , 2008 , 196, 779-85	3.1	37
42	Cystatin C is associated with an increased coronary atherosclerotic burden and a stable plaque phenotype in patients with ischemic heart disease and normal glomerular filtration rate. <i>Atherosclerosis</i> , 2008 , 198, 373-80	3.1	48
41	Carotid bruits and cardiovascular death or myocardial infarction. <i>Lancet, The</i> , 2008 , 372, 534; author reply 534-5	4.0	
40	Plasma levels of thromboxane A2 on admission are associated with no-reflow after primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2008 , 29, 1843-50	9.5	58
39	Association of adiponectin with adverse outcome in coronary artery disease patients: results from the AtheroGene study. <i>European Heart Journal</i> , 2008 , 29, 1922-3; author reply 1923-4	9.5	2
38	Comparison of the transradial and transfemoral approaches for coronary angiographic evaluation in patients with internal mammary artery grafts. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 263-6	1.9	18
37	Outcomes of the tacrolimus drug-eluting Janus stent: a prospective two-centre registry in high-risk patients. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 589-94	1.9	8
36	Predictors of impaired heart rate variability and clinical outcome in patients with acute myocardial infarction treated by primary angioplasty. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 76-80	1.9	8
35	Dynamic thrombosis associated with bare-metal stent malapposition in a patient with hyperhomocysteinemia. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 427-9	1.9	
34	Feasibility and long-term safety of elective Impella-assisted high-risk percutaneous coronary intervention: a pilot two-centre study. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 1004-10	1.9	49
33	Nonconventional use of coronary guidewires for ECG recording and emergency pacing. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 1222-8	1.9	
32	Superior vena cava thrombosis treated by angioplasty and stenting in a cirrhotic patient with peritoneovenous shunt. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2008 , 14, 60-2	1.8	4
31	Baseline systemic inflammatory status and no-reflow phenomenon after percutaneous coronary angioplasty for acute myocardial infarction. <i>International Journal of Cardiology</i> , 2007 , 117, 306-11	3.2	39
30	High telomerase activity in neutrophils from unstable coronary plaques. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 2369-74	15.1	52
29	Outcome of overlapping heterogeneous drug-eluting stents and of overlapping drug-eluting and bare metal stents. <i>American Journal of Cardiology</i> , 2007 , 99, 364-8	3	14

28	Relation of myocardial blush grade to microvascular perfusion and myocardial infarct size after primary or rescue percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2007 , 99, 1671-3 ³		44
27	Usefulness of granulocyte colony-stimulating factor in patients with a large anterior wall acute myocardial infarction to prevent left ventricular remodeling (the rigenera study). <i>American Journal of Cardiology</i> , 2007 , 100, 397-403	3	48
26	Dynamic collateral coronary circulation: angiographic evidence. <i>Heart</i> , 2007 , 93, 487	5.1	1
25	The complex link between oxidised low-density lipoprotein and unstable angina. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 387-91	1.9	6
24	Long drug-eluting stent implantation for a diffusely diseased right internal mammary artery. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 381-3	1.9	
23	Postoperative coronary artery spasm complicating aortic valve replacement: implications for identification and treatment. <i>Annals of Thoracic Surgery</i> , 2007 , 83, 670-2	2.7	8
22	Predictive value of preintervention C-reactive protein on clinical outcome after directional coronary atherectomy followed by stent implantation. <i>Cardiovascular Revascularization Medicine</i> , 2007 , 8, 156-60	1.6	1
21	A case of fatal stent thrombosis after Carbostent implantation: is clopidogrel alone antiplatelet therapy a safe alternative to aspirin alone antiplatelet therapy?. <i>International Journal of Cardiology</i> , 2007 , 114, 279-81	3.2	4
20	Instability mechanisms in unstable angina according to baseline serum levels of C-reactive protein: the role of thrombosis, fibrinolysis and atherosclerotic burden. <i>International Journal of Cardiology</i> , 2007 , 122, 245-7	3.2	5
19	A pilot study with a new, rapid-exchange, thrombus-aspirating device in patients with thrombus-containing lesions: the Diver C.E. study. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 887-93	2.7	23
18	Endothelin-1 and acute myocardial infarction: a no-reflow mediator after successful percutaneous myocardial revascularization. <i>European Heart Journal</i> , 2006 , 27, 1793-8	9.5	90
17	Safety of granulocyte-colony-stimulating factor in acute myocardial infarction (the Rigenera study). <i>Heart</i> , 2006 , 92, 1850-1	5.1	6
16	Delayed stenting of a thrombotic saphenous vein graft after intravenous tirofiban pretreatment. <i>International Journal of Cardiology</i> , 2006 , 110, 108-9	3.2	1
15	Filter no reflow during percutaneous coronary interventions using the Filterwire distal protection device. <i>International Journal of Cardiology</i> , 2006 , 109, 53-8	3.2	20
14	Directional atherectomy before stenting versus stenting alone in percutaneous coronary interventions: a meta-analysis. <i>International Journal of Cardiology</i> , 2006 , 112, 178-83	3.2	9
13	A complex case of right coronary artery chronic total occlusion treated by a successful multi-step Japanese approach. <i>Journal of Invasive Cardiology</i> , 2006 , 18, E230-3	0.7	14
12	Angiographic evaluation of the effect of intracoronary abciximab administration in patients undergoing urgent PCI. <i>International Journal of Cardiology</i> , 2005 , 105, 250-5	3.2	38
11	Manual thrombus-aspiration improves myocardial reperfusion: the randomized evaluation of the effect of mechanical reduction of distal embolization by thrombus-aspiration in primary and rescue angioplasty (REMEDIA) trial. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 371-6	15.1	286

10	Images in cardiology: A coronary organic stenosis distal to severe, ergonovine induced spasm: decision making. <i>Heart</i> , 2005 , 91, 1310	5.1	1
9	Use of a second buddy wire during percutaneous coronary interventions: a simple solution for some challenging situations. <i>Journal of Invasive Cardiology</i> , 2005 , 17, 171-4	0.7	46
8	What is the incidence of myocardial necrosis in elective patients discharged on the same day following percutaneous coronary intervention?. <i>Heart</i> , 2004 , 90, 1489-90	5.1	25
7	Diffuse saphenous vein graft spasm. <i>Journal of Invasive Cardiology</i> , 2004 , 16, 667-8	0.7	4
6	Inflammatory predictors of mortality in the Scandinavian Simvastatin Survival Study. <i>Clinical Cardiology</i> , 2002 , 25, 461-6	3.3	28
5	Extensive right coronary artery dissection following cutting balloon treatment of in-stent restenosis. <i>Journal of Invasive Cardiology</i> , 2002 , 14, 209-11	0.7	1
4	Attempted retrograde reopening of an occluded left main stent. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2002 , 3, 483-5		
3	Autoantibodies against oxidized low density lipoproteins in patients with stable angina, unstable angina or peripheral vascular disease; pathophysiological implications. <i>European Heart Journal</i> , 2001 , 22, 1572-7	9.5	33
2	Ticlopidine and aspirin fail to suppress the increased platelet aggregability that follows percutaneous coronary interventions. <i>Journal of Thrombosis and Thrombolysis</i> , 2000 , 10, 265-9	5.1	8
1	A pivotal role for Nrf2 in endothelial detachment- implications for endothelial erosion of stenotic plaques		2