Majid Mohammadhosseini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3922311/publications.pdf

Version: 2024-02-01

185998 264894 2,211 87 28 42 g-index citations h-index papers 87 87 87 2013 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Characterization of essential oils and volatiles from the aerial parts of <i>Mentha pulegium</i> L. (Lamiaceae) using microwave-assisted hydrodistillation (MAHD) and headspace solid phase microextraction (HS-SPME) in combination with GC-MS. Natural Product Research, 2023, 37, 338-342.	1.0	18
2	An overview of the genus <i>Aloysia</i> Pal \tilde{A}_{i} u (Verbenaceae): Essential oil composition, ethnobotany and biological activities. Natural Product Research, 2022, 36, 5091-5107.	1.0	19
3	Profiling of the essential oil compositions from the flowers and leaves of <i>Tanacetum fisherae</i> Aitch. & Ai	1.0	2
4	Co-Loading of Cisplatin and Methotrexate in Nanoparticle-Based PCL-PEG System Enhances Lung Cancer Chemotherapy Effects. Journal of Cluster Science, 2022, 33, 1751-1762.	1.7	14
5	The genus <i>Perovskia</i> Kar.: ethnobotany, chemotaxonomy and phytochemistry: a review. Toxin Reviews, 2021, 40, 484-505.	1.5	36
6	Antidiabetic Effect of <i>Sophora Pachycarpa</i> Seeds Extract In Streptozotocin-Induced Diabetic Mice: A Statistical Evaluation. Journal of Investigative Medicine, 2021, 69, 1201-1207.	0.7	1
7	Green synthesis of NiO nanoparticles using Calendula officinalis extract: Chemical charactrization, antioxidant, cytotoxicity, and anti-esophageal carcinoma properties. Arabian Journal of Chemistry, 2021, 14, 103105.	2.3	44
8	The Genus Haplophyllum Juss.: Phytochemistry and Bioactivities—A Review. Molecules, 2021, 26, 4664.	1.7	19
9	Ruta Essential Oils: Composition and Bioactivities. Molecules, 2021, 26, 4766.	1.7	31
10	A Systematic Review on Phytochemistry, Ethnobotany and Biological Activities of the Genus <i>Bunium </i> L Chemistry and Biodiversity, 2021, 18, e2100317.	1.0	10
11	QSAR Study of PARP Inhibitors by GA-MLR, GA-SVM and GA-ANN Approaches. Current Analytical Chemistry, 2020, 16, 1088-1105.	0.6	4
12	The genus Ferula: Ethnobotany, phytochemistry and bioactivities – A review. Industrial Crops and Products, 2019, 129, 350-394.	2.5	97
13	Ethnobotany and Phytochemistry of the genus Eremostachys Bunge. Current Organic Chemistry, 2019, 23, 1828-1842.	0.9	20
14	A New Highly Selective Neodymium(III) Polyvinylchloride Membrane Electrode Based on 4-Hydroxypyrrolidine-2-Carboxylic Acid as an Active Material. Journal of Analytical Chemistry, 2018, 73, 71-81.	0.4	5
15	Screening of Profiles of Essential Oils from the Aerial Parts of <i>Sclerorhachis platy-rachis</i> (Boiss.) Podlech ex Rech.f. Using Classical and Microwave-based Methods: Comparison with the Volatiles Using Headspace Solid-Phase Microextraction. Journal of Essential Oil-bearing Plants: JEOP, 2018, 21, 1199-1209.	0.7	4
16	Impact of amine- and phenyl-functionalized magnetic nanoparticles impacts on microwave-assisted extraction of essential oils from root of Berberis integerrima Bunge. Journal of Applied Research on Medicinal and Aromatic Plants, 2018, 10, 1-8.	0.9	9
17	Magnetic nanoparticles in cancer diagnosis and treatment: a review. Artificial Cells, Nanomedicine and Biotechnology, 2017, 45, 1-5.	1.9	99
18	Preparation of molecularly imprinted polymers on the surface of optical fiber for HS-solid-phase microextraction of phenol. Separation Science and Technology, 2017, 52, 1826-1834.	1.3	3

#	Article	IF	CITATIONS
19	Profiling of Compositions of Essential Oils and Volatiles of <i>Salvia limbata</i> Using Traditional and Advanced Techniques and Evaluation for Biological Activities of Their Extracts. Chemistry and Biodiversity, 2017, 14, e1600361.	1.0	37
20	Chemical composition of the essential oils and extracts of Achillea species and their biological activities: A review. Journal of Ethnopharmacology, 2017, 199, 257-315.	2.0	127
21	Recent advances on liposomal nanoparticles: synthesis, characterization and biomedical applications. Artificial Cells, Nanomedicine and Biotechnology, 2017, 45, 788-799.	1.9	172
22	Chemical Composition of the Essential Oils and Volatiles of <i> Salvia leriifolia </i> by Three Different Extraction Methods Prior to Gas Chromatographic-Mass Spectrometric Determination: Comparison of HD with SFME and HS-SPME. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 410-425.	0.7	25
23	The ethnobotanical, phytochemical and pharmacological properties and medicinal applications of essential oils and extracts of different Ziziphora species. Industrial Crops and Products, 2017, 105, 164-192.	2.5	58
24	A comparative Study on Chemical Composition and Antimicrobial Activity of Essential Oils from <i>Tanacetum parthenium </i> (L.) Schultz. Bip. and <i>Tanacetum punctatum </i> (Desr.) Grierson. Leaves from Iran. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 1143-1150.	0.7	8
25	Chemical Compositions of the Essential Oils from Stems, Leaves and Fruits ofArtemisia tschernievianaand Exploring Quantitative Structure-Retention Relationships (QSRRs) for Prediction of Corresponding Retention Indices. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 672-687.	0.7	5
26	Preparation, Surface Properties, and Therapeutic Applications of Gold Nanoparticles in Biomedicine. Drug Research, 2017, 67, 77-87.	0.7	29
27	An update on applications of nanostructured drug delivery systems in cancer therapy: a review. Artificial Cells, Nanomedicine and Biotechnology, 2017, 45, 1058-1068.	1.9	52
28	The Relationship Between Chemical Composition of the Essential Oils of <i>Platycladus orientalis </i> (L.) Franco and Soils Contamination in National Oil Company of Shahrood, Iran. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 1209-1225.	0.7	2
29	Gas Chromatographic-Mass Spectrometric Analysis of Volatiles Obtained by HS-SPME-GC-MS Technique from Aerial Parts of Ziziphora Capitata L., and Evaluation for Biological Activity Oriental Journal of Chemistry, 2016, 32, 1439-1451.	0.1	13
30	Quantitative monitoring of the volatiles from the aerial parts of Satureja hortensis by the use of HS-SPME-GC-MS approach. Oriental Journal of Chemistry, 2016, 32, 2559-2566.	0.1	2
31	Iranian <i>Foeniculum vulgare</i> Essential Oil and Alcoholic Extracts: Chemical Composition, Antimicrobial, Antioxidant and Application in Olive Oil Preservation. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 1920-1931.	0.7	15
32	Profiling Volatile Natural Compounds from Flowers, Leaves and Stems of <i>Marrubium anisodon </i> Vising Headspace Solid Phase Microextraction in Combination with Gas Chromatographic Mass Spectrometric Determination. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 1839-1858.	0.7	4
33	Composition of the Essential Oils and Volatile Fractions of <i>Artemisia absinthium </i> by Three Different Extraction Methods: Hydrodistillation, Solvent-Free Microwave Extraction and Headspace Solid-Phase Microextraction Combined with a Novel QSRR Evaluation. Journal of Essential Oil-bearing Plants: IEOP, 2016, 19, 1561-1581.	0.7	11
34	Hydro-distilled Volatile Oil Constituents from the Aerial Parts of <i>Satureja mutica </i> and QSRR Simulation by Multiple Linear Regression. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 307-320.	0.7	12
35	Nanomaterials toxin contamination in laboratories and potential harmful effects of their products: a review. Toxin Reviews, 2016, 35, 180-186.	1.5	5
36	Gas Chromatographic-Mass Spectrometric Analysis of Volatiles Obtained by HS-SPME-GC-MS Technique from <i>Stachys lavandulifolia </i> and Evaluation for Biological Activity: A Review. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 1300-1327.	0.7	16

#	Article	IF	Citations
37	An Update on Biomedical Application of Nanotechnology for Alzheimer's Disease Diagnosis and Therapy. Drug Research, 2016, 66, 580-586.	0.7	6
38	Chemical Composition of the Essential Oils from Flowers and Leaves of <i>Marsdenia erecta </i> Using Microwave Assisted Hydrodistillation Technique. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 863-874.	0.7	16
39	Chemical Compositions of the Essential Oils from the Aerial Parts of <i>Achillea wilhelmsii </i> Iraditional Hydrodistillation, Microwave Assisted Hydro- distillation and Solvent-Free Microwave Extraction Methods: Comparison with the Volatile Compounds Obtained by Headspace Solid-Phase Microextraction, Journal of Essential Oil-bearing Plants: IEOP, 2016, 19, 59-75.	0.7	29
40	Chemical Composition of the Essential Oils from the Aerial Parts of <i>Artemisia sieberi </i> by Using Conventional Hydrodistillation and Microwave Assisted Hydrodistillation: A Comparative Study. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 32-45.	0.7	29
41	Chemical Composition of Essential Oils from Aerial Parts of <i>Ferula gummosa </i> (Apiaceae) in Jajarm Region, Iran Using Traditional Hydrodistillation and Solvent-Free Microwave Extraction Methods: A Comparative Approach. Journal of Essential Oil-bearing Plants: JEOP, 2015, 18, 1321-1328.	0.7	28
42	Chemical Composition of the Essential Oils and Volatile Fractions from Flowers, Stems and Roots of <i>Salvia multicaulis </i> Vahl. by Using MAHD, SFME and HS-SPME Methods. Journal of Essential Oil-bearing Plants: JEOP, 2015, 18, 1360-1371.	0.7	38
43	Chemical Composition of the Volatile Fractions from Flowers, Leaves and Stems of <i>Salvia mirzayanii </i> by HS-SPME-GC-MS. Journal of Essential Oil-bearing Plants: JEOP, 2015, 18, 464-476.	0.7	46
44	QSAR study of VEGFR-2 inhibitors by using genetic algorithm-multiple linear regressions (GA-MLR) and genetic algorithm-support vector machine (GA-SVM): a comparative approach. Medicinal Chemistry Research, 2015, 24, 3037-3046.	1.1	39
45	Optimization of Microwave Assisted Hydrodistillationon Chemical Compositions of the Essential Oils from the Aerial Parts of <i>Thymus pubescens </i> and Comparison with Conventional Hydrodistllation. Journal of Essential Oil-bearing Plants: JEOP, 2015, 18, 884-893.	0.7	32
46	Application of HS-SPME, SDME and Cold-Press Coupled to GC/MS to Analysis the Essential Oils of (i) Citrus sinensis (i) CV. (i) Thomson Navel (i) and QSRR Study for Prediction of Retention Indices by Stepwise and Genetic Algorithm-Multiple Linear Regression Approaches. Analytical Chemistry Letters, 2014, 4, 93-103.	0.4	16
47	QSAR Study of Arylsulfonylpiperazine Inhibitors of $11\hat{l}^2$ -HSD1 by GA-MLR, GA-PLS and GA-ANN. Analytical Chemistry Letters, 2014, 4, 14-28.	0.4	3
48	Chemical Compositions of the Essential Oils and Volatile Compounds from the Aerial Parts ofFerula ovinaUsing Hydrodistillation, MAHD, SFME and HS-SPME Methods. Journal of Essential Oil-bearing Plants: JEOP, 2014, 17, 747-757.	0.7	27
49	Chemical composition of the essential oils from the hulls of Pistacia vera L. by using magnetic nanoparticle-assisted microwave (MW) distillation: comparison with routine MW and conventional hydrodistillation. Analytical Methods, 2014, 6, 2572-2579.	1.3	29
50	Quantification of ultra-trace amounts of copper by using off-line solid phase extraction-flame atomic absorption spectrometric determination through the octadecyl silica-bonded phase membrane (OSPM) C18 disks impregnated with 2,2'-[ethane-1,2-diylbis(thio)]dianiline. Environmental Monitoring and Assessment, 2014, 186, 4507-4518.	1.3	2
51	Two-stage biosorption of selenium from aqueous solution using dried biomass of the baker's yeast Saccharomyces cerevisiae. Journal of Environmental Chemical Engineering, 2014, 2, 532-542.	3.3	51
52	Synthesis, spectral assignment and application of a recently synthesized macrocyclic ionophore to simultaneous pre-concentration and determination of ultra traces of copper and lead by solid phase extraction-flame atomic absorption spectrometry. Environmental Monitoring and Assessment, 2013, 185, 8925-8941.	1.3	3
53	Characterization and Chemical Composition of the Volatile Oils from Aerial Parts of <i>Eryngium bungei < i> Bioss. (Apiaceae) by Using Traditional Hydrodistillation, Microwave Assisted Hydrodistillation and Head Space Solid Phase Microextraction Methods Prior to GC and GC/MS Analyses: A Comparative Approach. Journal of Essential Oil-bearing Plants: IEOP, 2013, 16, 613-623.</i>	0.7	36
54	Fabrication of a PVC membrane samarium(III) sensor based on N,N′,N″-tris(4-pyridyl)trimesic amide as a selectophore. Materials Science and Engineering C, 2013, 33, 870-874.	3.8	30

#	Article	IF	CITATIONS
55	Novel PSO-MLR Algorithm to Predict the Chromatographic Retention Behaviors of Natural Compounds. Analytical Chemistry Letters, 2013, 3, 226-248.	0.4	17
56	Hydrodistilled Volatile Oil from Stems of Eryngium creticum Lam. in the Marginal Brackish Regions of Semnan Province by Using Gas Chromatography Combined with Mass Spectrometry. Asian Journal of Chemistry, 2013, 25, 390-392.	0.1	18
57	Quantitative Structure-Electrochemistry Relationship Study for Prediction of Half-Wave Reduction Potentials of Some Chlorinated Organic Compounds by Genetic Algorithm-Multiple Linear Regression. Asian Journal of Chemistry, 2013, 25, 349-352.	0.1	1
58	Chemical Composition of the Volatile Oils from the Flowers, Stems and Leaves ofPrangos latilobaKorov. Using the Head Space Solid Phase Microextraction Method Prior to Analysis by Gas Chromatography-Mass Spectrometry. Journal of Essential Oil-bearing Plants: JEOP, 2012, 15, 328-335.	0.7	22
59	Chemical Composition of the Essential Oil from Flowers, Leaves and Stems of <i>Haplophyllum perforatum < /i> by Using Head Space Solid Phase Microextraction. Journal of Essential Oil-bearing Plants: JEOP, 2012, 15, 506-515.</i>	0.7	20
60	Chemical Composition of the Volatile Oils from the Aerial Parts of <i>Artemisia annua </i> L. (Asteraceae) by Using Head Space Solid Phase Microextraction and Hydrodistillation Methods Prior to Gas Chromatographic-Mass Spectrometric Determination: A Comparative Investigation. Journal of Essential Oil-bearing Plants: JEOP, 2012, 15, 926-933.	0.7	20
61	Exploring Novel QSRRs for Simulation of Gas Chromatographic Retention Indices of Diverse Sets of Terpenoids in <i>Pistacia Lentiscus</i> L. Essential Oil Using Stepwise and Genetic Algorithm Multiple Linear Regressions. Analytical Chemistry Letters, 2012, 2, 80-102.	0.4	21
62	Europium (III) PVC membrane sensor based on N-pyridine-2-carboxamido-8-aminoquinoline as a sensing material. Materials Science and Engineering C, 2012, 32, 447-451.	3.8	53
63	Gadolinium(III) ion selective sensor using a new synthesized Schiff's base as a sensing material. Materials Science and Engineering C, 2012, 32, 712-717.	3.8	49
64	Quantitative Monitoring of Thulium Ions by a New Thulium Selective Polymeric Membrane Sensor. Sensor Letters, 2012, 10, 112-116.	0.4	33
65	Solid Phase Extraction of Ultra Trace Copper Using Octadecyl Silica Bonded Phase Membrane Disks Modified by a New Symmetric Schiff Base Ionophore Prior to FAAS Determination. Current Analytical Chemistry, 2011, 7, 306-317.	0.6	4
66	Prediction of antileukemia activity of berbamine derivatives by genetic algorithm–multiple linear regression. Monatshefte Für Chemie, 2011, 142, 943-948.	0.9	21
67	Chemical Composition of the Essential Oil from Aerial Parts of (i) Ajuga chamaecistus (i) Ging. subsp. Scopria in Brackish Regions of Iran. Journal of Essential Oil-bearing Plants: JEOP, 2011, 14, 101-105.	0.7	20
68	Hydrodistilled Volatile Oil Constituents of the Aerial Parts of <i>Prangos serpentinica</i> (Rech.f.,) Tj ETQq0 0 0 Simulation. Journal of Essential Oil-bearing Plants: JEOP, 2011, 14, 559-573.	rgBT /Ove 0.7	rlock 10 Tf 50 25
69	Synthesis, Spectral Assignment and Application of a New Synthesized Schiff Base Ionophore to Determination of Ultra Trace Copper by Solid Phase Extraction Flame Atomic Absorption Spectrometry. Analytical Chemistry Letters, 2011, 1, 300-317.	0.4	3
70	A quantitative structure-activity relationship study of tetrabutylphosphonium bromide analogs as muscarinic acetylcholine receptors. Journal of the Serbian Chemical Society, 2011, 76, 1117-1127.	0.4	13
71	Quantitative Monitoring of Erbium Ion in Alloy Samples by a Erbium Selective Sensor. Sensor Letters, 2011, 9, 1745-1749.	0.4	37
72	A Comparative Investigation on Efficacy of Two Methodologies of Solid Phase Extraction for Separation and Preâ€Concentration of Trace Copper in Aqueous Samples Prior to Flame Atomic Absorption Spectrometric Determination. Journal of the Chinese Chemical Society, 2010, 57, 363-370.	0.8	8

#	Article	IF	CITATIONS
73	Construction of Tm3+-PVC membrane sensor based on 1-(2-thiazolylazo)-2-naphthol as sensing material. Materials Science and Engineering C, 2010, 30, 480-483.	3.8	63
74	Chemical Composition of the Essential Oil from Aerial Parts of <i>Senicio gallicus </i> Chaix Growing Wild in Iran. Journal of Essential Oil-bearing Plants: JEOP, 2010, 13, 704-709.	0.7	13
75	Determination of Erbium Ions in Water Samples by a PVC Membrane Erbium-Ion Selective Electrode. Sensor Letters, 2010, 8, 303-307.	0.4	40
76	Erbium(III) PVC Membrane Ion-Selective Sensor based on 4-(2-Thiazolylazo)resorcinal. Analytical Letters, 2009, 42, 284-297.	1.0	32
77	Composition of the essential oil of Hymnocrater platystegius in Iran. Chemistry of Natural Compounds, 2009, 45, 448-449.	0.2	15
78	Chemical Composition of the Essential Oil from Leaves of Biebersteinia multifida DC. Growing Wild in Iran. Journal of Essential Oil-bearing Plants: JEOP, 2009, 12, 365-368.	0.7	17
79	Terbium(III) Ion-Selective Electrochemical Sensor Based on Hematoporphyrin. Analytical Letters, 2009, 42, 298-311.	1.0	33
80	Chemical composition of the essential oils from flowers, stems, and roots of Salvia multicaulis growing wild in Iran. Chemistry of Natural Compounds, 2008, 44, 127-128.	0.2	45
81	Simultaneous Kinetic Determination of Phosphate and Silicate by Spectrophotometric Hâ€Point Standard Addition Method. Journal of the Chinese Chemical Society, 2008, 55, 362-368.	0.8	2
82	Simultaneous Spectrophotometric Determination of Iron and Cobalt in Micellar Medium by Using a Principal Component Artificial Neural Network and Multivariate Calibration. Journal of the Chinese Chemical Society, 2007, 54, 383-390.	0.8	10
83	Preconcentration and Determination of Chromium Species Using Octadecyl Silica Membrane Disks and Flame Atomic Absorption Spectrometry. Chinese Journal of Chemistry, 2007, 25, 1859-1865.	2.6	14
84	Solid Phase Extraction and Determination of Trace Amounts of Lead(II) Using Octadecyl Membrane Disks Modified by a New Schiff's Base and Flame Atomic Absorption Spectrometry. Journal of the Chinese Chemical Society, 2006, 53, 1119-1128.	0.8	22
85	Preconcentration, Determination and Speciation of Chromium(III) Using Solid Phase Extraction and Flame Atomic Absorption Spectrometry. Journal of the Chinese Chemical Society, 2006, 53, 549-557.	0.8	30
86	"ASSESSMENT OF THE TRACE LEVELS OF LEAD (II) USING SOLID PHASE EXTRACTION AND FLAME ATOMIC ABSORPTION SPECTROMETRY". Material Science Research India, 2006, 3, 89-98.	0.9	1
87	A quantitative structure–activity relationship study on CXL017 derivatives as effective drugs for cancer treatment. Journal of the Chinese Chemical Society, 0, , .	0.8	1