## Munir Aktas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3922500/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of Anaplasma marginale in cattle blood samples collected from two important livestock regions in Punjab (Pakistan) with a note on epidemiology and phylogeny of parasite. Saudi Journal of Biological Sciences, 2022, 29, 1515-1520.	3.8	12
2	First report on molecular epidemiology, seasonality and phylogeny of Toxoplasma gondii infecting goats from Khanewal district in Punjab, Pakistan. Acta Tropica, 2022, 228, 106304.	2.0	5
3	Prevalence, epidemiology, seasonality, and phylogeny of Anaplasma marginale in blood samples of goats collected from Punjab, Pakistan. Tropical Animal Health and Production, 2022, 54, 74.	1.4	4
4	Molecular survey of Toxoplasma gondii in cattle and buffaloes and phylogenetic position of Pakistani isolates based on ITS-1 gene. Comparative Immunology, Microbiology and Infectious Diseases, 2022, 84, 101782.	1.6	2
5	Molecular prevalence, associated risk factors and phylogeny of Anaplasma marginale, Theileria ovis and T. lestoquardi in sheep from Pakistan. Comparative Immunology, Microbiology and Infectious Diseases, 2022, 86, 101822.	1.6	6
6	Seasonal survey, risk factor's analysis and genotyping of Theileria annulata infecting cattle in Punjab province, Pakistan. Acta Tropica, 2022, 234, 106587.	2.0	7
7	Molecular detection and phylogeny of Anaplasma spp. in cattle reveals the presence of novel strains closely related to A. phagocytophilum in Turkey. Ticks and Tick-borne Diseases, 2021, 12, 101604.	2.7	10
8	Genetic diversity of major surface protein 1a of Anaplasma marginale in dairy cattle. Infection, Genetics and Evolution, 2021, 89, 104608.	2.3	3
9	A Report on Molecular Detection and Phylogenetic Evaluation of Anaplasma marginale in Ticks and Blood Samples Collected from Cattle in District Layyah in Punjab (Pakistan). Current Microbiology, 2021, 78, 274-281.	2.2	20
10	Molecular epidemiology of Theileria annulata infection of cattle in Layyah District, Pakistan. Experimental and Applied Acarology, 2021, 83, 461-473.	1.6	11
11	Molecular Detection and Phylogeny of Anaplasma phagocytophilum and Related Variants in Small Ruminants from Turkey. Animals, 2021, 11, 814.	2.3	12
12	First report regarding molecular epidemiology and novel variant identification of Anaplasma centrale in cattle from Pakistan. Saudi Journal of Biological Sciences, 2021, 28, 6488-6494.	3.8	5
13	Molecular detection and prevalence of Theileria ovis and Anaplasma marginale in sheep blood samples collected from Layyah district in Punjab, Pakistan. Tropical Animal Health and Production, 2021, 53, 439.	1.4	17
14	Complete mitochondrial genome characterization and phylogenetic analyses of the main vector of Crimean-Congo haemorrhagic fever virus: Hyalomma marginatum Koch, 1844. Ticks and Tick-borne Diseases, 2021, 12, 101736.	2.7	10
15	Molecular Epidemiology of Theileria annulata in Cattle from Two Districts in Punjab (Pakistan). Animals, 2021, 11, 3443.	2.3	7
16	High genetic diversity and differentiation of the Babesia ovis population in Turkey. Transboundary and Emerging Diseases, 2020, 67, 26-35.	3.0	6
17	First Report Regarding the Simultaneous Molecular Detection of Anaplasma marginale and Theileria annulata in Equine Blood Samples Collected from Southern Punjab in Pakistan. Acta Parasitologica, 2020, 65, 259-263.	1.1	14
18	Bovine Babesiosis in Turkey: Impact, Current Gaps, and Opportunities for Intervention. Pathogens, 2020, 9, 1041.	2.8	29

#	Article	IF	CITATIONS
19	Molecular detection of small ruminant piroplasmosis and first report of Theileria luwenshuni (Apicomplexa: Theileridae) in small ruminants of Pakistan. Experimental Parasitology, 2020, 212, 107872.	1.2	9
20	First molecular survey of piroplasm species in cattle from Kyrgyzstan. Parasitology Research, 2019, 118, 2431-2435.	1.6	7
21	Genetic diversity of Theileria orientalis from cattle in Turkey. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 65, 132-136.	1.6	3
22	Genetic diversity of Ehrlichia canis in dogs from Turkey inferred by TRP36 sequence analysis and phylogeny. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 64, 20-24.	1.6	9
23	Molecular survey of Anaplasma and Ehrlichia species in cattle from Karaman of Turkey, including a novel tandem report of Anaplasma marginale msp1a gene. Ankara Universitesi Veteriner Fakultesi Dergisi, 2019, 66, 255-260.	1.0	5
24	Anaplasma ovis genetic diversity detected by major surface protein 1a and its prevalence in small ruminants. Veterinary Microbiology, 2018, 217, 13-17.	1.9	13
25	Molecular Evidence for a Novel Species of Babesia in Unfed Rhipicephalus sanguineus sensu lato (Acari: Ixodidae). Journal of Medical Entomology, 2018, 55, 1271-1276.	1.8	1
26	Molecular Evidence for Transstadial Transmission of Ehrlichia canis by Rhipicephalus sanguineus sensu lato Under Field Conditions. Journal of Medical Entomology, 2018, 55, 440-444.	1.8	14
27	A Molecular Survey of Rickettsias in Shelter Dogs and Distribution of Rhipicephalus sanguineus (Acari: Ixodidae) sensu lato in Southeast Turkey. Journal of Medical Entomology, 2018, 55, 459-463.	1.8	8
28	Molecular evidence for transâ€stadial transmission of <i>Anaplasma platys</i> by <i>Rhipicephalus sanguineus sensu lato</i> under field conditions. Medical and Veterinary Entomology, 2018, 32, 78-83.	1.5	15
29	Genetic diversity and prevalence of piroplasm species in equids from Turkey. Comparative Immunology, Microbiology and Infectious Diseases, 2018, 59, 47-51.	1.6	11
30	A molecular survey of hemoplasmas in domestic dogs from Turkey. Veterinary Microbiology, 2018, 221, 94-97.	1.9	14
31	A survey of canine haemoprotozoan parasites from Turkey, including molecular evidence of an unnamed Babesia. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 52, 36-42.	1.6	15
32	Molecular evidence of a new Babesia sp. in goats. Veterinary Parasitology, 2017, 233, 1-8.	1.8	29
33	Outbreak of anaplasmosis associated with novel genetic variants of Anaplasma marginale in a dairy cattle. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 54, 20-26.	1.6	27
34	A molecular survey of small ruminant hemotropic mycoplasmosis in Turkey, including first laboratory confirmed clinical cases caused by Mycoplasma ovis. Veterinary Microbiology, 2017, 208, 217-222.	1.9	16
35	Molecular survey of haemoplasmas in shelter dogs and associations with <i>Rhipicephalus sanguineus sensu lato</i> . Medical and Veterinary Entomology, 2017, 31, 457-461.	1.5	20
36	Transstadial Transmission of Hepatozoon canis by Rhipicephalus sanguineus (Acari: Ixodidae) in Field Conditions. Journal of Medical Entomology, 2017, 54, 1044-1048.	1.8	19

#	Article	IF	CITATIONS
37	Molecular Detection and Prevalence of <i>Hepatozoon canis</i> in Dogs from Punjab (Pakistan) and Hematological Profile of Infected Dogs. Vector-Borne and Zoonotic Diseases, 2017, 17, 179-184.	1.5	4
38	Molecular and Parasitological Survey of Ovine Piroplasmosis, Including the First Report of <i>Theileria annulata</i> (Apicomplexa: Theileridae) in Sheep and Goats from Turkey. Journal of Medical Entomology, 2017, 54, 212-220.	1.8	36
39	Pakistan'ın Cholistan Çölünde Başıboş Dolaşan Cholistan Sığırlarında Tropikal Theilerios Kan DeÄŸerleri. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2016, , .	isin Preval 0.1	ansı ve
40	Bovine anaplasmosis in Turkey: First laboratory confirmed clinical cases caused by Anaplasma phagocytophilum. Veterinary Microbiology, 2015, 178, 246-251.	1.9	53
41	Immunization of Knock-Out α/β Interferon Receptor Mice against High Lethal Dose of Crimean-Congo Hemorrhagic Fever Virus with a Cell Culture Based Vaccine. PLoS Neglected Tropical Diseases, 2015, 9, e0003579.	3.0	47
42	A molecular and parasitological survey of Hepatozoon canis in domestic dogs in Turkey. Veterinary Parasitology, 2015, 209, 264-267.	1.8	39
43	Molecular detection of tick-borne rickettsial and protozoan pathogens in domestic dogs from Turkey. Parasites and Vectors, 2015, 8, 157.	2.5	58
44	Molecular and Parasitological Survey of Bovine Piroplasms in the Black Sea Region, Including the First Report of Babesiosis Associated with <i>Babesia divergens</i> in Turkey. Journal of Medical Entomology, 2015, 52, 1344-1350.	1.8	27
45	Molecular identification of Theileria and Babesia in ticks collected from sheep and goats in the Black Sea region of Turkey. Parasitology Research, 2015, 114, 65-69.	1.6	53
46	Survey of Anaplasma Infections in Small Ruminants from East Part of Turkey. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2014, , .	0.1	14
47	Isolation, Cloning and Sequence Analysis of Enolase Enzyme Encoding Gene from Theileria annulata for Assessment of Important Residues of This Enzyme. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2014, , .	0.1	3
48	Molecular evidence for trans-stadial and transovarial transmission of Babesia occultans in Hyalomma marginatum and Rhipicephalus turanicus in Turkey. Veterinary Parasitology, 2014, 204, 369-371.	1.8	30
49	A survey of ixodid tick species and molecular identification of tick-borne pathogens. Veterinary Parasitology, 2014, 200, 276-283.	1.8	101
50	Application of the pseudo-plaque assay for detection and titration of Crimean-Congo hemorrhagic fever virus. Journal of Virological Methods, 2013, 187, 26-31.	2.1	13
51	Pseudo-plaque reduction neutralization test (PPRNT) for the measurement of neutralizing antibodies to Crimean-Congo hemorrhagic fever virus. Virology Journal, 2013, 10, 6.	3.4	15
52	Molecular identification of Theileria and Babesia in sheep and goats in the Black Sea Region in Turkey. Parasitology Research, 2013, 112, 2817-2824.	1.6	41
53	Molecular investigations of Hepatozoon species in dogs and developmental stages of Rhipicephalus sanguineus. Parasitology Research, 2013, 112, 2381-2385.	1.6	36
54	Vectors and Vector-Borne Diseases in Turkey. Ankara Universitesi Veteriner Fakultesi Dergisi, 2013, 60, 281-296.	1.0	18

#	Article	IF	CITATIONS
55	Isolation, cloning and sequence analysis of lactate dehydrogenase gene from Theileria annulata may lead to design of new antitheilerial drugs. Veterinarni Medicina, 2012, 57, 559-567.	0.6	12
56	A study on ovine tick-borne hemoprotozoan parasites (Theileria and Babesia) in the East Black Sea Region of Turkey. Parasitology Research, 2012, 111, 149-153.	1.6	40
57	A survey of ixodid ticks feeding on cattle and prevalence of tick-borne pathogens in the Black Sea region of Turkey. Veterinary Parasitology, 2012, 187, 567-571.	1.8	58
58	Molecular detection and identification of Anaplasma and Ehrlichia species in cattle from Turkey. Ticks and Tick-borne Diseases, 2011, 2, 62-65.	2.7	77
59	A study on the determination of risk factors associated with babesiosis and prevalence of <i>Babesia</i> sp., by PCR amplification, in small ruminants from Southern Punjab (Pakistan). Parasite, 2011, 18, 229-234.	2.0	29
60	Molecular evidence for Anaplasma phagocytophilum in Ixodes ricinus from Turkey. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 10-15.	1.8	48
61	The complete genome analysis of Crimean-Congo hemorrhagic fever virus isolated in Turkey. Virus Research, 2010, 147, 288-293.	2.2	35
62	Molecular detection and identification of Ehrlichia and Anaplasma species in ixodid ticks. Parasitology Research, 2009, 104, 1243-1248.	1.6	65
63	Molecular identification of ovine Theileria species by a new PCR–RFLP method. Veterinary Parasitology, 2009, 161, 171-177.	1.8	55
64	Tick Infestations on Sheep and Goats in the Black Sea Region of Türkiye. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2009, , .	0.1	3
65	Genetic analysis of the M RNA segment of Crimean-Congo hemorrhagic fever virus strains in Turkey. Archives of Virology, 2008, 153, 37-44.	2.1	22
66	Evaluation of a PCR and comparison with RLB for detection and differentiation of Theileria sp. MK and other Theileria and Babesia species of small ruminants. Parasitology Research, 2008, 103, 319-323.	1.6	33
67	Molecular detection of Theileria and Babesia infections in cattle. Veterinary Parasitology, 2008, 158, 295-301.	1.8	99
68	Detection of Babesia ovis by PCR in Rhipicephalus bursa collected from naturally infested sheep and goats. Research in Veterinary Science, 2008, 85, 116-119.	1.9	51
69	Modeling the Spatial Distribution of Crimean-Congo Hemorrhagic Fever Outbreaks in Turkey. Vector-Borne and Zoonotic Diseases, 2007, 7, 667-678.	1.5	77
70	Comparison and phylogenetic analysis of the heat shock protein 70 gene of Babesia parasites from dogs. Veterinary Parasitology, 2007, 145, 217-227.	1.8	32
71	Molecular identification, genetic diversity and distribution of Theileria and Babesia species infecting small ruminants. Veterinary Parasitology, 2007, 147, 161-165.	1.8	80
72	Sequence polymorphism in the ribosomal DNA internal transcribed spacers differs among Theileria species. Veterinary Parasitology, 2007, 147, 221-230.	1.8	45

#	Article	IF	CITATIONS
73	Determination of prevalence and risk factors for infection with Babesia ovis in small ruminants from Turkey by polymerase chain reaction. Parasitology Research, 2007, 100, 797-802.	1.6	52
74	Theileria infections in small ruminants in the east and southeast Anatolia. Turkiye Parazitolojii Dergisi, 2007, 31, 268-71.	0.6	15
75	Crimean-Congo Hemorrhagic Fever Virus: Genetic Analysis and Tick Survey in Turkey. Journal of Clinical Microbiology, 2006, 44, 4120-4124.	3.9	88
76	A molecular survey of bovine Theileria parasites among apparently healthy cattle and with a note on the distribution of ticks in eastern Turkey. Veterinary Parasitology, 2006, 138, 179-185.	1.8	91
77	PCR-based detection of Theileria ovis in Rhipicephalus bursa adult ticks. Veterinary Parasitology, 2006, 140, 259-263.	1.8	56
78	Prevalence and distribution of tropical theileriosis in eastern Turkey. Veterinary Parasitology, 2005, 127, 9-15.	1.8	46
79	Detection of Theileria ovis in naturally infected sheep by nested PCR. Veterinary Parasitology, 2005, 127, 99-104.	1.8	86
80	Development of a polymerase chain reaction method for diagnosis of Babesia ovis infection in sheep and goats. Veterinary Parasitology, 2005, 133, 277-281.	1.8	95
81	Survey of Theileria parasites of sheep in eastern Turkey using polymerase chain reaction. Small Ruminant Research, 2005, 60, 289-293.	1.2	34
82	Cattle infestation by Hyalomma ticks and prevalence of Theileria in Hyalomma species in the east of Turkey. Veterinary Parasitology, 2004, 119, 1-8.	1.8	67
83	Pneumocystis carinii (Delanoe and Delanoe, 1912) Infections in Some Bird Species. Turkish Journal of	0.5	0