Mr Othman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3923653/publications.pdf

Version: 2024-02-01

104 3,717 papers citations

28 h-index 58 g-index

104 all docs 104 docs citations 104 times ranked 3979 citing authors

#	Article	IF	CITATIONS
1	Technologies for production of biodiesel focusing on green catalytic techniques: A review. Fuel Processing Technology, 2009, 90, 1502-1514.	3.7	551
2	Solid heterogeneous catalysts for transesterification of triglycerides with methanol: A review. Applied Catalysis A: General, 2009, 363, 1-10.	2.2	506
3	Nanophase Hydroxyapatite as a Biomaterial in Advanced Hard Tissue Engineering: A Review. Tissue Engineering - Part B: Reviews, 2013, 19, 431-441.	2.5	208
4	Carbon dioxide removal through physical adsorption using carbonaceous and non-carbonaceous adsorbents: A review. Journal of Environmental Chemical Engineering, 2020, 8, 104142.	3.3	142
5	Zeolitic imidazolate framework membranes for gas separation: A review of synthesis methods and gas separation performance. Journal of Industrial and Engineering Chemistry, 2015, 28, 1-15.	2.9	129
6	Mg–Al hydrotalcite coating on zeolites for improved carbon dioxide adsorption. Chemical Engineering Science, 2006, 61, 1555-1560.	1.9	126
7	Present technologies for hydrogen sulfide removal from gaseous mixtures. Reviews in Chemical Engineering, 2013, 29, .	2.3	111
8	The effects of sonification and TiO2 deposition on the micro-characteristics of the thermally treated SiO2/TiO2 spherical core–shell particles for photo-catalysis of methyl orange. Microporous and Mesoporous Materials, 2008, 116, 561-568.	2.2	81
9	A review on application of activated carbons for carbon dioxide capture: present performance, preparation, and surface modification for further improvement. Environmental Science and Pollution Research, 2021, 28, 43329-43364.	2.7	7 3
10	Conversion of Jatropha curcas oil into biodiesel using re-crystallized hydrotalcite. Energy Conversion and Management, 2013, 73, 128-134.	4.4	65
11	Pressure Swing Adsorption Technologies for Carbon Dioxide Capture. Separation and Purification Reviews, 2016, 45, 108-121.	2.8	62
12	Improved carbon dioxide capture using metal reinforced hydrotalcite under wet conditions. International Journal of Greenhouse Gas Control, 2012, 7, 127-136.	2.3	59
13	Strategic planning on carbon capture from coal fired plants in Malaysia and Indonesia: A review. Energy Policy, 2009, 37, 1718-1735.	4.2	58
14	Polysulfone/poly(ether sulfone) blended membranes for CO ₂ separation. Journal of Applied Polymer Science, 2016, 133, .	1.3	55
15	Separability of carbon dioxide from methane using MFI zeolite–silica film deposited on gamma-alumina support. Microporous and Mesoporous Materials, 2009, 121, 138-144.	2.2	54
16	Elevated temperature carbon dioxide capture via reinforced metal hydrotalcite. Microporous and Mesoporous Materials, 2011, 138, 110-117.	2.2	52
17	Effects of thermal treatment on the micro-structures of co-precipitated and sol–gel synthesized (Mg–Al) hydrotalcites. Microporous and Mesoporous Materials, 2006, 93, 23-28.	2.2	47
18	Simulated fractal permeability for porous membranes. Applied Mathematical Modelling, 2010, 34, 2452-2464.	2.2	41

#	Article	IF	CITATIONS
19	Microporous ZIF-8 membrane prepared from secondary growth for improved propylene permeance and selectivity. Microporous and Mesoporous Materials, 2019, 285, 178-184.	2.2	40
20	Hydrodeoxygenation of 2-furyl methyl ketone as a model compound in bio-oil from pyrolysis of Saccharina Japonica Alga in fixed-bed reactor. Chemical Engineering Journal, 2014, 250, 157-163.	6.6	39
21	Effect of thermal treatment on the microstructure of sol–gel derived porous alumina modified platinum. Microporous and Mesoporous Materials, 2006, 91, 268-275.	2.2	37
22	Highly selective micro-porous ZIF-8 membranes prepared by rapid electrospray deposition. Journal of Industrial and Engineering Chemistry, 2015, 21, 575-579.	2.9	37
23	Microporous ZIF-8 and ZIF-67 membranes grown on mesoporous alumina substrate for selective propylene transport. Separation and Purification Technology, 2020, 233, 116026.	3.9	37
24	High sensitivity and fast response SnO2 and La-SnO2 catalytic pellet sensors in detecting volatile organic compounds. Chemical Engineering Research and Design, 2011, 89, 186-192.	2.7	35
25	Preparation of perovskite alumina ceramic membrane using sol–gel method. Journal of Membrane Science, 2005, 262, 129-137.	4.1	34
26	Methane enrichment in biogas mixture using pressure swing adsorption: process fundamental and design parameters. Materials Today Sustainability, 2021, 11-12, 100063.	1.9	33
27	Thermogravimetric characteristics and pyrolysis kinetics of Giheung Respia sewage sludge. Korean Journal of Chemical Engineering, 2010, 27, 163-167.	1.2	28
28	In situ carbon dioxide capture and fixation from a hot flue gas. International Journal of Greenhouse Gas Control, 2012, 6, 179-188.	2.3	28
29	In-situ mineralization of carbon dioxide in a coal-fired power plant. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2016, 38, 606-611.	1.2	28
30	Biogas upgrading to fuel grade methane using pressure swing adsorption: Parametric sensitivity analysis on an industrial scale. Fuel, 2022, 308, 121986.	3.4	28
31	On the characteristics and hydrogen adsorption properties of a Pd/γ-Al2O3 prepared by sol–gel method. Microporous and Mesoporous Materials, 2006, 91, 145-150.	2.2	27
32	Permeation characteristics of H2, N2 and CO2 in a binary mixture across meso-porous Al2O3 and Pd–Al2O3 asymmetric composites. Microporous and Mesoporous Materials, 2008, 112, 403-410.	2.2	27
33	Rapid solvothermal synthesis of microporous UiO-66 particles for carbon dioxide capture. Korean Journal of Chemical Engineering, 2018, 35, 764-769.	1.2	27
34	Optimizing purity and recovery of biogas methane enrichment process in a closed landfill. Renewable Energy, 2019, 131, 1117-1127.	4.3	27
35	Evaluation of thermal effects on carbon dioxide breakthrough curve for biogas upgrading using pressure swing adsorption. Energy Conversion and Management, 2021, 247, 114752.	4.4	26
36	Microporous ZIF-7 membranes prepared by in-situ growth method for hydrogen separation. International Journal of Hydrogen Energy, 2016, 41, 10366-10373.	3.8	25

#	Article	IF	CITATIONS
37	Hydrogen purification from binary syngas by PSA with pressure equalization using microporous palm kernel shell activated carbon. Fuel, 2019, 253, 722-730.	3.4	25
38	The study of the conversion of intercalated compounds synthesized from a sol-gel procedure. Journal of Sol-Gel Science and Technology, 2008, 47, 274-282.	1.1	24
39	YSZ-carbonate dual-phase membranes for high temperature carbon dioxide separation. Journal of Industrial and Engineering Chemistry, 2014, 20, 3703-3708.	2.9	24
40	Improving the yield of Jatropha curcas's FAME through sol–gel derived meso-porous hydrotalcites. Renewable Energy, 2016, 86, 68-74.	4.3	24
41	Synthesis and Characterization of Nano-Composite Alumina?Titania Ceramic Membrane for Gas Separation. Journal of the American Ceramic Society, 2006, 89, 3187-3193.	1.9	22
42	Hydrodeoxygenation of 2-furyl methyl ketone as a model compound of algal Saccharina Japonica bio-oil using iron phosphide catalyst. Chemical Engineering Journal, 2017, 317, 302-308.	6.6	22
43	Methane enrichment from high carbon dioxide content natural gas by pressure swing adsorption. Journal of Natural Gas Science and Engineering, 2019, 69, 102929.	2.1	22
44	Esoteric CO adsorption by CuCl-NiCl2 embedded microporous MIL-101 (Cr). Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 615, 126242.	2.3	22
45	Biomethane upgrading to transportation fuel quality using spent coffee for carbon dioxide capture in pressure swing adsorption. Journal of Environmental Chemical Engineering, 2022, 10, 107169.	3.3	22
46	Improved predictive capability of coagulation process by extreme learning machine with radial basis function. Journal of Water Process Engineering, 2019, 32, 100977.	2.6	20
47	Etherification of glycerol to polyglycerols over hydrotalcite catalyst prepared using a combustion method. Catalysis Communications, 2013, 32, 67-70.	1.6	19
48	Continuous synthesis of molybdenum oxide microspheres by ultrasonic spray pyrolysis. Journal of Industrial and Engineering Chemistry, 2017, 47, 254-259.	2.9	19
49	Comparative analyses of carbon dioxide capture from power plant flue gas surrogate by micro and mesoporous adsorbents. Journal of Environmental Chemical Engineering, 2019, 7, 103115.	3.3	19
50	Role of heat dissipation on carbon dioxide capture performance in biomethane upgrading system using pressure swing adsorption. Separation and Purification Technology, 2022, 280, 119959.	3.9	19
51	Improved molten carbonate fuel cell performance via reinforced thin anode. International Journal of Hydrogen Energy, 2012, 37, 16161-16167.	3.8	18
52	ZIF-8 tubular membrane for propylene purification: Effect of surface curvature and zinc salts on separation performance. Separation and Purification Technology, 2020, 251, 117354.	3.9	17
53	The CO2 adsorptive and regenerative behaviors of Rhizopus oligosporus and carbonaceous Hibiscus cannabinus exposed to thermal swings. Microporous and Mesoporous Materials, 2008, 110, 363-369.	2.2	16
54	Permeability and separability of methane and carbon dioxide across meso-porous Mg–Al hydrotalcite and activated carbon media. Chemical Engineering Science, 2009, 64, 925-929.	1.9	16

#	Article	IF	Citations
55	Thermodynamic Functions of Temperature/Pressure-Induced Sorption across Microporous Membranes: Case Study of Methane and Carbon Dioxide. Adsorption Science and Technology, 2010, 28, 179-188.	1.5	16
56	Comparative analysis on equilibrium sorption of metal ions by biosorbent Tempe. Biochemical Engineering Journal, 2003, 16, 361-364.	1.8	15
57	Carbonaceous Hibiscus cannabinus L. for treatment of oil- and metal-contaminated water. Biochemical Engineering Journal, 2008, 41, 171-174.	1.8	15
58	Nano Ni layered anode for enhanced MCFC performance at reduced operating temperature. International Journal of Hydrogen Energy, 2014, 39, 12285-12290.	3.8	15
59	Effect of pressure equalization on methane enrichment from stranded natural gas using < scp > PSA < /scp > with amorphous Kenaf and microporous palm kernel shell adsorbents. International Journal of Energy Research, 2020, 44, 6555-6566.	2.2	15
60	The conversion of an organometallic compound into an intercalated thinâ€layer amorphous structure. Applied Organometallic Chemistry, 2009, 23, 403-408.	1.7	13
61	Hydroxyapatite nanoparticles: Electrospinning and calcination of hydroxyapatite/polyvinyl butyral nanofibers and growth kinetics. Journal of Biomedical Materials Research - Part A, 2013, 101A, 1977-1985.	2.1	13
62	Predominant Gas Transport in Microporous Hydrotalcite–Silica Membrane. Transport in Porous Media, 2014, 102, 59-70.	1.2	13
63	Effect of Mullite Formation on Properties of Aluminosilicate Ceramic Balls. Procedia Chemistry, 2016, 19, 922-928.	0.7	13
64	Characteristics of Alumina Membranes Prepared From Different Metal-Organic Compounds. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2012, 42, 928-934.	0.6	12
65	Highly Perm-Selective Micro-Porous Hydrotalcite-Silica Membrane for Improved Carbon Dioxide-Methane Separation. Separation Science and Technology, 2015, 50, 1701-1708.	1.3	12
66	Microporous Mo-UiO-66 Metal–Organic Framework Nanoparticles as Gas Adsorbents. ACS Applied Nano Materials, 2021, 4, 4895-4901.	2.4	11
67	Freeze Granulation of Nanoporous UiO-66 Nanoparticles for Capture of Volatile Organic Compounds. ACS Applied Nano Materials, 2021, 4, 8863-8871.	2.4	11
68	SURFACE AFFINITY AND INTERDIFFUSIVITY OF CARBON DIOXIDE INSIDE HYDROTALCITE-SILICA MICROPORES: CO2 INTERDIFFUSION INSIDE HT-Si MICROPORES. Journal of Porous Media, 2015, 18, 379-388.	1.0	11
69	Effect of adsorption–desorption on hydrogen purity and recovery in non-adiabatic pressure swing mediated by microporous palm kernel shell adsorbent. Fuel, 2022, 311, 122550.	3.4	11
70	Hydrogen sulfide-resilient anodes for molten carbonate fuel cells. Journal of Power Sources, 2013, 230, 282-289.	4.0	10
71	Magneto-electro deposition of tin dendrites. Surface and Coatings Technology, 2015, 264, 66-71.	2.2	10
72	Composite Catalyst of Palm Mill Fly Ash-Supported Calcium Oxide Obtained from Eggshells for Transesterification of Off-Grade Palm Oil. Catalysts, 2020, 10, 724.	1.6	10

#	Article	IF	Citations
73	Experimental study and static numerical optimization of scalable design of non-adiabatic and non-isothermal pressure swing adsorption for biogas upgrading. Energy, 2022, 257, 124781.	4.5	10
74	Fractal Rate of Adsorption and Surface Diffusivity of Carbon Dioxide across Mesoporous Adsorbents. Adsorption Science and Technology, 2009, 27, 893-906.	1.5	9
75	Pore morphological identification of hydrotalcite from nitrogen adsorption. Chaos, Solitons and Fractals, 2013, 49, 7-15.	2.5	8
76	Complete removal of carbon monoxide by functional nanoparticles for hydrogen fuel cell application. Chemical Engineering Science, 2017, 172, 688-693.	1.9	8
77	Characterization of macro-scale heterogeneity and homogeneity of porous media employing fractal geometry. Chaos, Solitons and Fractals, 2002, 13, 845-852.	2.5	7
78	Separability of hydrogen from hydrogen–carbon dioxide mixture across silica–silicalite-1 film. Fuel Processing Technology, 2011, 92, 428-432.	3.7	7
79	Flow dynamics of gases inside hydrotalcite-silica micropores. Microporous and Mesoporous Materials, 2017, 246, 37-42.	2.2	7
80	Effects of membrane selectivity and configuration on methane purity and recovery from high carbon dioxide content natural gas. Journal of Natural Gas Science and Engineering, 2021, 89, 103882.	2.1	7
81	Research Trend on ZIF-8 Membranes for Propylene Separation. Membrane Journal, 2019, 29, 67-79.	0.2	7
82	A flow through behavior of gas across meso-porous membranes. Microporous and Mesoporous Materials, 2012, 163, 115-121.	2.2	6
83	Conversion of Saga Seeds into Adsorbent and Liquid Fuel from Pyrolysis and Solvent Extraction. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2015, 37, 2437-2442.	1.2	6
84	Dynamic Optimization of Autocatalytic Esterification in a Semiâ€batch Reactor. Chemical Engineering and Technology, 2021, 44, 648-660.	0.9	6
85	Starch as novel water soluble biopolymer in removal mixtures heavy metal ions via polymer enhanced ultrafiltration. AIP Conference Proceedings, 2019, , .	0.3	5
86	Unveiling the critical role of biogas compositions on carbon dioxide separation in biogas upgrading using pressure swing adsorption. Biomass Conversion and Biorefinery, 2023, 13, 13827-13840.	2.9	5
87	Polyunsaturated Fatty Acid Fractionation from Crude Palm Oil (CPO). Processes, 2021, 9, 2183.	1.3	5
88	Effects of membrane processed renewable biogas fuels on natural gas designed turbine's power cycle and fuel consumption. Biomass and Bioenergy, 2022, 163, 106530.	2.9	5
89	Optimizing purity and recovery of hydrogen from syngas by equalized pressure swing adsorption using palm kernel shell activated carbon adsorbent. AIP Conference Proceedings, 2019, , .	0.3	4
90	Optimizing atmospheric distillation unit for maximum light petroleum gas yield and comparative case studies. AIP Conference Proceedings, 2019, , .	0.3	4

#	Article	IF	CITATIONS
91	Effect of acidic products from degradation of N-methyldiethanolamine amine on CO2/H2S capturing from natural gas. Clean Technologies and Environmental Policy, 2021, 23, 2133-2144.	2.1	4
92	Flared Gas Emission Control from an Oil Production Platform. Journal of Physical Science, 2019, 30, 125-147.	0.5	4
93	Development of microporous Zr-MOF UiO-66 by sol-gel synthesis for CO2 capture from synthetic gas containing CO2 and H2. AIP Conference Proceedings, 2019, , .	0.3	3
94	Optimizing autocatalysis with uncertainty by derivativeâ€free estimators. Optimal Control Applications and Methods, 2021, 42, 180-194.	1.3	3
95	Metal-silica spherical particles development by spray pyrolysis: Effect of metal species on surface area and toluene adsorption. Journal of Analytical and Applied Pyrolysis, 2021, 156, 105049.	2.6	3
96	Bio-ETBE determination in a mixture of gasoline using low level liquid scintillation counting. Journal of Industrial and Engineering Chemistry, 2017, 49, 26-29.	2.9	2
97	Carbon dioxide separation from carbon dioxide-methane gas mixture using PSA utilizing inorganic and organic adsorbents. AIP Conference Proceedings, 2019, , .	0.3	1
98	Adsorption of brilliant green dye in aqueous medium using magnetic adsorbents prepared from rice husk ash. AIP Conference Proceedings, 2019, , .	0.3	1
99	Characteristics of unsupported alumina membrane prepared using sol-gel technique. ASEAN Journal on Science and Technology for Development, 2001, 18, .	0.2	1
100	Synthetic Hydrotalcite Prepared from Modified Combustion Method Using Glucose as Fuel. Advanced Materials Research, 0, 173, 146-149.	0.3	0
101	Production of Layered Hydrotalcite Using Tapai as Fuel. Advanced Materials Research, 0, 545, 401-404.	0.3	0
102	Porous Ceramic Supports Prepared from Porcelain Mixture. Advanced Materials Research, 0, 620, 389-394.	0.3	0
103	Evaluation the effect of the ambient temperature on the liquid petroleum gas transportation pipeline. Chemical Product and Process Modeling, 2020, .	0.5	0
104	10.2478/s11814-009-0338-9., 2011, 27, 163.		0