

elisa Orioli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3925072/publications.pdf>

Version: 2024-02-01

22
papers

1,154
citations

471061

17
h-index

794141

19
g-index

22
all docs

22
docs citations

22
times ranked

1624
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The P2X7 receptor: A main player in inflammation. <i>Biochemical Pharmacology</i> , 2018, 151, 234-244. | 2.0 | 282 |
| 2 | The P2X7 receptor modulates immune cells infiltration, ectonucleotidases expression and extracellular ATP levels in the tumor microenvironment. <i>Oncogene</i> , 2019, 38, 3636-3650. | 2.6 | 144 |
| 3 | Genetic Association and Altered Gene Expression of Mir-155 in Multiple Sclerosis Patients. <i>International Journal of Molecular Sciences</i> , 2011, 12, 8695-8712. | 1.8 | 93 |
| 4 | P2X7 Receptor as a Therapeutic Target. <i>Advances in Protein Chemistry and Structural Biology</i> , 2016, 104, 39-79. | 1.0 | 88 |
| 5 | P2X7 Receptor Orchestrates Multiple Signalling Pathways Triggering Inflammation, Autophagy and Metabolic/Trophic Responses. <i>Current Medicinal Chemistry</i> , 2017, 24, 2261-2275. | 1.2 | 76 |
| 6 | ATP Release from Chemotherapy-Treated Dying Leukemia Cells Elicits an Immune Suppressive Effect by Increasing Regulatory T Cells and Tolerogenic Dendritic Cells. <i>Frontiers in Immunology</i> , 2017, 8, 1918. | 2.2 | 72 |
| 7 | Investigation of in vitro cytotoxicity of the redox state of ionic iron in neuroblastoma cells. <i>Journal of Neurosciences in Rural Practice</i> , 2012, 03, 301-310. | 0.3 | 45 |
| 8 | Extracellular ATP induces apoptosis through P2X7R activation in acute myeloid leukemia cells but not in normal hematopoietic stem cells. <i>Oncotarget</i> , 2017, 8, 5895-5908. | 0.8 | 45 |
| 9 | Polymorphisms in the genes coding for iron binding and transporting proteins are associated with disability, severity, and early progression in multiple sclerosis. <i>BMC Medical Genetics</i> , 2012, 13, 70. | 2.1 | 42 |
| 10 | Kinin and Purine Signaling Contributes to Neuroblastoma Metastasis. <i>Frontiers in Pharmacology</i> , 2018, 9, 500. | 1.6 | 42 |
| 11 | Differential sensitivity of acute myeloid leukemia cells to daunorubicin depends on P2X7A versus P2X7B receptor expression. <i>Cell Death and Disease</i> , 2020, 11, 876. | 2.7 | 39 |
| 12 | Role of the P2X7 receptor in tumor-associated inflammation. <i>Current Opinion in Pharmacology</i> , 2019, 47, 59-64. | 1.7 | 38 |
| 13 | P2X7 promotes metastatic spreading and triggers release of miRNA-containing exosomes and microvesicles from melanoma cells. <i>Cell Death and Disease</i> , 2021, 12, 1088. | 2.7 | 31 |
| 14 | Detection of Extracellular ATP in the Tumor Microenvironment, Using the pmELUC Biosensor. <i>Methods in Molecular Biology</i> , 2020, 2041, 183-195. | 0.4 | 27 |
| 15 | Factor XIII-A dynamics in acute myocardial infarction: a novel prognostic biomarker?. <i>Thrombosis and Haemostasis</i> , 2015, 114, 123-132. | 1.8 | 23 |
| 16 | Sudden Sensorineural Hearing Loss and Polymorphisms in Iron Homeostasis Genes: New Insights from a Case-Control Study. <i>BioMed Research International</i> , 2015, 2015, 1-10. | 0.9 | 23 |
| 17 | DHFR 19â€ insertion/deletion polymorphism and MTHFR C677T in adult acute lymphoblastic leukaemia: Is the risk reduction due to intracellular folate unbalancing?. <i>American Journal of Hematology</i> , 2009, 84, 526-529. | 2.0 | 21 |
| 18 | Involvement of P2X7 Receptors in the Osteogenic Differentiation of Mesenchymal Stromal/Stem Cells Derived from Human Subcutaneous Adipose Tissue. <i>Stem Cell Reviews and Reports</i> , 2019, 15, 574-589. | 5.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Nanoengineering Approaches to Design Advanced Dental Materials for Clinical Applications. Journal of Bionanoscience, 2010, 4, 53-65. | 0.4 | 9 |
| 20 | P2X7 Receptor Activation By ATP As Target of Novel Therapies in Acute Myeloid Leukemia. Blood, 2015, 126, 3684-3684. | 0.6 | 0 |
| 21 | The Induction of Inhibitory Pathways in Dendritic Cells May Hamper the Efficient Activation of Anti-Leukemia T Cells within Chemotherapy-Induced Immunogenic Cell Death. Blood, 2015, 126, 1019-1019. | 0.6 | 0 |
| 22 | Chemotherapy-Dependent ATP Release from Leukemia Dying Cells Induces Indoleamine 2,3-Dioxygenase 1 in Dendritic Cells. Blood, 2016, 128, 3711-3711. | 0.6 | 0 |