

# Chun-Wei Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3925092/publications.pdf>

Version: 2024-02-01

67  
papers

2,709  
citations

218381

26  
h-index

182168

51  
g-index

67  
all docs

67  
docs citations

67  
times ranked

4614  
citing authors

#	ARTICLE	IF	CITATIONS
1	High Mobility MoS <sub>2</sub> Transistor with Low Schottky Barrier Contact by Using Atomic Thick h <sup>+</sup> BN as a Tunneling Layer. <i>Advanced Materials</i> , 2016, 28, 8302-8308.	11.1	398
2	Dynamic Evolution of Conducting Nanofilament in Resistive Switching Memories. <i>Nano Letters</i> , 2013, 13, 3671-3677.	4.5	327
3	Switching Kinetic of VCM-Based Memristor: Evolution and Positioning of Nanofilament. <i>Advanced Materials</i> , 2015, 27, 5028-5033.	11.1	176
4	Flexible ferroelectric element based on van der Waals heteroepitaxy. <i>Science Advances</i> , 2017, 3, e1700121.	4.7	174
5	Well-aligned ZnO nanowires with excellent field emission and photocatalytic properties. <i>Nanoscale</i> , 2012, 4, 1471-1475.	2.8	107
6	Direct Observation of Dual-Filament Switching Behaviors in Ta <sub>2</sub> O <sub>5</sub> -Based Memristors. <i>Small</i> , 2017, 13, 1603116.	5.2	85
7	Oxide Heteroepitaxy for Flexible Optoelectronics. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32401-32407.	4.0	81
8	Rational Design of ZnO:H/ZnO Bilayer Structure for High-Performance Thin-Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 7862-7868.	4.0	76
9	Dielectric Engineering of a Boron Nitride/Hafnium Oxide Heterostructure for High-Performance 2D Field Effect Transistors. <i>Advanced Materials</i> , 2016, 28, 2062-2069.	11.1	65
10	Phase transformation and thermoelectric properties of bismuth-telluride nanowires. <i>Nanoscale</i> , 2013, 5, 4669.	2.8	63
11	Observation of Resistive Switching Behavior in Crossbar Core-Shell Ni/NiO Nanowires Memristor. <i>Small</i> , 2018, 14, 1703153.	5.2	58
12	Atomic-scale investigation of Lithiation/Delithiation mechanism in High-entropy spinel oxide with superior electrochemical performance. <i>Chemical Engineering Journal</i> , 2021, 420, 129838.	6.6	53
13	Excellent piezoelectric and electrical properties of lithium-doped ZnO nanowires for nanogenerator applications. <i>Nano Energy</i> , 2014, 8, 291-296.	8.2	48
14	Growth of CuInSe <sub>2</sub> and In <sub>2</sub> Se <sub>3</sub> /CuInSe <sub>2</sub> Nano-Heterostructures through Solid State Reactions. <i>Nano Letters</i> , 2011, 11, 4348-4351.	4.5	46
15	Revealing Controllable Nanowire Transformation through Cationic Exchange for RRAM Application. <i>Nano Letters</i> , 2014, 14, 2759-2763.	4.5	44
16	In Situ TEM and Energy Dispersion Spectrometer Analysis of Chemical Composition Change in ZnO Nanowire Resistive Memories. <i>Analytical Chemistry</i> , 2013, 85, 3955-3960.	3.2	41
17	Kinetic Competition Model and Size-Dependent Phase Selection in 1-D Nanostructures. <i>Nano Letters</i> , 2012, 12, 3115-3120.	4.5	40
18	Dynamic Observation of Phase Transformation Behaviors in Indium(III) Selenide Nanowire Based Phase Change Memory. <i>ACS Nano</i> , 2014, 8, 9457-9462.	7.3	39

#	ARTICLE	IF	CITATIONS
19	Copper silicide/silicon nanowire heterostructures; in situ TEM observation of growth behaviors and electron transport properties. <i>Nanoscale</i> , 2013, 5, 5086.	2.8	34
20	Observing Growth of Nanostructured ZnO in Liquid. <i>Chemistry of Materials</i> , 2016, 28, 4507-4511.	3.2	34
21	Probing the electrochemical properties of an electrophoretically deposited Co <sub>3</sub> O <sub>4</sub> /rGO/CNTs nanocomposite for supercapacitor applications. <i>RSC Advances</i> , 2016, 6, 60578-60586.	1.7	33
22	In-situ TEM observation of Multilevel Storage Behavior in low power FeRAM device. <i>Nano Energy</i> , 2017, 34, 103-110.	8.2	33
23	Observing topotactic phase transformation and resistive switching behaviors in low power SrCoOx memristor. <i>Nano Energy</i> , 2020, 72, 104683.	8.2	33
24	Atomic-Scale Fabrication of In-Plane Heterojunctions of Few-Layer MoS <sub>2</sub> via In Situ Scanning Transmission Electron Microscopy. <i>Small</i> , 2020, 16, e1905516.	5.2	29
25	Phosphorus-Doped p-n Homojunction ZnO Nanowires: Growth Kinetics in Liquid and Their Optoelectronic Properties. <i>Chemistry of Materials</i> , 2015, 27, 4216-4221.	3.2	28
26	High-yield synthesis of ZnO nanowire arrays and their opto-electrical properties. <i>Nanoscale</i> , 2012, 4, 1476-1480.	2.8	27
27	Direct observation of melting behaviors at the nanoscale under electron beam and heat to form hollow nanostructures. <i>Nanoscale</i> , 2012, 4, 4702.	2.8	26
28	Optoelectronic Properties of Single-Crystalline Zn <sub>2</sub> GeO <sub>4</sub> Nanowires. <i>Journal of Physical Chemistry C</i> , 2014, 118, 8194-8199.	1.5	26
29	Opto-electrical properties of Sb-doped p-type ZnO nanowires. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	25
30	Transparent Antiradiative Ferroelectric Heterostructure Based on Flexible Oxide Heteroepitaxy. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 30574-30580.	4.0	24
31	The Influence of Surface Oxide on the Growth of Metal/Semiconductor Nanowires. <i>Nano Letters</i> , 2011, 11, 2753-2758.	4.5	23
32	Single-crystalline $\hat{\Gamma}$ -Ni <sub>2</sub> Si nanowires with excellent physical properties. <i>Nanoscale Research Letters</i> , 2013, 8, 290.	3.1	22
33	The different roles of contact materials between oxidation interlayer and doping effect for high performance ZnO thin film transistors. <i>Applied Physics Letters</i> , 2015, 106, 051607.	1.5	21
34	Observing the evolution of graphene layers at high current density. <i>Nano Research</i> , 2016, 9, 3663-3670.	5.8	21
35	Flexible Heteroepitaxy Photoelectrode for Photo-electrochemical Water Splitting. <i>ACS Applied Energy Materials</i> , 2018, 1, 3900-3907.	2.5	21
36	Single-crystalline CuO nanowires for resistive random access memory applications. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	19

#	ARTICLE	IF	CITATIONS
37	Atomic Visualization of the Phase Transition in Highly Strained BiFeO <sub>3</sub> Thin Films with Excellent Pyroelectric Response. Nano Energy, 2015, 17, 72-81.	8.2	19
38	Nickel/Platinum Dual Silicide Axial Nanowire Heterostructures with Excellent Photosensor Applications. Nano Letters, 2016, 16, 1086-1091.	4.5	19
39	Growth of single-crystalline cobalt silicide nanowires with excellent physical properties. Journal of Applied Physics, 2011, 110, .	1.1	18
40	Self-formed conductive nanofilaments in (Bi, Mn)O for ultralow-power memory devices. Nano Energy, 2015, 13, 283-290.	8.2	17
41	Dynamic observation of reversible lithium storage phenomena in hybrid supercapacitor devices. Nano Energy, 2017, 41, 494-500.	8.2	17
42	Optimization of the nanotwin-induced zigzag surface of copper by electromigration. Nanoscale, 2016, 8, 2584-2588.	2.8	16
43	<i>In Situ</i> Investigation of Defect-Free Copper Nanowire Growth. Nano Letters, 2018, 18, 778-784.	4.5	15
44	Low Interface Trap Densities and Enhanced Performance of AlGaIn/GaN MOS High-Electron Mobility Transistors Using Thermal Oxidized Y <sub>2</sub> O <sub>3</sub> Interlayer. IEEE Electron Device Letters, 2015, 36, 1284-1286.	2.2	14
45	Mass transport phenomena in copper nanowires at high current density. Nano Research, 2016, 9, 1071-1078.	5.8	14
46	<i>In situ</i> TEM investigation of electron beam-induced ultrafast chemical lithiation for charging. Journal of Materials Chemistry A, 2020, 8, 648-655.	5.2	13
47	Synthesis and thermoelectric properties of indium telluride nanowires. Materials Research Bulletin, 2019, 112, 61-65.	2.7	12
48	Atomic-Scale Localized Thinning and Reconstruction of Two-Dimensional WS <sub>2</sub> Layers through <i>In Situ</i> Transmission Electron Microscopy/Scanning Transmission Electron Microscopy. Journal of Physical Chemistry C, 2020, 124, 14935-14940.	1.5	12
49	Single-crystalline Ge nanowires and Cu <sub>3</sub> Ge/Ge nano-heterostructures. CrystEngComm, 2012, 14, 4570.	1.3	11
50	Observing phase transformation in CVD-grown MoS <sub>2</sub> <i>via</i> atomic resolution TEM. Chemical Communications, 2018, 54, 9941-9944.	2.2	11
51	Direct Observation of Sublimation Behaviors in One-Dimensional In <sub>2</sub> Se <sub>3</sub> /In <sub>2</sub> O <sub>3</sub> Nanoheterostructures. Analytical Chemistry, 2015, 87, 5584-5588.	3.2	10
52	In Situ TEM Investigation of the Electrochemical Behavior in CNTs/MnO <sub>2</sub> -Based Energy Storage Devices. Analytical Chemistry, 2017, 89, 9671-9675.	3.2	10
53	Carbon Nanotube/Nitrogen-Doped Reduced Graphene Oxide Nanocomposites and Their Application in Supercapacitors. Journal of Nanoscience and Nanotechnology, 2017, 17, 5366-5373.	0.9	10
54	Growth and properties of single-crystalline Ge nanowires and germanide/Ge nano-heterostructures. CrystEngComm, 2012, 14, 53-58.	1.3	9

#	ARTICLE	IF	CITATIONS
55	Dynamic observation on the growth behaviors in manganese silicide/silicon nanowire heterostructures. <i>Nanoscale</i> , 2015, 7, 1776-1781.	2.8	9
56	Electron Beam Irradiation-Induced Deoxidation and Atomic Flattening on the Copper Surface. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 40909-40915.	4.0	9
57	Observing Solid-State Formation of Oriented Porous Functional Oxide Nanowire Heterostructures by <i>in Situ</i> TEM. <i>Nano Letters</i> , 2018, 18, 6064-6070.	4.5	8
58	Electron-beam-induced phase transition in the transmission electron microscope: the case of VO <sub>2</sub> (B). <i>CrystEngComm</i> , 2018, 20, 6857-6860.	1.3	7
59	Real Time Observation of the Formation of Hollow Nanostructures through Solid State Reactions. <i>Analytical Chemistry</i> , 2014, 86, 4348-4353.	3.2	6
60	Dynamic observation on the functional metal oxide conversion behaviors in Fe <sub>3</sub> O <sub>4</sub> /ZnO heterostructures. <i>Scripta Materialia</i> , 2020, 177, 192-197.	2.6	6
61	Shape control of nickel silicide nanocrystals on stress-modified surface. <i>CrystEngComm</i> , 2014, 16, 1611.	1.3	4
62	Solid-State Diffusional Behaviors of Functional Metal Oxides at Atomic Scale. <i>Small</i> , 2018, 14, 1702877.	5.2	4
63	Observing resistive switching behaviors in single Ta <sub>2</sub> O <sub>5</sub> nanotube-based memristive devices. <i>Materials Today Nano</i> , 2022, 18, 100212.	2.3	4
64	The Linearly Temperature-Dependent Thermal Conductivity Across the Transition Temperature of Polycrystalline YBa <sub>2</sub> Cu <sub>3</sub> O <sub>6.9</sub> . <i>Journal of Superconductivity and Novel Magnetism</i> , 2019, 32, 2289-2293.	0.8	2
65	Unique amorphization-mediated growth to form heterostructured silicide nanowires by solid-state reactions. <i>Materials and Design</i> , 2019, 169, 107674.	3.3	2
66	Synthesis of single-crystalline Ge <sub>1</sub> Sb <sub>2</sub> Te <sub>4</sub> nanoplates in solution phase. <i>CrystEngComm</i> , 2016, 18, 2244-2246.	1.3	1
67	Single Crystalline CuO Nanowire for Resistive Random Access Memory Application. <i>ECS Meeting Abstracts</i> , 2014, , .	0.0	0