
LuÃ-s C Duarte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/392619/publications.pdf Version: 2024-02-01



LUÃS C DUADTE

#	Article	IF	CITATIONS
1	Oligosaccharides production by enzymatic hydrolysis of banana pseudostem pulp. Biomass Conversion and Biorefinery, 2023, 13, 10677-10688.	4.6	5
2	D-Lactic acid production from Cistus ladanifer residues: Co-fermentation of pentoses and hexoses by Escherichia coli JU15. Industrial Crops and Products, 2022, 177, 114519.	5.2	11
3	Development of an innovative macroalgae biorefinery: Oligosaccharides as pivotal compounds. Fuel, 2022, 320, 123780.	6.4	4
4	Combination of Autohydrolysis and Catalytic Hydrolysis of Biomass for the Production of Hemicellulose Oligosaccharides and Sugars. Reactions, 2022, 3, 30-46.	2.1	8
5	Low Indirect Land Use Change (ILUC) Energy Crops to Bioenergy and Biofuels—A Review. Energies, 2022, 15, 4348.	3.1	14
6	Assessment of the effect of autohydrolysis treatment in banana's pseudostem pulp. Waste Management, 2021, 119, 306-314.	7.4	18
7	Delignification of Cistus ladanifer Biomass by Organosolv and Alkali Processes. Energies, 2021, 14, 1127.	3.1	17
8	Recovery of Bioactive Compounds from Industrial Exhausted Olive Pomace through Ultrasound-Assisted Extraction. Biology, 2021, 10, 514.	2.8	17
9	The use of flow cytometry to assess Rhodosporidium toruloides NCYC 921 performance for lipid production using Miscanthus sp. hydrolysates. Biotechnology Reports (Amsterdam, Netherlands), 2021, 30, e00639.	4.4	4
10	Combined hydrothermal pre-treatment and enzymatic hydrolysis of corn fibre: Production of ferulic acid extracts and assessment of their antioxidant and antiproliferative properties. Industrial Crops and Products, 2021, 170, 113731.	5.2	20
11	Exhausted Olive Pomace Phenolic-Rich Extracts Obtention: A First Step for a Biorefinery Scheme Proposal. Proceedings (mdpi), 2021, 70, 10.	0.2	2
12	Effective Production of Bioactive Phenolic Compounds from Olive Stones. , 2021, 6, .		0
13	Cistus ladanifer as a source of chemicals: structural and chemical characterization. Biomass Conversion and Biorefinery, 2020, 10, 325-337.	4.6	12
14	Bioproducts from forest biomass: Essential oils and hydrolates from wastes of Cupressus lusitanica Mill. and Cistus ladanifer L Industrial Crops and Products, 2020, 144, 112034.	5.2	31
15	Bioproducts from forest biomass II. Bioactive compounds from the steam-distillation by-products of Cupressus lusitanica Mill. and Cistus ladanifer L. wastes. Industrial Crops and Products, 2020, 158, 112991.	5.2	16
16	Technoâ€economic and lifeâ€cycle assessments of smallâ€scale biorefineries for isobutene and xyloâ€oligosaccharides production: a comparative study in Portugal and Chile. Biofuels, Bioproducts and Biorefining, 2019, 13, 1321-1332.	3.7	31
17	Distillery Residues from Cistus ladanifer (Rockrose) as Feedstock for the Production of Added-Value Phenolic Compounds and Hemicellulosic Oligosaccharides. Bioenergy Research, 2019, 12, 347-358.	3.9	19
18	Hydrothermal Treatments of Cistus ladanifer Industrial Residues Obtained from Essential Oil Distilleries. Waste and Biomass Valorization, 2019, 10, 1303-1310.	3.4	12

LuÃs C Duarte

#	Article	IF	CITATIONS
19	Membrane separation and characterisation of lignin and its derived products obtained by a mild ethanol organosolv treatment of rice straw. Process Biochemistry, 2018, 65, 136-145.	3.7	29
20	Carob pulp syrup: A potential Mediterranean carbon source for carotenoids production by Rhodosporidium toruloides NCYC 921. Bioresource Technology Reports, 2018, 3, 177-184.	2.7	10
21	Selective single-stage xylan-to-xylose hydrolysis and its effect on enzymatic digestibility of energy crops giant reed and cardoon for bioethanol production. Industrial Crops and Products, 2017, 95, 104-112.	5.2	11
22	Valorization of glycerol from biodiesel industries as a renewable substrate for co-producing probiotic bacteria biomass and acetic acid. Biomass Conversion and Biorefinery, 2017, 7, 81-90.	4.6	6
23	Bioethanol production from extracted olive pomace: dilute acid hydrolysis. Bioethanol, 2016, 2, .	1.2	22
24	Assessment of the bifidogenic effect of substituted xylo-oligosaccharides obtained from corn straw. Carbohydrate Polymers, 2016, 136, 466-473.	10.2	59
25	Fractionation of Hemicelluloses and Lignin from Rice Straw by Combining Autohydrolysis and Optimised Mild Organosolv Delignification. BioResources, 2015, 10, .	1.0	42
26	Acid-modified clays as green catalysts for the hydrolysis of hemicellulosic oligosaccharides. Catalysis Science and Technology, 2015, 5, 4072-4080.	4.1	14
27	Hydrothermal pretreatment of several lignocellulosic mixtures containing wheat straw and two hardwood residues available in Southern Europe. Bioresource Technology, 2015, 183, 213-220.	9.6	39
28	Autohydrolysis of Annona cherimola Mill. seeds: Optimization, modeling and products characterization. Biochemical Engineering Journal, 2015, 104, 2-9.	3.6	22
29	Nanofiltration and reverse osmosis as a platform for production of natural botanic extracts: The case study of carob by-products. Separation and Purification Technology, 2015, 149, 389-397.	7.9	23
30	Biorefining strategy for maximal monosaccharide recovery from three different feedstocks: Eucalyptus residues, wheat straw and olive tree pruning. Bioresource Technology, 2015, 183, 203-212.	9.6	54
31	Selective recovery of phenolic compounds and carbohydrates from carob kibbles using water-based extraction. Industrial Crops and Products, 2015, 70, 443-450.	5.2	29
32	Hydrolysis of Oligosaccharides Over Solid Acid Catalysts: A Review. ChemSusChem, 2014, 7, 1010-1019.	6.8	100
33	Production and purification of xylooligosaccharides from oil palm empty fruit bunch fibre by a non-isothermal process. Bioresource Technology, 2014, 152, 526-529.	9.6	63
34	Detoxification of hemicellulosic hydrolysates from extracted olive pomace by diananofiltration. Process Biochemistry, 2014, 49, 173-180.	3.7	32
35	Pulp properties resulting from different pretreatments of wheat straw and their influence on enzymatic hydrolysis rate. Bioresource Technology, 2014, 169, 206-212.	9.6	17
36	Hydrothermal production and gel filtration purification of xylo-oligosaccharides from rice straw. Industrial Crops and Products, 2014, 62, 460-465.	5.2	68

LuÃs C Duarte

#	Article	IF	CITATIONS
37	Pre-treatment of lignocellulosic biomass using ionic liquids: Wheat straw fractionation. Bioresource Technology, 2013, 142, 198-208.	9.6	258
38	Metabolism of biodiesel-derived glycerol in probiotic Lactobacillus strains. Applied Microbiology and Biotechnology, 2013, 97, 1735-1743.	3.6	10
39	Supercritical, ultrasound and conventional extracts from carob (Ceratonia siliqua L.) biomass: Effect on the phenolic profile and antiproliferative activity. Industrial Crops and Products, 2013, 47, 132-138.	5.2	92
40	<i>In vitro</i> evaluation of the fermentation properties and potential prebiotic activity of caprine cheese whey oligosaccharides in batch culture systems. BioFactors, 2012, 38, 440-449.	5.4	23
41	Separation of oligosaccharides from caprine milk whey, prior to prebiotic evaluation. International Dairy Journal, 2012, 24, 102-106.	3.0	37
42	Deconstruction of the Hemicellulose Fraction from Lignocellulosic Materials into Simple Sugars. , 2012, , 3-37.		13
43	Supercritical extraction of carob kibbles (Ceratonia siliqua L.). Journal of Supercritical Fluids, 2011, 59, 36-42.	3.2	52
44	Mannitol production by lactic acid bacteria grown in supplemented carob syrup. Journal of Industrial Microbiology and Biotechnology, 2011, 38, 221-227.	3.0	63
45	Removal of inhibitory compounds from olive stone auto-hydrolysis liquors by nanofiltration. Desalination and Water Treatment, 2011, 27, 90-96.	1.0	18
46	Hemicelluloses for fuel ethanol: A review. Bioresource Technology, 2010, 101, 4775-4800.	9.6	1,249
47	Comparison of GA and PSO performance in parameter estimation of microbial growth models: A case-study using experimental data. , 2010, , .		7
48	Dilute Acid Hydrolysis of Wheat Straw Oligosaccharides. Applied Biochemistry and Biotechnology, 2009, 153, 116-126.	2.9	38
49	Wheat Straw Autohydrolysis: Process Optimization and Products Characterization. Applied Biochemistry and Biotechnology, 2009, 153, 84-93.	2.9	193
50	Yeast Biomass Production in Brewery's Spent Grains Hemicellulosic Hydrolyzate. Applied Biochemistry and Biotechnology, 2008, 148, 119-129.	2.9	21
51	Biotechnological valorization potential indicator for lignocellulosic materials. Biotechnology Journal, 2007, 2, 1556-1563.	3.5	15
52	Xylitol production by Debaryomyces hansenii in brewery spent grain dilute-acid hydrolysate: effect of supplementation. Biotechnology Letters, 2007, 29, 1887-1891.	2.2	36
53	Yeast Biomass Production in Brewery's Spent Grains Hemicellulosic Hydrolyzate. , 2007, , 637-647.		1
54	The Combined Effects of Acetic Acid, Formic Acid, and Hydroquinone on Debaryomyces hansenii Physiology. , 2006, , 461-475.		1

LuÃs C Duarte

#	Article	IF	CITATIONS
55	The Combined Effects of Acetic Acid, Formic Acid, and Hydroquinone on <i>Debaryomyces hansenii</i> Physiology. Applied Biochemistry and Biotechnology, 2006, 130, 461-475.	2.9	15
56	Supplementation requirements of brewery's spent grain hydrolysate for biomass and xylitol production by Debaryomyces hansenii CCMI 941. Journal of Industrial Microbiology and Biotechnology, 2006, 33, 646-654.	3.0	27
57	Evaluation of the detoxification of brewery's spent grain hydrolysate for xylitol production by Debaryomyces hansenii CCMI 941. Process Biochemistry, 2005, 40, 1215-1223.	3.7	141
58	Effects of Aliphatic Acids, Furfural, and Phenolic Compounds on <i>Debaryomyces hansenii </i> CCMI 941. Applied Biochemistry and Biotechnology, 2005, 121, 0413-0426.	2.9	52
59	Effects of Aliphatic Acids, Furfural and Phenolic Compounds on Debaryomyces hansenii CCMI 941. , 2005, , 413-425.		1
60	Comparison of Two Posthydrolysis Processes of Brewery's Spent Grain Autohydrolysis Liquor to Produce a Pentose-Containing Culture Medium. Applied Biochemistry and Biotechnology, 2004, 115, 1041-1058.	2.9	55
61	Optimization of Brewery's Spent Grain Dilute-Acid Hydrolysis for the Production of Pentose-Rich Culture Media. Applied Biochemistry and Biotechnology, 2004, 115, 1059-1072.	2.9	33
62	Comparison of Two Posthydrolysis Processes of Brewery's Spent Grain Autohydrolysis Liquor to Produce a Pentose-Containing Culture Medium. , 2004, , 1041-1058.		3
63	Optimization of Brewery's Spent Grain Dilute-Acid Hydrolysis for the Production of Pentose-Rich Culture Media. , 2004, , 1059-1072.		1
64	Ca2+ and the bacterial peroxidases: the cytochrome c peroxidase from Pseudomonas stutzeri. Journal of Biological Inorganic Chemistry, 2003, 8, 29-37.	2.6	22
65	A physiological and enzymatic study of Debaryomyces hansenii growth on xylose- and oxygen-limited chemostats. Applied Microbiology and Biotechnology, 2002, 59, 509-516.	3.6	38
66	The influence of hexoses addition on the fermentation of d-xylose in Debaryomyces hansenii under continuous cultivation. Enzyme and Microbial Technology, 2000, 26, 743-747.	3.2	46
67	A cytochrome c peroxidase from Pseudomonas nautica 617 active at high ionic strength: expression, purification and characterization. BBA - Proteins and Proteomics, 1999, 1434, 248-259.	2.1	43
68	Phosphate limitation stress induces xylitol overproduction by Debaryomyces hansenii. FEMS Microbiology Letters, 1999, 171, 115-120.	1.8	0
69	Determination of the kinetic parameters in continuous cultivation byDebaryomyces hansenii grown on D-xylose. Biotechnology Letters, 1994, 8, 859-864.	0.5	10
70	D-lactic acid production from hydrothermally pretreated, alkali delignified and enzymatically saccharified rockrose with the metabolic engineered Escherichia coli strain JU15. Biomass Conversion and Biorefinery, 0, , 1.	4.6	4
71	Combined Extraction and Ethanol Organosolv Fractionation of Exhausted Olive Pomace for Bioactive Compounds. Advanced Sustainable Systems, 0, , 2100361.	5.3	8